

2012

Climate Science	105
Physical Oceanography	109
Chemical Oceanography	110
Ocean Floor Geoscience	111
Marine Ecosystems Dynamics	112
Marine Bioscience	114
Living Marine Resources	117
Multiple Field Marine Science	118

研究業績 | PUBLICATION LIST 2012

気候システム科学 Climate Science

- Berkelhammer M., Sinha A., Stott L., Cheng H., Pausata F.S.R. and Yoshimura K. (2012): An abrupt shift in the Indian monsoon 4000 years ago. *Geophysical Monograph Series*, **198**, 75-87.
- Braconnot P., Harrison S.P., Kageyama M., Bartlein P.J., Masson-Delmotte V., Abe-Ouchi A., Otto-Bliesner B., and Zhao Y. (2012): Evaluation of climate models using palaeoclimatic data. *Nature Climate Change*, **2**, 417-424.
- Buenning N.H., Stott L., Yoshimura K., and Berkelhammer M. (2012): The cause of the seasonal variation in the oxygen isotopic composition of precipitation along the western U.S. coast. *Journal of Geophysical Research*, **117**, D18114.
- Chikamoto, M.O., Abe-Ouchi A., Oka A., and Lan Smith S. (2012): Temperature-induced marine export production during glacial period. *Geophysical Research Letters*, **39**, L21601.
- Chikamoto M.O., Abe-Ouchi A., Oka A., Ohgaito R., and Timmermann A. (2012): Quantifying the ocean's role in glacial CO₂ reductions. *Climate of the Past*, **8**, 545-563.
- Chikamoto M.O., Menviel L., Abe-Ouchi A., Ohgaito R., Timmermann A., Okazaki Y., Harada N., Oka A., and Mouchet A. (2012): Variability in North Pacific intermediate and deep water ventilation during Heinrich events in two coupled climate models. *Deep Sea Research Part II: Topical Studies in Oceanography*, **61-64**, 114-126.
- Chikamoto Y., Kimoto M., Ishii M., Mochizuki T., Sakamoto T.T., Tatebe H., Komuro Y., Watanabe M., Nozawa T., Shiogama H., Mori M., Yasunaka S., and Imada Y. (2012): An overview of decadal climate predictability in a multi-model ensemble by climate model MIROC. *Climate Dynamics*, **40**, 1201-1222.
- Chikamoto, T., Kimoto M., Ishii M., Watanabe M., Nozawa T., Mochizuki T., Tatebe H., Sakamoto T. T., Komuro Y., Shiogama H., Mori M., Yasunaka S., Imada Y., Koyama H., Nozu M., and Jin F.-F. (2012): Predictability of a stepwise shift in Pacific climate during the late 1990s in hindcast experiments using MIROC. *Journal of the Meteorological Society of Japan*, **90A**, 1-21.
- Chikamoto Y., Kimoto M., Watanabe M., Ishii M., and Mochizuki T. (2012): Relationship between the Pacific and Atlantic stepwise climate change during the 1990s. *Geophysical Research Letters*, **39**, L21710.
- Day J.J., Hargreaves J.C., Annan J.D., and Abe-Ouchi A. (2012): Sources of multi-decadal variability in Arctic sea ice extent. *Environmental Research Letters*, **7**, 034011.
- Dirmeyer P.A., Cash B.A., Kinter III J.L., Jung T., Marx L., Satoh M., Stan C., Tomita H., Towers P., Wedi N., Achuthavarier D., Adams J.M., Altshuler E.L., Huang B., Jin E.K., and Manganello J. (2012): Simulating the diurnal cycle of rainfall in global climate models: Resolution versus parameterization. *Climate Dynamics*, **39**, 399-418.
- Dowsett H.J., Robinson M.M., Haywood A.M., Hill D.J., Dolan A.M., Stoll D.K., Chan W.-L., Abe-Ouchi A., Chandler M.A., Rosenbloom N.A., Otto-Bliesner B.L., Bragg F.J., Lunt D.J., Foley K.M., and Riesselman C.R. (2012): Assessing confidence in Pliocene sea surface temperatures to evaluate predictive models. *Nature Climate Change*, **2**, 365-371.
- Friedrich T., Timmermann A., Abe-Ouchi A., Bates N.R., Chikamoto M.O., Church M.J., Dore J.E., Gledhill D.K., Gonzalez-Davila M., Heinemann M., Ilyina T., Jungclauss J.H., McLeod E., Mouchet A., and Santana-Casiano J.M. (2012): Detecting regional anthropogenic trends in ocean acidification against natural variability. *Nature Climate Change*, **2**, 167-171.
- Gimeno L., Stohl A., Trigo R.M., Dominguez F., Yoshimura K., Yu L., Drumond A., Duran-Quesada A.M., and Nieto R. (2012): Oceanic and terrestrial sources of continental precipitation. *Review of Geophysics*, **50**, RG4003.
- Ha K.-J., Chu J.-E., Lee J.-Y., Wang B., Saji N.H., and Watanabe M. (2012): What causes cool summer over northern central and East Asia and central North America during 2009? *Environmental Research Letters*, **7**, 044015, doi:10.1088/1748-9326/7/4/044015.
- Harada N., Sato M., Seki O., Timmermann A., Moossen H., Bendle J., Nakamura Y., Kimoto K., Okazaki Y., Nagashima K., Gorbarenko S.A., Ijiri A., Nakatsuka T., Menviel L., Chikamoto M.O., Abe-Ouchi A., and Schouten S. (2012): Sea surface temperature changes in the Okhotsk Sea and adjacent North Pacific during the last glacial maximum and deglaciation. *Deep Sea Research Part II: Topical Studies in Oceanography*, **61-64**, 93-105.
- Hargreaves J.C., Annan J.D., Yoshimori M., and Abe-Ouchi A. (2012): Can the Last Glacial Maximum constrain climate sensitivity? *Geophysical Research Letters*, **39**, L24702.
- Hashimoto M., Nakajima T., Dubovik O., Campanelli M., Che H., Khatri P., Takamura T., and Pandithurai G. (2012): Development of a new data processing method for the SKYNET skyradiometer observation. *Atmospheric Measurement Techniques*, **5**, 2723-2737.
- Hirota N. and Takayabu Y.N. (2012): Inter-model differences of future precipitation changes in CMIP3 and MIROC5 climate models. *Journal of the Meteorological Society of Japan*, **90A**, 307-316.
- Hirota N. and Takahashi M. (2012): A tripolar pattern as an internal mode of the East Asian summer monsoon. *Climate Dynamics*, **39**, 2219-2238.
- Hu A., Meehl G.A., Han W., Abe-Ouchi A., Morrill C., Okazaki Y., and Chikamoto M.O. (2012): The Pacific-Atlantic seesaw and the Bering Strait. *Geophysical Research Letters*, **39**, L03702.
- Hu A., Meehl G.A., Han W., Timmermann A., Otto-Bliesner B., Liu Z., Washington W.M., Large W., Abe-Ouchi A., Kimoto M., Lambeck K., and Wu B. (2012): Role of the Bering Strait on the hysteresis of the ocean conveyor belt circulation and glacial climate stability. *Proceedings of the National Academy of Sciences of the United States of America*, **109**, 6417-6422.
- Hu A., Meehl G.A., Han W., Yin J., Wu B., and Kimoto M. (2012): Influence of continental ice retreat on future global climate. *Journal of Climate*, doi:10.1175/JCLI-D-12-00102.1.

- Imada Y. and Kimoto M. (2012): Atmospheric responses and feedback to tropical instability waves in the Pacific Ocean. *Journal of Climate*, **25**, 4568-4581.
- Imada Y., Kimoto M., and Chen X. (2012): Impact of the atmospheric mean state on tropical instability wave activity. *Journal of Climate*, **25**, 2341-2355.
- Imada Y., Kimoto M., and Kanae S. (2012): Seasonal prediction by statistical downscaling using singular value decomposition analysis. *Journal of Japan Society of Civil Engineers*, Ser. B1 (Hydraulic Engineering), **68**, 1369-1374. (今田 由紀子・木本 昌秀・鼎 信次郎 (2012): 特異値分解解析を用いた統計的ダウンスケーリングによる季節予測-インドシナ半島の秋季の降水の予測可能性-. 土木学会論文集B1(水工学), **68**, 1369-1374.)
- Inatsu M., Satake Y., Kimoto M., and Yasutomi N. (2012): GCM Bias of the Western Pacific Summer Monsoon and Its Correction by Two-Way Nesting System Monsoon. *Journal of the Meteorological Society of Japan*, **90B**, 1-10.
- Ishizaki Y., Shiogama H., Emori S., Yokohata T., Nozawa T., Ogura T., Abe M., Yoshimori M., and Takahashi K. (2012): Temperature scaling pattern dependence on representative concentration pathway emission scenarios. *Climatic Change Letters*, **112**, 535-546.
- Ishizaki Y., Yoshimura K., Kanae S., Kimoto M., Kurita N., and Oki T. (2012): Interannual variability of H²¹⁸O in precipitation over the Asian monsoon region. *Journal of Geophysical Research*, **117**, D16308.
- Iwao K., Inatsu M., and Kimoto M. (2012): Recent changes in explosively developing extratropical cyclones over the winter northwestern Pacific. *Journal of Climate*, **25**, 7282-7296.
- Jiang J.H., Su H., Zhai C., Perun V.S., Del Genio A., Nazarenko L.S., Donner L.J., Horowitz L., Seman C., Cole J., Gttelman A., Ringer M., Rotstayn L., Jeffrey S., Wu T., Briert F., Dufresne J.-L., Kawai H., Koshiro T., Watanabe M., Lecuyer T., Read W.G., Waters J.W., Tian B., Teixeira J.P., and Stephens G.L. (2012): Evaluation of cloud and water vapor simulations in IPCC AR5 climate models using NASA "A-Train" satellite observations. *Journal of Geophysical Research*, **117**, D14105, doi:10.1029/2011JD017237.
- Kanae, Y., and M. Watanabe (2012): Tropospheric adjustment to increasing CO₂: its timescale and the role of land-sea contrast. *Climate Dynamics*, doi:10.1007/s00382-012-1555-1.
- Kanae, Y., and M. Watanabe (2012): On the robustness of tropospheric adjustment in CMIP5 models. *Geophysical Research Letters*, **39**, L23808.
- Kimoto M. (2012): Studies of climate variability and change using numerical models. In *Two Kinds of Climate Warming*, edited by Kai K., Seizando-shoten, Tokyo, 74-93. (木本昌秀 (2012): 数値モデルによる気候変動研究. 「二つの温暖化」(甲斐憲次編), 成山堂書店, 東京, 74-93.)
- Kodama C., Noda A.T., and Satoh M. (2012): An Assessment of the Cloud Signals Simulated by NICAM using ISCCP, CALIPSO, and CloudSat Satellite Simulators. *Journal of Geophysical Research*, **117**, D12210, doi:10.1029/2011JD017317.
- Kojima K., Yoshimura K., Suzuki A., and Oki T. (2012): Quantitative understanding of sea water δ¹⁸O variability using coral records and isotope general circulation model. *Journal of Japan Society of Civil Engineers*, Ser. B1 (Hydraulic Engineering), **68**, 433-438. (小島 啓太郎・芳村 圭・鈴木 淳・沖 大幹 (2012): サンゴ記録と同位体大循環モデルを用いた海水酸素同位体比変動メカニズムの定量的理解. 土木学会論文集B1(水工学), **68**, 433-438.)
- Komuro Y., Suzuki T., Sakamoto T.T., Hasumi H., Ishii M., Watanabe M., Nozawa T., Yokohata T., Nishimura T., Ogochi K., Emori S., and Kimoto M. (2012): Sea-ice in twentieth-century simulations by new MIROC coupled models: a comparison between models with high resolution and with ice thickness distribution. *Journal of the Meteorological Society of Japan*, **90A**, 213-232.
- Kubokawa H., Fujiwara M., Nasuno T., Miura H., Yamamoto M., and Satoh M. (2012): Analysis of the tropical tropopause layer using the Nonhydrostatic Icosahedral Atmospheric Model (NICAM): 2. An experiment under the atmospheric conditions of December 2006-January 2007. *Journal of Geophysical Research*, **117**, D17114, doi:10.1029/2012JD017737.
- Lee J.-H., Worden J., Koh D.-C., Yoshimura K., and Lee J.-E. (2012): A seasonality of δD of water vapor (850-500 hPa) observed from space over Jeju Island, Korea. *Geosciences Journal*, **17**, 87-95.
- Li H., Kanamitsu M., Hong S.-Y., Yoshimura K., Cayan D.R., and Misra V. (2012): A High-Resolution Ocean-Atmosphere coupled downscaling of a present climate over California. *Climate Dynamics*, **40**, doi:10.1007/s00382-013-1670-7.
- Liu Z., Bowen G.J., Welker J.M., and Yoshimura K. (2012): Winter precipitation isotope (δ¹⁸O) slopes of the contiguous USA and their relationship to the Pacific/North American (PNA) pattern. *Climate Dynamics*, **39**, doi:10.1007/s00382-012-1548-0.
- Menviel L., Timmermann A., Elison Timm O., Mouchet A., Abe-Ouchi A., Chikamoto M.O., Harada N., Ohgaito R., and Okazaki Y. (2012): Removing the North Pacific halocline: Effects on global climate, ocean circulation and the carbon cycle. *Deep Sea Research Part II: Topical Studies in Oceanography*, **61-64**, 106-113.
- Miyakawa T., Takayabu Y.N., Nasuno T., Miura H., Satoh M., and Moncrieff M.W. (2012): Convective momentum transport by rainbands within a Madden-Julian Oscillation in a global nonhydrostatic model with explicit deep convective processes. Part I: Methodology and general results. *Journal of the Atmospheric Sciences*, **69**, 1317-1338.
- Mochizuki T., Chikamoto T., Kimoto M., Ishii M., Tatebe H., Komuro Y., Sakamoto T., Watanabe M., and Mori M. (2012): Decadal prediction using a recent series of MIROC global climate models. *J. Meteor. Soc. Japan*, **90A**, 373-383.
- Mori M., Watanabe M., and Kimoto M. (2012): A numerical experiment on 2010 summer by MIROC atmospheric model., In *A Heat Wave that struck Japan in 2010 Summer*, edited by Kusunoki S., Meteorological Society of Japan, Tokyo, 127-134. (森 正人・渡部雅浩・木本昌秀 (2012): MIROC大気モデルによる2010年夏季の天候再現実験. 「2010年夏 日本の猛暑」(楠昌司編), 日本気象学会, 東京, 127-134.)

- Nakajima T., Goto D., Dai T., and Schutgens N. (2012): World Climate Research Programme and Perspectives of the climate research. *Trends in the Sciences*, November issue, 56-61. (中島映至・五藤大輔・Tie Dai・Nick Schutgens (2012): 世界気候研究計画 (WCRP) と気候研究の方向性. 学術の動向, 2012年11月号, 56-61.)
- Nakajima T. and Tajika E. (2012): *Correct understanding the climate sciences-Revisit to the basis of the science discussion*. Gijutsu-Hyohron, Tokyo, 208pp. (中島映至・田近英一 (2012): 「正しく理解する気候の科学 - 論争の原点にたち帰る」. 技術評論社, 東京, 208pp.)
- Nakajima T., Tsuruta H., Goto D., Schutgens N., and Nakata M. (2012): Construction of an integrated system for CAI satellite data analysis and model simulation. *NIES Supercomputer Annual Report 2012*, 70-77. (中島映至・鶴田治雄・五藤大輔・Nick Schutgens・中田 真木子 (2012): CAI衛星解析とモデルシミュレーションの統合システムの構築. 平成23年度国立環境研究所スーパーコンピュータ利用研究年報, 70-77.)
- Nishii K., Miyasaka T., Nakamura H., Kosaka Y., Yokoi S., Takayabu Y.N., Endo H., Ichikawa H., Inoue T., Oshima K., Sato N., and Tsushima Y. (2012): Relationship of the reproducibility of multiple variables among global climate models. *Journal of the Meteorological Society of Japan*, **90A**, 87-100.
- Nitta T., Yoshimura K., Takata K., Oishi R., Kanae S., and Oki T. (2012): Representation of subgrid scale snow cover and snow depth variabilities in a global land model. *Journal of Japan Society of Civil Engineers*, Ser. B1 (Hydraulic Engineering), **68**, 325-330. (新田友子・芳村 圭・高田久美子・大石龍太・鼎 信次郎・沖 大幹 (2012): 陸面モデルにおけるサブグリッドスケールの積雪被覆率と積雪深の変化の表現. 土木学会論文集B1 (水工学), **68**, 325-330.)
- Niwa Y., Machida T., Sawa Y., Matsueda H., Schuck T., Brenninkmeijer C.A.M., Imasu R., and Satoh M. (2012): Imposing strong constraints on tropical terrestrial CO₂ fluxes using passenger aircraft based measurements. *Journal of Geophysical Research*, **117**, D11303, doi:10.1029/2012JD017474.
- Noda A.T., Oouchi K., Satoh M., and Tomita H. (2012): Quantitative assessment of diurnal variation of tropical convection simulated by a global nonhydrostatic model without cumulus parameterization. *Journal of Climate*, **25**, 5119-5134.
- Ohba M., and Watanabe M. (2012): Role of the Indo-Pacific interbasin coupling in predicting asymmetric ENSO transition and duration. *Journal of Climate*, **25**, 3321-3335.
- Oka A., Hasumi H., and Abe-Ouchi A. (2012): The thermal threshold of the Atlantic meridional overturning circulation and its control by wind stress forcing during glacial climate. *Geophysical Research Letters*, **39**, L09709.
- Okazaki A., Yeh P.J.-F., Yoshimura K., Watanabe M., Kimoto M., and Oki T. (2012): Changes in flood risk under global warming estimated using MIROC5 and the discharge probability index. *Journal of the Meteorological Society of Japan*, **90**, 509-524.
- Oouchi K., Taniguchi H., Nasuno T., Satoh M., Tomita H., Yamada Y., Ikeda M., Shirooka R., Yamada H., and Yoneyama K. (2012): A prototype quasi real-time intra-seasonal forecasting of tropical convection over the warm pool region: a new challenge of global cloud-system-resolving model for a field campaign. In *Cyclones: Formation, Triggers and Control*, edited by Oouchi K. and Fudeyasu H., Nova Science Publishers, Inc., Chapter 11, New York, 233-248.
- Pfahl S., Wernli H., and Yoshimura K. (2012): The isotopic composition of precipitation from a winter storm - a case study with the limited-area model COSMOiso. *Atmospheric Chemistry and Physics*, **12**, 1629-1648.
- Pierce D., Cayan D., Das T., Maurer E., Miller N., Bao Y., Kanamitsu M., Yoshimura K., Snyder M., Sloan L., Franco G., and Tyree M. (2012): The key role of heavy precipitation events in climate model disagreements of future annual precipitation changes in California. *Journal of Climate*, **26**, doi:10.1175/JCLI-D-12-00766.1.
- Pierce D., Das T., Cayan D., Maurer E., Miller N., Bao Y., Kanamitsu M., Yoshimura K., Snyder M., Sloan L., Franco G., and Tyree M. (2013, Published online 2012): Probabilistic estimates of future changes in California temperature and precipitation using statistical and dynamical downscaling. *Climate Dynamics*, **40**, 3-4, 839-856.
- Saitoh N., Touno M., Hayashida S., Imasu R., Shiomi K., Yokota T., Yoshida Y., Machida T., Matsueda H., and Sawa Y. (2012): Comparisons between XCH₄ from GOSAT Shortwave and Thermal Infrared Spectra and Aircraft CH₄ Measurements over Guam. *SOLA*, **8**, 145-149.
- Sakamoto T.T., Komuro Y., Nishimura T., Ishii M., Tatebe H., Shiogama H., Hasegawa A., Toyoda T., Mori M., Suzuki T., Imada Y., Nozawa T., Takata K., Mochizuki T., Ogochi K., Emori S., Hasumi H., and Kimoto M. (2012): MIROC4h--a new high-resolution atmosphere-ocean coupled general circulation model. *Journal of the Meteorological Society of Japan*, **90**, 325-359.
- Sato Y., Nakajima T.Y. and Nakajima T. (2012): Investigation of the vertical structure of warm-cloud microphysical properties using the Cloud Evolution Diagram, CFODD, simulated by a three dimensional spectral bin microphysical model. *Journal of the Atmospheric Sciences*, **69**, 2012-2030.
- Satoh M., Iga S., Tomita H., Tsushima Y., and Noda A.T. (2012): Response of upper clouds due to global warming tested by a global atmospheric model with explicit cloud processes. *Journal of Climate*, **25**, 2178-2191.
- Satoh, M., Oouchi, K., Nasuno, T., Taniguchi, H., Yamada, Y., Tomita, H., Kodama, C., Kinter, J., Achuthavarier, D. Manganello, J, Cash, B., Jung, T., Palmer, T., Wedi, N. (2012) The Intra-Seasonal Oscillation and its control of tropical cyclones simulated by high-resolution global atmospheric models. *Climate Dynamics*, **39**, 2185-2206.
- Schneider M., Barthlott S., Hase F., Gonzalez Y., Yoshimura K., Garcia O.E., Sepulveda E., Gomez-Pelaez A., Gisi M., Kohlhepp R., Dohe S., Blumenstock T., Wiegeler A., Christner E., Strong K., Weaver D., Palm M., Deutscher N.M., Warneke T., Notholt J., Lejeune B., Demoulin P., Jones N., Griffith D.W.T., Smale D., and Robinson J. (2012): Ground-based remote sensing of tropospheric water vapour isotopologues within the project MUSICA. *Atmospheric Measurement Techniques*, **5**, 3007-3027.

- Schutgens N., Nakata M., and Nakajima T. (2012): Estimating aerosol emissions by assimilating remote sensing observations into a global transport model. *Remote Sensing*, **4**, 3528-3543.
- Shiogama H., Watanabe M., Yoshimori M., Yokohata T., Ogura T., Annan J.D., Hargreaves J.C., Abe M., Kamae Y., O'ishi R., Nobui R., Emori S., Nozawa T., Abe-Ouchi A., and Kimoto M. (2012): Perturbed physics ensemble using the MIROC5 coupled atmosphere-ocean GCM without flux corrections: Experimental design and results. *Climate Dynamics*, **39**, 3041-3056.
- Smith D.M., Scaife A.A., Boer G.J., Caian M., Doblas-Reyes F.J., Guemas V., Hawkins E., Hazeleger W., Hermanson L., Ho C.K., Ishii M., Kharin V., Kimoto M., Kirtman B., Lean J., Matei D., Merryfield W.J., Müller W.A., Pohlmann H., Rosati A., Wouters B., and Wyser K. (2012): Real-time multi-model decadal climate predictions. *Climate Dynamics*, doi:10.1007/s00382-012-1600-0.
- Sumi A., Tsuyuki T., Kawamiya M., and Kimoto M. (2012): *High Performance Computing and Earth's Environment*, Iwanami Shoten, Tokyo, 228pp. (住 明正・露木 義・河宮未知生・木本昌秀 (2012): 「計算と地球環境」. 岩波書店, 東京, 228pp.)
- Sunmonu N., Muramoto K., Kurita N., Yoshimura K., and Fujiyoshi Y. (2012): Characteristics of seasonal variation of near-surface water vapor D/H isotope ratio revealed by continuous in situ measurement in Sapporo, Japan. *SOLA*, **8**, 5-8.
- Takahashi C., Yoneyama K., Sato N., Seiki A., Shirooka R., and Takayabu Y.N. (2012): The Madden-Julian Oscillation and extratropical teleconnection over East Asia during the Northern winter in IPCC AR4 climate models. *Journal of the Meteorological Society of Japan*, **90A**, 361-371.
- Tanaka T., Shiomi K., Kawakami S., Saitoh N., Imasu R., Inoue M., Morino I., Uchino O., Sweeney C., and Tans P. (2012): Characterization and validation of CO₂ and CH₄ products derived from the GOSAT thermal infrared band. *SPIE conference proceedings*, **8528**, 852810-1.
- Tanaka K., Kim H.-J., Saito K., Takahashi H.G., Watanabe M., Yokohata T., Kimoto M., Takata K., and Yasunari T. (2012): How have both cultivation and warming influenced annual global isoprene and monoterpene emissions since the preindustrial era? *Atmospheric Chemistry and Physics*, **12**, 16515-16555.
- Tatebe, H., Ishii M., Mochizuki T., Chikamoto Y., Sakamoto T.T., Komuro Y., Mori M., Yasunaka S., Watanabe M., Ogochi K., Suzuki T., Nishimura T., and Kimoto M. (2012): The initialization of the MIROC climate models with hydrographic data assimilation for decadal prediction. *Journal of the Meteorological Society of Japan*, **90A**, 275-294.
- Taylor T.E., O'Dell C.W., O'Brien D.M., Kikuchi N., Yokota T., Nakajima T.Y., Ishida H., Crisp D., Nakajima T. (2012): Comparison of cloud-screening methods applied to GOSAT near-infrared spectra. *Transactions on Geoscience and Remote Sensing*, **50**, 295-309.
- Thatcher L., Takayabu Y.N., Yokoyama C., and Pu Z.X. (2012): Characteristics of tropical cyclone precipitation features over the western Pacific warm pool. *Journal of Geophysical Research*, **117**, D16208, doi: 10.1029/2011JD017351.
- Tomikawa Y., Sato K., Watanabe S., Kawatani Y., Miyazaki K., and Takahashi M. (2012): Growth of planetary waves and the formation of an elevated stratopause after a major stratospheric sudden warming in a T213L256 GCM. *Journal of Geophysical Research*, **117**, D16101.
- Tsuruta H. and Nakajima T. (2012): Radioactive materials in the atmosphere released by the accident of the Fukushima Daiichi Nuclear Power Plant. *Chikyukagaku (Geochemistry)*, **46**, 99-111.
- Uemura R., Yonezawa N., Yoshimura K., Asami R., Kadena H., Yamada K., and Yoshida N. (2012): Factors controlling isotopic composition of precipitation on Okinawa Island, Japan: Implications for paleoclimate reconstruction in the East Asian Monsoon region. *Journal of Hydrology*, **475**, 314-322.
- Urakawa L.S. and Hasumi H. (2012): Eddy-resolving model estimate of the cabbeling effect on the water mass transformation in the Southern Ocean. *Journal of Physical Oceanography*, **42**, 1288-1302.
- Watanabe M., Shiogama H., Yokohata T., Kamae Y., Yoshimori M., Ogura T., Annan J.D., Hargreaves J.C., Emori S., and Kimoto M. (2012): Using a multi-physics ensemble for exploring diversity in cloud-shortwave feedback in GCMs. *Journal of Climate*, **25**, 5416-5431.
- Watanabe M., Shiogama H., Yoshimori M., Ogura T., Yokohata T., Okamoto H., Emori S., and Kimoto M. (2012): Fast and slow timescales in the tropical low-cloud response to increasing CO₂ in two climate models. *Climate Dynamics*, **39**, 1627-1641.
- Watanabe M. and Wittenberg A.T. (2012): A method for disentangling El Niño-mean state interaction. *Geophysical Research Letters*, **39**, L14702, doi:10.1029/2012GL052013.
- Watanabe M., Kug J.-S., Jin F.-F., Collins M., Ohba M., and Wittenberg A.T. (2012): Uncertainty in the ENSO amplitude change from the past to future. *Geophysical Research Letters*, **39**, L20703, doi:10.1029/2012GL053305.
- Weaver A.J., Sedlacek J., Eby M., Alexander K., Crespin E., Fichetef T., Philippon-Berthier G., Joos F., Kawamiya M., Matsumoto K., Steinacher M., Tachiiri K., Tokos K., Yoshimori M., and Zickfeld K. (2012): Stability of the Atlantic meridional overturning circulation: A model intercomparison. *Geophysical Research Letters*, **39**, L20709.
- Yamada Y., Oouchi K., Satoh M., Noda A.T., and Tomita H. (2012): Sensitivity of tropical cyclones to large-scale environment in a global non-hydrostatic model with explicit cloud microphysics. In *Cyclones: Formation, Triggers and Control*, edited by Oouchi K. and Fudeyasu H., Nova Science Publishers, Inc., Chapter 7, New York, 145-160.
- Yamamoto M., and Takahashi M. (2012): Venusian middle-atmospheric dynamics in the presence of a strong planetary-scale 5.5-day wave. *Icarus*, **217**, 702-713.
- Yasunaka S. and Kimoto M. (2012): Upper ocean temperature warming pattern in the past 50 years. *Journal of Oceanography*, **69**, 87-95.

- Yiou P., Servonnat J., Yoshimori M., Swingedouw D., Khodri M., and Abe-Ouchi A. (2012): Stability of weather regimes during the last millennium from climate simulations. *Geophysical Research Letters*, **39**, L08703.
- Yokoyama C. and Takayabu Y.N. (2012): Relationships between rain characteristics and environment. Part I: TRMM precipitation feature and the large-scale environment over the tropical Pacific. *Monthly Weather Review*, **140**, 2831-2840.
- Yokoyama C. and Takayabu Y.N. (2012): Relationships between rain characteristics and environment. Part II: Atmospheric disturbances associated with shallow convection over the eastern tropical Pacific. *Monthly Weather Review*, **140**, 2841-2859.
- Yoshida M., Haywood J.M., Johnson B.T., Murakami H., and Nakajima T. (2012): Spatial distribution of dust's optical properties over the Sahara and Asia inferred from Moderate Resolution Imaging Spectroradiometer. *Atmospheric Chemistry and Physics*, **12**, 1-45.
- Yoshimori M. and Abe-Ouchi A. (2012): Sources of spread in multi-model projections of the Greenland ice-sheet surface mass balance. *Journal of Climate*, **25**, 1157-1175.
- Yoshimori M., Yokohata T., Ogura T., O'ishi R., Kawamiya M., Shiogama H., Tsushima Y., Kodama C., Noda A.T., Chikira M., Takemura T., Sato M., Abe-Ouchi A., Watanabe M., and Kimoto M. (2012): Climate Sensitivity. Part 1: Concept and current understanding of climate feedbacks. *Tenki*, **59**, 5-22. (吉森正和・横島徳太・小倉知夫・大石龍太・河宮 未知生・塩電秀夫・對馬洋子・小玉知央・野田 暁・千喜良稔・竹村俊彦・佐藤正樹・阿部彩子・渡部雅浩・木本昌秀 (2012): 気候感度 Part 1: 気候フィードバックの概念と理解の現状. 天気, **59**, 5-22.)
- Yoshimori M., Yokohata T., Ogura T., O'ishi R., Kawamiya M., Shiogama H., Tsushima Y., Kodama C., Noda A.T., Chikira M., Takemura T., Sato M., Abe-Ouchi A., Watanabe M., and Kimoto M. (2012): Climate Sensitivity. Part 2: Efforts toward reducing uncertainty. *Tenki*, **59**, 91-109. (吉森正和・横島徳太・小倉知夫・大石龍太・河宮 未知生・塩電秀夫・對馬洋子・小玉知央・野田 暁・千喜良稔・竹村俊彦・佐藤正樹・阿部彩子・渡部雅浩・木本昌秀 (2012): 気候感度 Part 2: 不確実性の低減への努力. 天気, **59**, 91-109.)
- Yoshimori M., Yokohata T., Ogura T., O'ishi R., Kawamiya M., Shiogama H., Tsushima Y., Kodama C., Noda A.T., Chikira M., Takemura T., Sato M., Abe-Ouchi A., Watanabe M., and Kimoto M. (2012): Climate Sensitivity. Part 3: Verification from the past environment. *Tenki*, **59**, 143-150. (吉森正和・横島徳太・小倉知夫・大石龍太・河宮 未知生・塩電秀夫・對馬洋子・小玉知央・野田 暁・千喜良稔・竹村俊彦・佐藤正樹・阿部彩子・渡部雅浩・木本昌秀 (2012): 気候感度 Part 3: 古環境からの検証. 天気, **59**, 143-150.)
- Yoshizaki M., Iga S., and Satoh M. (2012): Eastward-propagating property of large-scale precipitation systems simulated in the coarse-resolution NICAM and an explanation of its formation. *SOLA*, **8**, 21-24.
- Yoshizaki M., Yasunaga K., Iga S., Satoh M., Nasuno T., Noda A.T., Tomita H., and Fujita M. (2012): Why do super clusters and Madden Julian Oscillation coexist over the equatorial region? *SOLA*, **8**, 33-36.
- Zhang H., Qing Y., Nakajima T., Nakata M.M., Peng L. and Jihnai H.E. (2012): Influence of changes in solar radiation on changes of surface temperature in China. *Acta Meteorol Sinica*, **27**, 87-97.
- Zhu M., Stott L., Buckley B., and Yoshimura K. (2012): 20th century seasonal moisture balance in Southeast Asian montane forests from tree cellulose $\delta^{18}\text{O}$. *Climatic Change*, **115**, 505-517.
- Zhu M., Stott L.D., Buckley B., Yoshimura K., and Ra K. (2012): Indo-Pacific Warm Pool convection and ENSO since 1867 AD derived from Cambodian pine tree cellulose oxygen isotopes. *Journal of Geophysical Research*, **117**, D11307.

海洋物理 Physical Oceanography

- Itoh S., Yasuda I., Yagi M., Osafune S., Kaneko H., Nishioka J., Nakatsuka T., Volkov Y.N., Tanaka Y., and Konda S. (2012): Turbulence in the Urup Strait and its influence on water mass formation. *Kaiyo Monthly*, **44**, 432-440. (伊藤幸彦・安田 一郎・八木雅宏・長船哲史・金子 仁・西岡 純・中塚 武・Volkov Y.N.・田中祐希・近田俊輔 (2012): ウルップ海峡の乱流強度と水塊形成への影響. 月刊海洋, **44**, 432-440.)
- Kaneko H., Yasuda I., Komatsu K., and Itoh S. (2012): Observations of the structure of turbulent mixing across the Kuroshio. *Geophysical Research Letters*, **39**, L15602.
- Kawabe M. and Fujio S. (2012): Effect of bottom slope in northeastern North Pacific on deep-water upwelling and overturning circulation. *Journal of Oceanography*, **68**, 267-284.
- Kouketsu S., Tomita H., Oka E., Hosoda S., Kobayashi T., and Sato K. (2012): The role of meso-scale eddies in mixed layer deepening and mode water formation in the western North Pacific. *Journal of Oceanography*, **68**, 63-77.
- Nakanishi M. and Niino H. (2012): Large-eddy simulation of roll vortices in a hurricane boundary layer. *Journal of the Atmospheric Science*, **69**, 3558-3575.
- Niino H. (2012): Challenges and prospect for understanding and prediction of severe phenomena. *Tenki*, **59**, 533-539. (新野 宏 (2012): 「シビア現象」の理解・予測への課題と期待. 2010年春季大会シンポジウム「災害軽減に向けたシビア現象予測の将来」の報告. 天気, **59**, 533-539.)
- Niino H. (2012): Interactions between the boundary layer and the free atmosphere. *Tenki*, **59**, 769-778. (新野 宏 (2012): 境界層と自由大気の相互作用. 2010年度秋季大会シンポジウム「大気圏のさまざまな境界面での相互作用」の報告. 天気, **59**, 769-778.)
- Oka E. and Kouketsu S. (2012): Shipboard physical oceanographic observation in the Argo era. *Kaiyo Monthly*, **44**, 640-641. (岡 英太郎・纈嶺慎也 (2012): アルゴ時代の海洋物理船舶観測. 月刊海洋, **44**, 640-641.)

- Oka E. and Qiu B. (2012): Progress of North Pacific mode water research in the past decade. *Journal of Oceanography*, **68**, 5-20.
- Oka E., Qiu B., Kouketsu S., Uehara K., and Suga T. (2012): Decadal seesaw of the Central and Subtropical Mode Water formation associated with the Kuroshio Extension variability. *Journal of Oceanography*, **68**, 355-360.
- Osafune S., Yagi M., Itoh S., Tanaka Y., Kaneko H., Konda S., Yasuda I., and Volkov Y.N. (2012): Observations of water-mass and current around the northeastern Kuril Straits. *Kaiyo Monthly*, **44**, 392-402. (長船哲史・八木雅宏・伊藤幸彦・田中祐希・金子 仁・近田俊輔・安田一郎・Volkov Y.N. (2012): 北東部千島列島海域における水塊・流速観測. 月刊海洋, **44**, 392-402.)
- Ueno H., Yasuda I., Itoh S., Onishi H., Hiroe Y., Suga T., and Oka E. (2012): Modification of a Kenai eddy along the Alaskan Stream. *Journal of Geophysical Research*, **117**, C08032.
- Wagawa T., Yoshikawa Y., Isoda Y., Oka E., Uehara K., Nakano T., Kuma K., and Takagi S. (2012): Flow fields around the Emperor Seamounts detected from current data. *Journal of Geophysical Research*, **117**, C06006.
- Yanase W., Satoh M., Iga S., Chan J.C.L., Fudeyasu H., and Wang Y (2012): Multi-scale dynamics of tropical cyclone formations in an equilibrium simulation using a global cloud-system resolving model. In *Cyclones: Formation, Triggers and Control*, edited by Oouchi K. and Fudeyasu H., Nova Science Publishers. Inc., Chapter 10, New York, 221-231.
- Yanase W., Satoh M., Taniguchi H., and Fujinami H. (2012): Seasonal and intraseasonal modulation of tropical cyclogenesis environment over the Bay of Bengal during the extended summer monsoon. *Journal of Climate*, **25**, 2914-2930.
- Yokota S., Niino H., and Yanase W. (2012): Tropical cyclogenesis due to breakdown of intertropical convergence zone: An idealized numerical experiment. *SOLA*, **8**, 103-106.

海洋化学 Chemical Oceanography

- Fujiya W., Sugiura N., Hotta H., Ichimura K., and Sano Y. (2012): Evidence for the late formation of hydrous asteroids from young meteoritic carbonates. *Nature Communications*, **3**, doi:10.1038/ncomms1635.
- Gamo T. (2012): A current notable topic in chemistry: biogeochemical cycles of iron in seawater. *Kagaku (Chemistry)*, **67**, 36-40. (蒲生俊敬 (2012): いま, 海洋の鉄が面白い! 化学, **67**, 36-40.)
- Gamo T., Tsunogai U., Hirota A., Nakayama N., Kang D.-J., and Kim K.-R. (2012): First measurements of methane and its carbon isotope ratio in the Japan Sea (East Sea). *Marine Chemistry*, **128/129**, 92-99.
- Imayama T., Takeshita T., Yi K., Cho D.-L., Kitajima K., Tsutsumi Y., Kayama M., Nishido H., Okumura T., Yagi K., Itaya T., and Sano Y. (2012): Two-stage partial melting and contrasting cooling history within the Higher Himalayan Crystalline Sequence in the far-eastern Nepal Himalaya. *Lithos*, **134/135**, 1-22.
- Jung, J., Furutani, H. and Uematsu, M.:(2011, published in 2012): Atmospheric inorganic nitrogen in marine aerosol and precipitation and its deposition to the North and South Pacific Oceans. *Journal of Atmospheric Chemistry*, **68**, 157-181.
- Kagoshima T., Takahata N., Jung J., Amakawa H., Kumagai H., and Sano Y. (2012): Estimation of sulfur, fluorine, chlorine and bromine fluxes at Mid Ocean Ridges using a new experimental crushing and extraction method. *Geochemical Journal*, **46**, e21-e26.
- Okubo A., Obata H., Gamo T., and Yamada M. (2012): ²³⁰Th and ²³²Th distributions in the mid-latitudes of the North Pacific Ocean: Effect of bottom scavenging. *Earth and Planetary Science Letters*, **339/340**, 139-150.
- Rouilleau E., Pinti D.L., Stevenson R.K., Takahata N., Sano Y., and Pitre F (2012): N, Ar and Pb isotopic co-variations: discriminating magmatic sources from fractionation processes in Monteregian Hills, Québec, Canada. *Chemical Geology*, **326/327**, 123-131.
- Saido K., Amamiya K., Sato H., Okabe A., Ogawa N., Kamaya Y., Kogure K., Nishimura M., Okukawa K., and Kuai T. (2012): Analysis of styrene oligomer contaminants generated from marine debris polystyrene on the coast of Okinawa. *Bunseki Kagaku*, **61**, 629-636. (道祖土 勝彦・雨宮恵司・佐藤秀人・岡部顕史・小川直人・釜谷保志・木暮一啓・西村昌彦・奥川光治・楠井隆史 (2012): 沖縄沿岸における漂流・漂着ポリスチレン由来のスチレンオリゴマー汚染の分析. 分析化学, **61**, 629-636.)
- Sakata S., Maekawa T., and Sano Y. (2012): Geochemistry and origin of natural gases dissolved in brines from gas fields in southwest Japan. *Geofluids*, **12**, 327-335.
- Sano Y., Kobayashi S., Shirai K., Takahata N., Matsumoto K., Watanabe T., Sowa K., and Iwai K. (2012): Past daily light cycle recorded in strontium/calcium ratios of giant clam shell. *Nature Communications*, **3**, doi:10.1038/ncomms1763.
- Shozugawa K., Matsuo M., Sano Y., Toh Y., Murakami Y., Furutaka K., Koizumi M., Kimura A., Hara K., Kin T., Oshima M., Nakamura S., and Harada H. (2012): Chemical composition of sediments from marine shallow-water hydrothermal mounds in Wakamiko submarine crater revealed by multiple prompt gamma-ray analysis. *Journal of Radioanalytical and Nuclear Chemistry*, **291**, 341-346.
- Terada K. and Sano Y. (2012): In-situ U-Pb dating of apatite by Hiroshima-SHRIMP: Contribution to Earth and Planetary Science. *Mass Spectrometry*, **1**, A0011.
- Toki T., Honda R., Oomine K., Tsunogai U., Komatsu D., Sano Y., Takahata N., Kinoshita M., and Yamashiro H. (2012): The origin of seeping gas from the coastal area of Yagaji Island in Northern Okinawa Island. *Chikyukagaku (Geochemistry)*, **46**, 257-274. (土岐知弘・本田 龍太郎・大嶺一希・角皆 潤・小松大祐・佐野有司・高畑直人・木下正高・山城秀之 (2012): 沖縄本島北部屋我地島沿岸における湧出ガスの起源. 地球化学, **46**, 257-274.)

- van de Flierdt T., Pahnke K., and GEOTRACES intercalibration participants: Amakawa H., Andersson P., Basak C., Coles B., Colin C., Crocket K., Frank M., Frank N., Goldstein S.L., Goswami V., Haley B.A., Hathorne E.C., Hemming S.R., Henderson G.M., Jeandel C., Jones K., Kreissig K., Lacan F., Lambelet M., Martin E.E., Newkirk D.R., Obata H., Pena L., Piotrowski A.M., Pradoux C., Scher H.D., Schöberg H., Singh S.K., Stichel T., Tazoe H., Vance D., and Yang J. (2012): GEOTRACES intercalibration of neodymium isotopes and rare earth element concentrations in seawater and suspended particles. Part 1: reproducibility of results for the international intercomparison. *Limnology and Oceanography : Method*, **10**, 234-251.
- Watsuji T., Nishizawa M., Morono Y., Hirayama H., Kawagucci S., Takahata N., Sano Y., and Takai K. (2012): Cell-specific thioautotrophic productivity of epsilon-proteobacterial epibionts associated with *Shinkaia crosnieri*. *PLoS ONE*, **7**, e46282.
- Yamamoto M., Yokoyama K., and Yoshinaga I. (2012): Change of heavy metals and oil spilled in Kesennuma Bay and Moune Bay after the disaster 3.11. *Kaiyo Monthly*, **34**, 538-544. (山本光夫・横山勝英・吉永郁生 (2012): 気仙沼舞根湾における重金属類と流出油の水質・底質への影響 (特集 津波の海に生きる未来創生: 気仙沼舞根湾調査). *海洋と生物*, **34**, 538-544.)
- Yamashita N., Young L.W.Y., Taniyasu S., Kwok K.Y., Petrick G., Gamo T., Guruge K.S., Lam P.K.S., and Loganathan B.G. (2012): Global distribution of PFOS and related chemicals. In *Global Contamination Trends of Persistent Organic Chemicals*, edited by Loganathan B.G., and Lam P.K.S., CRC Press, Boca Raton, 593-628.

海洋底科学 Ocean Floor Geoscience

- Ashi J., Ikehara K., Kinoshita M., and KY04-11 and KH-10-3 shipboard scientists (2012): Settling of Earthquake-Induced Turbidity on the Accretionary Prism Slope of the Central Nankai Subduction Zone. *Advances in Natural and Technological Hazards Research*, **13**, 561-571.
- Bronk Ramsey C., Staff R.A., Bryant C.L., Brock F., Kitagawa H., van der Plicht J., Schlolaut G., Marshall M.H., Brauer A., Lamb H.F., Payne R.L., Tarasov P.E., Haraguchi T., Gotanda K., Yonenobu H., Yokoyama Y., Tada R., and Nakagawa T. (2012): A complete terrestrial radiocarbon record for 11.2 to 52.8 kyr B.P. *Science*, **338**, 370-374.
- Camoin G.F., Seard C., Deschamps P., Webster J.M., Abbey E., Braga J.C., Iryu Y., Durand N., Bard E., Hamelin B., Yokoyama Y., Thomas A.L., Henderson G.M., and Dussouillez P. (2012): Reef response to sea-level and environmental changes during the last deglaciation: Integrated Ocean Drilling Program Expedition 310, Tahiti Sea Level. *Geology*, **40**, 643-646.
- Deschamps P., Durand N., Bard E., Hamelin B., Camoin G., Thomas A.L., Henderson G.M., Okuno J., and Yokoyama Y. (2012): Ice-sheet collapse and sea-level rise at the Bølling warming 14,600 years ago. *Nature*, **483**, 559-564.
- Hamanaka N., Kan H., Yokoyama Y., Okamoto T., Nakashima Y., and Kawana T. (2012): Disturbances with hiatuses in high-latitude coral reef growth during the Holocene: correlation with millennial-scale global climate change. *Global and Planetary Change*, **80**, 21-35.
- Honsho C., Ura T., and Tamaki K. (2012): The inversion of deep-sea magnetic anomalies using Akaike's Bayesian information criterion. *Journal of Geophysical Research*, **117**, B01105.
- Ikehara K., Ashi J., Machiyama H., and Shirai M. (2012): Submarine slope response to earthquake shaking within western Sagami Bay, Central Japan. *Advances in Natural and Technological Hazards Research*, **13**, 539-547.
- Kameda J., Hina S., Kobayashi K., Yamaguchi A., Hamada Y., Hamahashi M., and Kimura G. (2012): Silica diagenesis and its effect on interplate seismicity in cold subduction zones. *Earth and Planetary Science Letters*, **317/318**, 136-144.
- Katsuki K., Ikehara M., Yokoyama Y., Yamane M., and Khim B.-K. (2012): Holocene migration of oceanic front systems over the Conrad Rise in the Indian Sector of the Southern Ocean. *Journal of Quaternary Science*, **27**, 203-210.
- Kimura G., Hina S., Hamada Y., Kameda J., Tsuji T., Kinoshita M., and Yamaguchi A. (2012): Runaway slip to the trench due to rupture of highly pressurized megathrust beneath the middle trench slope: The tsunamigenesis of the 2011 Tohoku earthquake off the east coast of northern Japan. *Earth and Planetary Science Letters*, **339/340**, 32-45.
- Kimura G., Yamaguchi A., Hojo M., Kitamura Y., Kameda J., Ujii K., Hamada Y., Hamahashi M., and Hina S. (2012): Tectonic mélange as fault rock of subduction plate boundary. *Tectonophysics*, **568/569**, 25-38.
- Koppers A.A.P., Yamazaki T., Geldmacher J., Gee J.S., Pressling N., Hoshi H. *et al.* (2012): Limited latitudinal mantle plume motion for the Louisville hotspot. *Nature Geoscience*, **5**, 911-917.
- Lee C.-T., Shen B., Slotnick B.S., Liao K., Dickens G.R., Yokoyama Y., Lenardic A., Dasgupta R., Jellinek M., Lackey J.S., Schneider T., and Tice M.M. (2012): Continent-island arc fluctuations, growth of crustal carbonates, and long-term climate change. *Geosphere*, **8**, doi:10.1130/GES00822.1.
- Miyahara H. and Yokoyama Y. (2012): Cosmic rays and global climate. *Parity*, **27**, 46-50. (宮原 ひろ子・横山祐典 (2012): 宇宙線と気候変動. *バリテイ*, **27**, 46-50.)
- Nakagawa T., Gotanda K., Haraguchi T., Danhara T., Yonenobu H., Brauer A., Yokoyama Y., Tada R., Takemura K., Staff R.A., Payne R., Bronk Ramsey C., Bryant C., Brock F., Schlolaut G., Marshall M., Tarasov P., Lamb H., and Suigetsu 2006 Project Members (2012): SG06, a fully continuous and varved sediment core from Lake Suigetsu, Japan: stratigraphy and potential for improving the radiocarbon calibration model and understanding of late Quaternary climate changes. *Quaternary Science Reviews*, **36**, 164-176.
- Nakamura A., Yokoyama Y., Maemoku H., Yagi H., Okamura M., Matsuoka H., Miyake N., Osada T., Teramura H., Adhikari D.P., Dangol V., Miyairi Y., Obrochta S., and Matsuzaki H. (2012): Late Holocene Asian monsoon variations recorded in Lake Rara sediment, western Nepal. *Journal of Quaternary Science*, **27**, 125-128.

- Obrochta S.P., Miyahara H., Yokoyama Y., and Crowley T.J. (2012): A re-examination of evidence for the North Atlantic "1500-year cycle" at Site 609. *Quaternary Science Reviews*, **55**, 23-33.
- Ohkouchi N. and Yokoyama Y. (2012): The third boom in radiocarbon researches. *Kagaku*, **82**, 483-485. (大河内 直彦・横山祐典 (2012): 三度目の春を迎えつつある放射性炭素年代法. *科学*, **82**, 483-485.)
- Omura A., Ikehara K., Sugai T., Shirai M., and Ashi J. (2012): Determination of the origin and processes of deposition of deep-sea sediments from the composition of contained organic matter: An example from two forearc basins on the landward flank of the Nankai Trough, Japan. *Sedimentary Geology*, **249/250**, 10-25.
- Park J.-O., and Kodaira S. (2012): Seismic reflection and bathymetric evidences for the Nankai earthquake rupture across a stable segment-boundary. *Earth, Planets and Space*, **64**, 299-303.
- Partin, J.W., Jenson J.W., Banner J.L., Quinn T. M., Taylor F.W., Sinclair D., Hardt B., Lander M.A., Bell T., Miklavič B., Jocson J.M.U., and Taboroší D. (2012): Relationship between modern rainfall variability, cave dripwater, and stalagmite geochemistry in Guam, USA. *Geochemistry, Geophysics, Geosystems*, **13**, Q03013, doi:10.1029/2011GC003930.
- Sagawa T., Yokoyama Y., Ikehara M., and Kuwae M. (2012): Shoaling of the western equatorial Pacific thermocline during the last glacial maximum inferred from multispecies temperature reconstruction of planktonic foraminifera. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **346/347**, 120-129.
- Schlouat G., Marshall M.H., Brauer A., Nakagawa T., Lamb H.M., Staff R.A Ramsey C.B., Bryant C.L., Brock F., Kossler A., Tarasov P.E., Yokoyama Y., Tada R., and Haraguchi T. (2012): An automated method for varve interpolation and its application to the Late Glacial chronology from Lake Suigetsu, Japan. *Quaternary Geochronology*, **13**, 52-69.
- Seki A., Yokoyama Y., Suzuki A., Kawakubo Y., Okai T., Miyairi Y., Matsuzaki H., Namizaki N., and Kan H. (2012): Mid-Holocene sea-surface temperature reconstruction using fossil corals from Kume Island, Ryukyu, Japan. *Geochemical Journal*, **46**, 27-32.
- Shiau L.J., Chen M.T., Huh C.A., Yamamoto M., and Yokoyama Y. (2012): Insolation and cross-hemispheric controls on Australian monsoon variability over the past 180 ka: new evidence from offshore southeastern Papua New Guinea. *Journal of Quaternary Science*, **27**, 911-920.
- Simkins L., Simms A.R., Cruse A.M., Troiani T., Atekwana E.A., Puckette J., and Yokoyama Y. (2012): Correlation of early and mid-Holocene events using magnetic susceptibility in estuarine cores from bays along the northwestern Gulf of Mexico. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **346/347**, 95-107.
- Takano Y., Tyler J.J., Kojima H., Yokoyama Y., Tanabe Y., Sato T., Ogawa N.O., Ohkouchi N., and Fukui M. (2012): Holocene lake development and glacial-isostatic uplift at Lake Skallen and Lake Oyako, Lützow-Holm Bay, East Antarctica: based on biogeochemical facies and molecular signatures. *Applied Geochemistry*, **27**, 2546-2559.
- Tauxe L., Stickley C.E., Sugisaki S., Bijl P.K., Bohaty S.M., Brinkhuis H., Escutia C., Flores J.A., Houben A.J.P., Iwai M., Jiménez-Espejo F., McKay R., Passchier S., Pross J., Riesselman C.R., Röhl U., Sangiorgi F., Welsh K., Klaus A., Fehr A., Bendle A.P.J., Dunbar R., González J., Hayden T., Katsuki K., Olney M.P., Pekar S.F., Shrivastava P.K., van de Fliert T., Williams T., and Yamane M. (2012): Chronostratigraphic framework for the IODP Expedition 318 cores from the Wilkes Land Margin: Constraints for paleoceanographic reconstruction. *Paleoceanography*, **27**, PA2214, doi:10.1029/2012PA002308.
- Thomas A.L., Fujita K., Iryu Y., Bard E., Cabioch G., Camoin G., Cole J.E., Deschamps P., Durand N., Hamelin B., Heindel K., Henderson G.M., Mason A.J., Matsuda H., Ménabréaz L., Omori A., Quinn T., Sakai S., Sato T., Sugihara K., Takahashi Y., Thouveny N., Tudhope A.W., Webster J., Westphal H., and Yokoyama Y. (2012): Assessing subsidence rates and paleo water-depths for Tahiti reefs using U-Th chronology of altered corals. *Marine Geology*, **295**, 86-94.
- Yamaguchi A., Ujiie K., Nakai S., and Kimura G. (2012): Sources and physicochemical characteristics of fluids along a subduction-zone megathrust: A geochemical approach using syn-tectonic mineral veins in the Mugi mélange, Shimanto accretionary complex. *Geochemistry, Geophysics, Geosystems*, **13**, Q0AD24.
- Yamamoto Y., Chiyonobu S., Kurihara T., Yamaguchi A., Hina S., Hamahashi M., Raimbourg H., Augier R., and Gadenne L. (2012): Unconformity between a Late Miocene-Pliocene accretionary prism (Nishizaki Formation) and Pliocene trench-slope sediments (Kagamigaura Formation), central Japan. *Island Arc*, **21**, 231-234.
- Yokoyama Y. (2012): Sea level changes and stability of ice sheets. *Japan Geoscience Letters*, **8**, 6-8. (横山祐典 (2012): 氷床の安定性と海水準. *Japan Geoscience Letters*, **8**, 6-8.)
- Yokoyama Y., Okuno J., Miyairi Y., Obrochta S.P., Demboya N., Makino Y., and Kawahata H. (2012): Holocene sea-level change and Antarctic melting history derived from geological observations and geophysical modeling along the Shimokita Peninsula, northern Japan. *Geophysical Research Letters*, **39**, L13502.
- Yoshikawa S., Okino K., and Asada M. (2012): Geomorphological variations at hydrothermal sites in the southern Mariana Trough: Relationship between hydrothermal activity and topographic characteristics. *Marine Geology*, **303-306**, 172-182.

海洋生態系動態 Marine Ecosystems Dynamics

- Buesseler K.O., Jayne S.R., Fisher N.S., Rypina I.I., Baumann H., Baumann Z., Breier C.F., Douglass E.M., George J., Macdonald A.M., Miyamoto H., Nishikawa J., Pike S.M., and Yoshida S. (2012): Fukushima-derived radionuclides in the ocean and biota off Japan. *Proceedings of the National Academy of Sciences of the United States of America*, **109**, 5984-5988.

- Chow S., Niwa K., Okamoto S., Murauchi Y., Hirai R., Hibino M., Wakui K., Tomiyama T., Kobayashi Y., Toba M., and Kano Y. (2012): Genetic diversity in three local populations of the parasitic sea spider *Nymphonella tapetis* and taxonomic position of the species. *Nippon Suisan Gakkaishi*, **54**, 25-35. (張成年・丹羽健太郎・岡本俊治・村内嘉樹・平井玲・日比野学・涌井邦浩・富山毅・小林豊・鳥羽光晴・狩野泰則 (2012): カイヤドリウミグモ *Nymphonella tapetis* 地域集団の遺伝的分化と分類学的位置. 日本水産学会誌, **54**, 25-35.)
- Goto R., Kawakita A., Ishikawa H., Hamamura Y., and Kato M. (2012): Morecular phylogeny of the bivalve superfamily Galeommatoidae reveals the dynamic evolution of symbiotic lifestyle and interphylum host switching. *BMC Evolutionary Biology*, **12**, 172.
- Hamasaki K. (2012): Complexity in biological light utilization: dynamics and phototrophy of microbial communities in the ocean. *Iden*, **66**, 432-437. (浜崎恒二 (2012): 光エネルギーをめぐる複雑系: 海洋における微生物群集の動態と光栄養. 遺伝, **66**, 432-437.)
- Kano Y., Kimura S., Kimura Y., and Warén A. (2012): Living Monoplacophora: morphological conservatism or recent diversification? *Zoologica Scripta*, **41**, 471-488.
- Kitahashi T., Kawamura K., Veit-Köhler G., Danovaro R., Tietjen J., Kojima S., and Shimanaga M. (2012): Assemblages of Harpacticoida (Crustacea: Copepoda) from the Ryukyu and Kuril Trenches, Northwest Pacific Ocean. *Journal of Marine Biology Association of United Kingdom*, **92**, 275-286.
- Kojima S., Murakami S., Nemoto S., Watanabe H., Miyake H., and Tsuchida S. (2012): Genetic diversity and population structure of a vestimentiferan annelid *Lamellibrachia satsuma* in Japanese and northern Mariana waters. *Plankton and Benthos Research*, **7**, 146-150.
- Lindsay D.J., Yoshida H., Uemura T., Yamamoto H., Ishibashi S., Nishikawa J., Reimer J.D., Beaman R.J., Fitzpatrick R., Fujikura K., and Maruyama T. (2012): The untethered remotely operated vehicle PICASSO-1 and its deployment from chartered dive vessels for deep sea surveys off Okinawa, Japan, and Osprey Reef, Coral Sea, Australia. *Marine Technology Society Journal*, **46**, 20-32.
- Miyamoto H., Machida R.J., and Nishida S. (2012): Global phylogeography of the deep-sea pelagic chaetognath *Eukrohnia hamata*. *Progress in Oceanography*, **104**, 99-109.
- Miyamoto H., Nishida S., Kuroda K., and Tanaka Y. (2012): Vertical distribution and seasonal variation of pelagic chaetognaths in Sagami Bay, central Japan. *Plankton and Benthos Research*, **7**, 41-54.
- Nishitani G., Yamamoto M., Yamamoto M., Natsuike M., Liu D., and Yoshinaga I. (2012): Dynamics of phytoplankton in Kesenuma Bay and Moune Bay after the disaster 3.11. *Aquabiology*, **34**, 545-555. (西谷豪・山本光夫・夏池真史・劉丹・吉永郁生 (2012): 気仙沼舞根湾の植物プランクトンの動態 (特集 津波の海に生きる未来創生: 気仙沼舞根湾調査). 海洋と生物, **34**, 545-555.)
- Noblezada M.M.P., Miyamoto H., and Nishida S. (2012): Review on the fauna and distribution ecology of pelagic chaetognaths in the South China Sea and its adjacent seas. *Bulletin of the Plankton Society of Japan*, **59**, 113-116. (ノブレザダ マアリーマー・宮本洋臣・西田周平 (2012): 南シナ海およびその周辺海域における浮遊性ヤムシ類の動物相と分布生態に関するレビュー. 日本プランクトン学会報, **59**, 113-116.)
- Nosaka Y., Suzuki K., Isada T., Saito H., Tsuda A., and Hattori H. (2012): Efficiency of water-column light utilization by phytoplankton photosynthesis in the Western Subarctic Gyre of the North Pacific during summer. *Kaiyo Monthly*, **44**, 473-477. (野坂祐一・鈴木光次・伊佐田智規・齊藤宏明・津田敦・服部寛 (2012): 夏季の西部北太平洋亜寒帯循環域における植物プランクトンの光合成による水中の光利用効率. 月刊海洋, **44**, 473-477.)
- Park S., Yoshizawa S., Chiura H.X., Muramatsu Y., Nakagawa Y., Kogure K., and Yokota A. (2012): *Nonlabens marina* sp. nov., a novel member of the *Flavobacteriaceae* isolated from the Pacific Ocean. *Antonie van Leeuwenhoek*, **102**, 669-674.
- Park S., Yoshizawa S., Inomata K., Kogure K., and Yokota A. (2012): *Aureitalea marina* gen. nov., sp. nov., a member of the family *Flavobacteriaceae*, isolated from seawater. *International Journal of Systematic and Evolutionary Microbiology*, **62**, 912-916.
- Park S., Yoshizawa S., Inomata K., Kogure K., and Yokota A. (2012): *Halioglobus japonicus* gen. nov., sp. nov., and *Halioglobus pacificus* sp. nov., within the class *Gammmaproteobacteria*, isolated from seawater. *International Journal of Systematics and Evolutionary Microbiology*, **62**, 1784-1789.
- Saido K., Amamiya K., Sato H., Okabe A., Ogawa N., Kamaya Y., Kogure K., Nishimura M., Okukawa K., and Kusui T. (2012): Analysis of styrene oligomer contaminants generated from marine debris polystyrene on the coast of Okinawa. *Bunseki Kagaku*, **61**, 629-636.
- Sato-Takabe Y., Hamasaki K., and Suzuki K. (2012): Photosynthetic characteristics of marine aerobic anoxygenic phototrophic bacteria *Roseobacter* and *Erythrobacter* strains. *Archives of Microbiology*, **194**, 331-341.
- Seike K., Jenkins R.G., Watanabe H., Nomaki H., and Sato K. (2012): Novel use of burrow casting as a research tool in deep-sea ecology. *Biology Letters*, **8**, 648-651.
- Shimode S., Takahashi K., Shimizu Y., Nonomura T., and Tsuda A. (2012): Distribution and life history of two planktonic copepods, *Rhincalanus nasutus* and *Rhincalanus rostrifrons*, in the northwestern Pacific Ocean. *Deep-Sea Research Part I*, **65**, 133-145.
- Shimode S., Takahashi K., and Tsuda A. (2012): Life history of *Eucalanus californicus* Johnson (Copepoda: Clanoidea) in the northwestern Pacific Ocean. *Progress in Oceanography*, **96**, 1-13.
- Tada Y., Taniguchi A., Sato-Takabe Y., and Hamasaki K. (2012): Growth and succession patterns of major phylogenetic groups of marine bacteria during a mesocosm diatom bloom. *Journal of Oceanography*, **68**, 509-519.

- Temnykh A. and Nishida S. (2012): New record of the planktonic copepod *Oithona davisae* Ferrari and Orsi in the Black Sea with notes on the identity of "*Oithona brevicornis*". *Aquatic Invasions*, **7**, 425-431.
- Tsuda A., Nishioka J., and Ito H. (2012): Distribution of mesozooplankton in the western Sea of Okhotsk: The origin of *Clione limacina* of the Hokkaido coast. *Aquabiology*, **34**, 25-34. (津田 敦・西岡 純・伊東 宏 (2012): 夏季オホーツク西部海域における動物プランクトンの分布-クリオネの起源を追って-. 海洋と生物, **34**, 25-34.)
- Yamada K., Kawanabe A., Yoshizawa S., Inoue K., Kogure K., and Kandori H. (2012): Anomalous pH effect of blue proteorhodopsin. *The Journal of Physical Chemistry Letters*, **3**, 800-804.
- Yorisue T., Matsumura K., Hirota H., Dohmae N., and Kojima S. (2012): Possible molecular mechanisms of species recognition by barnacle larvae inferred from multi-specific sequencing analysis of proteinaceous settlement-inducing pheromone. *Biofouling*, **28**, 605-611.
- Yorisue T., Inoue K., Miyake H., and Kojima S. (2012): Trophic structure of hydrothermal vent communities at the Myojin Knoll and the Nikko Seamount in the northwestern Pacific: Implications for photosynthesis-derived food supply. *Plankton and Benthos Research*, **7**, 35-40.
- Yoshizawa S., Karatani H., Wada M., and Kogure K. (2012): *Vibrio azureus* emits blue-shifted light via an accessory blue fluorescent protein. *FEMS Microbiology Letters*, **329**, 61-68.
- Yoshizawa S., Kawanabe A., Ito H., Kandori H., and Kogure K. (2012): Diversity and functional analysis of proteorhodopsin in marine *Flavobacteria*. *Environmental Microbiology*, **14**, 1240-1248.
- Yoshizawa S., Tsuruya Y., Fukui Y., Sawabe T., Yokota A., Kogure K., Higgins M., Carson J., and Thompson F.L. (2012): *Vibrio jasicida* sp. nov., a member of the *Harveyi* clade, from marine animals (packhorse lobster, abalone, and Atlantic salmon). *International Journal of Systematic and Evolutionary Microbiology*, **62**, 1864-1870.
- Zaton M., Kano Y., Wilson M.A., and Filipiak P. (2012): Unusual tubular fossils associated with microbial crusts from the Middle Jurassic of Poland: agglutinated polychaete worm tubes? *Palaios*, **27**, 550-559.

海洋生命科学 Marine Bioscience

- Ahn H., Yamada Y., Okamura A., Horie N., Mikawa N., Tanaka S., and Tsukamoto K. (2012): Effect of water temperature on embryonic development and hatching time of the Japanese eel *Anguilla japonica*. *Aquaculture*, **330-333**, 100-105.
- Amakawa H., Suzuki T., Takahata T., Tatsumi Y., and Otake T. (2012): Sr isotopic composition of ayu otolith and its ambient water. *Fisheries Science*, **78**, 1023-1029.
- Aoyama J., Shinoda A., Yoshinaga T., and Tsukamoto K. (2012): Late arrival of *Anguilla japonica* glass eels at the Sagami River estuary in two recent consecutive year classes: ecology and socio-economic impacts. *Fisheries Science*, **78**, 1195-1204.
- Dou S.Z., Amano Y., Yu X., Cao L., Shirai K., Otake T., and Tsukamoto K. (2012): Elemental signature in otolith nuclei for stock discrimination of anadromous tapertail anchovy (*Coilia nasus*) using laser ablation ICPMS. *Environmental Biology of Fishes*, **95**, 431-443.
- Dou S.Z., Yokouchi K., Yu X., Cao L., Shirai K., Otake T., and Tsukamoto K. (2012): The migratory history of anadromous and non-anadromous tapertail anchovy *Coilia nasus* in the Yangtze River Estuary revealed by the otolith Sr:Ca ratio. *Environmental Biology of Fishes*, **95**, 481-490.
- Fujinoki M., Koito T., Fujiwara Y., Kawato M., Tada Y., Hamasaki K., Jimbo M., and Inoue K. (2012): Whole-mount fluorescence in situ hybridization to visualize symbiotic bacteria in the gills of deep-sea mussels. *Aquatic Biology*, **14**, 135-140.
- Fujinoki M., Koito T., Nemoto S., Kitada M., Yamaguchi Y., Hyodo S., Numanami H., Miyazaki N., and Inoue K. (2012): Comparison of the amount of thiotrophic symbionts in the deep-sea mussel *Bathymodiolus septemdiarium* under different sulfide levels by using fluorescent in situ hybridization. *Fisheries Science*, **78**, 139-146.
- Fuse Y.K., Sakamoto K.Q., Sato K., and Habara Y. (2012): Cardiorespiratory pattern of rest-associated apnea in a Weddell seal: a case study at an ice hole in Antarctica. *Polar Biology*, **35**, 969-972.
- Hagihara S., Aoyama J., Limbong D., and Tsukamoto K. (2012): Morphological and physiological change of female tropical eels, *Anguilla celebesensis* and *Anguilla marmorata*, in relation to downstream migration on Sulawesi Island. *Journal of Fish Biology*, **81**, 408-426.
- Henkel C.V., Dirks R.P., de Wijze D.L., Minegishi Y., Aoyama J., Jansen H.J., Turner B., Knudsen B., Bundgaard M., Hvam K.L., Boetzer M., Pirovano W., Weltzien F.-A., Dufour S., Tsukamoto K., Spaink H.P., and van den Thillart G.E. (2012): First draft genome sequence of the Japanese eel, *Anguilla japonica*. *Gene*, **511**, 195-201.
- Hirose M. (2012): Taxonomy as a basis and a goal of zoology, with some examples of bryozoology in museums. *TAXA, Proceedings of the Japanese Society of Systematic Zoology*, **34**, 25-31. (広瀬雅人 (2012): 動物学の原点と終着点としての分類学—博物館におけるコケムシ研究から—。タクサ 日本動物分類学会誌, **34**, 25-31.)
- Inoue K. (2012): Strategy of deep-sea invertebrates to utilize toxic hydrogen sulfide as energy source. *Bioscience and Industry*, **70**, 251-254. (井上広滋 (2012): 猛毒の硫化水素をエネルギー源とする深海生物の生存戦略。バイオサイエンスとインダストリー, **70**, 251-254.)
- Iwatani H., Inoue K., Takei Y., Abe H. (2012): Changes in the free amino acid content in the skeletal muscle of fourspine sculpin *Cottus kazika* reared in different environmental salinities. *Aquaculture Science*, **60**, 495-501. (岩谷芳自・井上広滋・竹井祥郎・阿部宏喜 (2012): 環境浸透圧を異にしたカマキリ *Cottus kazika* の骨格筋中遊離アミノ酸の変化。水産増殖, **60**, 495-501.)

- Koito T., Hashimoto J., Nemoto S., Kitajima M., Kitada M., and Inoue K. (2012): New distribution record of deep-sea mussel, *Bathymodiolus adulooides* Hashimoto & Okutani 1994 [Mollusca: Bivalvia: Mytilidae] from a hydrothermal vent, Myojinsho. *Marine Biodiversity Records*, **5**, e38.
- Kojima H., Kaifu K., Yokouchi K., Sudo R., Yoshida T., Tsukamoto K., and Washitani I. (2012): Historical changes of the Japanese eel distribution in the Mikata-Goko Lakes-Hayase River system, Fukui prefecture. *動物考古学*, **29**, 1-18. (小島秀彰・海部健三・横内一樹・須藤竜介・吉田丈人・塚本勝巳・鷲谷 いつみ (2012): 福井県三方五湖-早瀬川水系におけるニホンウナギ *Anguilla japonica* 生息状況の歴史的変遷について. *Zooarchaeology*, **29**, 1-18.)
- Kokubu Y., Komatsu T., Ito M., Hattori T., and Narimatsu Y. (2012): Biomass of marine macrophyte debris on the ocean floor southeast of Hokkaido Island adjusted by experimental catch efficiency estimates. *La Mer*, **50**, 11-21.
- Komatsu T., Noiraksar T., Sakamoto S.X., Sawayama S., Miyamoto H., Phauk S., Thongdee P., Jualaong S., and Nishida S. (2012): Detection of seagrass beds in Khung Kraben Bay, Thailand, using ALOS AVNIR2 image. *Proceedings of SPIE*, **8527**, 852701, doi: 10.1117/12.978992.
- Komatsu T., Sagawa T., Sawayama S., Tanoue H., Mohri A., and Sakanishi Y. (2012): Mapping is a key for sustainable development of coastal waters. In *Sustainable Development/Book 2*, edited by Ghenai C., In Tech Publishing Co., Rijeka, 145-160.
- Kurogi H., Mochioka N., Okazaki M., Takahashi M., Miller M.J., Tsukamoto K., Ambe D., Katayama S., and Chow S. (2012): Discovery of a spawning area of the common Japanese conger *Conger myriaster* along the Kyushu-Palau Ridge in the western North Pacific. *Fisheries Science*, **78**, 525-532.
- Kuroki M., Miller M.J., Aoyama J., Watanabe S., Yoshinaga T., and Tsukamoto K. (2012): Evidence of offshore spawning for the newly discovered anguillid species *Anguilla luzonensis* (Teleostei: Anguillidae) in the western North Pacific. *Pacific Science*, **66**, 497-508.
- Kuroki M. and Tsukamoto K. (2012): *EELS ON THE MOVE - Mysterious Creatures over Millions of Years*. Tokai University Press, Kanagawa, 278pp.
- Lancien F., Wong M.K.S., Arab A.A., Mimassi N., Takei Y., and Le Mével J.-C. (2012): Central ventilatory actions of angiotensin peptides in trout. *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, **303**, R311-R320.
- Lavoué S., Miya M., Arnegard M.E., Sullivan J.P., Hopkins C.D., and Nishida M. (2012): Comparable ages for the independent origins of electrogenesis in African and South American weakly electric fishes. *PLoS ONE*, **7**, e36287.
- Lord C., Lorion J., Dettai A., Watanabe S., Tsukamoto K., Cruaud C., and Keith P. (2012): From endemism to widespread distribution: phylogeography of three amphidromous *Sicyopterus* species (Teleostei: Gobioidae: Sicydiinae). *Marine Ecology Progress Series*, **455**, 269-285.
- Loretz C.A., Pollina C., Herberger A.L., Hyodo S., and Takei Y. (2012): Skeletal tissues in Mozambique tilapia (*Oreochromis mossambicus*) express the extracellular calcium-sensing receptor. *Comparative Biochemistry and Physiology*, **163A**, 311-318.
- Luong C.V., Thao N.V., Komatsu T., Ve N.D., and Tien D.D. (2012): Status and threats on seagrass beds using GIS in Vietnam. *Proceedings of SPIE*, **8525**, 852512, doi: 10.1117/12.977277.
- Mabuchi K. (2012): Geographic distribution and evolutionary history of reef fish species pairs in Japanese Pacific coasts. In *Fishes in the Kuroshio Current*, edited by Matsuura K., Tokai University Press, Kanagawa, 145-163. (馬淵浩司 (2012): 黒潮沿岸と内湾の「ペア種」とその歴史. 「黒潮の魚たち」(松浦啓一 編), 東海大学出版会, 秦野, 145-163.)
- Mabuchi K., Song H., Takeshima H., and Nishida M. (2012): A set of SNPs near or within STR regions useful for discriminating native Lake Biwa and introduced "Eurasian" strains of common carp. *Conservation Genetics Resources*, **4**, 649-652.
- Marshall C.D., Guzman A., Narazaki T., Sato K., Kane E.A., and Sterba-Boatwright B.D. (2012): The ontogenetic scaling of bite force and head size in loggerhead sea turtles (*Caretta caretta*): implications for durophagy in neurotic, benthic habitats. *Journal of Experimental Biology*, **215**, 4166-4174.
- Miller M.J., Otake T., Aoyama J., Wouthuyzen S., Suharti S.R., Sugeha H.Y., and Tsukamoto K. (2012): Observations of gut contents of leptocephali in the North Equatorial Current and Tomini Bay, Indonesia. *Coastal Marine Science*, **35**, 277-288.
- Mizusawa K., Amiya N., Yamaguchi Y., Takabe S., Amano M., Breves J.P., Fox B.K., Grau E.G., Hyodo S., and Takahashi A. (2012): Identification of mRNA coding for mammalian-type melanin-concentrating hormone and its receptors in the scalloped hammerhead shark *Sphyrna lewini*. *General and Comparative Endocrinology*, **179**, 78-87.
- Muslim A.M., Komatsu T., and Dianacia D. (2012): Evaluation of classification techniques for benthic habitat mapping. *Proceedings of SPIE*, **8525**, 85250W.
- Naito Y., Sato K., Takahashi A., and Watanabe Y. (2012): *Bio-Logging*. Seizando-shoten, Tokyo, 182pp. (内藤靖彦・佐藤克文・高橋晃周・渡辺佑基 (2012): バイオロギング「ペンギン目線」の動物行動学. 成山堂書店, 東京, 182pp.)
- Nishida M. and Maekawa K. (2012): Preface: Micro- and macroevolution of fishes. *Environmental Biology of Fishes*, **94**, 503-504.
- Noiraksar T., Komatsu T., Sawayama S., Phauk S., and Hayashizaki K. (2012): Mapping Sargassum beds off, Chon Buri Province, Thailand, using ALOS AVNIR-2 image. *Proceedings of SPIE*, **8524**, 85241F, doi:10.1117/12.979704.
- Nurdin N., Komatsu T., Yamano H., Alafat G., Rani C., and Noer A. (2012): Hyperspectral response: Key for mapping coral rubble, live and dead corals. *Journal of Shipping and Ocean Engineering*, **2**, 182-190.
- Nurdin N., Komatsu T., Yamano H., Arafat G., Rani C., and Akbar M. (2012): Spectral response of the coral rubble, living corals and dead corals: study case on the Spermonde archipelago, Indonesia. *Proceedings of SPIE*, **8525**, 85251A.

- Phauk S., Komatsu T., Swayama S., and Noiraksar T. (2012): Using ALOS AVNIR-2 satellite image for seagrass beds around Rabbit (Koh Tonsay) Island, Cambodia. *Proceedings of SPIE*, **8525**, 85250V, doi: 10.1117/12.999310.
- Sagawa T., Mikami A., Aoki M.N., and Komatsu T. (2012): Mapping seaweed forests with IKONOS image based on bottom surface reflectance. *Proceedings of SPIE*, **8525**, 85250Q.
- Sagawa T., Watanabe T., Watanuki A., Koike T., Kamimura H., and Komatsu T. (2012): Can ALOS-3/HISUI detect seaweed beds more precisely than ALOS/AVNIR-2? *Proceedings of SPIE*, **8525**, 85250Y, doi: 10.1117/12.999309.
- Sakamoto S.X., Sasa S., Sawayama S., Tsujimoto R., Terauchi G., Yagi H., and Komatsu T. (2012): Impact of huge tsunami in March 2011 on seaweed bed distributions in Shizugawa Bay, Sanriku Coast, revealed by remote sensing. *Proceedings of SPIE*, **8525**, 85251B, doi: 10.1117/12.999308.
- Sasa S., Sawayama S., Sakamoto S.X., Tsujimoto R., Terauchi G., Yagi H., and Komatsu T. (2012): Did huge tsunami on 11 March 2011 impact seagrass bed distributions in Shizugawa Bay, Sanriku Coast, Japan? *Proceedings of SPIE*, **8525**, 85250X.
- Sato K. (2012): Diving physiology. In *Natural history of sea turtle*, edited by Kamezaki N., University of Tokyo Press, Tokyo, 165-194. (佐藤克文 (2012): 潜水—ダイビングの生理学. 「ウミガメの自然史 産卵と回遊の生物学」(亀崎直樹 編), 東京大学出版会, 東京, 165-194.)
- Sato K. (2012): Animal behaviors affected by other individuals. *Kagaku*, **82**, 915-917. (佐藤克文 (2012): 他者に合わせる動物たち. 科学, **82**, 915-917.)
- Sato K. (2012): Bio-Logging Science conducted in the seven oceans. *milsil*, (佐藤克文 (2012): 7つの海で展開するバイオロギングサイエンス. *milsil*, **5**, 6-7.)
- Sawayama S., Komatsu T., and Nurdin N. (2012): Coral reef habitats mapping of Spermonde Archipelago using remote sensing, compared with in situ survey of fish abundance. *Proceedings of SPIE*, **8525**, 85250P, doi: 10.1117/12.975777.
- Shimatani I.K., Yoda K., Katsumata N., and Sato K. (2012): Toward the quantification of a conceptual framework for movement ecology using circular statistical modeling. *PLoS ONE*, **7**, e50309.
- Shiomi K., Yoda K., Katsumata N., and Sato K. (2012): Temporal tuning of homeward flight in seabirds. *Animal Behaviour*, **83**, 355-359.
- Shiomi K., Sato K., and Ponganis P. (2012): Point of no return in diving emperor penguins: is decision time to return limited by the number of strokes? *Journal of Experimental Biology*, **215**, 135-140.
- Shirai K., Sowa K., Watanabe T., Sano Y., Nakamura T., and Clode P. (2012): Visualization of sub-daily skeletal growth patterns in massive *Porites* corals grown in Sr-enriched seawater. *Journal of Structural Biology*, **180**, 47-56.
- Song H., Satoh T.P., and Mabuchi K. (2012): Complete mitochondrial genome sequence of the dragonet *Callionymus curvicornis* (Perciformes: Callionymoidei: Callionymidae). *Mitochondrial DNA*, **23**, 290-292.
- Sudo R., Tosaka R., Ijiri S., Adachi S., Aoyama J., and Tsukamoto K. (2012): 11-ketotestosterone synchronously induces oocyte development and silvering related change in the Japanese eel, *Anguilla japonica*. *Zoological Science*, **29**, 254-259.
- Suzuki K., Honma-Takeda S., Oikawa M., Yoshitomi T., Ichimura Y., Iso H., Ishikawa T., Higuchi Y., Imaseki H., Harumoto K., Otake T. (2012): Local analysis of strontium using fish scale by micro-PIXE with a CdTe detector. *International Journal of PIXE*, **22**, 173-178.
- Suzuki N., Sekiguchi T., Satake H., Kato K., Nishiyama Y., Takahashi H., Danks J.A., Martin J., Hattori A., Nakano M., Kakikawa M., Yamada S., Ogoshi M., Hyodo S., Yamaguchi Y., Chawdhury V.S., Hayakawa K., Funahashi H., Sakamoto T., and Sasayama Y. (2012): Cloning of two members of the calcitonin-family receptors from stingray, *Dasyatis akajae*: possible physiological roles of the calcitonin family in osmoregulation. *Gene*, **499**, 326-331.
- Takabe S., Teranishi K., Takaki S., Kusakabe M., Hirose S., Kaneko T., and Hyodo S. (2012): Morphological and functional characterization of a novel Na⁺/K⁺-ATPase-immunoreactive, follicle-like structure on the gill septum of Japanese banded houndshark, *Triakis scyllium*. *Cell and Tissue Research*, **348**, 141-153.
- Takagi W., Kajimura M., Bell J.D., Toop T., Donald J.A., and Hyodo S. (2012): Hepatic and extrahepatic distribution of ornithine urea cycle enzymes in holocephalan elephant fish (*Callorhynchus milii*). *Comparative Biochemistry and Physiology B*, **161**, 331-340.
- Takei Y. (2012): Phylogenetic and Ontogenic approach to body fluid regulation. *Japanese Journal of Pediatric Body Fluid and Electrolyte*, **4**, 3-9. (竹井祥郎 (2012): 体液調節機構の進化: 系統発生から個体発生を考える. 小児体液研究会誌, **4**, 3-9.)
- Takei Y., Bartolo R.C., Fujihara H., Ueta Y., and Donald J.A. (2012): Water deprivation induces appetite and alters metabolic strategy in *Notomys alexis*: unique mechanisms for water production in the desert. *Proceeding of the Royal Society B*, **279**, 2599-2608.
- Takei Y. and Iino Y. (2012): The body fluids and evolution – Sea within us. *Kidney and Dialysis*, **73**, 9-20. (竹井祥郎・飯野靖彦 (2012): 水の世界と進化Sea within us. 腎と透析, **73**, 9-20.)
- Tanoue T., Komatsu T., Tsujino T., Suzuki I., Watanabe M., Goto H., and Miyazaki N. (2012): Feeding events of Japanese lates *Lates japonicus* detected by a high-speed video camera and three-axis micro-acceleration data-logger. *Fisheries Science*, **78**, 533-538.
- Thu P.M., Son T.P.H., and Komatsu T. (2012): Using remote sensing technique for analyzing temporal changes of seagrass beds by human impacts in waters of Cam Ranh Bay, Vietnam. *Proceedings of SPIE*, **8525**, 85250T, doi: 10.1117/12.977422.
- Tsukamoto K. (2012): The eel: Mystery of great migrations. PHP Institute, Tokyo, 238pp. (塚本勝巳 (2012): ウナギ 大回遊の謎. PHP研究所, 東京, 238pp.)

- Tsukamoto K. (2012): The most detailed eel story in the world. Asukashinsha, Tokyo, 238pp. (塚本勝巳 (2012): 世界で一番詳しいウナギの話. 飛鳥新社, 東京, 286pp.)
- Tsukamoto K. (2012): Searching for the birth place of eels. In *A Natural History of Eels*, edited by Kuroki M., Kagakudojin, Kyoto, 19-54. (塚本勝巳 (2012): ウナギの故郷を求めて. 「ウナギの博物誌」(黒木真理 編), 化学同人, 京都, 19-54.)
- Tsukamoto K. (2012): Searching for eel breeding places. In *The eel: Creature of mystery*, edited by Mushiake K., Tsukiji Shokan Publishing, Tokyo, 47-105. (塚本勝巳 (2012): ウナギの産卵場を求めて. 「うなぎ「謎の生物」」(虫明敬一 編), 築地書館, 東京, 47-105.)
- Tsukamoto K. (2012): A road to discovery of eel eggs in the ocean. *Nippon Suisan Gakkaishi*, **78**, 316-319. (塚本勝巳 (2012): 天然ウナギ卵発見の道. 日本水産学会誌, **78**, 316-319.)
- Tsukamoto K. (2012): Mystery of eel spawning areas. *Iden*, **66**, 110-113. (塚本勝巳 (2012): ウナギ産卵場の謎. 遺伝, **66**, 110-113.)
- Tsukamoto K. (2012): The first eel egg that humans have ever seen. Solving the 2000 year old mystery of eel spawning areas. *Research Journal of Food and Agriculture*, **35**, 28-31. (塚本勝巳 (2012): 人類が目にした初めてのウナギ卵 ウナギ産卵場2000年の謎を解く. 農林水産技術研究ジャーナル, **35**, 28-31.)
- Watanabe S., Sato K., and Ponganis P.J. (2012): Activity time budget during foraging trips of emperor penguins. *PLoS ONE*, **7**, e50357.
- Watanabe T., and Takei Y. (2012): Vigorous SO_4^{2-} influx via the gills is balanced by enhanced SO_4^{2-} excretion by the kidney in eels after seawater adaptation. *Journal of Experimental Biology*, **215**, 1775-1781.
- Watanuki Y. and Sato K. (2012): International collaborations on seabirds using Bio-Logging. *Japanese Journal of Ornithology*, **61**, 61-63. (綿貫 豊・佐藤克文 (2012): バイオロギング技術を使った海鳥の海外共同研究. 日本鳥類学雑誌, **61**, 61-63.)
- Williams C.L., Sato K., Shiomi K., and Ponganis P.J. (2012): Muscle energy stores and stroke rates of emperor penguins: implications for muscle metabolism and dive performance. *Physiological and Biochemical Zoology*, **85**, 120-133.
- Wong M.K.S., and Takei Y. (2012): Changes in plasma angiotensin subtypes in Japanese eel acclimated to various salinities from deionized water to double-strength seawater. *General and Comparative Endocrinology*, **178**, 250-258.
- Wong M.K.S., Sower S.A., and Takei Y. (2012): The presence of teleost-type angiotensin components in lamprey buccal gland suggests a role in endocrine mimicry. *Biochemie*, **94**, 637-648.
- Yada T., McCormick S.D., and Hyodo S. (2012): Effects of environmental salinity, biopsy, and GH and IGF-I administration on the expression of immune and osmoregulatory genes in the gills of Atlantic salmon (*Salmo salar*). *Aquaculture*, **362**, 177-183.
- Yamaguchi Y., Kaiya H., Konno N., Iwata E., Miyazato M., Uchiyama M., Bell J.D., Toop T., Donald J.A., Brenner S., Venkatesh B., and Hyodo S. (2012): The fifth neurohypophysial hormone receptor is structurally related to the V2-type receptor but functionally similar to V1-type receptors. *General and Comparative Endocrinology*, **178**, 519-528.
- Yamamoto T., Takahashi A., Oka N., Shirai M., Yamamoto M., Katsumata N., Sato K., Watanabe S., and Trathan P.N. (2012): Inter-colony differences in the incubation pattern of streaked shearwaters in relation to the local marine environment. *Waterbirds*, **35**, 248-259.
- Yamane K., Shirai K., Nagakura Y., and Otake T. (2012): Assessing the usefulness of otolith elemental compositions for evaluating the population structure of the Pacific herring *Clupea pallasii* in northern Japan. *Fisheries Science*, **78**, 295-307.
- Yoda K., Tajima T., Sasaki S., Sato K., and Niizuma Y. (2012): Influence of local wind conditions on the flight speed of the great cormorant *Phalacrocorax carbo*. *International Journal of Zoology*, **2012**, 187102.
- Yorifuji M., Takeshima H., Mabuchi K., and Nishida M. (2012): Hidden diversity in a reef-dwelling sea slug, *Pteraeolidia ianthina* (Nudibranchia, Aeolidida), in the northwestern Pacific. *Zoological Science*, **29**, 359-367.
- Yuyama I., Ito Y., Watanabe T., Hidaka M., Suzuki Y., and Nishida M. (2012): Differential gene expression in juvenile polyps of the coral *Acropora tenuis* exposed to thermal and chemical stresses. *Journal of Experimental Marine Biology and Ecology*, **430/431**, 17-24.

海洋生物資源 Living Marine Resources

- Hayakawa J., Kawamura T., Kurogi H., and Watanabe Y. (2012): Shelter effect of coralline algal turfs: protection for *Turbo cornutus* juveniles from predation by a predatory gastropod and wrasse. *Fisheries Science*, **79**, 15-22.
- Hayakawa J., Kawamura T., Ohashi S., Ohtsuchi N., Kurogi H., and Watanabe Y. (2012): Predation by neogastropods on *Turbo cornutus* juveniles and other small. *Fisheries Science*, **78**, 309-325.
- Hiramatsu K. and Fukuwaka M. (2012): Parameter estimation of stock and recruitment relationship of Japanese common squid. *Report of the 2011 Annual Meeting on Squid Resources*, 30-36. (平松一彦・福若雅章 (2012): スルメイカの再生産関係パラメータの推定. スルメイカ資源評価協議会報告 (平成23年度), 30-36.)
- Ichimi K., Kawamura T., Yamamoto A., Tada K., and Harrison P.J. (2012): Extremely high growth rate of the small diatom *Chaetoceros salsugineum* isolated from an estuary in the eastern Seto Inland Sea, Japan. *Journal of Phycology*, **48**, 1284-1288.
- Itakura S., Nagasaki K., Kawamura T., and Imai I. (2012): Cryopreservation tolerance of Marine Diatom Resting Stage Cells in the Coastal Sea Bottom Sediments. *Bulletin of Fisheries Sciences, Hokkaido University*, **62**, 15-19. (板倉 茂・長崎慶三・河村知彦・今井一郎 (2012): 沿岸域海底泥中に存在する珪藻類休眠期細胞の凍結耐性. 北海道大学水産科学研究集報, **62**, 15-19.)

- Itoh S., Yasuda I., Yagi M., Osafune S., Kaneko H., Nishioka J., Nakatsuka T., Volkov Y.N., Tanaka Y., and Konda S. (2012): Turbulence in the Urup Strait and its influence on water mass formation. *Kaiyo Monthly*, **44**, 432-440. (伊藤幸彦・安田一郎・八木雅宏・長船哲史・金子 仁・西岡 純・中塚 武・Volkov Y.N.・田中祐希・近田俊輔 (2012): ウルップ海峡の乱流強度と水塊形成への影響. 月刊海洋, **44**, 432-440.)
- Kato Y., Oshima M., Yamashita Y., Kitagawa T., and Kimura S. (2012): Effects of larval ontogeny, turbulence, and prey density on survival in red sea bream *Pagrus major* larvae. *Coastal Marine Science*, **35**, 262-268.
- Kawamura T. (2012): *Is abalone a snail?*. Kouseisya Kouseikaku, Tokyo, 116pp. (河村知彦 (2012): アワビって巻貝? 磯の王者を大解剖. 恒星社厚生閣, 東京, 116pp.)
- Kitagawa T. (2012): Maguro ha omoshiroi. Kodansha, Tokyo, 272pp. (北川貴士 (2012): マグロはおもしろい 味のひみつ, 生き様のなぞ. 講談社, 東京, 272pp.)
- Kitagawa T. (2012): Migratory and behavioral ecology of Pacific bluefin tuna detected by electric devices. *Kagaku*, **82**, 885-889. (北川貴士 (2012): クロマグロの回遊・行動生態の謎にせまる. 科学, **82**, 885-889.)
- Kitagawa T. (2012): Studies on migratory ecology of Pacific bluefin tuna, *Thunnus orientalis*. *Kaiyo Monthly*, **496**, 70-78. (北川貴士 (2012): 回遊経路はどこまで解ったか. 月刊海洋, **496**, 70-78.)
- Nishida S. (2012): The larval life of spiny lobsters: inferences based on the function of various organs. In *Jasus Spiny Lobsters - The Wonders of Their Lives and the Challenges to Farming Them*, supervised by Kittaka J., edited by Hayakawa Y., Seibutsukenkyusha, Tokyo, 263-281. (西田周平 (2012): イセエビ科幼生の生活とさまざまな器官のはたらき. 「ミナミイセエビ驚くべき生態と増養殖への挑戦」(橋 高二郎 監修・早川康博 編), 生物研究社, 東京, 263-281.)
- Okamoto M., Motomura H., Hoshino K., Yanagimoto T., and Saruwatari T. (2012): Occurrence and additional specimens of a Scorpionfish, *Idiastion pacificum* (Actinopterygii: Scorpaeniformes: Scorpaenidae), from the Central North Pacific. *Species Diversity*, **17**, 1-5.
- Onitsuka T., Unuma T., and Kawamura T. (2012): Effects of diet and temperature on post-settlement growth and survival of the short-spined sea urchin *Strongylocentrotus intermedius*. *Aquaculture Research*, **2012**, 1-15.
- Osafune S., and Yasuda I. (2012): Numerical study on the impact of the 18.6-year period nodal tidal cycle on water-masses in the subarctic North Pacific. *Journal of Geophysical Research*, **117**, C05009.
- Shirakihara M. and Shirakihara K. (2012): Bycatch of Indo-Pacific bottlenose dolphins (*Tursiops aduncus*) in gillnet fisheries off Amakusa Shimoshima Island, Japan. *Journal of Cetacean Research and Management*, **12**, 345-351.
- Shirakihara M., Shirakihara K., Nishiyama M., Iida T., and Amano M. (2012): Long-distance movements of Indo-Pacific bottlenose dolphins (*Tursiops aduncus*) and habitat preference of two species of bottlenose dolphins in eastern Kyushu, Japan. *Aquatic Mammals*, **38**, 145-152.
- Takami H., Won N.-I., and Kawamura T. (2012): Ontogenetic habitat shift in ezo abalone *Haliotis discus hannai*. *Nippon Suisan Gakkaishi*, **78**, 1213-1216. (高見秀輝・元 南一・河村知彦 (2012): エゾアワビの成長に伴う棲み場の変化. 日本水産学会誌, **78**, 1213-1216.)
- Takami H., Fukazawa H., Kawamura T., and Muraoka D. (2012): Effects of food quality and quantity on maturation and spawning of Ezo abalone *Haliotis discus hannai*. *Nippon Suisan Gakkaishi*, **78**, 1205-1207. (高見秀輝・深澤博達・河村知彦・村岡大祐 (2012): エゾアワビの成熟に及ぼす餌料の質・量の影響. 日本水産学会誌, **78**, 1205-1207.)
- Tanaka T., Yasuda I., Kuma K., and Nishioka J. (2012): Vertical turbulent iron flux sustains Green Belt along the shelf break in the southeastern Bering Sea. *Geophysical Research Letters*, **39**, L08603.
- Tanaka Y., Yasuda I., Hasumi H., Tatebe H., and Osafune S. (2012): Effects of 18.6-year modulation of tidal mixing on biocadal climate variability in the North Pacific. *Journal of Climate*, **25**, 7625-7642.
- Watanabe Y. (2012): *Sardines and Anchovies*. Kouseisya Kouseikaku, Tokyo, 111pp. (渡邊良朗 (2012): イワシ—意外と知らないほんとの姿—. 恒星社厚生閣, 東京, 111pp.)
- Watanabe Y. (2012): Fisheries and aquaculture depending on biological productivity of the sea. *Ship & Ocean Newsletter*, **296**, 4-5. (渡邊良朗 (2012): 海の生産力に依存する水産業. *Ship & Ocean Newsletter*, **296**, 4-5.)
- Yagi M., and Yasuda I. (2012): Deep intense vertical mixing in the Bussol' Strait. *Geophysical Research Letters*, **39**, L01602.
- Yamane K., Shirai K., Nagakura Y., and Otake T. (2012): Assessing the usefulness of otolith elemental compositions for evaluating the population structure of the Pacific herring *Clupea pallasii* in northern Japan. *Fisheries Science*, **78**, 295-307.
- Yasuda I. (2012): Studies on the formation, transport and modification of North Pacific Intermediate Water. *Oceanography in Japan*, **21**, 83-99.

複合領域 Multiple Field Marine Science

- Aoyama M., Tsumune D., Uematsu M., Kondo F., and Hamajima Y. (2012): Temporal variation of ¹³⁴Cs and ¹³⁷Cs activities in surface water at stations along coastal line near the Fukushima Dai-ichi Nuclear Power Plant accident site, Japan. *Geochemical Journal*, **46**, 321-325.
- Fujisawa N., Fukushima M., Yamamoto M., Iwai H., Komai T., Kawabe K., and Liu D. (2012): Structural alterations of humic acid fractions in a steel slag-compost fertilizer during fertilization. Analysis by pyrolysis/methylation-gas chromatography/mass spectrometry. *Journal of Analytical and Applied Pyrolysis*, **95**, 126-133.

- Fukushima M., Fujisawa N., Furubayashi K., Iwai H., Otsuka K., Yamamoto M., Komai T., Kawabe Y., and Horiya S. (2012): Structural features and Fe(II)-binding capacities of humic acids from reservoir sediments. *Journal of Chemical Engineering of Japan*, **45**, 452-458.
- Goto D., Kanazawa S., Nakajima T., and Takemura T. (2012): Evaluation of a relationship between aerosols and surface downward shortwave flux through an integrative analysis of modeling and observation. *Atmospheric Environment*, **49**, 294-301.
- Ichikawa H., Otake H., Ono T., Kikuchi T., Kishi M., Suga T., Tanaka T., Tsunogai S., Hasegawa H., Fukushima T., Matsuzawa T., Matuno T., Michida Y., Yanagi T. (2012): Legal issues in oceanographic studie. In *Umi ha meguru*, edited by Oceanographic Society of Japan, Chijin Shokan, Tokyo, 181-200. (市川 洋・乙部弘隆・小埜恒夫・菊地知彦・岸 道郎・須賀利雄・田中恒夫・角皆静雄・長谷川 博・福島朋彦・松沢孝俊・松野 健・道田 豊・柳 哲雄 (2012): 法律はめぐる。『海はめぐる人と生命を支える海の科学』(日本海洋学会 編), 地人書館, 東京, 181-200.)
- Iwai H., Fukushima M., and Yamamoto M. (2012): Binding characteristics and dissociation kinetics for iron(II) complexes with seawater extractable organic matter and humic substances in a compost. *Analytical Sciences*, **28**, 819-820.
- Iwamoto Y. and Uematsu M. (2012): Spatial variations of particulate biogenic and crustal elements in surface waters of subarctic North Pacific and its marginal seas during summer. *Kaiyo Monthly*, **44**, 422-427. (岩本洋子・植松光夫 (2012): 夏季の北太平洋亜寒帯域とその縁辺海表面水における懸濁粒子中の生物起源・地殻起源元素の濃度分布. 月刊海洋, **44**, 422-427.)
- Kanakidou M., Duce R.A., Prospero J.M., Baker A.R., Benitez-Nelson C., Dentener F.J., Hunter K.A., Liss P.S., Mahowald N., Okin G.S., Sarin M., Tsigaridis K., Uematsu M., Zamora L.M., and Zhu T. (2012): Atmospheric fluxes of organic N and P to the global ocean. *Global Biogeochemical Cycles*, **26**, GB3026.
- Michida Y. (2012): Importance of oceanographic data and information management. *Proceedings of new technology in hydrography*, **26**, 45-50. (道田 豊 (2012): 海洋情報の整備と管理の意義. 水路新技術講演集, **26**, 45-50.)
- Moffet R.C., Furutani H., Rödel T.C., Henn T.R., Sprau P.O., Laskin A., Uematsu M., and Gilles M.K. (2012): Iron speciation and mixing in single aerosol particles from the Asian continental outflow. *Journal of Geophysical Research*, **117**, D07204.
- Nagata T. (2012): Identification of nitrogen emission sources. In *Nitrogen saturation in forests and watershed management*, edited by Furumai H., Sakai K., and Kawakami T., Gihodoshuppan, Tokyo, 83-92. (永田 俊 (2012): 窒素の排出源の特定. 『森林の窒素飽和と流域管理』(古米弘明・酒井憲司・川上智規編), 技法堂出版, 東京, 83-92.)
- Nagata T. (2012): Microbial loop. In *Limnology of Global Warming*, edited by Nagata T., Kumagai M., and Yoshiyama K., Kyoto University Press, Kyoto, 140-145. (永田 俊 (2012): 微生物ループ. 『温暖化の湖沼学』(永田 俊・熊谷道夫・吉山浩平 編), 京都大学学術出版会, 京都, 140-145.)
- Nagata T. (2012): Effects of warming on metabolic balances in ecosystems. In *Limnology of Global Warming*, edited by Nagata T., Kumagai M., and Yoshiyama K., Kyoto University Press, Kyoto, 169-173. (永田 俊 (2012): 生態系代謝バランスに対する温度上昇の影響. 『温暖化の湖沼学』(永田 俊・熊谷道夫・吉山浩平 編), 京都大学学術出版会, 京都, 169-173.)
- Nagata T. (2012): Autochthonous and allochthonous organic matter. In *Limnology of Global Warming*, edited by Nagata T., Kumagai M., and Yoshiyama K., Kyoto University Press, Kyoto, 212. (永田 俊 (2012): 自生性有機物と他生性有機物. 『温暖化の湖沼学』(永田 俊・熊谷道夫・吉山浩平 編), 京都大学学術出版会, 京都, 212.)
- Nagata T. and Ban S. (2012): Regeneration of nutrient salt. In *Limnology of Global Warming*, edited by Nagata T., Kumagai M., and Yoshiyama K., Kyoto University Press, Kyoto, 146-150. (永田 俊・伴 修平 (2012): 栄養塩の再生. 『温暖化の湖沼学』(永田 俊・熊谷道夫・吉山浩平 編), 京都大学学術出版会, 京都, 146-150.)
- Nagata T. and Yoshiyama K. (2012): Limnology of the warming era. In *Limnology of Global Warming*, edited by Nagata T., Kumagai M., and Yoshiyama K., Kyoto University Press, Kyoto, 1-15. (永田 俊・吉山浩平 (2012): 温暖化時代の湖沼学. 『温暖化の湖沼学』(永田 俊・熊谷道夫・吉山浩平 編), 京都大学学術出版会, 京都, 1-15.)
- Nagata T. and Yoshiyama K. (2012): Future directions. In *Limnology of Global Warming*, edited by Nagata T., Kumagai M., and Yoshiyama K., Kyoto University Press, Kyoto, 249-251. (永田 俊・吉山浩平 (2012): 今後の課題. 『温暖化の湖沼学』(永田 俊・熊谷道夫・吉山浩平 編), 京都大学学術出版会, 京都, 249-251.)
- Nishida S., Fukuyo Y., Inoue K., Kawaguchi S., and Mitsuura K. (Eds.) (2012): Proceedings of the Horiba International Conference "New Direction of Ocean Research in the Western Pacific". *Coastal Marine Science*, **35**, 1-254.
- Nunoura T., Takaki Y., Kazama H., Hirai M., Ashi J., Imachi H., and Takai K. (2012): Microbial Diversity in Deep-sea Methane Seep Sediments Presented by SSU rRNA Gene Tag Sequencing. *Microbes Environment*, **27**, 382-390.
- Nurhayati N., and Nakajima T. (2012): A study of aerosol optical properties at the global GAW station Bukit Kototabang, Sumatra, Indonesia. *Atmospheric Environment*, **46**, 597-606.
- Ozaki H. and Iwasaki W. (2012): Overview of the ENCODE project. *Cell Technology*, **32**, 101-106. (尾崎 遼・岩崎 渉 (2012): ENCODEプロジェクトで明らかになったこと. 細胞工学, **32**, 101-106.)
- Praneenararat T., Takagi T., and Iwasaki W. (2012): Integration of interactive, multi-scale network navigation approach with Cytoscape for functional genomics in the big data era. *BMC Genomics*, **13**(Suppl. 7), S24.
- Sato Y., Hachiya T., and Iwasaki W. (2012): Next-generation sequencing in aquatic biology: current status and future directions. *Fish Genetics and Breeding Science*, **41**, 17-32. (佐藤行人・八谷剛史・岩崎 渉 (2012): 水圏生物学における次世代シーケンサー活用の現状と応用可能性への展望. 水産育種, **41**, 17-32.)

- Uno I., Itahashi S., Yamaji K., Takami A., Osada K., Yokouchi Y., Shimizu A., Kaneyasu N., Kajii Y., Kato S., Furutani H., and Uematsu M. (2012): Modeling studies of outflow of continental polluted air mass observed in Cape Hedo, Okinawa, during the W-PASS 2008 spring observation campaign. *Journal of Japan Society for Atmospheric Environment*, **47**, 195-204. (鷗野 伊津志・板橋秀一・山地一代・高見昭憲・長田和雄・横内陽子・清水 厚・兼保直樹・梶井克純・加藤俊吾・植松光夫 (2012): 2008年W-PASS沖縄辺戸岬集中観測時の越境汚染の数値シミュレーションによる解析. 大気環境学会誌, **47**, 195-204.)
- von Glasow R., Jickells T.D., Baklanov A., Carmichael G.R., Church T.M., Gallardo L., Hughes C., Kanakidou M., Liss P.S., Mee L., Raine R., Ramachandran P., Ramesh R., Sundseth K., Tsunogai U., Uematsu M., and Zhu T. (2013, published online 2012): Megacities and large urban agglomerations in the coastal zone: interactions between atmosphere, land, and marine ecosystems. *Ambio*, **42**, 13-28.
- Yamada N., Fukuda F., Ogawa H., Saito H., and Suzumura M. (2012): Heterotrophic bacterial production and extracellular enzymatic activity in sinking particulate matter in the western North Pacific Ocean. *Frontiers in Microbiology*, **3**, doi:10.3389/fmicb.2012.00379.
- Yamamoto M., Fukushima M., and Liu D. (2012): The effect of humic substances on iron elution in the method of restoration of seaweed beds using steelmaking slag. *ISIJ International*, **52**, 1909-1913.
- Yoshiyama K. and Nagata T. (2012): Indicators for warming effect assessment. In *Limnology of Global Warming*, edited by Nagata T., Kumagai M., and Yoshiyama K., Kyoto University Press, Kyoto, 242-249. (吉山浩平・永田 俊 (2012): 温暖化影響評価の汎用的な指標. 「温暖化の湖沼学」(永田 俊・熊谷道夫・吉山浩平 編), 京都大学学術出版会, 京都, 242-249.)

事典等

- 日本地球化学会(編) 蒲生俊敬・海老原充(監修) (2012): 「地球と宇宙の化学事典」. 朝倉書店, 東京, 479pp.
- 蒲生俊敬 (2012): 海水の物理化学的性質. 「地球と宇宙の化学事典」(日本地球化学会 編), 朝倉書店, 東京, 99.
- 蒲生俊敬 (2012): 化学トレーサー. 「地球と宇宙の化学事典」(日本地球化学会 編), 朝倉書店, 東京, 101.
- 蒲生俊敬 (2012): 海底熱水活動. 「地球と宇宙の化学事典」(日本地球化学会 編), 朝倉書店, 東京, 111-112.
- 蒲生俊敬 (2012): 海洋表面のマイクロレイヤー. 「地球と宇宙の化学事典」(日本地球化学会 編), 朝倉書店, 東京, 115.
- 蒲生俊敬 (2012): 海洋化学観測機器. 「地球と宇宙の化学事典」(日本地球化学会 編), 朝倉書店, 東京, 116-117.
- 蒲生俊敬 (2012): 海洋観測船・潜水船. 「地球と宇宙の化学事典」(日本地球化学会 編), 朝倉書店, 東京, 132.
- 永田 俊 (2012): 生態系. 「地球と宇宙の化学事典」(日本地球化学会 編), 朝倉書店, 東京, 126.
- 中山典子 (2012): 酸素極小層. 「地球と宇宙の化学事典」(日本地球化学会 編), 朝倉書店, 東京, 114.
- 小畑 元 (2012): 海水の年齢. 「地球と宇宙の化学事典」(日本地球化学会 編), 朝倉書店, 東京, 102.
- 小畑 元 (2012): 鉄仮説. 「地球と宇宙の化学事典」(日本地球化学会 編), 朝倉書店, 東京, 113.
- 小川浩史 (2012): 溶存有機物. 「地球と宇宙の化学事典」(日本地球化学会 編), 朝倉書店, 東京, 120
- 沖野郷子 (2012): 海洋性地殻の形成と年代. 「地球と宇宙の化学事典」(日本地球化学会 編), 朝倉書店, 東京, 240-241.
- 佐野有司 (2012): 海洋の希ガスと同位体比. 「地球と宇宙の化学事典」(日本地球化学会 編), 朝倉書店, 東京, 56-57.
- 佐野有司 (2012): 希ガスの分析. 「分析化学便覧」(日本分析化学会 編), 丸善出版, 東京, 250-251.
- 小島茂明 (2012): 日本列島周辺の海洋生物. 「進化学事典」(日本進化学会 編), 共立出版, 東京, 500-502.
- 平松一彦 (2012): 資源管理の基礎概念. 「最新水産ハンドブック」(島一雄ほか 編), 講談社サイエンティフィック, 東京, 132-133.
- 北川貴士 (2012): バイオリギング調査による回遊の推定. 「最新水産ハンドブック」(關文威ほか 編), 講談社サイエンティフィック, 東京, 122-123.
- 北川貴士 (2012): マグロ類. 「最新水産ハンドブック」(關文威ほか 編), 講談社サイエンティフィック, 東京, 172-176.
- 白木原国雄 (2012): 漁獲統計解析. 「最新水産ハンドブック」(島一雄ほか 編), 講談社サイエンティフィック, 東京, 125-127.

エッセイ等

- 佐藤克文 (2012): 手を抜く野生動物? 野生動物との対話 バイオリギングで見つめる命の鼓動 (1). *NAVIS*, **17**, 21.
- 佐藤克文 (2012): 帰宅時間を守る海鳥 野生動物との対話 バイオリギングで見つめる命の鼓動 (2). *NAVIS*, **18**, 21.
- 佐藤克文 (2012): ペンギンは何故列になって歩くのか? 野生動物との対話 バイオリギングで見つめる命の鼓動<3>. *NAVIS*, **19**, 21.
- 佐藤克文 (2012): 泳ぐ動物たち: 空気を吐き出して300mの潜水を始めるウェッデルアザラシ. *swim*, 2月号, 21.
- 佐藤克文 (2012): 泳ぐ動物たち: 浮力を使ってグライディングするペンギン. *swim*, 3月号, 55.
- 佐藤克文 (2012): 泳ぐ動物たち: ボートと水中を漂うアカウミガメ. *swim*, 4月号, 69.
- 佐藤克文 (2012): 泳ぐ動物たち: 長時間潜水のチャンピオンエンペラーペンギン. *swim*, 5月号, 67.
- 佐藤克文 (2012): 泳ぐ動物たち: アクティブなマンボウ. *swim*, 6月号, 53.
- 佐藤克文 (2012): 泳ぐ動物たち: 深海でダッシュするマッコウクジラ. *swim*, 7月号, 61.
- 佐藤克文 (2012): 泳ぐ動物たち: 飛んでかつ泳ぐヒメウ. *swim*, 8月号, 59.
- 佐藤克文 (2012): 泳ぐ動物たち: 海の中層を漂うアザラシ. *swim*, 9月号, 45.
- 佐藤克文 (2012): 泳ぐ動物たち: アデリーペンギンのシンクロダイブ. *swim*, 10月号, 43.
- 佐藤克文 (2012): 泳ぐ動物たち: 野生動物もバサロ? *swim*, 11月号, 77.
- 佐藤克文 (2012): なぜペンギンは、空を飛べないの? 日本の学童はいく, 5月号, 39.
- 佐藤克文 (2012): 教育熱心な母アザラシ. 日本の学童はいく, 8月号, 6-7.
- 佐藤克文 (2012): 鳴き声で我が子を見分けるペンギン. 日本の学童はいく, 9月号, 6-7.