

2013

Climate Science	107
Physical Oceanography	111
Chemical Oceanography	112
Ocean Floor Geoscience	112
Marine Ecosystems Dynamics	115
Marine Bioscience	116
Living Marine Resources	118
Multiple Field Marine Science	120

研究業績 | PUBLICATION LIST 2013

気候システム科学 Climate Science

- Abe-Ouchi A., Saito F., Kawamura K., Raymo M., Okuno J., Takahashi K., and Blatter H. (2013): Insolation driven 100,000-year glacial cycles and hysteresis of ice sheet volume. *Nature*, **500**, 190-193.
- Abe-Ouchi A., Saito F., Yoshimori M., Komuro Y., O'ishi R., Watanabe M., Ohgaito R., Takahashi K., Suzuki K., Kawamura K., and Nozawa T. (2013): Response and role of Arctic and Antarctica in climate change: Past to Future. *Tenki*, **60**, 901-908. (阿部彩子・斎藤冬樹・吉森正和・小室芳樹・大石龍太・渡部雅浩・大垣内るみ・高橋邦夫・鈴木香寿恵・川村賢二・野沢 徹 (2013): 気候変化における北極と南極の応答と役割: 過去と将来. *天気*, **60**, 901-908.)
- Aizawa T., Tanaka H.L., and Satoh M. (2013) Rapid Development of Arctic Cyclone Simulated by the Cloud Resolving Global Model NICAM. *Meteorology of Atmospheric Physics*, 1-13.
- Bhatnagar R., Panwar V., Shibagaki Y., Hashiguchi H., Fukao S., Kozu T., Takahashi M., and Dhaka S.K. (2013): Hourly radiosonde observation of humidity and temperature and high resolution vertical wind using the Equatorial Atmosphere Radar during convection over Koto Tabang, Indonesia in CPEA-II campaign. *Indian Journal of Radio and Space Physics*, **42**, 277-291.
- Bindschadler R.A., Nowicki S., Abe-Ouchi A., Aschwanden A., Choi H., Fastook J., Granzow G., Greve R., Gutowski G., Herzfeld U., Jackson C., Johnson J., Khroulev C., Levermann A., Lipscomb W.H., Martin M.A., Morlighem M., Parizek B.R., Pollard D., Price S.F., Ren D., Saito F., Sato T., Seddik H., Seroussi H., Takahashi K., Walker R., and Wang W.L. (2013): Ice-sheet model sensitivities to environmental forcing and their use in projecting future sea level (the SeaRISE project). *Journal of Glaciology*, **59**, 195-224.
- Blackburn M., Williamson D.L., Nakajima K., Ohfuchi W., Takahashi Y.O., Hayashi Y.-Y., Nakamura H., Ishiwatari M., McGregor J., Borth H., Wirth V., Frank H., Bechtold P., Wedi N.P., Tomita H., Satoh M., Zhao M., Held I. M., Suarez M.H., Lee M.-I., Watanabe M., Kimoto M., Liu Y., Wang Z., Molod A., Rajendran K., Kitoh A., and Stratton R. (2013): The Aqua Planet Experiment (APE): CONTROL SST Simulation. *Journal of the Meteorological Society of Japan*, **91A**, 17-56.
- Buenning N.H., Stott L., Kanner L., and Yoshimura K. (2013): Diagnosing atmospheric influences on the interannual $^{18}\text{O}/^{16}\text{O}$ variations in western U.S. precipitations. *Water*, **5**, 1116-1140.
- Chang E.-C., Yeh S.-W., Hong S.-Y., and Wu R. (2013): Sensitivity of summer precipitation to tropical sea surface temperatures over East Asia in the GRIMs GMP. *Geophysical Research Letters*, **40**, 1824-1831.
- Dankers R., Amell N.W., Clark D.B., Falloon P.D., Fekete B.M., Gosling S.N., Heinke J., Kim H., Masaki Y., Satoh Y., Stacke T., Wada Y., and Wisser D. (2013): First look at changes in flood hazard in the Inter-Sectoral Impact Model Intercomparison Project ensemble. *PNAS*, **111**, 3257-3261.
- Doblas-Reyes F.J., Andreu-Burillo I., Chikamoto Y., Garcia-Serrano J., Guemas V., Kimoto M., Mochizuki T., Rodrigues L.R.L., and van Oldenborgh G.J. (2013): Initialized near-term regional climate change prediction. *Nature Communications*, **4**, doi:10.1038/ncomms2704.
- Dowsett H.J., Foley K.M., Stoll D.K., Chandler M.A., Sohl L.E., Bentsen M., Otto-Bliesner B.L., Bragg F.J., Chan W.-L., Contoux C., Dolan A.M., Haywood A.M., Jonas J.A., Jost A., Kamae Y., Lohmann G., Lunt D.J., Nisancioglu K.H., Abe-Ouchi A., Ramstein G., Riesselman C.R., Robinson M.M., Rosenbloom N.A., Salzmann U., Stepanek C., Strother S.L., Ueda H., Yan Q., and Zhang Z. (2013): Sea surface temperature of the mid-Piacenzian ocean: A data-model comparison. *Scientific Reports*, **3**, doi:10.1038/srep02013.
- Eby M., Weaver A.J., Alexander K., Zickfeld K., Abe-Ouchi A., Cimadoribus A.A., Cressin E., Drijfhout S.S., Edwards N.R., Eliseev A.V., Feulner G., Fichefet T., Forest C.E., Goosse H., Holden P.B., Joos F., Kawamiya M., Kicklighter D., Kienert H., Matsumoto K., Mokhov I.I., Monier E., Olsen S.M., Pedersen J.O.P., Perrette M., Philippon-Berthier G., Ridgwell A., Schlosser A., Schneider von Deimling T., Shaffer G., Smith R.S., Spahni R., Sokolov A.P., Steinacher M., Tachiiri K., Tokos K., Yoshimori M., Zeng N., and Zhao F. (2013): Historical and idealized climate model experiments: an intercomparison of Earth system models of intermediate complexity. *Climate of the Past*, **9**, 1111-1140.
- Elliott J., Deryng D., Müller C., Frieler K., Konzmann M., Gerten D., Glotter M., Flörke M., Wada Y., Best N., Eisner S., Fekete B.M., Folberth C., Foster I., Gosling S.N., Haddeland I., Khabarov N., Ludwig F., Masaki Y., Olin S., Rosenzweig C., Ruane A.C., Satoh Y., Schmid E., Stacke T., Tang Q., and Wisser D. (2013): Constraints and potentials of future irrigation water availability on agricultural production under climate change. *PNAS*, doi:10.1073/pnas.1222474110.
- Farlin J., Lai C.-T., and Yoshimura K. (2013): Influence of synoptic weather events on the isotopic composition of atmospheric moisture in a coastal city of the western United States. *Water Resources Research*, **49**, 3685-3696.
- Fudeyasu H., Inatsu S., Yoshino J., Moteki Q., Kato T., Yoshimura K., and Miyoshi T. (2013): *What is known and what is unknown about weather and meteorology*. Beret Publishing Co., Tokyo, 280pp, Press. (筆保弘徳・稲津 将・吉野 純・茂木耕作・加藤輝之・芳村 圭・三好建正 (2013): 「天気と気象についてわかっていることのないこと」. ベレ出版, 東京, 280pp.)
- Ham S.-H., Sohn B.-J., Kato S., and Satoh M. (2013): Vertical structure of ice cloud layers from CloudSat and CALIPSO measurements and comparison to NICAM simulations. *Journal of Geophysical Research: Atmospheres*, **118**, 7273-7293.
- Hargreaves J.C., Annan J.D., Ohgaito R., Paul A., and Abe-Ouchi A. (2013): Skill and reliability of climate model ensembles at the Last Glacial Maximum and mid-Holocene. *Climate of the Past*, **9**, 811-823.
- Hashino T., Satoh M., Hagihara Y., Kubota T., Matsui T., Nasuno T., and Okamoto H. (2013): Evaluating cloud microphysics from the NICAM against CloudSat and CALIPSO. *Journal of Geophysical Research: Atmospheres*, **118**, 7273-7293.
- Hatono M., Noda K., Kim H.-J., Baimoung S., Yoshimura K., Oki K., and Oki T. (2013): Analysis of the relation between surface water coverage and water volume using satellite data. *Hydrological Research Letters*, **8**, 15-19.

- Haywood A.M., Hill D.J., Dolan A.M., Otto-Bliesner B.L., Bragg F., Chan W.L., Chandler M.A., Contoux C., Dowsett H.J., Jost A., Kamae Y., Lohmann G., Lunt D.J., Abe-Ouchi A., Pickering S.J., Ramstein G., Rosenbloom N.A., Salzmann U., Sohl L., Stepanek C., Ueda H., Yan Q., and Zhang Z. (2013): Large-scale features of Pliocene climate: results from the Pliocene Model Intercomparison Project. *Climate of the Past*, **9**, 191-209.
- Hirota N. and Takayabu Y.N. (2013): Reproducibility of precipitation distribution over the tropical oceans in CMIP5 multi-climate models compared to CMIP3. *Climate Dynamics*, **41**, 2909-2920.
- Hong S.-Y., Park H., Cheong H.-B., Kim J.-E.E., Koo M.-S., Jang J., Ham S., Hwang S.-O., Park B.-K., Chang E.-C., and Li H.. (2013): The Global/Regional Integrated Model system (GRIMs). *Asia-Pacific Journal of Atmospheric Sciences*, **49**, 219-243.
- Hu A., Meehl G. A., Han W., Yin J., Wu B., and Kimoto M. (2013): Influence of continental ice retreat on future global climate. *Journal of Climate*, **26**, 3087-3111.
- Imada Y., Tabebe H., Komuro Y., and Kimoto M. (2013): Multi-decadal modulation of tropical Pacific instability wave activity since the middle of the twentieth century. *SOLA*, **9**, 102-105.
- Imada Y., Watanabe M., Mori M., Kimoto M., Shiogama H., and Ishii M. (2013): Contribution of atmospheric circulation change to the 2012 heavy rainfall in southern Japan, [in "Explaining Extreme Events of 2012 from a Climate Perspective"]. *Bulletin of the American Meteorological Society*, **94**, S52-S54.
- Inoue M. and Takahashi M. (2013): Connections between the stratospheric quasi-biennial oscillation and tropospheric circulation over Asia in northern autumn. *Journal of Geophysical Research: Atmospheres*, **118**, 10740-10753.
- Ishizaki Y., Shiogama H., Emori S., Yokohata T., Nozawa T., Takahashi K., Ogura T., Yoshimori M., and Nagashima T. (2013): Dependency of precipitation scaling pattern on emission scenarios in representative concentration pathways. *Journal of Climate*, **26**, 8868-8879.
- Kageyama M., Merkel U., Otto-Bliesner B., Prange M., Abe-Ouchi A., Lohmann G., Ohgaito R., Roche D.M., Singarayer J., Swingedouw D., and Zhang X. (2013): Climatic impacts of fresh water hosing under Last Glacial Maximum conditions: a multi-model study. *Climate of the Past*, **9**, 935-953.
- Katagiri S., Sekiguchi M., Nakajima T., and Hayasaka T. (2013): Cirrus cloud radiative forcing caused by the 1987 El Niño using the nighttime global distribution of microphysical parameters derived from AVHRR. *Umi to Sora*, **88**, 71-83.
- Kim J.-W., Yeh S.-W., and Chang E.-C. (2013): Combined effect of El Niño-Southern Oscillation and Pacific Decadal Oscillation on the East Asian winter monsoon. *Climate Dynamics*, doi:10.1007/s00382-013-1730-z.
- Kawamiya M., Ishii M., Kitoh A., and Kimoto M. (2013): Results from global warming projection experiments based on CMIP5 protocol under the KAKUSHIN Program. *Tenki*, **60**, 223-246. (河宮未知生, 石井正好, 鬼頭昭雄, 木本昌秀 (2013): 「21世紀気候変動予測革新プログラム」におけるCMIP5実験仕様に基ついた温暖化予測実験. *天気*, **60**, 223-246.)
- Kinter III J. L., Cash B., Achuthavarier D., Adams J., Althshuler E., Dirmeyer P., Doty B., Huang B., Marx L., Manganello J., Stan C., Wakefield T., Jin E., Palmer T., Hamrud M., Jung T., Miller M., Towers P., Wedi N., Satoh M., Tomita H., Kodama C., Nasuno T., Oouchi K., Yamada Y., Taniguchi H., Andrews P., Baer T., Ezell M., Halloy C., John D., Loftis B., Mohr R., and Wong K. (2013): Revolutionizing Climate Modeling - Project Athena: A Multi-Institutional, International Collaboration. *Bulletin of the American Meteorological Society*, **94**, 231-245.
- Kurogi M., Hasumi H., and Tanaka Y. (2013): Effects of stretching on maintaining the Kuroshio meander. *Journal of Geophysical Research: Oceans*, **118**, 1182-1194.
- Kusahara K. and Hasumi H. (2013): Modeling Antarctic ice shelf responses to future climate changes and impacts on the ocean. *Journal of Geophysical Research: Oceans*, **118**, 2454-2475.
- Lambert F., Kug J.S., Park R.J., Mahowald N., Winckler G., Abe-Ouchi A., O'ishi R., Takemura T., and Lee J.-H. (2013): The role of mineral-dust aerosols in polar temperature amplification. *Nature Climate Change*, **3**, 487-491.
- Lee J.-H., Worden J., Koh D.-C., Yoshimura K., and Lee J.-E. (2013): A seasonality of δD of water vapor (850-500 hPa) observed from space over Jeju island, Korea. *Geosciences Journal*, **17**, 87-95.
- Lee J.-W., Hong S.-Y., Chang E.-C., Suh M.-S., and Kang H.-S. (2013): Assessment of future climate change over the East Asia due to the RCP scenarios downscaled by GRIMs-RMP. *Climate Dynamics*, doi:10.1007/s00382-013-1841-6.
- Li H., Kanamitsu M., Hong S.-Y., Yoshimura K., Cayan D.R., and Misra V. (2014, Published online 2013): A High-Resolution Ocean-Atmosphere coupled downscaling of a present climate over California. *Climate Dynamics*, **42**, 701-714.
- Li H., Kanamitsu M., Hong S.-Y., Yoshimura K., Cayan D.R., Misra V., and Sun L. (2014, Published online 2013): Projected climate change scenario over California by a regional ocean-atmosphere coupled model system. *Climatic Change*, **122**, 609-619.
- Liu G., Kojima K., Yoshimura K., Okai T., Suzuki A., Oki T., Siringan F., Yoneda M., Kawahata H. (2013): A model-based test of accuracy of seawater oxygen isotope ratio record derived from a coral dual proxy method at southeastern Luzon Island, the Philippines. *Journal of Geophysical Research: Biogeosciences*, **118**, 853-859.
- Liu Z., Yoshimura K., Bowen G.J., and Welker J.M. (2013): Pacific-North American Teleconnection Controls on Precipitation Isotopes ($\delta^{18}O$) across the Contiguous United States and Adjacent Regions: A GCM-Based Analysis. *Journal of Climate*, **27**, 1046-1061.
- Liu Z., Yoshimura K., Kennedy C.D., Wang X and Pang S. (2014, Published online 2013): Water vapor δD dynamics over China derived from SCIAMACHY satellite measurements. *Science China Earth Sciences*, **57**, 813-823.
- Lunt D.J. Abe-Ouchi A., Bakker P., Berger A., Braconnot P., Charbit S., Fischer N., Herold N., Jungclaus J.H., Khon V.C., Krebs-Kanzow U., Langebroek P.M., Lohmann G., Nisancioglu K.H., Otto-Bliesner B.L., Park W., Pfeiffer M., Phipps S.J., Prange M., Rachmayani R., Renssen H., Rosenbloom N., Schneider B., Stone E.J., Takahashi K., Wei W., Yin Q., and Zhang Z.S. (2013): A multi-model assessment of last interglacial temperatures. *Climate of the Past*, **9**, 699-717.

- Meehl, G. A., Goddard L., Boer G., Burgman R., Branstator G., Cassou C., Corti S., Danabasoglu G., Doblas-Reyes F., Hawkins E., Karspeck A., Kimoto M., Kumar A., Matei D., Mignot J., Msadek R., Pohlmann H., Rienecker M., Rosati T., Schneider E., Smith D., Sutton R., Teng H., van Oldenborgh G.J., Vecchi G., and Yeager S. (2013): Decadal climate prediction: an update from the trenches. *Bulletin of the American Meteorological Society*, doi:10.1175/BAMS-D-12-00241.1.
- Miyakawa T., Yokoi S., Hirota N., Hirahara S., Inoue T., and Takayabu Y.N. (2013): An iterative selection method: A summer Eastern Asian metric for CMIP3 climate models as an example. *Journal of the Meteorological Society of Japan*, **91**, 305-321.
- Mori M., Watanabe M., Kimoto M. (2013): Nonlinear Hadley circulation response to the zonally asymmetric sea surface temperature in an aqua-planet GCM. *Journal of the Meteorological Society of Japan*, **91A**, 269-291.
- Mori M., Kimoto M., Ishii M., Yokoi S., Mochizuki T., Chikamoto Y., Watanabe M., Nozawa T., Tatebe H., Sakamoto T.T., Komuro Y., Imada Y., and Koyama H. (2013): Hindcast prediction and near-future projection of tropical cyclone activity over the western North Pacific using CMIP5 near-term experiments with MIROC. *Journal of the Meteorological Society of Japan*, **91**, 431-452.
- Nitta T, Yoshimura K, Annan J.D., Hargreaves J.C., Kanae S, and Oki T. (2013): Ensemble experiments to quantify uncertainty in global snow simulation. *Proceedings of hydraulic engineering, JSCE*, **57**, 439-444. (新田友子・芳村 圭・J.D. Annan・J.C. Hargreaves・黒信次郎・沖 大幹 (2013): アンサンブル実験による全球陸域積雪シミュレーションの不確実性評価. 水工学論文集, **57**, 439-444.)
- Noda A.T., Nakamura K., Iwasaki T., and Satoh M. (2013): A numerical study of a stratocumulus-topped boundary-layer: relations of decaying clouds with stability parameters across inversion. *Journal of the Meteorological Society of Japan*, **91**, 727-746.
- Nowicki S. Bindschadler R.A., Abe-Ouchi A., Aschwanden A., Bueler E., Choi H., Fastook J., Granzow G., Greve R., Gutowski G., Herzfeld U., Jackson C., Johnson J., Khroulev C., Larour E., Levermann A., Lipscomb W.H., Martin M.A., Morlighem M., Parizek B.R., Pollard D., Price S.F., Ren D., Rignot E., Saito F., Sato T., Seddik H., Seroussi H., Takahashi K., Walker R., and Wang W.L. (2013): Insights into spatial sensitivities of ice mass response to environmental change from the SeaRISE ice sheet modeling project I: Antarctica. *Journal of Geophysical Research: Atmospheres*, **118**, 1002-1024.
- Nowicki S. Bindschadler R.A., Abe-Ouchi A., Aschwanden A., Bueler E., Choi H., Fastook J., Granzow G., Greve R., Gutowski G., Herzfeld U., Jackson C., Johnson J., Khroulev C., Larour E., Levermann A., Lipscomb W.H., Martin M.A., Morlighem M., Parizek B.R., Pollard D., Price S.F., Ren D., Rignot E., Saito F., Sato T., Seddik H., Seroussi H., Takahashi K., Walker R., and Wang W.L. (2013): Insights into spatial sensitivities of ice mass response to environmental change from the SeaRISE ice sheet modeling project II: Greenland. *Journal of Geophysical Research: Atmospheres*, **118**, 1025-1044.
- Ohgaito R., Sueyoshi T., Abe-Ouchi A., Hajima T., Watanabe S., Kim H.-J., Yamamoto A., and Kawamiya M. (2013): Can an Earth System Model simulate better climate change at mid-Holocene than an AOGCM? A comparison study of MIROC-ESM and MIROC3. *Climate of the Past*, **9**, 1519-1542.
- Oishi R. and Abe-Ouchi A. (2013): Influence of dynamic vegetation on climate change and terrestrial carbon storage in the Last Glacial Maximum. *Climate of the Past*, **9**, 1571-1587.
- Pierce D., Cayan D., Das T., Maurer E., Miller N., Bao Y., Kanamitsu M., Yoshimura K., Snyder M., Sloan L., Franco G., and Tyree M. (2013): The key role of heavy precipitation events in climate model disagreements of future annual precipitation changes in California. *Journal of Climate*, **26**, 5879-5896.
- Rokotyan N.V., Zakharov V.I., Gribanov K.G., Bréon F.-M., Jouzel J., Imasu R., Werner M., Butzin M., Petri C., Warneke T., and Notholt J. (2013): Retrieval of $\delta^{18}\text{O}$ and δD in atmospheric water vapour from ground-based FTIR. *Atmospheric Measurement Techniques*, **7**, 195-231.
- Prudhomme C., Giuntoli I., Robinson E.L., Clark D.B., Amell N.W., Dankers R., Fekete B.M., Franssen W., Gerten D., Gosling S.N., Hagemann S., Hannah D.M., Kim H., Masaki Y., Satoh Y., Stacke T., Wada Y., and Wisser D. (2013): Hydrological droughts in the 21st century, hotspots and uncertainties from a global multimodel ensemble experiment. *PNAS*, doi:10.1073/pnas.1222473110.
- Salzmann U., Dolan A.M., Haywood A.M., Chan W.-L., Voss J., Hill D.J., Abe-Ouchi A., Otto-Bliesner B., Bragg F., Chandler M.A., Contoux C., Dowsett H.J., Jost A., Kamae Y., Lohmann Lunt D.J., Pickering S.J., Pound M.J., Ramstein G., Rosenbloom N.A., Sohl L., Stepanek C., Ueda H and Zhang Z. (2013): Challenges in quantifying Pliocene terrestrial warming revealed by data-model discord. *Nature Climate Change*, **3**, 969-974.
- Satoh M. (2013): *Atmospheric Circulation Dynamics and General Circulation Models, 2nd edition*. Springer, 757pp.
- Satoh M. and Kitao Y. (2013): Numerical examination of the diurnal variation of summer precipitation over southern China. *SOLA*, **9**, 130-134.
- Satoh M., Nihonmatsu R., and Kubokawa H. (2013): Environmental conditions for tropical cyclogenesis associated with African easterly waves. *SOLA*, **9**, 120-124.
- Satoh M., Saito K., and Yashiro H. (2013): Prediction of weather and climate toward disaster prevention/mitigation. *Keisan Kogaku*, **18**, 2881-2884. (佐藤正樹, 齊藤和雄, 八代 尚 (2013): 防災・減災に資する気象・気候・環境予測 一 台風予測およびメソ気象予測一. 計算工学, **18**, 2881-2884.)
- Satoh M. and Yashiro H. (2013): Tropical cyclone simulations by the global nonhydrostatic model with the K computer. *Simulation*, **31**, 204-209. (佐藤正樹, 八代 尚 (2013): 全球非静力学モデルNICAM を用いた京コンピュータによる台風予測シミュレーション. 日本シミュレーション学会誌「シミュレーション」, **31**, 204-209.)

- Saya A., Yoshimura K., and Oki T. (2013): Simulation of radioactive tracer transport using IsoRSM and uncertainty analyses. *Proceedings of hydraulic engineering, JSCE*, **57**, 1765-1770, 2013. (佐谷 茜・芳村 圭・沖 大幹 (2013) : IsoRSMを用いた放射性物質移流シミュレーション及び不確実性の分析. 水工学論文集, **57**, 1765-1770.)
- Schewe J., Heinke J., Gerten D., Haddeland I., Arnell N.W., Clark D.B., Dankers R., Eisner S., Fekete B.M., Colón-González F.J., Gosling S.N., Kim H., Liu X., Masaki Y., Portmann F.T., Satoh Y., Stacke T., Tang Q., Wada Y., Wisser D., Albrecht T., Frieler K., Piontek F., Warszawski L., Kabat P. (2013): Multimodel assessment of water scarcity under climate change. *PNAS*, doi:10.1073/pnas.1222460110.
- Shrestha M., Koike T., Wang L., and Yoshimura K. (2013): Long-term (1948-2006) simulation of snow depth at Yagisawa dam site using JP10 reanalysis and energy balance snow model (WEB-DHM-S). *Annual Journal of Hydraulic Engineering, JSCE*, **57**, 175-180.
- Shiogama H., Watanabe M., Imada Y., Mori M., Ishii M., and Kimoto M. (2013): An event attribution of the 2010 drought in the South Amazon region using the MIROC5 model. *Atmospheric Science Letters*, doi: 10.1002/asl2.435.
- Shiogama H., Watanabe M., Ogura T., Yokohata T., and Kimoto M. (2013): Multi-parameter multi-physics ensemble (MPMPE): A new approach exploring the uncertainties of climate sensitivity. *Atmospheric Science Letters*, **15**, 97-102.
- Sueyoshi T., Ohgaito R., Yamamoto A., Hajima T., Chikamoto M.O., Okajima H., Yoshimori M., Oishi R., Abe M., Saito F., Watanabe S., Kawamiya M., and Abe-Ouchi A. (2013): Setup of the PMIP3 paleoclimate experiments conducted using an Earth System Model, MIROC-ESM. *Geoscientific Model Development*, **6**, 819-836.
- Suwarman R., Ichiyanagi K., Tanoue M., Yoshimura K., Mori S., Yamanaka M.D., Kurita N., and Syamsudin F. (2013): The variability of stable isotopes and water origin of precipitation over the maritime continent. *SOLA*, **9**, 74-78.
- Takayabu, Y.N., and Seiki A. (2013): Atmospheric disturbances and ENSO. Recent studies of the El Nino and Southern Oscillation. *Meteorological Research Note*, **228**, 115-124. (高数緑・清木亜矢子, 2013: 大気擾乱とENSO, 気象研究ノート 第228号 エルニーニョ・南方振動 (ENSO)研究の現在, 115-124.)
- Takeuchi W., Sekiguchi A., and Imasu R. (2013): Estimation of global carbon emissions from wild fires in forests and croplands. *Geoscience and Remote Sensing Symposium (IGARSS), 2013 IEEE International*, doi:10.1109/IGARSS.2013.6723150.
- Tatebe H., Imada Y., Mori M., Kimoto M., and Hasumi H. (2013): Control of decadal and bidecadal climate variability in the tropical Pacific by the off-equatorial South Pacific Ocean. *Journal of Climate*, **26**, 6524-6534.
- Watanabe M., Kamae Y., Yoshimori M., Oka A., Sato M., Ishii M., Mochizuki T., and Kimoto M. (2013): Strengthening of ocean heat uptake efficiency associated with the recent climate hiatus. *Geophysical Research Letters*, **40**, 3175-3179.
- Watanabe M., Shiogama H., Imada Y., Mori M., Ishii M., and Kimoto M. (2013): Event attribution of the August 2010 Russian heat wave. *SOLA*, **9**, 64-67.
- Williamson D.L., Blackburn M., Nakajima K., Ohfuchi W., Takahashi Y.O., Hayashi Y.-Y., Nakamura H., Ishiwatari M., McGregor J., Borth H., Wirth V., Frank H., Bechtold P., Wedi N.P., Tomita H., Satoh M., Zhao M., Held I. M., Suarez M.H., Lee M.-I., Watanabe M., Kimoto M., Liu Y., Wang Z., Molod A., Rajendran K., Kitoh A., and Stratton R. (2013): The Aqua Planet Experiment (APE): Response to changed meridional SST profile. *Journal of the Meteorological Society of Japan*, **91A**, 57-89.
- Yamada Y. and Satoh M. (2013): Response of ice and liquid water paths of tropical cyclones to global warming simulated by a global nonhydrostatic model with explicit cloud microphysics. *Journal of Climate*, **26**, 9931-9945.
- Yamaura T., Kajikawa Y., Tomita H., and Satoh M. (2013): Possible impact of a tropical cyclone on the northward migration of the baiu frontal zone. *SOLA*, **9**, 89-93.
- Yang P., Li Z., Wu W., Liu Z., Inatsu M., Zha Y., Tang P., Li Z., Kimoto M., Tang H. (2013): Simulated impact of elevated CO₂, temperature, and precipitation on the winter wheat yield in the North China Plain. *Regional Environmental Change*, doi:10.1007/s10113-013-0484-9.
- Yasunaga K., Nasuno T., Miura H., Takayabu Y.N., and Yoshizaki M. (2013): Afternoon precipitation peak simulated in an aqua-planet global non-hydrostatic model (aqua-planet-NICAM). *Journal of the Meteorological Society of Japan*, **91A**, 217-221.
- Yokohata T., Annan J.D., Collins M., Jackson C.S., Shiogama H., Watanabe M., Emori S., Yoshimori M., Abe M., Webb M.J., and Hargreaves J.C. (2013): Reliability and importance of structural diversity of climate model ensembles. *Climate Dynamics*, **41**, 2745-2763.
- Yokoi S. and Takayabu Y.N. (2013): Attribution of decadal variability in tropical cyclone passage frequency over the Western North Pacific: A new approach emphasizing the genesis location of cyclones. *Journal of Climate*, **26**, 973-987.
- Yokoi S., Takayabu Y.N., and Murakami H. (2013): Attribution of projected future changes in tropical cyclone passage frequency over the Western North Pacific. *Journal of Climate*, **26**, 4096-4111.
- Yoshimori M., Watanabe M., Abe-Ouchi A., Shiogama H., and Ogura T. (2014, Published online 2013): Relative contribution of feedback processes to Arctic amplification of temperature change in MIROC GCM. *Climate Dynamics*, **42**, 1613-1630.
- Yoshimura K. and Kanamitsu M. (2013): Incremental correction for the dynamical downscaling of ensemble mean atmospheric fields. *Monthly Weather Review*, **141**, 3087-3101.
- Yoshimura K., Miyoshi T., and Kanamitsu M. (2013): Idealized experiments for data assimilation of vapor isotope with isotopic AGCM and ensemble Kalman filter. *Proceedings of hydraulic engineering, JSCE*, **57**, 1795-1800. (芳村 圭・三好建正・金光正郎 (2013): アンサンブルカルマンフィルタを用いた水同位体比データ同化に向けた理想化実験. 水工学論文集, **57**, 1795-1800.)

- Zhang H., Qing Y., Nakajima T., Nakata M.M., Peng L., and Jihnai H.E. (2013): Influence of changes in solar radiation on changes of surface temperature in China. *Acta Meteorological Sinica*, **27**, 87-97.
- Zhang R., Yan Q., Zhang Z.S., Jiang D., Otto-Bliesner B.L., Haywood A.M., Hill D.J., Dolan A.M., Stepanek C., Lohmann G., Contoux C., Bragg F., Chan W.-L., Chandler M.A., Jost A., Kamae Y., Abe-Ouchi A., Ramstein G., Rosenbloom N.A., Sohl L., and Ueda H. (2013): Mid-Pliocene East Asian monsoon climate simulated in the PlioMIP. *Climate of the Past*, **9**, 2085-2099.
- Zhang Z.-S., Nisancioglu K.H., Chandler M.A., Haywood A.M., Otto-Bliesner B.L., Ramstein G., Stepanek C., Abe-Ouchi A., Chan W.-L., Bragg F.J., Contoux C., Dolan A.M., Hill D.J., Jost A., Kamae Y., Lohmann G., Lunt D.J., Rosenbloom N.A., Sohl L.E., and Ueda H. (2013): Mid-pliocene Atlantic meridional overturning circulation not unlike modern. *Climate of the Past*, **9**, 1495-1504.
- Zickfeld K., Eby M., Alexander K., Weaver A.J., Cressin E., Fichefet T., Goosse H., Philippon-Berthier G., Edwards N.R., Holden P.B., Eliseev A.V., Mokhov I., Feulner G., Kienert H., Perrette M., Forest C.E., Friedlingstein P., Joos F., Spahni R., Steinacher M., Kawamiya M., Tachiiri K., Kicklighter D., Monier E., Schlosser A., Sokolov A., Matsumoto K., Tokos K.S., Olsen S.M., Pedersen J.O.P., Ridgwell A., Shaffer G., Yoshimori M., Zeng N., and Zhao F. (2013): Long-term climate change commitment and reversibility: An EMIC intercomparison. *Journal of Climate*, **26**, 5782-5809.

海洋物理 Physical Oceanography

- Ando K., Kawabe M., Yanagimoto D., and Fujio S. (2013): Pathway and variability of deep circulation around 40° N in the northwest Pacific Ocean. *Journal of Oceanography*, **69**, 159-174.
- Fujio S., Yanagimoto D., and Ando K. (2013): Deep circulation — Observations under the Argo floats —. *Monthly Kaiyo*, **45**, 50-56.
(藤尾伸三・柳本大吾・安藤広二郎 (2013): 深層循環 —アルゴの下を測る—. 月刊海洋, **45**, 50-56.)
- Iga K. (2013): Shear instability as a resonance between neutral waves hidden in a shear flow. *Journal of Fluid Mechanics*, **715**, 452-476.
- Ishizu M., Kitade Y., and Michida Y. (2013): Mixing process on the northeast coast of Hokkaido in summer. *Journal of Oceanography*, **69**, 1-13.
- Ito J., Niino H., and Nakanishi M. (2013): Formation mechanism of dust devil-like vortices in idealized convective mixed layers. *Journal of the Atmospheric Sciences*, **70**, 1173-1186.
- Kaneko H., Yasuda I., Komatsu K., and Itoh S. (2013): Observations of vertical turbulent nitrate flux across the Kuroshio. *Geophysical Research Letters*, **40**, 3123-3127.
- Katsura S., Oka E., Qiu B., and Schneider N. (2013): Formation and subduction of North Pacific Tropical Water and their interannual variability. *Journal of Physical Oceanography*, **43**, 2400-2415.
- Michida, Y. and K. Tanaka (2013): A discussion on re-building of the monitoring observation network in coastal waters around Japan, *Kaiyo Monthly*, **45**, 36-42. (道田 豊・田中 潔 (2013): 沿岸域におけるモリタリング観測の再構築にむけて. 月刊海洋, **45**, 36-42.)
- Miyake Y., Kurogi H., and Shimizu M. (2013): Tsunami recorded in the eastern Sagami Bay after the Great East Japan Earthquake. *Journal of Fisheries Technology*, **5**, 175-178. (三宅陽一・黒木洋明・清水 学 (2013): 相模湾東部で観測された東北地方太平洋沖地震に伴う津波. 水産技術, **5**, 175-178.)
- Niino H. (2013): Current status and challenges of the tornado research. *Japan Geoscience Letters*, **9**, No.4. 1-3. (新野 宏 (2013): 竜巻研究の現状と課題. *Japan Geoscience Letters*, **9**, No.4. 1-3.)
- Niino H. (2013): 2. Challenges of the tornado research and characteristics of the tornado on 6 May 2012, Debrief Meeting on Investigations and Reports on Tornadoes in Ibaraki and Tochigi Prefectures on 6 May 2012. *Tenki*, **60**, 47-48. (新野 宏 (2013): 2012年5月6日茨城・栃木の竜巻に関する調査研究報告会. 2. 竜巻研究の課題と今回の竜巻の特徴. *天気*, **60**, 47-48.)
- Oka A. and Niwa Y. (2013): Pacific deep circulation and ventilation controlled by tidal mixing away from the sea bottom. *Nature Communications*, **4**, doi:10.1038/ncomms3419.
- Oka E. (2013): Mode water research based on Argo, shipboard observation, and high-resolution numerical model. *Kaiyo Monthly*, **45**, 10-15. (岡 英太郎 (2013): アルゴ・船舶観測・高解像度モデルによるモード水研究. 月刊海洋, **45**, 10-15.)
- Oka E., Isobe A., Ichikawa K., Masumoto Y., Suga T., Kawai Y., Ohshima K.I., Shimada K., Hasumi H., Minobe S., Waseda T., Iwasaka N., Kawamiya M., Itoh S., Kubota M., Nakano T., Hibiya T., and Yoritaka H. (2013): Decadal Vision in Oceanography (I) —Discussions in the physical oceanography subgroup of the future planning committee, The Oceanographic Society of Japan—. *Umi no Kenkyu (Oceanography in Japan)*, **22**, 191-218. (岡 英太郎・磯辺篤彦・市川 香・升本順夫・須賀利雄・川合義美・大島慶一郎・島田浩二・羽角博康・見延庄士郎・早稲田卓爾・岩坂直人・河宮未知生・伊藤幸彦・久保田雅久・中野俊也・日比谷紀之・寄高博行 (2013): 海洋学の10年展望 (I) —日本海洋学会将来構想委員会物理サブグループの議論から—. *海の研究*, **22**, 191-218.)
- Suzaki H., Miyake Y., Nakata H. (2013): Change of oceanic conditions leading to the disappearance of hypoxic water from Omura Bay. *Bulletin on Coastal Oceanography*, **51**, 79-89. (須崎寛和・三宅陽一・中田英昭 (2013): 大村湾における貧酸素水塊消滅期の海況変化. 沿岸海洋研究, **51**, 79-89.)

海洋化学 Chemical Oceanography

- Amakawa H., Tazoe H., Obata H., Gamo T., Sano Y., and Shen C.-C. (2013): Neodymium isotopic composition and concentration in the Southwest Pacific Ocean. *Geochemical Journal*, **47**, 409-422.
- Barnes J.J., Franchi I.A., Anand M., Tartese R., Starkey N.A., Koike M., Sano Y., and Russel S.S. (2013): Accurate and precise measurements of the D/H ratio and hydroxyl content in lunar apatites using NanoSIMS. *Chemical Geology*, **337-338**, 48-55.
- Emilie R., Sano Y., Takahata N., Kawagucci S., and Takahashi H. (2013): He, N and C isotopes and fluxes in Aira caldera: Comparative study of hydrothermal activity in Sakurajima volcano and Wakamiko crater, Kyushu, Japan. *Journal of Volcanology and Geothermal Research*, **258**, 163-175.
- Fujiya W., Sugiura N., Sano Y., and Hiyagon H. (2013): Mn-Cr ages of dolomites and an ungrouped carbonaceous chondrite Tagish Lake. *Earth and Planetary Science Letters*, **362**, 130-142.
- Gamo T. (2013): The Sea of Japan: its significance for enriching Izumo culture. *Revue de la Pensée D'aujourd'hui*, **41-16**, 216-221. (蒲生俊敬 (2013): 出雲文化を育んだ日本海とはどのような海か. 現代思想 (12月臨時増刊号), 216-221.)
- Gamo T., Nakayama N., and Amakawa H. (2013): Application of stable isotopes for oceanographic studies. In: *Environmental analyses using isotopes*, edited by Mabuchi H. et al., Maruzen Publishing Co. Ltd., Tokyo, 169-194. (蒲生俊敬・中山典子・天川裕史 (2013): 安定同位体の海洋科学への応用. 同位体環境分析 (馬淵久夫ほか 編), 丸善出版, 東京, 169-194.)
- Kanda J., Ishii M., Ogawa H., Ono T., Obata H., Yamamoto-Kawai M., Suzumura M., Honda M.C., Yamashita Y., and Watanabe Y.W. (2013): Decadal Vision in Oceanography (II) -Discussions in the chemical oceanography subgroup of the future planning committee, The Oceanographic Society of Japan-. *Oceanography in Japan*, **22**, 219-251. (神田稔太・石井雅男・小川浩史・小笠恒夫・小畑元・川合美千代・鈴木昌弘・本多牧生・山下洋平・渡邊豊 (2013): 海洋学の10年展望(II) ー日本海洋学会将来構想委員会化学サブグループの議論からー. 海の研究, **22**, 219-251.)
- Kawagucci S., Ueno Y., Takai K., Toki T., Ito M., Inoue K., Makabe A., Yoshida N., Muramatsu Y., Takahata N., Sano Y., Narita T., Teranishi G., Obata H., Nakagawa S., Nunoura T., and Gamo T. (2013): Geochemical origin of hydrothermal fluid methane in sediment-associated fields and its relevance to the geographical distribution of whole hydrothermal circulation. *Chemical Geology*, **339**, 213-225.
- Miyajima T. (2013): Application of stable isotope techniques to evaluation of allochthonous inputs to aquatic ecosystems. *Journal of Japan Society on Water Environment*, **36**, 225-230. (宮島利宏 (2013): 安定同位体技術を利用した異地性流入評価における最近の展開. 水環境学会誌, **36**, 225-230.)
- Nishioka J., Obata H., and Tsumune D. (2013): Evidence of an extensive spread of hydrothermal dissolved iron in the Indian Ocean. *Earth and Planetary Science Letters*, **361**, 26-33.
- Okubo A., Obata H., Magara M., Kimura T., and Ogawa H. (2013): Rapid collection of iron hydroxide for determination of Th isotopes in seawater. *Analytica Chimica Acta*, **804**, 120-125.
- Sano Y., and Takahashi Y. (2013): *Geochemistry (Introduction to modern earth science series vol.12)*, edited by Ohtani E., Hasegawa A., and Hanawa K., Kyoritsu Shuppan Co., Ltd., Tokyo. 322pp. (佐野有司・高橋嘉夫 (2013): 「地球化学 (現代地球科学入門シリーズ12巻)」 (大谷栄治・長谷川昭・花輪公雄 編), 共立出版, 東京, 322pp.)
- Takayanagi H., Asami R., Abe O., Miyajima T., Kitagawa H., Sasaki K., and Iryu Y. (2013): Intraspecific variations in carbon- and oxygen-isotope compositions of a brachiopod *Basiliola lucida* collected off Okinawa-jima, southwestern Japan. *Geochimica et Cosmochimica Acta*, **115**, 115-136.
- Thibodeau B., Miyajima T., Tayasu I., Wyatt A., Watanabe A., Morimoto N., Yoshimizu C., and Nagata T. (2013): Heterogeneous dissolved organic nitrogen supply over a coral reef: First evidence from nitrogen stable isotope ratios. *Coral Reefs*, **32**, 1103-1110.
- Uchimiya M., Fukuda H., Nishino S., Kikuchi T., Ogawa H., and Nagata T. (2013): Vertical distribution of prokaryote production and abundance in the mesopelagic and bathypelagic layers of the Canada Basin, western Arctic: Implications for the mode and extent of organic carbon delivery. *Deep-Sea Research I*, **71**, 103-112.
- Yamada Y., Fukuda H., Inoue K., Kogure K., and Nagata T. (2013): Effects of attached bacteria on organic aggregate settling velocity in seawater. *Aquatic Microbial Ecology*, **70**, 261-272.
- Yamamoto M., Liu D., Nagasaka S., and Yokomaya K. (2013): Change of coastal environment based on water quality in Kesenuma Bay and Moun Bay after the disaster 3.11. *Aquabiology*, **209**, 547-553. (山本光夫・劉丹・長坂翔子・横山勝英: 気仙沼舞根湾海域における水質の推移. 海洋と生物, **109**, 547-553, 2013)
- Yamashita Y., Nosaka Y., Suzuki K., Ogawa H., Takahashi K., and Saito H. (2013): Photobleaching as a factor controlling spectral characteristics of chromophoric dissolved organic matter in open ocean. *Biogeosciences*, **10**, 7207-7217.
- Yamazaki A., Watanabe T., Takahata N., Sano Y., and Tsunogai U. (2013): Nitrogen isotopes in intra-crystal coralline aragonites. *Chemical Geology*, **351**, 276-280.
- Yokokawa T., Yang Y., Motegi C., and Nagata T. (2013): Large-scale geographical variation in prokaryotic abundance and production in meso- and bathypelagic zones of the central Pacific and Southern Ocean. *Limnology and Oceanography*, **58**, 61-73.

海洋底科学 Ocean Floor Geoscience

- Araoka D., Kawahata H., Takagi T., Watanabe Y., Nishimura K., and Nishio Y. (2013): Lithium and strontium isotopic systematics in playas in Nevada, USA: constraints on the origin of lithium. *Mineralium Deposita*, **39**, 371-379.

- Araoka D., Yokoyama Y., Suzuki A., Goto K., Miyagi K., Miyazawa K., Matsuzaki H., and Kawahata H. (2013): Tsunami recurrence revealed by *Porites* coral boulders in the southern Ryukyu Islands, Japan. *Geology*, **41**, 1139-1142.
- Demske D., Tarasov P.E., Nakagawa T., and Suigetsu 2006 Project Members (2013): Atlas of pollen, spores and further non-pollen palynomorphs recorded in the glacial-interglacial late Quaternary sediments of Lake Suigetsu, central Japan. *Quaternary International*, **290-291**, 164-238.
- Durand N., Deschamps P., Bard E., Hamelin B., Camoin G., Thomas A.L., Henderson G.M., Yokoyama Y., and Matsuzaki H. (2013): Comparison of ^{14}C and U-Th ages in corals from IODP #310 cores offshore Tahiti. *Radiocarbon*, **55**, doi:10.2458/azu_js_rc.v55i2.16134.
- Fujii M., Okino K., Honsho C., Dymont J., Sztikar F., and Mochizuki N. (2013): Developing near-bottom magnetic measurements using a 3D forward modeling technique: Application to hydrothermal vent fields. *Underwater Technology Symposium (UT), 2013 IEEE International*, doi:10.1109/UT.2013.6519860.
- Fujita K., Hikami M., Kuroyanagi A., Suzuki A., and Kawahata H. (2013): Responses of algal symbiont-bearing large benthic foraminifers to ocean acidification: a review and future directions. *Chikyu monthly*, **35**, 680-687. (藤田和彦, 水上愛, 黒柳あずみ, 鈴木淳, 川幡穂高 (2013): 海洋酸性化に対する共生藻を持つ大型底生有孔虫の応答 —レビューと今後の展望—. 月刊地球, **35**, 680-687.)
- Gischler E., Thomas A.L., Droxler A.W., Webster J.M., Yokoyama Y., and Schöne, B.R. (2013): Microfacies and diagenesis of older Pleistocene (pre-LGM) reef deposits, Great Barrier Reef, Australia (IODP Expedition 325): a quantitative approach. *Sedimentology*, **60**, 1432-1466.
- Hamahashi M., Saito S., Kimura G., Yamaguchi A., Fukuchi R., Kameda J., Hamada Y., Kitamura Y., Fujimoto K., Hashimoto Y., Hina S., and Eida M. (2013): Contrasts in physical properties between the hanging wall and footwall of an exhumed seismogenic megasplay fault in a subduction zone—An example from the Nobeoka Thrust Drilling Project. *Geochemistry, Geophysics, Geosystems*, **14**, 5354-5370.
- Hathorne E., Felis T., Suzuki A., Kawahata H., and Cabioch G. (2013): Lithium in the aragonite skeletons of massive *Porites* corals: A new tool to reconstruct tropical sea surface temperatures. *Paleoceanography*, **28**, 143-152.
- Hayashi E., Suzuki A., Nakamura T., Iwase A., Ishimura T., Iguchi A., Sakai K., Okai T., Inoue M., Araoka D., Murayama S., and Kawahata H. (2013): Growth-rate influences on coral climate proxies tested by a multiple colony culture experiment. *Earth Planetary Science Letters*, **362**, 198-206.
- Hirabayashi S., Yokoyama Y., Suzuki A., Kawakubo Y., Miyairi Y., Okai T., and Nojima S. (2013): Coral growth-rate insensitive Sr/Ca as a robust temperature recorder at the extreme latitudinal limits of *Porites*. *Geochemical Journal*, **47**, e1-e5.
- Honsho C., Ura T., and Kim K. (2013): Deep-sea magnetic vector anomalies over the Hakurei hydrothermal field and the Bayonnaise knoll caldera, Izu-Ogasawara arc, Japan. *Journal of Geophysical Research: Atmospheres*, **118**, 5147-5164.
- Ito Y., Hino R., Kido M., Fujimoto H., Osada Y., Inazu D., Ohta Y., Iinuma T., Ohzono M., Miura S., Mishina M., Suzuki K., Tsuji T., and Ashi J. (2013): Episodic slow slip events in the Japan subduction zone before the 2011 Tohoku-Oki earthquake. *Tectonophysics*, **600**, 14-26.
- Kawahata H. and Gupta L.P. (2013): Possibility of the birth of life around hydrothermal hot springs based upon the analysis of amino acids. *Chikyu monthly*, **35**, 281-288. (川幡穂高, Gupta Lallan P. (2013): アミノ酸からみた海底熱水系周辺での生命発生の可能性. 月刊地球, **35**, 281-288.)
- Kawahata H., Manaka T., Otani S., and Isaji Y. (translation) (2013): *The Great Ocean Conveyor, Discovering the Trigger for Abrupt Climate Change*, Broecker W., Kodansha, 209pp. (ウォーレス・ブロッカー, 訳者, 川幡穂高, 眞中卓也, 大谷壮矢, 伊左治雄太 (2013): 気候変動はなぜ起こるのか —グレート・オセアニック・コンベヤーの発見—. 講談社ブルーバックス, 209 pp.)
- Kimura G., Hamahashi M., Okamoto S., Yamaguchi A., Kameda J., Raimbourg H., Hamada Y., Yamaguchi H., and Shibata T. (2013): Hanging wall deformation of a seismogenic megasplay fault in an accretionary prism: The Nobeoka Thrust in southwestern Japan. *Journal of Structural Geology*, **52**, 136-147.
- Kitamura A., Kobayashi K., Tamaki C., Yamamoto N., Irino T., Miyairi Y., and Yokoyama Y. (2013): Evidence of recent warming in the Okinawa region, subtropical northwestern Pacific, from an oxygen isotope record of a cave-dwelling marine microbivalve. *Paleontological Research*, **17**, 58-68.
- Kuroyanagi A., da Rocha R.E., Bijima J., Spero H.J., Russell A.D., Eggins S.M., and Kawahata H. (2013): Effect of dissolved oxygen concentration on planktonic foraminifera through laboratory culture experiments and implications for oceanic anoxic events. *Marine Micropaleontology*, **101**, 28-32.
- Koppers A.A.P., Yamazaki T., Geldmacher J., and the IODP Expedition 330 Scientific Party (2013): IODP Expedition 330: Drilling the Louisville seamount trail in the SW Pacific. *Scientific Drilling*, **15**, 11-22.
- Lee, C.-T., Shen, B., Slotnick, B.S., Liao, K., Dickens, G.R., Yokoyama, Y., Lenardic, A., Dasgupta, R., Jellinek, M., Lackey, J.S., Schneider, T., and Tice, M.T. (2013): Continental arc-island arc fluctuations, growth of crustal carbonates, and long-term climate change. *Geosphere*, **9**, 21-36.
- Li Y., Kimura J., Machida S., Ishii T., Ishiwatari A., Maruyama S., Qiu H., Ishikawa T., Kato Y., Haraguchi S., Takahata N., Hirahara Y., and Miyazaki T. (2013): High-Mg adakite and low-Ca boninite from a Bonin fore-arc seamount: Implications for the reaction between slab melts and depleted mantle. *Journal of Petrology*, **54**, 1149-1175.
- Lin D.C., Chen M.T., Yamamoto M., and Yokoyama Y. (2013): Precisely dated AMS ^{14}C marine cores reveal the complexity of millennial-scale Asian monsoon variability in the northern South China Sea (MD972146, MD972148). *Journal of Asian Earth Sciences*, **69**, 93-101.

- Manaka T., Ushie H., Araoka D., Yasuhara M., Inamura A., Suzuki A. and Kawahata H. (2013): Rapid alkalization in Lake Inawashiro, Fukushima, Japan: implications for future changes in the carbonate system of terrestrial waters. *Aquatic Geochemistry*, **19**, 281-302.
- Martinez J.I., Mayr C., Yokoyama Y., Velez M.I., and Battarbee R.W. (2013): The San Nicolás succession of the Cauca paleolake: A late Holocene laminated ria lake record from the Neotropics. *Journal of Paleolimnology*, **49**, 287-300.
- Matsumoto K. and Yokoyama Y. (2013): Atmospheric $\Delta^{14}\text{C}$ reduction in simulations of Atlantic overturning circulation shutdown. *Global Biogeochemical Cycles*, **27**, 296-304.
- Nakamura K., Toki T., Mochizuki N., Asada M., Ishibashi J., Nogi Y., Yoshikawa S., Miyazaki J., and Okino K. (2013): Discovery of a new hydrothermal vent based on an underwater, high-resolution geophysical survey. *Deep-Sea Research I*, **174**, 1-10.
- Ohki S., Irie T., Inoue M., Shinmen K., Kawahata H., Nakamura T., Kato A., Nojiri Y., Suzuki A., Sakai K., and van Woesik R. (2013): Symbiosis increases coral tolerance to ocean acidification. *Biogeosciences Discussion*, **10**, 7013-7030.
- Ohneiser C., Acton G., Channell J.E.T., Wilson G.S., Yamamoto Y., and Yamazaki T. (2013): A middle Miocene relative paleointensity record from the Equatorial Pacific. *Earth and Planetary Science Letters*, **374**, 227-238.
- Okino K., Nakamura N., Nogi Y., Fujii M., Mochizuki N., Asada M., and Honsho C. (2013): Discovery and characterization of a new hydrothermal vent based on magnetic and acoustic surveys. *Underwater Technology Symposium (UT), 2013 IEEE International*, doi:10.1109/UT.2013.6519827.
- Pickering K.T., Underwood M.B., Saito S., Naruse H., Kutterolf S., Scudder R., Park J.-O., Moore G.F., and Slagle A. (2013): Depositional architecture, provenance, and tectonic/eustatic modulation of Miocene submarine fans in the Shikoku basin: results from NanTroSEIZE. *Geochemistry Geophysics Geosystems*, **14**, 1722-1739.
- Raimbourg H., Thiery R., Vacelet M., Ramboz C., Cluzel N., Emmanuel L.T., Yamaguchi A., and Kimura G. (2013): A new method of reconstituting the P-T conditions of fluid circulation in an accretionary prism (Shimanto, Japan) from microthermometry of methane-bearing aqueous inclusions. *Geochimica et Cosmochimica Acta*, **125**, 96-109.
- Sagawa T., Kuroyanagi A., Irino T., Kuwae M., and Kawahata H. (2013): Seasonal variations in planktonic foraminiferal flux and oxygen isotopic composition in the western North Pacific: Implications for paleoceanographic reconstruction. *Marine Micropaleontology*, **100**, 11-20.
- Sato T., Okino K., Sato H., Mizuno M., Hanyu T., and Seama N. (2013): Magmatic activities on the Southwest Indian Ridge between 35° E and 40° E, the closest segment to the Marion hotspot. *Geochemistry, Geophysics, Geosystems*, **14**, 5286-5307.
- Shiroya K., Yokoyama Y., Obrochta S.P., Harada N., Miyairi Y., and Matsuzaki H. (2013): Melting history of the Patagonian Ice Sheet during Termination I inferred from marine sediments. *Geochemical Journal*, **47**, 107-117.
- Staff R.A., Nakagawa T., Schlolaut G., Marshall M.H., Brauer A., Lamb H.F., Ramsey C.B., Bryant C.L., Brock F., Kitagawa H., van der Plicht J., Payne R.L., Smith V.C., Mark D.F., Macleod A., Blockley S.P.E., Schwenninger J.-L., Tarasov P.E., Haraguchi T., Gotanda K., Yonenobu H., Yokoyama Y., and Suigetsu 2006 Project Members (2013): The multiple chronological techniques applied to the Lake Suigetsu SG06 sediment core, central Japan. *BOREAS*, **42**, 259-266.
- Staff R.A., Schlolaut G., Bronk Ramsey C., Brock F., Bryant C.L., Kitagawa H., van der Plicht J., Marshall M.H., Brauer A., Lamb H.F., Payne R.L., Tarasov P.E., Haraguchi T., Gotanda K., Yonenobu H., Yokoyama Y., Nakagawa T., and Suigetsu 2006 Project Members. (2013): Integration of the old and new lake Suigetsu (Japan) terrestrial radiocarbon calibration data sets. *Radiocarbon*, **55**, 2049-2058.
- Tanaka Y., Iguchi A., Inoue M., Mori C., Sakai K., Suzuki A., Kawahata H., and Nakamura K. (2013): Microscopic observation of symbiotic and aposymbiotic juvenile corals in nutrient-enriched seawater. *Marine Pollution Bulletin*, **68**, 93-98.
- Tsuji T., Kodaira S., Ashi J., and Park J.-O. (2013): Widely distributed thrust and strike-slip faults within subducting oceanic crust in the Nankai Trough off the Kii Peninsula, Japan. *Tectonophysics*, **600**, 52-62.
- Urrego L.E., Correa-Metrio A., Gonzalez C., Castaño A.R., and Yokoyama Y. (2013): Contrasting responses of two Caribbean mangroves to sea-level rise in the Guajira Peninsula (Colombian Caribbean). *Palaeogeography Palaeoclimatology Palaeoecology*, **370**, 92-102.
- Yamamoto M., Kishizaki M., Oba T., and Kawahata H. (2013): Intense winter cooling of the surface water in the northern Okinawa Trough during the last glacial period. *Journal of Asian Earth Sciences*, **69**, 82-92.
- Yamazaki T. and Shimono T. (2013): Abundant bacterial magnetite occurrence in oxic red clay. *Geology*, **41**, 1191-1194.
- Yamazaki T., Inoue S., Shimono T., Sakamoto T., and Sakai S. (2013): Sea-ice conditions in the Okhotsk Sea during the last 550 kyr deduced from environmental magnetism. *Geochemistry, Geophysics, Geosystems*, **14**, 5026-5040.
- Yamazaki T., Yamamoto Y., Acton G., Guidry E.P., and Richter C. (2013): Rock-magnetic artifacts on long-term relative paleointensity variations in sediments. *Geochemistry, Geophysics, Geosystems*, **14**, 29-43.
- Yokoyama Y. (2013): An overview of Quaternary Geochronology. *Fission Track News Letter*, **26**, 43-49. (横山祐典 (2013): 人類紀の環境変動復元と年代測定. フィッショントラックニュースレター, **26**, 43-49, 2013.)
- Yokoyama Y. and Suzuki A. (2013): Chapter 13. ENSO and Paleoclimatology. In: *Current studies on ENSO*, Eds. Watanabe M. and Kimoto M., Kishokenkyu Note, 228, pp181-191. (横山祐典・鈴木淳 (2013): ENSOと古気候研究 [エルニーニョ・南方振動 (ENSO) 研究の現在]. 渡部雅浩・木本昌秀編, 気象研究ノート, 日本気象学会, 228, pp181-191.)
- Yokoyama Y. (2013): *Encyclopedia on Earth Environments*, Eds. Yoshizaki M, Noda A, et al., Asakura Publishing, 392pp. (横山祐典 (2013): 図説 地球環境の事典. 吉崎正憲・野田 彰ほか編, 朝倉書店, 392pp.)

- Yoshimura T., Tamenori Y., Suzuki A., Nakashima R., Iwasaki N., Hasegawa H. and Kawahata H. (2013): Element profile and chemical environment of sulfur in a giant clam shell: insights from μ -XRF and X-ray absorption near-edge structure. *Chemical Geology*, **352**, 170-175.
- Yoshimura T., Tamenori Y., Iwasaki N., Hasegawa H., Suzuki A., and Kawahata H. (2013): Magnesium K-edge XANES spectroscopy of geological standards. *Journal of Synchrotron Radiation*, **20**, 734-740.
- Yoshimura T., Tamenori Y., Suzuki A., Iwasaki N., Hasegawa H., Luan N.T., Nakashima R., and Kawahata H. (2013): Chemical speciation analysis of trace elements in biogenic calcium carbonates by synchrotron radiation. *Chikyū monthly*, **35**, 705-711. (吉村寿紘, 為則雄祐, 鈴木 淳, 岩崎 望, 長谷川 浩, Nguyen T. Luan, 中島 礼, 川幡穂高 (2013): 放射光を用いた炭酸カルシウムに含まれる微量元素の化学形態分析. 月刊地球, **35**, 705-711.)

海洋生態系動態 Marine Ecosystems Dynamics

- Aoki M.N., Matsumoto-Ohshima C., Hirose E., and Nishikawa J. (2013): Mother-young cohabitation in *Phronimella elongata* and *Phronima* spp. (Amphipoda, Hyperiidea, Phronimidae). *Journal of the Marine Biological Association of the United Kingdom*, **93**, 1553-1556.
- Beedessee G., Watanabe H., Ogura T., Nemoto S., Yahagi T., Nakagawa S., Nakamura K., Takai K., Koonjul M., and Marie D. (2013): High connectivity of animal populations in deep-sea hydrothermal vent fields in the Central Indian Ridge relevant to its geological setting. *PLoS ONE*, **8**, e81570, doi:10.1371/journal.pone.0081570.
- Doi H., Chang K.H., Nishibe Y., Imai H., and Nakano S. (2013): Lack of congruence in species diversity indices and community structures of planktonic groups based on local environmental factors. *PLoS ONE*, **8**, e69594, doi:10.1371/journal.pone.0069594.
- Fukumori H., Chee S.Y., and Kano Y. (2013): Drilling predation on neritid egg capsules by the muricid snail *Reishia clavigera*. *Journal of Molluscan Studies*, **79**, 139-146.
- Goto R., Okamoto T., Ishikawa H., Hamamura Y., and Kato M. (2013): Molecular phylogeny of echiuran worms (Phylum: Annelida) reveals evolutionary pattern of feeding mode and sexual dimorphism. *PLoS ONE*, **8**, e56809, doi:10.1371/journal.pone.0056809.
- Hidaka H., Watanabe H., Kano Y., and Kojima S. (2013): Mitochondrial genome rearrangement occurred in a hydrothermal vent-endemic lineage of provannid gastropods. *Journal of the Marine Biological Association of the United Kingdom*, **93**, 1053-1058.
- Hirai J., Shimode S., and Tsuda A. (2013): Species identification of calanoid copepods in the subtropical regions off the coast of Japan by using a new molecular marker ITS2-28S D1/D2. *Journal of Plankton Research*, **35**, 644-656.
- Inoue K., Ono H., Abe-Yoshizumi R., Yoshizawa S., Ito H., Kogure K., and Kandori H. (2013): A light-driven sodium ion pump in marine bacteria. *Nature Communications*, **4**, doi:10.1038/ncomms2689.
- Itoh H., Kamimura S., Hirose K., and Kojima S. (2014, Published online 2013): Isolation and characterization of microsatellite loci in the intertidal snail *Batillaria multiformis* (Mollusca Gastropoda). *Conservation and Genetic Resources*, **6**, 193-195.
- Itoh H. and Nishida S. (2013): Burrow association of *Hemicycllops* (Copepoda: Poecilostomatoida) as a possible strategy for predator avoidance. *Plankton and Benthos Research*, **8**, 141-149.
- Kano Y., Fukumori H., Brenzinger B., and Warén A. (2013): Driftwood as a vector for the oceanic dispersal of estuarine gastropods (Neritidae) and an evolutionary pathway to the sunken-wood community. *Journal of Molluscan Studies*, **79**, 378-382.
- Kawabata T., Lindsay D.J., Kitamura M., Konishi S., Nishikawa J., Nishida S., Kamio M., and Nagai H. (2013): Evaluation of the bioactivities of water-soluble extracts from twelve deep-sea jellyfish species. *Fisheries Science*, **79**, 487-494.
- Kawasaki N., Komatsu K., Kohzu A., Tomioka N., Shinohara R., Satou T., Watanabe F., Tada Y., Hamasaki K., Kushairi M.R., and Imai A. (2013): Bacterial contribution to dissolved organic matter in eutrophic Lake Kasumigaura, Japan. *Applied and Environmental Microbiology*, **79**, 7160-7168.
- Kitahashi T., Kawamura K., Kojima S., and Shimanaga M. (2013): Assemblages gradually change from bathyal to hadal depth: A case study on harpacticoid copepods around the Kuril Trench (north-west Pacific Ocean). *Deep-Sea Research Part I*, **74**, 39-47.
- Kojima S. (2013): Biological communities in hydrothermal vent fields. In: *Seafloor Mineral Resources for Industrial Use -New Mineral Resources in Japanese Exclusive Economic Zone-*, edited by Iizasa, K., CMC Press, Tokyo, 17-22. (小島茂明 (2013): 海底熱水活動域の生物群集. 海底鉱物資源の産業展望」(飯笹幸吉 編), シーエムシー出版, 東京, 17-22.)
- Lindsay D., Yoshida H., Ishibashi S., Umetsu M., Yamaguchi A., Yamamoto H., Nishikawa J., Reimer J.D., Watanabe H., Fujikura F., Maruyama T. (2013): The uROV PICASSO, the Visual Plankton Recorder, and other attempts to image plankton. *2013 IEEE International Underwater Technology Symposium (UT)*, doi:10.1109/UT.2013.6519854.
- Mino S., Makita H., Toki T., Miyazaki J., Kato S., Watanabe H., Imachi H., Watsuji T., Nunoura T., Kojima S., Sawabe T., Takai K., and Nakagawa S. (2013): Biogeography of *Persephonella* in deep-sea hydrothermal vents of the Western Pacific. *Frontiers in Extreme Microbiology*, **4**, doi:10.3389/fmicb.2013.00107.
- Molecular Ecology Resources Primer Development Consortium, Arias M.C., Atteke C.A., Augusto S.C., Bailey J., Bazaga P., Beheregaray L.B., Benoit L., Blatrix R., Born C., Brito R.M., Chen H., Covarrubias S., de Vega C., Djiéto-Lordon C., Dubois M., Francisco F.O., Garcia C., Gonçalves P.H.P., González C., Gutiérrez-Rodríguez C., Hammer M.P., Herrera C.M., Itoh H., Kamimura S., Karaoglu H., Kojima S., Li S.-L., Ling H.J., Matos-Maraví P.F., McKey D., Mezui-M' Eko J., Ornelas J.F., Park R.F., Pozo M.I., Ramula S., Rigueiro C., Sandoval-Castillo J., Santiago L.R., Seino M.M., Song C.-B., Takeshima H., Vasemägi A., Wellings C.R., Yan J., Yu-Zhou D., Zhang C.-R., and Zhang T.-Y. (2013): Permanent Genetic Resources added to Molecular Ecology Resources Database 1 February 2013-31 March 2013. *Molecular Ecology Resources*, **13**, 760-762.

- Moore C.M., Mills M.M., Arrigo K.R., Berman-Frank I., Bopp L., Boyd P.W., Galbraith E.D., Geider R.J., Guieu C., Jaccard S.L., Jickells T.D., La Roche L., Lenton T.M., Mahowald N.M., Marañón E., Marinov I., Moore J.K., Nakatsuka T., Oschlies A., Saito M.A., Thingstad T.F., Tsuda A., and Ulloa O. (2013): Processes and patterns of oceanic nutrient limitation. *Nature Geoscience*, **6**, 701-710.
- Nakajima R., Tsuchiya K., Nakatomi N., Yoshida T., Tada Y., Konno F., Toda T., Kuwahara V.S., Hamasaki K., Haji B., Othman R., Segaran T.C., and Effendy A.W.M. (2013): Enrichment of microbial abundance in the sea-surface microlayer over a coral reef: implications for biogeochemical cycles in reef ecosystems. *Marine Ecology Progress Series*, **490**, 11-22.
- Nishida S., Sano M., and Hayakawa Y. (2013): Fine structure of cincinnuli on the appendices internae of puerulus larvae in the rock lobster *Jasus edwardsii* (Hutton, 1875) (Decapoda, Palinuridae). *Crustaceana*, **86**, 372-376.
- Park S., Yoshizawa S., Muramatsu Y., Nakagawa Y., Yokota A. and Kogure K. 2013. *Aureicoccus marinus* gen. nov., sp. nov., a member of the family Flavobacteriaceae, isolated from seawater. *International Journal of Systematics and Evolutionary Microbiology*. **63**:1885-1890.
- Sano M., Maki K., Nishibe Y., Nagata T., and Nishida S. (2013): Feeding habits of mesopelagic copepods in Sagami Bay: Insights from integrative analysis. *Progress in Oceanography*, **110**, 11-26.
- Seike K., Shirai K., and Kogure Y. (2013): Disturbance of shallow marine soft-bottom environments and megabenthos assemblages by a huge tsunami induced by the 2011 M9.0 Tohoku-Oki earthquake. *PLoS ONE*, **8**, e65417, doi:10.1371/journal.pone.0065417.
- Seo M., Koyama S., Toyofuku T., Kojima S., and Watanabe H. (2013): Determination of extremely high pressure tolerance of brine shrimp larvae by using a new pressure chamber system. *Zoological Science*, **30**, 919-923.
- Shiozaki T. and Chen Y.L. (2013): Different mechanisms controlling interannual phytoplankton variation in the South China Sea and the western North Pacific subtropical gyre: A satellite study. *Advances in Space Research*, **52**, 668-676.
- Srinui K., Nishida S., and Ohtsuka S. (2013): A new species of *Pseudodiaptomus* (Crustacea, Copepoda, Calanoida, Pseudodiaptomidae) from the Prasae River Estuary, Gulf of Thailand. *ZooKeys*, **338**, 39-54.
- Stoeger I., Sigwart J.D., Kano Y., Kneibelsberger T., Marshall B.A., Schwabe E., and Schroedl M. (2013): The continuing debate on deep molluscan phylogeny: Evidence for Serialia (Mollusca, Monoplacophora + Polyplacophora). *BioMed Research International*, **2013**, doi:10.1155/2013/407072.
- Tachibana A., Ishimaru T., Itoh H., and Yoshida Y. (2013): Seasonal and annual change in community structure of meso-sized copepods in Tokyo Bay, Japan. *Journal of Oceanography*, **69**, 545-556.
- Tada Y., Makabe R., Kasamatsu-Takazawa N., Taniguchi A., and Hamasaki K. (2013): Growth and distribution patterns of Roseobacter/Rhodobacter, SAR11, and Bacteroidetes lineages in the Southern Ocean. *Polar Biology*, **36**, 691-704.
- Takahashi K., Ichikawa T., Saito H., Kakehi S., Sugimoto Y., Hidaka K., and Hamasaki K. (2013): Sapphirinid copepods as predators of doliolids: Their role in doliolid mortality and sinking flux. *Limnology Oceanography*, **58**, 1972-1984.
- Watanabe H., Seo E., Takahashi Y., Yoshida T., Kojima S., Fujikura K., and Miyake H. (2013): Spatial distribution of sister species of vesicomyid bivalves *Calyptogena okutanii* and *Calyptogena soyoae* along an environmental gradient, in chemosynthetic biological communities in Japan. *Journal of Oceanography*, **69**, 129-134.
- Williams S.T., Smith L.M., Herbert D.G., Marshall B., Warén A., Kiel S., Dyal P., Linse K., Vilvens C., and Kano Y. (2013): Cenozoic climate change and diversification on the continental shelf and slope: evolution of gastropod diversity in the family Solariellidae (Trochoidea). *Ecology and Evolution*, **3**, 887-917.
- Yorisue T., Kado R., Watanabe H., Høeg J.T., Inoue K., Kojima S., and Benny K.K. (2013): Influence of water temperature on the larval development of *Neoverruca* sp. and *Ashinkailepas seepiophila* - implications for larval dispersal and settlement in the vent and seep environments. *Deep-Sea Research Part I*, **71**, 33-37.
- Zulikhra N.Z., Yusoff F.M., Nishikawa J., Arshad A., and Matias-Peralta H.M. (2013): Mesozooplankton composition and abundance in a tropical estuary during monsoon season. *Journal of Fisheries and Aquatic Science*, **8**, 430-440.

海洋生命科学 Marine Bioscience

- Amano Y., Kuwahara M., Takahashi T., Shirai K., Yamane K., Amakawa H., and Otake T. (2013): Otolith elemental and Sr isotopic composition as a natal tag for Biwa salmon *Oncorhynchus masou* subsp., in Lake Biwa, Japan. *Aquatic Biology*, **19**, 85-95.
- Ando M. and Takei Y. (2013): Regulation of intestinal water and ion absorption. In: *Eel Physiology*, edited by Trischitta F., Takei Y., and Sebert P., CRC Press, Boca Raton, 160-177.
- Aoki K., Sakai M., Miller P.J.O., Visser F., and Sato K. (2013): Body contact and synchronous diving in long-finned pilot whales. *Behavioural Processes*, **99**, 12-20.
- Bogdanova M.I., Wanless S., Harris M.P., Lindstrom I., Butler A., Newell M.A., Sato K., Watanuki Y., Parsons M., and Daunt F. (2013): Among-year and within-population variation in foraging distribution of European shags *Phalacrocorax aristotelis* over two decades: implications for marine spatial planning. *Biological Conservation*, **170**, 292-299.
- Fukuda N., Miller M.J., Aoyama J., Shinoda A., and Tsukamoto K. (2013): Evaluation of the pigmentation stages and body proportions from the glass eel to yellow eel in *Anguilla japonica*. *Fisheries Science*, **79**, 425-438.
- Harino H., Yatsuzuka E., Arifin Z., Rumengan I.F.M., Ismail A., Wattayakorn G., and Inoue K. (2013): A review of antifouling biocides contaminations in Indonesia, Malaysia, Thailand, and Vietnam. *Marine Research in Indonesia*, **38**, 111-116.

- Hayakawa J., Kurogi H. and Sasaki T. (2013): Habitat and recent occurrence of *Cerithium kobelti* Dunker, 1877 (Gastropoda: Cerithiidae) at Arasaki, Miura Peninsula, Japan. *Chiribotan*, **43**, 75-59. (早川 淳・黒木洋明・佐々木猛智 (2013): 三浦海岸西岸荒崎におけるコベルトカニモリの生息状況. *ちりぼたん*, **43**, 75-79.)
- Hayakawa J., Waki T., Sasaki T. and Kawamura T. (2013): Criteria for species identification of gastropod juveniles: A case study in the intertidal zone in Nagai, Sagami Bay, Japan. *Chiribotan*, **42**, 80-100. (早川 淳・脇 司・佐々木猛智・河村知彦 (2013): 腹足類の稚貝の種判別: 相模湾長井の潮下帯における研究例. *ちりぼたん*, **42**, 80-100.)
- Hyodo S. (translation) (2013): *Campbell Biology 9th edition*. Reece J.B. et al., Translation supervisor Ikeuchi M., Ito M. and Hashimoto H., Maruzen Press, pp.1051-1084, 1113-1135. (兵藤 晋 (訳) (2013): 「キャンベル生物学 原書9版」池内昌彦・伊藤元己・箸本春樹 監訳, Reece J.B. et al. 著, 丸善出版, 東京, pp.1051-1084,1113-1135.)
- Inoue K. (2013): Molecular-biological studies on eco-physiological mechanisms of fish and shellfish. *Nippon Suisan Gakkaishi*, **79**, 315-318. (井上広滋 (2013): 魚介類の生態を支える生理機能に関する分子生物学的研究. *日本水産学会誌*, **79**, 315-318.)
- Inoue K., Yamamoto Y., Yusof S., Le Q.D., Arifin Z., Ismail A., and Kinoshita M. (2013): Toward the establishment of the tools for monitoring coastal environments utilizing gene response in *Oryzias* fishes. *Marine Research in Indonesia*, **38**, 111-116.
- Ishikawa A., Takeuchi N., Kusakabe M., Kume M., Mori S., Takahashi H., and Kitano J. (2013): Speciation in ninespine sticklebacks: reproductive isolation and phenotypic divergence among cryptic species of Japanese ninespine stickleback. *Journal of Evolutionary Biology*, **26**, 1417-1430.
- Ito A., Yamashita R., Takada H., Yamamoto T., Shiomi K., Zavalaga C., Abe T., Watanabe S., Yamamoto M., Sato K., Kohno H., Iida T., Yoda K., and Watanuki Y. (2013): Contaminants in tracked seabirds show regional patterns of marine pollution. *Environmental Science & Technology*, **47**, 7862-7867.
- Iwata T., Yonezaki S., Kohyama K., and Mitani Y. (2013): Detection of grooming behaviours with an acceleration data logger in a captive northern fur seal (*Callorhinus ursinus*). *Aquatic Mammals* **39**, 378-384.
- Kaifu K., Miller M.J., Yada T., Aoyama J., Washitani I., and Tsukamoto K. (2013): Growth differences of Japanese eels *Anguilla japonica* between fresh and brackish water habitats in relation to annual food consumption in the Kojima Bay-Asahi River system, Japan. *Ecology of Freshwater Fish*, **22**, 127-136.
- Kaifu K., Miller M.J., Aoyama J., Washitani I., and Tsukamoto K. (2013): Evidence of niche segregation between freshwater eels and conger eels in Kojima Bay, Japan. *Fisheries Science*, **79**, 593-603.
- Kaifu K., Miyazaki S., Aoyama J., Kimura S., and Tsukamoto K. (2013): Diet of Japanese eels *Anguilla japonica* in the Kojima Bay-Asahi River system, Japan. *Environmental Biology of Fishes*, **96**, 439-446.
- Kaifu K., Yokouchi K., Aoyama J., and Tsukamoto K. (2013): Head-shape polymorphism in Japanese eels *Anguilla japonica* in relation to differences of somatic growth in freshwater and brackish habitats. *Journal of Fish Biology*, **82**, 1308-1320.
- Kantachumpoo A., Uwai S., Noiraksar T., and Komatsu T. (2013): Levels and distribution patterns of mitochondrial *cox3* gene variation in brown seaweed, *Sargassum polycystum* C. Agardh (Fucales, Phaeophyceae) from Southeast Asia. *Journal of Applied Phycology*, DOI: 10.1007/s10811-013-0175-4.
- Kawaguchi M., Inoue K., Iuchi I., Nishida M., and Yasumasu S. (2013): Molecular co-evolution of a protease and its substrate elucidated by analysis of the activity of predicted ancestral hatching enzyme. *BMC Evolutionary Biology*, **13**, 231.
- Kawaguchi T., Mabuchi K., and Senou H. (2013): Fishes found from the ponds of Meiji Jingu, Tokyo, Japan. In: *Report of the second general survey on the shrine precincts of Meiji Jingu on the occasion of 100th anniversary after the enshrinement*, edited by Committee of the second general survey on the shrine precincts of Meiji Jingu on the occasion of 100th anniversary after the enshrinement. pp. 228-237, Shrine Office of Meiji Jingu. (川口貴光・馬淵浩司・瀨能 宏 (2013): 明治神宮内の池で確認された魚類. 鎮座百年記念第二次明治神宮境内総合調査報告書 (鎮座百年記念第二次明治神宮境内総合調査委員会 編), 明治神宮社務所, 東京, 228-237.)
- Kinjo A., Koito T., Kawaguchi S., and Inoue K. (2013): Evolutionary history of the GABA transporter (GAT) group revealed by marine invertebrate GAT-1. *PLoS ONE*, **8**, e82410, doi:10.1371/journal.pone.0082410.
- Komatsu T., Mizuno S., Natheer A., Kantachumpoo A., Tanaka K., Morimoto A., Hsiao S.T., Rothäusler E.A., Shishidou H., Aoki M., and Ajisaka T. (2013): Unusual distribution of floating seaweeds in the East China Sea in the early spring of 2012. *Journal of Applied Phycology*, **25**, doi:10.1007/s10811-013-0152-y.
- Lai K.P., Law A., Lau M.C.C., Takei Y., Tse W.K.F., and Wong C.K.C. (2013): Osmotic stress transcription factor 1b (Ostf1b) promotes migration properties with the modulation of Epithelial Mesenchymal Transition (EMT) phenotype in human embryonic kidney cell. *International Journal of Biochemistry and Cell Biology*, **45**, 1921-1926.
- Li S., Kato A., Takabe S., Chen A.P., Romero M.F., Umezawa T., Nakada T., Hyodo S., and Hirose S. (2013): Expression of a novel isoform of Na⁺/K⁺ exchanger 3 in the kidney and intestine of banded houndshark, *Triakis scyllium*. *American Journal of Physiology*, **304**, R865-R876.
- Marshall C.D., Waki J., Rocha-Olivares A., Godines-Reyes C., Fislis S., Narazaki T., Sato K., and Sterba-Boatwright B.D. (2013): Scaling of bite performance with head and carapace morphometrics in green turtles (*Chelonia mydas*). *Journal of Experimental Marine Biology and Ecology*, **451**, 91-97.
- Miller M.J., Yamaguchi M., Wouthuyzen S., Aoyama J., Suharti S., Ma T., Yoshinaga T., Minegishi Y., Kawakami T., and Tsukamoto K. (2013): *Ariosoma*-type leptocephali in the Mentawai Islands region off west Sumatra, Indonesia. *Zoological Studies*, **52**, 26.
- Miya M., Friedman M., Satoh T.P., Takeshima H., Sado T., Iwasaki W., Yamanoue Y., Nakatani M., Mabuchi K., Inoue J.G., Poulsen J.Y., Fukunaga T., Sato Y., and Nishida M. (2013): Evolutionary origin of the Scombridae (tunas and mackerels): Members of a Paleogene adaptive radiation with 14 other pelagic fish families. *PLoS ONE*, **8**, e73535, doi:10.1371/journal.pone.0073535.

- Miyanishi H., Okubo T., Kaneko T., and Takei Y. (2013): Role of cardiac natriuretic peptides in seawater adaptation of medaka embryos as revealed by loss-of-function analysis. *American Journal of Physiology*, **304**, R423-R434.
- Miyanishi H., Okubo K., Nobata S., and Takei Y. (2013): Natriuretic peptides in developing medaka embryos: Implications in cardiac development by loss-of-function studies. *Endocrinology*, **154**, 410-420.
- Mizuno S., Ajisaka T., Lahbib S., Kokubu Y., Alabsi N.M. and Komatsu T. (2013): Spatial distributions of floating seaweeds in the East China Sea from late winter to early spring. *Journal of Applied Phycology*, DOI: 10.1007/s10811-013-0139-8.
- Mukuda T., Hamasaki S., Koyama Y., Takei Y., Kaidoh T., and Inoue T. (2013): A candidate of organum vasculosum of the lamina terminalis in eels with special reference to body fluid homeostasis. *Cell and Tissue Research*, **353**, 525-538.
- Narazaki T., Sato K., Abernathy K.J., Marshall G.J., and Miyazaki N. (2013): Loggerhead turtles (*Caretta caretta*) use vision to forage on gelatinous prey in mid-water. *PLoS ONE*, **8**, e66043, doi:10.1371/journal.pone.0066043.
- Nobata S., Ando M., and Takei Y. (2013): Hormonal control of drinking behavior in fishes. *General and Comparative Endocrinology*, **192**, 214-221.
- Sakamoto K.Q., Takahashi A., Iwata T., Yamamoto T., Yamamoto M., and Trathan P.N. (2013): Heart rate and estimated energy expenditure of flapping and gliding in black-browed albatrosses. *Journal of Experimental Biology*, **216**, 3175-3182.
- Sato K., Aoki K., Watanabe Y.Y., and Miller P.J.O. (2013): Neutral buoyancy is optimal to minimize the cost of transport in horizontally swimming seals. *Scientific Reports*, **3**, 2205.
- Sudo R., Suetake H., Suzuki Y., Aoyama J., and Tsukamoto K. (2013): Profiles of mRNA expression for prolactin, growth hormone, and somatolactin in Japanese eels, *Anguilla japonica*: The effect of salinity, silvering and seasonal change. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, **164**, 10-18.
- Takei Y. (2013): Why marine fish can maintain body fluid balance by drinking seawater? *Kidney and Dialysis* **74**, 516-519. (竹井祥郎 (2013): なぜ海水魚は海水を飲んでも体液バランスを保てるのですか?特集:最新の知識で答える水電解質106の疑問. 腎と透析, **74**, 516-519.)
- Takei Y. (2013): Can desert animals survive without drinking water at all? *Kidney and Dialysis* **74**, 520-523. (竹井祥郎 (2013): 砂漠の動物は全く水を飲まなくても平気ですか?特集:最新の知識で答える水電解質106の疑問. 腎と透析, **74**, 520-523.)
- Takei Y. and McCormick S.D. (2013): Hormonal control of fish euryhalinity. In: *Fish Physiology: Euryhaline Fishes, Vol. 32*, edited by McCormick S.D. Farrell A.P. and Brauner C.J., Academic Press, San Diego, 69-123.
- Takei Y., Miyanishi H., Nobata S., Wong M.K.S., Watanabe T., Ventura A., Shiozawa A., Hyodo S., and Kusakabe M. (2013): Establishment and validation of an aquarium system to evaluate salinity preference in conscious rainbow trout. *Coastal Marine Science*, **36**, 26-34.
- Takei Y., Ogoshi M., and Nobata S. (2013): Exploring new CGRP family peptides and their receptors in vertebrates. *Current Protein and Peptide Science*, **14**, 282-293.
- Tanoue H., Komatsu T., Alabsi N, Mitani I., Watanabe S., Watanabe Y., Hamano A. and Miyazaki N. (2013): Measurement of diurnal body tilt angle distributions of threeline grunt *Parapristipoma trilineatum* using micro-acceleration data loggers. *Journal of Marine Science and Engineering*, **1**, 3-9.
- Tanoue H., Komatsu T. and Hamano A. (2013): Determination of upper boundary of an acoustic blind zone produced by the rugged bottom during a survey using a quantitative echosounder. *Bulletin of Japanese Society of Fisheries Oceanography*, **77**, 53-58. (田上英明, 小松輝久, 濱野 明 (2013): 計量魚群探知機を用いた調査時に海底起伏により生じる音響ブラインドゾーン上方境界の決定. 水産海洋研究, **77**, 53-58.)
- Tsukamoto K., Mochioka N., Miller M.J., Koyama S., Watanabe S., and Aoyama J. (2013): Video observation of an eel in the *Anguilla japonica* spawning area along the West Mariana Ridge. *Fisheries Science*, **79**, 407-416.
- Watanabe S., Aoyama J., Hagiwara S., Ai B., Azanza R.V., and Tsukamoto K. (2013): *Anguilla huangqi* Teng, Lin, and Tzeng, 2009 is a junior synonym of *Anguilla luzonensis* Watanabe, Aoyama, and Tsukamoto, 2009. *Fisheries Science*, **79**, 375-383.
- Wong M.K.S. and Takei Y. (2013): Angiotensin AT2 receptor activates the cyclic-AMP signaling pathway in eel. *Molecular and Cellular Endocrinology*, **365**, 292-302.
- Wong M.K.S. and Takei Y. (2013): Kinetic analyses of bradykinin reveals new insights into its cardiovascular and antidiuretic actions in eels. *PLoS ONE*, **8**, e81057, doi:10.1371/journal.pone.0081057.
- Yamamoto T., Takahashi A., Sato K., Oka N., Yamamoto M., and Trathan P.N. (2013): Individual consistency in migratory behaviour of a pelagic seabird. *Behaviour*, **151**, 683-701.
- Yoda K., Shiomi K., and Sato K. (2013): Foraging spots of streaked shearwaters in relation to ocean surface currents as identified using their drift movements. *Progress in Oceanography*, **122**, 54-64.

海洋生物資源 Living Marine Resources

- Aoki Y., Kitagawa T., and Kimura S. (2013): A study on the vertical migration of immature yellowfin tuna *Thunnus albacares* using archival tags. *Kaiyo monthly*, **45**, 103-109. (青木良徳・北川貴士・木村伸吾 (2013): 体温調節を伴うキハダ (*Thunnus albacares*) 未成魚の鉛直遊泳行動. 月刊海洋, **45**, 103-109.)
- Asahi T., Kurogi H., Terui M., Onitsuka T., Miyake Y., Hayakawa J., Kawamura T., Takiguchi N., Hamaguchi M., and Horii T. (2013): Environmental factors affecting appearance of swimming larvae of large abalone species on the east coast of Sagami Bay, Japan. *Bulletin of the Japanese Society of Fisheries Oceanography*, **77**, 10-20. (旭 隆・黒木洋明・照井方舟・鬼塚年弘・三宅陽一・早川 淳・河村知彦・滝口直之・浜口昌巳・堀井豊充 (2013): 相模湾東岸における大型アワビ類浮遊幼生の出現動態に影響する環境要因. 水産海洋研究, **77**, 10-20.)

- Hashimoto M., Shirakihara K., Shirakihara M., and Hiramatsu K. (2013): Estimating the rate of increase for the finless porpoise with special attention to predictions for the Inland Sea population in Japan. *Population Ecology*, **55**, 441-449.
- Hayakawa J., Kawamura T., Kurogi H., and Watanabe Y. (2013): Shelter effects of coralline algal turfs: protection for *Turbo cornutus* juveniles from predation by a predatory gastropod and wrasse. *Fisheries Science*, **79**, 15-20.
- Hiramatsu K. and Kidokoro H. (2013): Fisheries management of the autumn spawning stock of Japanese common squid. *Report of the 2012 Annual Meeting on Squid Resources*, 3-12. (平松一彦・木所英昭 (2013): スルメイカ秋季発生系群の資源管理の検討. スルメイカ資源評価協議会報告 (平成24年度), 3-12.)
- Kimura S. (2013): Studies on influences of oceanic physical phenomena on fish stock fluctuation and migration. *Bulletin of the Japanese Society of Fisheries Oceanography*, **77**, 38-43. (木村伸吾: 海洋物理現象が魚類の資源変動ならびに回遊に及ぼす影響の研究. 水産海洋研究, **77**, 38-43, 2013.)
- Kitagawa T. (2013): Behavioral Ecology and thermal physiology of immature Pacific bluefin tuna (*Thunnus orientalis*). In: *Physiology and ecology of fish migration*, edited by Ueda H. and Tsukamoto K., CRC press, Boca Ration, 152-178.
- Kitagawa T. (2013): Ecological studies on highly migratory fish species using electric tags. *Kaiyo Monthly*, **45**, 67-70. (北川貴士 (2013): 電子標識を用いた高度回遊性魚類の生態研究の現状. 月刊海洋, **45**, 67-70.)
- Kitagawa T., Ishimura T., Uozato R., Shirai K., Amano Y., Shinoda A., Otake T., Tsunogai U., and Kimura S. (2013): Otolith $\delta^{18}\text{O}$ of Pacific bluefin tuna (*Thunnus orientalis*) as an indicator of ambient water temperature. *Marine Ecology Progress Series*, **481**, 199-209.
- Matsumoto T., Kitagawa T., and Kimura S. (2013): Considerations on diving patterns of bigeye tuna *Thunnus obesus* based on archival tag data. *Fisheries Science*, **79**, 39-46.
- Matsumoto T., Kitagawa T., and Kimura S. (2013): Vertical behavior of juvenile yellowfin tuna *Thunnus albacares* in the southwestern part of Japan based on archival tagging. *Fisheries Science*, **79**, 417-424.
- Matsumoto T., Kitagawa T., and Kimura S. (2013): Vertical behavior of bigeye tuna (*Thunnus obesus*) in the northwestern Pacific Ocean based on archival tag data. *Fisheries Oceanography*, **22**, 234-246.
- Matsumoto T., Kitagawa T., and Kimura S. (2013): Vertical behavior of bigeye tuna based on archival tagging in the Japanese water. *Kaiyo monthly*, **508**, 71-81. (松本隆之・北川貴士・木村伸吾 (2013): アーカイバルタグによる日本近海のメバチの遊泳行動. 月刊海洋, **45**, 71-81.)
- Matsumoto T., Kitagawa T., Kimura S., Semba Y., Okamoto H., Shono H., Okuhara M., Sakaki J., Kondo S., Ota I., Maeda K., Nitta A., and Mizoguchi M. (2013): Movement and behavior of tunas in relation with anchored fish aggregating devices (FADs) in the Nansei Islands area. *Fisheries Engineering*, **50**, 43-49. (松本隆之・北川貴士・木村伸吾・仙波靖子・岡本浩明・庄野 宏・奥原 誠・榎純一郎・近藤 忍・太田 格・前田訓次・新田 朗・溝口雅彦 (2013): 南西諸島海域における浮魚礁とカツオ・まぐろ類の移動. 水産工学, **50**, 43-49.)
- Nishikawa H., Yasuda I., Itoh S., Komatsu K., Sasaki H., Sasai Y., and Oozeki Y. (2013): Transport and survival of Japanese sardine (*Sardinops melanostictus*) eggs and larvae via particle-tracking experiments. *Fisheries Oceanography*, **22**, 509-522.
- Onitsuka T., Kurogi H., Niwa K., Hayakawa J., Terui M., Asahi T., Won N.-I Kawamura T. and Horii T. (2013): Succession of bacteria and benthic organisms on a newly-established artificial reef and neighboring natural rocky reefs at Nagai in Sagami bay, Japan. *Aquacultural Science*, **61**, 277-292. (鬼塚年弘・黒木洋明・丹羽健太郎・早川 淳・照井方舟・旭 隆・元 南一・河村知彦・堀井豊充 (2013): 相模湾長井地先に新設された人工礁とその周辺岩礁域における底生生物相, 細菌叢の変遷過程. 水産増殖, **61**, 277-292.)
- Shirakihara M. and Shirakihara K. (2013): Finless porpoise bycatch in Ariake Sound and Tachibana Bay, Japan. *Endangered Species Research*, **21**, 255-262.
- Suhara M., Mori Y., Mihara Y., Yamamoto M., Kawabata A., Takahashi M., Katsukawa Y., Katayama S., Yamashita Y., Kawamura T., and Watanabe Y. (2013): Comparison of reproductive traits of Japanese anchovy *Engraulis japonicus* among sea areas around Japan. *Nippon Suisan Gakkaishi*, **79**, 813-822. (須原三加・森 泰雄・三原行雄・山本昌幸・川端 淳・高橋素光・勝川木綿・片山知史・山下 洋・河村知彦・渡邊良朗 (2013): カタクチイワシの繁殖特性の海域間比較. 日本水産学会誌, **79**, 813-822.)
- Takahashi T., Takeshige A., Kawabe R., Fujioka K., Nakatsuka N., Kitagawa T., and Nakata H. (2013): Fish avoidance behaviors observed by biologging. *Kaiyo Monthly*, **45**, 141-148. (高橋鉄哉・竹茂愛吾・河邊 玲・藤岡 紘・中塚直征・北川貴士・中田英昭 (2013): バイオロギングによる青潮発生時における水産生物の逃避行動の実測. 月刊海洋, **45**, 141-148.)
- Takami H., Won N.-I., and Kawamura T. (2013): Impacts of the 2011 mega-earthquake and tsunami on abalone *Haliotis discus hannai* and sea urchin *Strongylocentrotus nudus* populations at Oshika Peninsula, Miyagi, Japan. *Fisheries Oceanography*, **22**, 113-120.
- Takeshige A., Miyake Y., Nakata H., Kitagawa T., and Kimura S. (2013): Effect of wind stress on the catch of Japanese anchovy *Engraulis japonicus* off northwestern Kyushu, Japan. *Fisheries Science*, **79**, 989-998.
- Takeshige A., Takahashi T., Nakata H., and Kimura S. (2013): Long-term trends in sea surface temperature in coastal water in relation to large-scale climate change: A case study in Omura Bay, Japan. *Continental Shelf Research*, **66**, 73-82.
- Watanabe Y., Suzuki T., and Tsuno K. (2013): Temperature determines growth rates of larval round herring *Etrumeus teres* in the Pacific coastal waters off southern Japan. *Fisheries Science*, **79**, 757-766.
- Won N.-I., Kawamura T., Takami H., and Watanabe Y. (2013): Trophic structure in natural habitats of an abalone *Haliotis discus hannai* with distinct algal vegetation of kelp and crustose coralline algae. *Fisheries Science*, **79**, 87-97.

Yatsu A, Chiba S, Yamanaka Y, Ito S, Shimizu Y, Kaeriyama M, and Watanabe Y. (2013): Climate forcing and the Kuroshio/Oyashio ecosystem. *ICES Journal of Marine Science*, **70**, 922-933.

複合領域 Multiple Field Marine Science

- Aoki S., Ito M., and Iwasaki W. (2013): From β - to α -proteobacteria: the origin and evolution of rhizobial nodulation genes nodJ. *Molecular Biology and Evolution*, **30**, 2494-2508.
- Aoyama M., Uematsu M., Tsumune D., and Hamajima Y. (2013): Surface pathway of radioactive plume of TEPCO Fukushima NPP1 released ^{134}Cs and ^{137}Cs . *Biogeosciences Discussion*, **10**, 265-283.
- Iwai H., Fukushima M., and Yamamoto M. (2013): Determination of labile Fe(II) species complexed with seawater extractable organic matter under seawater conditions based on the kinetics of ligand-exchange reactions with ferrozine. *Analytical Science*, **29**, 723-728.
- Iwai H., Fukushima M., Yamamoto M., Komai T., and Kawabe Y. (2013): Characterization of seawater extractable organic matter from bark compost by TMAH-py-GC/MS. *Journal of Analytical and Applied Pyrolysis*, **99**, 9-15.
- Iwasaki W., Fukunaga T., Isagozawa R., Yamada K., Maeda Y., Satoh T.P., Sado T., Mabuchi K., Takeshima H., Miya M., and Nishida M. (2013): MitoFish and MitoAnnotator: a mitochondrial genome database of fish with an accurate and automatic annotation pipeline. *Molecular Biology and Evolution*, **30**, 2531-2540.
- Jung J., Furutani H., Uematsu M., Kim S., and Yoon S. (2013): Atmospheric inorganic nitrogen input via dry, wet, and sea fog deposition to the subarctic western North Pacific Ocean. *Atmospheric Chemistry and Physics*, **13**, 411-428.
- Kameyama S., Tanimoto H., Inomata S., Yoshikawa-Inoue H.Y., Tsunogai U., Tsuda A., Uematsu M., Ishii M., Sasano D., Suzuki K., and Nosaka Y. (2013): Strong relationship between dimethyl sulfide and net community production in the western subarctic Pacific. *Geophysical Research Letters*, **40**, 3986-3990.
- Matsumoto T., Maruoka T., Shimoda G., Obata H., Kagi H., Suzuki K., Yamamoto K., Mitsuguchi T., Hagino K., Tomioka N., Sambandam C., Brummer D., Klaus P.M., and Aggarwal P. (2013): Tritium in Japanese precipitation following the March 2011 Fukushima Daiichi Nuclear Plant accident. *Science of the Total Environment*, **445-446**, 365-370.
- Michida Y. (2013): International direction of coastal oceanography, *Bulletin of Coastal Oceanography*, **51**, 139-144. (道田 豊 (2013): 沿岸海洋研究の国際的活動と課題. 沿岸海洋研究, **51**, 139-144.)
- Mostofa K.M.G., Liu C.Q., Vione D., Gao K., and Ogawa H. (2013): Sources, factors, mechanisms and possible solutions to pollutants in marine ecosystems. *Environmental Pollution*, **182**, 461-478.
- Motegi C., Nagata T., Miki T., Weinbauer M.G., Legendre L., and Rassoulzadegan F. (2013): Interactive effects of viral and bacterial production on marine bacterial diversity. *PLoS ONE*, **8**, e76800, doi:10.1371/journal.pone.0076800.
- Nishioka J., Nakatsuka T., Watanabe Y.W., Yasuda I., Kuma K., Ogawa H., Ebuchi N., Scherbinin A., Volkov Y.N., Shiraiwa T., and Wakatsuchi M. (2013): Intensive mixing along an island chain controls oceanic biogeochemical cycles. *Global Biogeochemical Cycles*, **27**, 1-10.
- Okubo A., Takeda S., and Obata H. (2013): Atmospheric deposition of trace metals to the western North Pacific Ocean observed at coastal station in Japan. *Atmospheric Research*, **129-130**, 20-32.
- Osada K., Ura S., Kagawa M., Mikami M., Tanaka T. Y., Matoba S., Aoki K., Shinoda M., Kurosaki Y., Hayashi M., Shimizu A., and Uematsu M. (2013): Wet and dry deposition of mineral dust particles in Japan: Factors related to temporal variation and spatial distribution. *Atmospheric Chemistry and Physics*, **4**, 1107-1121.
- Sakai Y., Karube Z., Takeyama T., Kohzu A., Yoshimizu C., Nagata T., Tayasu I., and Okuda N. (2013): Seasonal and site-specific variability in terrigenous particulate organic carbon concentration in near-shore waters of Lake Biwa, Japan. *Limnology*, **14**, 167-177.
- Takahashi Y., Furukawa T., Kanai Y., Uematsu M., Zheng G., and Marcus M.A. (2013): Seasonal changes in Fe species and soluble Fe concentration in the atmosphere in the Northwest Pacific region based on the analysis of aerosols collected in Tsukuba, Japan. *Atmospheric Chemistry and Physics*, **13**, 7695-7710.
- Tsumune D., Tsubono T., Aoyama M., Uematsu M., Misumi K., Maeda Y., Yoshida Y., and Hayami H. (2013): One-year, regional-scale simulation of ^{137}Cs radioactivity in the ocean following the Fukushima Daiichi Nuclear Power Plant accident. *Biogeosciences*, **10**, 5601-5617.
- Uematsu M. (2013): Study on the chemical substance transported to the ocean through the atmosphere. *Umi no Kenkyu (Oceanography in Japan)*, **22**, 35-45. (植松光夫 (2013): 大気圏を通して海洋に運ばれる化学物質に関する研究—2009年度日本海洋学会賞受賞記念論文. 海の研究, **22**, 35-45.)
- Yamamoto M. and Fukushima M. (2013): Humification index of composts originating from three types of woody biomass. *Journal of Material Cycles and Waste Management*, doi: 10.1007/s10163-013-0211-0.
- Yamamoto M. and Liu D. (2013): Characterization of iron elution for seaweed bed restoration using a steelmaking slag and compost method. *Journal of Material Cycles and Waste Management*, **15**, 264-268.
- Yamamoto M. (2013): Restoration of seaweed beds using steelmaking slag and compost. *Environmental Solution Technology*, **116**, 35-40. (山本光夫: 製鋼スラグと腐植物質を利用した藻場再生技術. 環境浄化技術, **116**, 35-40, 2013)