

2015

Climate Science	109
Physical Oceanography	113
Chemical Oceanography	114
Ocean Floor Geoscience	115
Marine Ecosystems Dynamics	118
Marine Bioscience	120
Living Marine Resources	122
Multiple Field Marine Science	124

# 研究業績 | PUBLICATION LIST 2015

## 気候システム科学 Climate Science

- Abe-Ouchi A, Saito F, Kageyama M, Braconnot P, Harrison SP, Lambeck K, Otto-Bliesner BL, Peltier WR, Tarasov L, Peterschmitt JY, Takahashi K (2015) Ice-sheet configuration in the CMIP5/PMIP3 Last Glacial Maximum experiments. *Geosci. Model Dev.*, **8**, 3621-3637.
- Andre Berger, Michel Crucifix, David Hodell, Clara Mangili, Jerry McManus, Otto-Bliesner Bette L., Katy Pol, Dominique Raynaud, Luke Skinner, Polychronis Tzedakis, Qiuzhen Yin, Ayako Abe-Ouchi, Carlo Barbante, Victor Brovkin, Isabel Cacho, Emilie Capron, Ferretti Patrizia, Andrey Ganopolski, Joan Grimalt, Hönisch Bärbel, Kenji Kawamura, Landais Amaelle, Vasiliki Margari, Belen Martrat, Valérie Masson-Delmotte, Zohra Mokeddem, Frédéric Parrenin, Alexander Prokopenko, Harunur Rashid, Michael Schulz, Natalia Vazquez Riveiros (2015) Interglacials of the last 800,000 years. *Review of Geophysics*, doi: 10.1002/2015RG000482.
- Ao C.O., Jiang J.H., Mannucci A.J., Su H., Verkhoglyadova O., Zhai C., Cole J., Donner L., Dufresne J.-L., Inversen T., Morcrette C., Rotstayn L., Watanabe M., and Yukimoto S. (2015): Evaluation of CMIP5 upper troposphere and lower stratosphere geopotential height with GPS radio occultation observations. *Journal of Geophysical Research: Atmospheres*, **120**, 1678–1689.
- Bony S., Stevens B., Frierson D.M.R., Jakob C., Kageyama M., Pincus R., Shepherd T.G., Sherwood S.C., Siebesma A.P., Sobel A.H., Watanabe M., and Webb M.J. (2015): Clouds, circulation and climate sensitivity. *Nature Geoscience*, **8**, 261-268.
- Cai W., Santoso A., Wang G., Yeh S.-W., An S.-I., Cobb K.M., Collins M., Guilyardi E., Jin F.-F., Kug J.-S., Lengaigne M., McPhaden M.J., Takahashi K., Timmermann A., Vecchi G., Watanabe M., and Wu L. (2015): ENSO and greenhouse warming. *Nature Climate Change*, **5**, 849–859.
- Chang E.-C. and Yoshimura K. (2015): Geoscience model development. *A semi-Lagrangian advection scheme for radioactive tracers in the NCEP Regional Spectral Model (RSM)*, **8**, doi:10.5194/gmd-8-3247-2015.
- Chikamoto Y., Timmermann A., Luo J.-J., Mochizuki T., Kimoto M., Watanabe M., Ishii M., Xie S.-P., and Jin F.-F. (2015): Skillful multi-year predictions of tropical trans-basin climate variability. *Nature Communications*, **6**, doi:10.1038/ncomms7869.
- de Boer B., Dolan A.M., Bernales J., Gasson E., Goelzer H., Gолledge N.R., Sutter J., Huybrechts P., Lohmann G., Rogozhina I., Abe-Ouchi A., Saito F., and van de Wal R.S.W. (2015): Simulating the Antarctic ice sheet in the late-Pliocene warm period: PLISMIP-ANT, an ice-sheet model intercomparison project. *The Cryosphere*, **9**, 881-903
- Dhaka S.K., Kumar V., Choudhary R.K., Ho S.-P., Takahashi M., and Yoden S. (2015): Indications of a strong dynamical coupling between the polar and tropical regions during the sudden stratospheric warming event January 2009, based on COSMIC/FORMASAT-3 satellite temperature data. *Atmospheric Research*, **166**, 60-69.
- Dolan A.M., Hunter S.J., Hill D.J., Haywood A.M., Koenig S.J., Otto-Bliesner B.L., Abe-Ouchi A., Bragg F., Chan W.-L., Chandler M.A., Contoux C., Jost A., Kamae Y., Lohmann G., Lunt D.J., Ramstein G., Rosenbloom N.A., Sohl L., Stepanek C., Ueda H., Yan Q., and Zhang Z. (2015): Using results from the PlioMIP ensemble to investigate the Greenland Ice Sheet during the mid-Pliocene Warm Period. *Climate of the Past*, **11**, 403-424
- Fukutomi Y., Kodama C., Yamada Y., Noda A.T., and Satoh M. (2015): Tropical synoptic-scale wave disturbances over the western Pacific simulated by a global cloud resolving model. *Theoretical and Applied Climatology*, doi:10.1007/s00704-015-1456-4.
- Goto D., Dai T., Satoh M., Tomita H., Uchida J., Misawa S., Inoue T., Tsuruta H., Ueda K., Ng C.F.S., Takami A., Sugimoto N., Shimizu A., Ohara T., and Nakajima T. (2015): Application of a global nonhydrostatic model with a stretched-grid system to regional aerosol simulations around Japan. *Geoscientific Model Development*, **8**, 235-259.
- Ham S., Lee J.-W., and Yoshimura K. (2015): Assessing future climate changes in the East Asian summer and winter monsoon using Regional Spectral Model. *Journal of Meteorological Society Japan*, **94**, doi:10.2151/jmsj.2015-051.
- Ham S., Yoshimura K., and Li H. (2015): Historical dynamical downscaling for East Asia with the atmosphere and ocean coupled regional model. *Journal of Meteorological Society Japan*, **94**, doi:10.2151/jmsj.2015-046.
- Hamada A., Takayabu Y.N., Liu C., and Zipser E.J. (2015): Weak linkage between the heaviest rainfall and tallest storms. *Nature Communications*, **6**, doi:10.1038/ncomms7213.
- He X., Kim H., Kirstetter P.-E., Yoshimura K., Chang E.-C., Ferguson C.R., Erlingis J.M., Hong Y., and Oki T. (2015): The diurnal cycle of precipitation in regional spectral model simulations over West Africa: Sensitivities to resolution and cumulus schemes. *Weather and Forecasting*, **30**, 424-445.
- Hu A., Meehl G.A., Han W., Otto-Bliesner B., Abe-Ouchi A., and Rosenbloom N. (2015): Effects of the Bering Strait closure on AMOC and global climate under different background climates. *Progress in Oceanography*, **132**, 174-196.

- Iguchi T., Choi I.-J., Sato Y., Suzuki K., and Nakajima T. (2015): Overview of the development of the Aerosol Loading Interface for Cloud microphysics In Simulation (ALICIS). *Progress in Earth and Planetary Science*, **2**, doi:10.1186/s40645-015-0075-0.
- Illingworth A., Barker H., Beljaars A., Ceccaldi M., Chepfer H., Delanoe J., Domenech C., Donovan D., Fukuda S., Hirakata M., Hogan R., Huenerbein A., Kollias P., Kubota T., Nakajima T., Nakajima T., Nishizawa T., Ohno Y., Okamoto H., Oki R., Sato K., Satoh M., Wandinger U., and Wehr T. (2015): The EARTHCARE satellite: The next step forward in global measurements of clouds, aerosols, precipitation and radiation. *Bulletin of the American Meteorological Society*, **96**, 1311-1332.
- Imada Y., Kanae S., Kimoto M., Watanabe M., and Ishii M. (2015): Predictability of persistent Thailand rainfall during mature monsoon season in 2011 using statistical downscaling of CGCM seasonal prediction. *Monthly Weather Review*, **143**, 1166-1178.
- Imada Y., Tatebe H., Ishii M., Chikamoto Y., Mori M., Arai M., Watanabe M., and Kimoto M. (2015): Predictability of two types of El Niño assessed using an extended seasonal prediction system by MIROC. *Monthly Weather Review*, **143**, 4597-4617.
- Jasechko S., Lechler A., Pausata F.S.R., Fawcett P.J., Gleeson T., Cendón D.I., Galewsky J., LeGrande A.N., Risi C., Sharp Z.D., Welker J.M., Werner M., and Yoshimura K. (2015): Late-glacial to late-Holocene shifts in global precipitation  $\delta^{18}\text{O}$ . *Climate of the Past*, **11**, 1375-1393.
- Jiang J.H., Su H., Zhai C., Shen J.T., Wu T., Zhang J., Cole J., Donner L., Seman C., DelGenio A., Nazarenko L.S., Dufresne J.-L., Watanabe M., Moncette C., Kawai H., Koshiro T., Gettelman A., Millan L., Read W.G., and Livesey N.J. (2015): Evaluating the diurnal cycle of upper tropospheric ice clouds in climate models using SMILES observations. *Journal of the Atmospheric Sciences*, **72**, 1022-1044.
- Jiang X., Waliser D.E., Xavier P.K., Petch J., Klingaman N.P., Woolnough S.J., Guan B., Bellon G., Crueger T., DeMott C., Hannay C., Lin H., Hu W., Kim D., Lappen C.-L., Lu M.-M., Ma H.-Y., Miyakawa T., Ridout J.A., Schubert S.D., Scinocca J., Seo K.-H., Shindo E., Song X., Stan C., Tseng W.-L., Wang W., Wu T., Wu X., Wyser K., Zhang G.J., and Zhu H. (2015): Vertical structure and physical processes of the Madden-Julian oscillation: Exploring key model physics in climate simulations. *Journal of Geophysical Research: Atmospheres*, **120**, 4718-4748.
- Kajikawa Y., Yamaura T., Tomita H., and Satoh M. (2015): Impact of tropical disturbance on the Indian summer monsoon onset simulated by a global cloud-system-resolving model. *SOLA*, **11**, 80-84.
- Kamae Y., Shioyama H., Watanabe M., Ishii M., Ueda H., and Kimoto M. (2015): Recent slowdown of tropical upper-tropospheric warming associated with Pacific climate variability. *Geophysical Research Letters*, **42**, 2995-3003.
- Kamae Y., Watanabe M., Ogura T., Yoshimori M., and Shioyama H. (2015): Rapid adjustments of cloud and hydrological cycle to increasing CO<sub>2</sub>: a review. *Current Climate Change Reports*, **1**, 103-113.
- Kaul C.M., Teixeira J., and Suzuki K. (2015): Sensitivities in large eddy simulations of mixed-phase Arctic stratocumulus clouds using a simple microphysics approach. *Monthly Weather Review*, **143**, 4393-4421.
- Klingaman N.P., Woolnough S.J., Jiang X., Waliser D., Xavier P.K., Petch J., Caian M., Hannay C., Kim D., Ma H.-Y., Merryfield W.J., Miyakawa T., Pritchard M., Ridout J.A., Roehrig R., Shindo E., Vitart F., Wang H., Cavanaugh N.R., Mapes B.E., Shelly A., and Zhang G.J. (2015): Vertical structure and physical processes of the Madden-Julian oscillation: Linking hindcast fidelity to simulated diabatic heating and moistening. *Journal of Geophysical Research: Atmospheres*, **120**, 4690-4717.
- Kobayashi H., Abe-Ouchi A., and Oka A. (2015): Role of Southern Ocean stratification in glacial atmospheric CO<sub>2</sub> reduction evaluated by a three-dimensional ocean general circulation model. *Paleoceanography*, **30**, 1202-1216.
- Kodama C., Yamada Y., Noda A.T., Kikuchi K., Kajikawa Y., Nasuno T., Tomita T., Yamaura T., Takahashi T.G., Hara M., Kawatani Y., Satoh M., and Sugi M. (2015): A 20-year climatology of a NICAM AMIP-type simulation. *Journal of the Meteorological Society of Japan*, **93**, 393-424.
- Koenig S.J., Dolan A.M., de Boer B., Stone E.J., Hill D.J., DeConto R.M., Abe-Ouchi A., Lunt D.J., Pollard D., Quiquet A., Saito F., Savage J., and van de Wal R. (2015): Ice sheet model dependency of the simulated Greenland Ice Sheet in the mid-Pliocene. *Climate of the Past*, **11**, 369-381.
- Kuba N., Suzuki K., Hashino T., Seiki T., and Satoh M. (2015): Numerical experiments to analyze cloud microphysical processes depicted in vertical profiles of radar reflectivity of warm clouds. *Journal of the Atmospheric Sciences*, **72**, 4509-4528.
- Kusahara K., Sato T., Oka A., Obase T., Greve R., Abe-Ouchi A., and Hasumi H. (2015): Modelling the Antarctic marine cryosphere at the Last Glacial Maximum. *Annals of Glaciology*, **56**, 425-435.
- Lebsock M.D., Suzuki K., Millan L.F., and Kalmus P.M. (2015): The feasibility of water vapor sounding of the cloudy boundary layer using a differential absorption radar technique. *Atmospheric Measurement Techniques*, **8**, 3631-3645.

- Lee J.-W., Hong S.-Y., Kim J.-E.E., Yoshimura K., Ham S., and Joh M. (2015): Development and implementation of river-routing process module in a regional climate model and its evaluation in Korean river basins. *Journal of Geophysical Research Atmosphere*, **120**, doi:10.1002/2014JD022698.
- Leinonen J., Lebsack M.D., Tanelli S., Suzuki K., Yashiro H., and Miyamoto Y. (2015): Performance assessment of a triple-frequency spaceborne cloud-precipitation radar concept using a global cloud-resolving model. *Atmospheric Measurement Techniques*, **8**, 3493-3517.
- Liu C., Shige S., Takayabu Y.N., and Zipser E. (2015): Latent heating contribution from precipitation systems with different sizes, depths, and intensities in the tropics. *Journal of Climate*, **28**, 186-203.
- Liu Z., Jian Z., Yoshimura K., Buening N.H., Poulsen C.J., and Bowen G.J. (2015): Recent contrasting winter temperature changes over North America linked to enhanced positive Pacific North American pattern. *Geophysical Research Letters*, **42**, doi:10.1002/2015GL065656.
- Matsuda J., Mitsudera H., Nakamura T., Sasajima Y., Hasumi H., and Wakatsuchi M. (2015): Overturning circulation that ventilates the intermediate layer of the Sea of Okhotsk and the North Pacific: The role of salinity advection. *Journal of Geophysical Research: Oceans*, **120**, 1462-1489.
- Miyazaki S., Saito K., Mori J., Yamazaki T., Ise T., Arakida H., Hajima T., Iijima Y., Machiya H., Sueyoshi T., Yabuki H., Burke E.J., Hosaka M., Ichii K., Ikawa H., Ito A., Kotani A., Matsuura Y., Niwano M., Nitta T., Oishi R., Ohta T., Park H., Sasai T., Sato A., Sato H., Sugimoto A., Suzuki R., Tanaka K., Yamaguchi S., and Yoshimura K. (2015): The GRENE-TEA model intercomparison project (GTMIP): overview and experiment protocol for Stage 1. *Geoscience Model Development*, **8**, doi:10.5194/gmd-8-2841-2015.
- Mori M., Watanabe M., Shiogama H., Inoue J., and Kimoto M. (2015): Addendum: Robust Arctic sea-ice influence on the frequent Eurasian cold winters in past decades. *Nature Geoscience*, **7**, doi:10.1038/ngeo2348.
- Nakajima K., Satoh M., Furumura T., Okuda H., Iwashita T., Sakaguchi H., Katagiri T., Matsumoto M., Ohshima S., Jitsumoto H., Arakawa T., Mori H., Kitayama T., Ida A., and Matsuo M.Y. (2015): ppOpen-HPC: Open source infrastructure for development and execution of large-scale scientific applications on post-peta-scale supercomputers with automatic tuning (AT). *Optimization in the Real World, Vol. 13 of the series Mathematics for Industry*, edited by Fujisawa K., Shinano Y., and Waki H., 15-35.
- Nakano M., Sawada M., Nasuno T., and Satoh M. (2015): Intraseasonal variability and tropical cyclogenesis in the western North Pacific simulated by a global nonhydrostatic atmospheric model. *Geophysical Research Letters*, **42**, doi:10.1002/2014GL062479.
- Nakanowatari T., Nakamura T., Uchimoto K., Uehara H., Mitsudera K., Ohshima K.I., Hasumi H., and Wakatsuchi M. (2015): Causes of the multidecadal-scale warming of the intermediate water in the Okhotsk Sea and western subarctic North Pacific. *Journal of Climate*, **28**, 714-736.
- Noda A.T., Yamada Y., Kodama C., Miyakawa T., Seiki T., and Satoh M. (2015): Cold and warm rain simulated using a global nonhydrostatic model without cumulus parameterization, and their responses to a warmer atmospheric condition. *Journal of the Meteorological Society of Japan*, **93**, doi:10.2151/jmsj.2015-010.
- Ohno T. and Satoh M. (2015): On the warm core of the tropical cyclone formed near the tropopause. *Journal of the Atmospheric Sciences*, **72**, 551-571.
- Okazaki A., Satoh Y., Tremoy G., Viemux F., Scheepmaker R.A., and Yoshimura K. (2015): Interannual variability of isotopic composition in water vapor over West Africa and its relation to ENSO. *Atmospheric Chemistry and Physics*, **15**, doi:10.5194/acp-15-3193-2015.
- Parrenin F., Fujita S., Abe-Ouchi A., Kawamura K., Masson-Delmotte V., Motoyama H., Saito F., Severi M., Stenni B., Uemura R., and Wolf E. (2015): Climate dependent contrast in surface mass balance in East Antarctica over the past 216 kyr. *Climate of the Past Discussions*, **11**, 377-405.
- Rabier F., Thorpe A.J., Brown A.R., Charron M., Doyle J.D., Hamill T.M., Ishida J., Lapenta B., Reynolds C.A., and Satoh M. (2015): Global environmental prediction. In: *Seamless Prediction of the Earth System: From Minutes to Months*, WMO-1156, World Meteorological Organization, Geneva, Switzerland, 311-330.
- Rokotyán N.V., Imasu R., Zakharov V.I., Gribanov K.G., and Khamaturova M.Yu. (2015): The Amplitude of the CO<sub>2</sub> Seasonal Cycle in the Atmosphere of the Ural Region Retrieved from Ground-Based and Satellite Near-IR Measurements. *Atmospheric and Oceanic Optics*, **28**, 49-55.
- Saito F., Abe-Ouchi A., Takahashi K., and Blatter H. (2015): SeaRISE experiment revisited: potential sources of spread in multi-model projections of the Greenland ice-sheet. *The Cryosphere Discussions*, **9**, 1383-1424.

- Satoh M., Yamada Y., Sugi M., Kodama C., and Noda A.T. (2015): Constraint on future change in global frequency of tropical cyclones due to global warming. *Journal of the Meteorological Society of Japan*, **93**, 489-500.
- Saya A., Yoshimura K., and Oki T. (2015): Simulation of radioactive tracer transport using IsoRSM and uncertainty analyses. *Journal of Japan Society of Civil Engineering*, **3**, doi:10.2208/journalofjsce.3.1\_60.
- Seiki T., Kodama C., Noda A.T., and Satoh M. (2015): Improvements in global cloud-system resolving simulations by using a double-moment bulk cloud microphysics scheme. *Journal of Climate*, **28**, 2405-2419.
- Seiki T., Kodama C., Satoh M., Hashino T., Hagihara Y., and Okamoto H. (2015): Vertical grid spacing necessary for simulating tropical cirrus clouds with a high-resolution AGCM. *Geophysical Research Letters*, **42**, doi:10.1002/2015GL064282.
- Sutanto S.J., Hoffmann G., Scheepmaker R.A., Worden J., Houweling S., Yoshimura K., Aben I., and Röckmann T. (2015): Global-scale remote sensing of water isotopologues in the troposphere: representation of first-order isotope effects. *Atmospheric Measurement Techniques*, **8**, doi:10.5194/amt-8-999-2015.
- Suzuki K., Stephens G., Bodas-Salcedo A., Wang M., Golaz J.-C., Yokohata T., and Koshiro T. (2015): Evaluation of the warm rain formation process in global models with satellite observations. *Journal of the Atmospheric Sciences*, **72**, 3996-4014.
- Takasuka D., Miyakawa T., Satoh M., and Miura H. (2015): Topographical effects on internally produced MJO-like disturbances in an aqua-planet version of NICAM. *SOLA*, **11**, 170-176.
- Tsushima Y., Ringer M.A., Koshiro T., Kawai H., Roehrig R., Cole J., Watanabe M., Yokohata T., Bodas-Salcedo A., Williams K.D., and Webb M.J. (2015): Robustness, uncertainties, and emergent constraints in the radiative responses of stratocumulus cloud regimes to future warming. *Climate Dynamics*, doi:10.1007/s00382-015-2750-7.
- Urakawa L.S., Kurogi M., Yoshimura K., and Hasumi H. (2015): Modeling low salinity waters along the coast around Japan using a high resolution river discharge data set. *Journal of Oceanography*, **71**, 715-739.
- Watanabe S., Sato K., Kawatani Y., and Takahashi M. (2015): Vertical resolution dependence of gravity wave momentum flux simulated by an atmospheric general circulation model. *Geoscientific Model Development*, **8**, 1637-1644.
- Webb M.J., Lock A.P., Bretherton C.S., Bony S., Cole J.N.S., Idelkadi A., Kang S.M., Koshiro T., Kawai H., Ogura T., Roehrig R., Shin Y., Mauritsen T., Sherwood S.C., Vial J., Watanabe M., Woelfle M.D., and Zhao M. (2015): The impact of parametrized convection on cloud feedback. *Philosophical Transactions of the Royal Society A*, **373**, doi:10.1098/rsta.2014.0414.
- Wei K., Takahashi M., and Chen W. (2015): Long-term changes in the relationship between stratospheric circulation and East Asian winter monsoon. *Atmospheric Science Letters*, **16**, 359-365.
- Wei Z., Yoshimura K., Okazaki A., Kim W., Liu Z., and Yokoi M. (2015): Partitioning of evapotranspiration using high frequency water vapor isotopic measurement over a rice paddy field. *Water Resources Research*, **51**, doi:10.1002/2014WR016737.
- Wei Z., Yoshimura K., Okazaki A., Ono K., Kim W., Yokoi M., and Lai C.-T. (2015): Understanding the variability of water isotopologues in near-surface atmospheric moisture over a humid subtropical rice paddy in Tsukuba, Japan. *Journal of Hydrology*, **533**, 91-102.
- Xavier P.K., Petch J.C., Klingaman N.P., Woolnough S.J., Jiang X., Waliser D.E., Caian M., Cole J., Hagos S.M., Hannay C., Kim D., Miyakawa T., Pritchard M.S., Roehrig R., Shindo E., Vitart F., and Wang H. (2015): Vertical structure and diabatic processes of the Madden-Julian Oscillation: biases and uncertainties at short range. *Journal of Geophysical Research: Atmospheres*, **120**, 4671-4689.
- Xie S.-P., Deser C., Vecchi G., Collins M., Delworth T.L., Hall A., Hawkins E., Johnson N.C., Cassou C., Giannini A., and Watanabe M. (2015): Toward predictive understanding of regional climate change. *Nature Climate Change*, **5**, 921-930.
- Yamamoto A., Abe-Ouchi A., Shigemitsu M., Oka A., Takahashi K., Ohgaito R., and Yamanaka Y. (2015): Global deep ocean oxygenation by enhanced ventilation in the Southern Ocean under long-term global warming. *Global Biogeochemical Cycles*, **29**, 1801-1815.
- Yamamoto M. and Takahashi M. (2015): Dynamics of polar vortices at cloud top and base on Venus inferred from a general circulation model: case of a strong diurnal thermal tide. *Planetary and Space Science*, **113**, 109-119.
- Yamashita Y., Akiyoshi H., Shepherd T.G., and Takahashi M. (2015): The combined influences of westerly phase of the Quasi-Biennial Oscillation and 11-year solar maximum conditions on the Northern Hemisphere extratropical winter circulation. *Journal of the Meteorological Society of Japan*, **93**, 629-644.
- Yamazaki K. and Watanabe M. (2015): Effects of extratropical warming on ENSO amplitudes in an ensemble of a coupled GCM. *Climate Dynamics*, **44**, 679-693.
- Yoshimura K. (2015): Stable water isotopes in climatology, meteorology, and hydrology: A review. *Journal of Meteorological Society Japan*, **93**, doi:10.2151/jmsj.2015-036.

- 今須良一 (2015): 大気と陸域生態系間の炭素循環をつなぐ衛星観測の進展. 天気, **62**, 247-252.
- 木本昌秀 (2015): 世界気候研究計画 (WCRP) 合同科学委員会 (JSC) - 第 36 回会合の報告と感想 - 日本気象学会誌「天気」, **62**, 813-817.
- 齋藤尚子・今須良一 (2015): 温室効果気体の衛星観測からわかること. 「気候変動研究の最前線」(地球気候環境研究の連携に関する大学附置研究センター協議会編), 東京大学大気海洋研究所, 柏, 104-114.
- 佐藤雄亮・芳村 圭・金 炯俊・沖 大幹 (2015): 旱魃の将来変化に対する水資源管理の効果に関する研究. 土木学会論文集 B1(水工学), **71**, I\_391-I\_396.
- 高野雄紀・上村剛史・村上道夫・芳村 圭 (2015): 新宿区おとめ山公園湧水の湧水量の経年変化とその要因. 地下水学会誌, **57**, 171-185.
- 中島映至・今須良一・高見昭憲, 五藤大輔・鶴田治雄・打田純也・Tie Dai・三澤翔大・上田佳代・Chris Fook Sheng Ng・渡辺知保・小西祥子・佐藤陽祐・樋口篤志・増富祐司・村上暁信・土屋一彬・近藤裕昭・丹羽洋介・芳村 圭・大原利真・森野 悠・Nick Schutgens・須藤健悟・竹村俊彦・井上豊志郎・新井 豊・村田 諒・米元亮馬・Tran Thi Ngoc Trieu・植松光夫・佐藤正樹・富田浩文・八代 尚・原 政之 (2015): 大気環境物質のためのシームレス同化システム構築とその応用. 日本シミュレーション学会誌「シミュレーション」, **34**, 1-11.
- 新田友子・芳村 圭・阿部彩子 (2015): 陸域水循環の再現性向上と気温バイアス低減に向けた簡易湿地スキームによる感度実験. 土木学会論文集 B1(水工学), **71**, I\_955-I\_960.
- 鳩野美佐子・芳村 圭・荒川 隆・山崎 大・沖 大幹 ( ): 高解像度河川氾濫過程の導入が大気大循環モデルの推計値に及ぼす影響. 土木学会論文集 B1(水工学), **72**, 未定.

## 海洋物理 Physical Oceanography

- Ito J., Niino H., Nakanishi M., and Moeng C.-H. (2015): An extension of the Mellor-Yamada model to the Terra Incognita zone for dry convective mixed layers in the free convection regime. *Boundary-Layer Meteorology*, **157**, 23-43.
- Itoh S., Kaneko H., Ishizu M., Yanagimoto D., Okunishi T., Nishigakia H., and Tanaka K. (2015): Fine-scale structure and mixing across the front between the Tsugaru Warm and Oyashio Currents in summer along the Sanriku Coast, east of Japan. *Journal of Oceanography*, doi:10.1007/s10872-015-0320-6.
- Kaneko H., Itoh S., Kouketsu S., Okunishi T., Hosoda S., and Suga T. (2015): Evolution and modulation of a poleward-propagating anticyclonic eddy along the Japan and Kuril-Kamchatka trenches. *Journal of Geophysical Research: Oceans*, **120**, 4418-4440.
- Katsura S., Oka E., and Sato K. (2015): Formation mechanism of barrier layer in the subtropical Pacific. *Journal of Physical Oceanography*, **45**, 2790-2805.
- Miyazawa Y., Guo X., Varlamov S.M., Miyama T., Yoda K., Sato K., and Sato K. (2015): Assimilation of the seabird and ship drift data in the north-eastern sea of Japan into an operational ocean nowcast/forecast system. *Scientific Reports*, **5**, doi:10.1038/srep17672.
- Oka E., Qiu B., Takatani Y., Enyo K., Sasano D., Kosugi N., Ishii M., Nakano T., and Suga T. (2015): Decadal variability of Subtropical Mode Water subduction and its impact on biogeochemistry. *Journal of Oceanography*, **71**, 389-400.
- Tanaka T., Yasuda I., Onishi H., Ueno H., and Masujima M. (2015): Observations of current and mixing around the shelf break in Pribilof Canyon in the Bering Sea. *Journal of Oceanography*, **71**, 1-17.
- Yanase W. and Niino H. (2015): Idealized numerical experiments on cyclone development in the tropical, subtropical and extratropical environments. *Journal of the Atmospheric Science*, **72**, 3699-3714.
- Yokota S., Niino H., and Yanase W. (2015): Tropical cyclogenesis due to ITCZ breakdown: Idealized numerical experiments and a case study of the event in July 1988. *Journal of the Atmospheric Science*, **72**, 3663-3684.
- 坂本 天・浦川昇吾・羽角博康・石津美穂・伊藤幸彦・小松輝久・田中 潔 (2015): 双方向ネスト太平洋モデルによる三陸沿岸の高解像度生態モデリングに向けた物理モデルの構築. 沿岸海洋研究, **53**, 15-24.
- 田中 博・伊賀啓太 (2015): 「はじめての気象学」放送大学教育振興会, 東京, 249pp.
- 千葉 元・道田 豊・古山彰一・橋本心太郎 (2015): 船舶搭載型 ADCP で捉えられた富山湾の流れの特性—夏季湾奥部に発生する反時計回りの渦について—. 海洋調査技術, **27** (2), 1-14.
- 千葉元・浜田健史・道田 豊・橋本心太郎 (2015): 船舶搭載型 CTD・ADCP による富山湾の海洋環境調査. 日本航海学会誌, **132**, 86-96.
- 豊田隆寛・吉田 聡・田中 潔 (2015): 総論: 北太平洋を中心とする循環と水塊過程. 月刊海洋, **47**, 131-134.
- 安田一郎 (2015): 月が海や気候に与える影響. 現代化学, 2015 年 (1), 36-37.

## 海洋化学 Chemical Oceanography

- Aoyama M., Hamajima Y., Hult M., Uematsu M., Oka E., Tsumune D., Kumamoto Y. (2015):  $^{134}\text{Cs}$  and  $^{137}\text{Cs}$  in the North Pacific Ocean derived from the March 2011 TEPCO Fukushima Dai-ichi Nuclear Power Plant accident, Japan: Part One - Surface pathway and vertical distributions. *Journal of Oceanography*, **72**, 53-65.
- Boucher C., Pinti D.L., Roy M., Castro M.C., Cloutier V., Blanchette D., Larocque M., Hall C.M., and Sano Y. (2015): Groundwater age investigation of eskers in the Amos region, Quebec, Canada. *Journal of Hydrology*, **524**, 1-14.
- Ferrera C.M., Miyajima T., Watanabe A., Umezawa Y., Morimoto N., San Diego-McGlone M.L., and Nadaoka K. (2015): Variation in oxygen isotope ratio of dissolved orthophosphate induced by uptake process in natural coral holobionts. *Coral Reefs*, **34**, doi:10.1007/s00338-015-1378-8.
- Fujiya W., Sugiura N., Marrocchi Y., Takahata N., Hoppe P., Shirai K., Sano Y., and Hiyagon H. (2015): Comprehensive study of carbon and oxygen isotopic compositions, trace element abundances, and cathodeluminescence intensities of calcite in the Murchison CM chondrite. *Geochimica et Cosmochimica Acta*, **161**, 101-117.
- Fukuda H., Katayama R., Yang Y.-H., Takasu H., Nishibe Y., Tsuda A., and Nagata T. (2015): Nutrient status of Otsuchi Bay (northeastern Japan) following the 2011 off the Pacific coast of Tohoku Earthquake. *Journal of Oceanography*, doi:10.1007/s10872-015-0296-2.
- Gamo T., Okamura K., Hatanaka H., Hasumoto H., Komatsu D., Chinen M., Mori M., Tanaka J., Hirota A., Tsunogai U., and Tamaki K. (2015): Hydrothermal plumes in the Gulf of Aden, as characterized by light transmission, Mn, Fe,  $\text{CH}_4$  and  $\delta^{13}\text{C}-\text{CH}_4$  anomalies. *Deep-Sea Research II*, **121**, 62-70.
- Hori M., Sano Y., Ishida A., Takahata N., Shirai K., and Watanabe T. (2015): Middle Holocene daily light cycle reconstructed from the strontium/calcium ratios of a fossil giant clam shell. *Scientific Reports*, **5**, doi:10.1038/srep08734.
- Ishibashi J., Tsunogai U., Toki T., Ebina N., Gamo T., Sano Y., Masuda H., and Chiba H. (2015): Chemical composition of hydrothermal fluids in the central and southern Mariana Trough backarc basin. *Deep-Sea Research II*, **121**, 126-136.
- Kagoshima T., Sano Y., Takahata N., Maruoka T., Fischer T.P., and Hattori K. (2015): Sulphur geodynamic cycle. *Scientific Reports*, **5**, doi:10.1038/srep08330.
- Kim T., Obata H., and Gamo T. (2015): Dissolved Zn and its speciation in the northeastern Indian Ocean and the Andaman Sea. *Frontiers in Marine Science*, **2**, doi:10.3389/fmars.2015.00060.
- Kim T., Obata H., Gamo T., and Nishioka J. (2015): Sampling and onboard analytical methods for determining subnanomolar concentrations of zinc in seawater. *Limnology and Oceanography: Methods*, **13**, 30-39.
- Kim T., Obata H., Kondo Y., Ogawa H., and Gamo T. (2015): Distribution and speciation of dissolved zinc in the western North Pacific and its adjacent seas. *Marine Chemistry*, **173**, 330-341.
- Kusuno H., Matsuzakia H., Nagata T., Miyairi Y., Yokoyama Y., and Ohkouchi N. (2015): An approach for measuring the  $^{129}\text{I}/^{127}\text{I}$  ratio in fish samples. *Nuclear Instruments and Methods in Physics Research B*, **361**, 414-418.
- Lee J.-M., Boyle E.A., Gamo T., Obata H., Norisuye K., and Echegoyen Y. (2015): Impact of anthropogenic Pb and ocean circulation on the recent distribution of Pb isotopes in the Indian Ocean. *Geochimica et Cosmochimica Acta*, **170**, 126-144.
- Miyajima T. (2015): Abiotic versus biotic immobilization of inorganic nitrogen in sediment as a potential pathway of nitrogen sequestration from coastal marine ecosystems. *Geochemical Journal*, **49**, 453-468.
- Miyajima T., Hori M., Hamaguchi M., Shimabukuro H., Adachi H., Yamano H., and Nakaoka M. (2015): Geographic variability in organic carbon stock and accumulation rate in sediments of East and Southeast Asian seagrass meadows. *Global Biogeochemical Cycles*, **29**, 397-415.
- Nakayama N., Gamo T., Shirai K., Sano Y., and Obata H. (2015): Chemical speciation and vertical profiles of dissolved sulfides in oxic seawater over the sublittoral hydrothermal area of Kikai Caldera: Dispersed hydrothermally-derived sulfides throughout the water column. *Geochemical Journal*, **49**, doi:10.2343/geochemj.2.0374.
- Nakayama N., Shirai K., Sano Y., Gamo T., and Obata H. (2015): Sulfides in oxic seawater over the submarine hydrothermal area of Kikai Caldera south of Kyushu Island, Japan. *Geochemical Journal*, **49**, e1-e7.
- Rouilleau E., Sano Y., Takahata N., Yang F., and Takahashi H.A. (2015): He, Ar, N and C isotope compositions in Tatun Volcanic Group (TVG), Taiwan: Evidence for a typical arc magmatic source. *Journal of Volcanology and Geothermal Research*, **303**, 7-15.
- Rouilleau E., Vinet N., Sano Y., Takahata N., Shinohara H., Ooki M., Takahashi H.A., and Furukawa R. (2015): Effect of the volcanic front migration on helium, nitrogen, argon, and carbon geochemistry of hydrothermal/magmatic fluids from Hokkaido volcanoes, Japan. *Chemical Geology*, **414**, 42-58.

- Sano Y., Kagoshima T., Takahata N., Nishio Y., Roulleau E., Pinti D.L., and Fischer T.P. (2015): Ten-year helium anomaly prior to the 2014 Mt Ontake eruption. *Scientific Reports*, **5**, doi:10.1038/srep13069.
- Shiozaki T., Nagata T., Ijichi M., and Furuya K. (2015): Nitrogen fixation and the diazotroph community in the temperate coastal region of the northwestern North Pacific. *Biogeosciences*, **12**, 4751-4764.
- Takasu H., and Nagata T. (2015): High proline content of bacteria-sized particles in the western North Pacific and its potential as a new biogeochemical indicator of organic matter diagenesis. *Frontiers in Marine Science*, doi: 10.3389/fmars.2015.00110.
- Takayanagi H., Asami R., Otake T., Abe O., Miyajima T., Kitagawa H., and Iryu Y. (2015): Quantitative analysis of intraspecific variations in the carbon and oxygen isotope compositions of the modern cool-temperate brachiopod *Terebratulina crosseii*. *Geochimica et Cosmochimica Acta*, **170**, 301-320.
- The GEOTRACES Group (Mawji E. et al., total 136 authors) (2015): The GEOTRACES Intermediate Data Product 2014. *Marine Chemistry*, **177**, 1-8.
- Toyoda S., Banerjee D., Kumagai H., Miyazaki J., Ishibashi J., Mochizuki N., and Kojima S. (2015): Gamma ray doses in water around sea floor hydrothermal area in the Southern Mariana Trough. In: *Subseafloor Biosphere Linked to Global Hydrothermal Systems; TAIGA Concept*, edited by Ishibashi J., Okino K. and Sunamura M., Springer Japan, Tokyo, 603-606.
- Uchimiya M., Ogawa H., and Nagata T. (2015): Effects of temperature-elevation and glucose-addition on prokaryotic production and respiration in the mesopelagic layer of the western North Pacific. *Journal of Oceanography*, doi:10.1007/s10872-015-0294-4.
- Vautour G., Pinti D.L., Méjean P., Saby M., Meyzonnat G., Larocque M., Castro M.C., Hall C.M., Boucher C., Roulleau E., Barbecot F., Takahata N., and Sano Y. (2015):  $^3\text{H}/^3\text{He}$ ,  $^{14}\text{C}$  and (U-Th)/He groundwater ages in the St. Lawrence Lowlands, Quebec, Eastern Canada. *Chemical Geology*, **413**, 94-106.
- Yamada Y., Fukuda H., Uchimiya M., Motegic C., Nishino S., Kikuchi T., and Nagata T. (2015): Localized accumulation and a shelf-basin gradient of particles in the Chukchi Sea and Canada Basin, western Arctic. *Journal of Geophysical Research: Oceans*, **120**, doi:10.1002/2015JC010794.
- Yamashita Y., Lu C.-j., Ogawa H., Nishioka J., Obata H., and Saito H. (2015): Application of an in situ fluorometer to determine the distribution of fluorescent organic matter in the open ocean. *Marine Chemistry*, **177**, 298-305.
- Yamazaki E., Yamashita N., Taniyasu S., Miyazawa Y., Gamo T., Ge H., and Kannan K. (2015): Emission, dynamics and transport of Perfluoroalkyl substances from land to ocean by the Great East Japan Earthquake in 2011. *Environmental Science and Technology*, **49**, 11421-11428.
- Zhang M., Guo Z., Sano Y., Cheng Z., and Zhang L. (2015): Stagnant subducted Pacific slab-derived  $\text{CO}_2$  emission: Insights into magma degassing at Changbaishan volcano, NE China. *Journal of Asian Earth Sciences*, **106**, 49-64.
- 蒲生俊敬 (2015): インド洋の深海に海底温泉を求めて. 「フィールド科学の入口: 海の底深くを探る」(白山義久・赤坂憲雄 編), 玉川大学出版部, 東京, 166-185.
- 山本光夫・加藤孝義・多田田茂・北澤大輔・藤野正俊・小豆川勝見・松尾基之・田中 潔・道田 豊 (2015): 東日本大震災後の釜石湾における海域環境変化. 日本水産学会誌, **81**, 243-255.

## 海洋底科学 Ocean Floor Geoscience

- Amekawa S., Kubota K., Miyairi Y., Seki A., Kawakubo Y., Sakai S., Ajithprasad P., Maemoku H., Osada T., and Yokoyama Y. (2015): Fossil otoliths, from the Gulf of Kutch, Western India, as a paleo-archive for the mid- to late-Holocene environment. *Quaternary International*, doi:10.1016/j.quaint.2015.07.006.
- Fujii M., Okino K., Honsho C., Dymont J., Sztikar F., Mochizuki N., and Asada M. (2015): High-resolution magnetic signature of active hydrothermal systems in the back-arc spreading region of the southern Mariana Trough. *Journal of Geophysical Research: Solid Earth*, **120**, 2821-2837.
- Hamada Y., Sakaguchi A., Tanikawa W., Yamaguchi A., Kameda J., and Kimura G. (2015): Estimation of slip rate and fault displacement during shallow earthquake rupture in the Nankai subduction zone. *Earth, Planets and Space*, **67**, doi:10.1186/s40623-015-0208-0.
- Hamahashi M., Hamada Y., Yamaguchi A., Kimura G., Fukuchi R., Saito S., Kameda J., Kitamura Y., Fujimoto K., and Hashimoto Y. (2015): Multiple damage zone structure of an exhumed seismogenic megasplay fault in a subduction zone—a study from the Nobeoka Thrust Drilling Project. *Earth, Planets and Space*, **68**, doi:10.1186/s40623-015-0186-2.
- Hamanaka N., Kan H., Nakashima Y., Yokoyama Y., Okamoto T., Ohashi T., Adachi H., Matsuzaki H., and Hori N. (2015): Holocene reef-growth dynamics on Kodakara Island (29° N, 129° E) in the Northwest Pacific. *Geomorphology*, **243**, 27-39.



- Harris D.L., Webster J.M., Vila-Concejo A., Hua Q., Yokoyama Y., and Reimer P.J. (2015): Late Holocene sea-level fall and turn-off of reef flat carbonate production: Rethinking bucket fill and coral reef growth models. *Geology*, doi:10.1130/G35977.1.
- Hino R., Tsuji T., Bangs N.L., Sanada Y., Park J.-O., von Huene, R., Moore G.F., Araki E., and Kinoshita M. (2015):  $Q_p$  structure of the accretionary wedge in the Kumano Basin, Nankai Trough, Japan, revealed by long-offset walk-away VSP. *Earth, Planets and Space*, **67**, doi:10.1186/s40623-014-0175-x.
- Honsho C., Ura T., Asada A., Kim K., and Nagahashi K. (2015): High-resolution acoustic mapping to understand the ore deposit in the Bayonnaise knoll caldera, Izu-Ogasawara arc. *Journal of Geophysical Research: Solid Earth*, **120**, 2070–2092.
- Inoue M., Gussone N., Koga Y., Iwase A., Suzuki A., Sakai K., and Kawahata H. (2015): Controlling factors of Ca isotope fractionation in scleractinian corals evaluated by temperature, pH and light controlled culture experiments. *Geochimica et Cosmochimica Acta*, **167**, 80-92.
- Irizuki T., Kobe M., Ohkushi K., Kawahata H., and Kimoto K. (2015): Centennial- to millennial-scale change of Holocene shallow marine environments recorded in ostracode fauna, northeast Japan. *Quaternary Research*, **84**, 467-480.
- Isaji Y., Kawahata H., Ohkouchi N., Murayama M., and Tamaki K. (2015): Terrestrial environmental changes around the Gulf of Aden over the last 210 kyr deduced from the sediment n-alkane record: Implications for the dispersal of Homo sapiens. *Geophysical Research Letter*, **42**, 1880-1887.
- Isaji Y., Kawahata H., Ohkouchi N., Murayama M., and Tamaki K. (2015): Varying response to the Indian monsoon throughout the past 220 kyr in the inner and outer region of the Gulf of Aden recorded in the deep-sea sediment. *Journal Geophysical Research*, **1**, doi:10.1002/2015JC010982.
- Ishikawa N.F., Yamane M., Suga H., Ogawa N.O., Yokoyama Y., and Ohkouchi N. (2015): Sources of dissolved inorganic carbon in two small streams with different bedrock geology: Insights from carbon isotopes. *Radiocarbon*, **57**, 439-448.
- Ishikawa N.F., Yamane M., Suga H., Ogawa N.O., Yokoyama Y., and Ohkouchi N. (2015): Chlorophyll *a*-specific  $\Delta^{14}\text{C}$ ,  $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$  values in stream periphyton: implications for aquatic food web studies. *Biogeosciences*, **12**, 6781-6789.
- Ishiwa T., Yokoyama Y., Miyairi Y., Obrochta S., Sasaki T., Kitamura A., Suzuki A., Ikehara M., Ikehara K., Kimoto K., Bourget J., and Matsuzaki H. (2015): Reappraisal of sea-level lowstand during the Last Glacial Maximum observed in the Bonaparte Gulf sediments, northwestern Australia. *Quaternary International*, doi:10.1016/j.quaint.2015.03.032.
- Kameda J., Harris R.N., Shimizu M., Ujiie K., Tsutsumi A., Ikehara M., Uno M., Yamaguchi A., Hamada Y., Namiki Y., and Kimura G. (2015): Hydrogeological responses to incoming materials at the erosional subduction margin, offshore Osa Peninsula, Costa Rica. *Geochemistry, Geophysics, Geosystems*, **16**, 2725-2742.
- Kan H., Urata K., Nagao M., Hori N., Fujita K., Yokoyama Y., Nakashima Y., Ohashi T., Goto K., and Suzuki A. (2015): Submerged karst landforms observed by multibeam bathymetric survey in Nagura Bay, Ishigaki Island, southwestern Japan. *Geomorphology*, **229**, 112-124.
- Kawahata H., Nomura R., Matsumoto K., and Nishi H. (2015): Linkage of rapid acidification process and extinction of benthic foraminifera in the deep sea at the Paleocene/Eocene transition, Island Arc. *Island Arc*, **24**, 301-316.
- Kioka A. and Ashi J. (2015): Episodic massive mud eruptions from submarine mud volcanoes examined through topographical signatures. *Geophysical Research Letter*, **42**, 8406–8414.
- Kioka A., Ashi J., Sakaguchi A., Sato T., Muraoka S., Yamaguchi A., Hamamoto H., Wang K., and Tokuyama H. (2015): Possible mechanism of mud volcanism at the prism-backstop contact in the western Mediterranean Ridge Accretionary Complex. *Marine Geology*, **363**, 52-64.
- Kitamura A., Ohashi Y., Ishibashi H., Miyairi Y., Yokoyama Y., Ikuta R., Ito Y., Ikeda M., and Shimano T. (2015): Holocene geohazard events on the southern Izu Peninsula, central Japan. *Quaternary International*, doi:10.1016/j.quaint.2015.04.021.
- Kubota K., Yokoyama Y., Ishikawa T., and Suzuki A. (2015): A new method for calibrating a boron isotope paleo-pH proxy using massive *Porites* corals. *Geochemistry, Geophysics, Geosystems*, **16**, 3333-3342.
- Kubota K., Yokoyama Y., Kawakubo Y., Seki A., Sakai S., Ajithprasad P., Maemoku H., Osada T., and Bhattacharya S.K. (2015): Migration history of an ariid Indian catfish reconstructed by otolith Sr/Ca and  $\delta^{18}\text{O}$  micro-analysis. *Geochemical Journal*, **49**, 469-480.
- Kubota Y., Kimoto K., Itaki T., Yokoyama Y., Miyairi Y., and Matsuzaki H. (2015): Bottom water variability in the subtropical northwestern Pacific from 26 kyr BP to present based on Mg/Ca and stable carbon and oxygen isotopes of benthic foraminifera. *Climate of the Past*, **11**, 803-824.

- Manaka T., Otani S., Inamura A., Suzuki A., Aung T., Roachanakanan R., Ishiwa T., and Kawahata H. (2015): Chemical weathering and long-term CO<sub>2</sub> consumption in the Ayeyarwady and Mekong river basins in the Himalayas. *Journal of Geophysical Research: Biogeosciences*, **120**, 1165–1175.
- Morishita T., Nakamura K., Shibuya T., Kumagai H., Sato T., and Okino K. (2015): Petrology of peridotites and related gabbroic rocks around the Kairei hydrothermal field in the Central Indian Ridge. In: *Subseafloor Biosphere Linked to Global Hydrothermal Systems; TAIGA Concept*, edited by Ishibashi J., Okino K., and Sunamura M., Springer Japan, Tokyo, 177–193.
- Nakamura A., Yokoyama Y., Maemoku H., Yagi H., Okamura M., Matsuoka H., Miyake N., Osada T., Adhikari D.P., Dangol V., Ikehara M., Miyairi Y., and Matsuzaki H. (2015): Weak monsoon event at 4.2 ka recorded in sediment from Lake Rara, the Himalayas. *Quaternary International*, doi:10.1016/j.quaint.2015.05.053.
- Nakamura K., Kawagucci S., Kitada K., Kumagai H., Takai K., and Okino K. (2015): Water column imaging with multibeam echosounding in the mid-Okinawa Trough: implications for distribution of deep-sea hydrothermal vent sites and the cause of acoustic water column anomaly. *Geochemical Journal*, **49**, 579–596.
- Okamura K., Sugiyama T., Noguchi T., Fukuba T., and Okino K. (2015): Development of a deep-sea hydrogen sulfide ion sensor and its application for submarine hydrothermal plume exploration. *Geochemical Journal*, **49**, 603–611.
- Okino K., Nakamura K., and Sato H. (2015): Tectonic background of four hydrothermal fields along the Central Indian Ridge. In: *Subseafloor Biosphere Linked to Global Hydrothermal Systems; TAIGA Concept*, edited by Ishibashi J., Okino K., and Sunamura M., Springer Japan, Tokyo, 133–146.
- Otsuka H., Morita S., Tanahashi M., and Ashi J. (2015): Foldback reflectors near methane hydrate bottom-simulating reflectors: Indicators of gas distribution from 3D seismic images in the eastern Nankai Trough. *Island Arc*, **24**, 145–158.
- Raimbourg H., Vacelet M., Ramboz C., Famin V., Augier R., Palazzin G., Yamaguchi A., and Kimura G. (2015): Fluid circulation in the depths of accretionary prisms: an example of the Shimanto Belt, Kyushu, Japan. *Tectonophysics*, **655**, 161–176.
- Riethdorf J.-R., Thibodeau B., Ikehara M., Nürnberg D., Max L., Tiedemann R., and Yokoyama Y. (2015): Surface nitrate utilization in the Bering Sea since 180 ka BP: Insight from sedimentary nitrogen isotopes. *Deep Sea Research II*, doi:10.1016/j.dsr2.2015.03.007.
- Sakashita W., Yokoyama Y., Miyahara H., Yamaguchi Y.T., Aze T., Obrochta S.P., and Nakatsuka T. (2015): Relationship between early summer precipitation in Japan and the El Niño–Southern and Pacific Decadal Oscillations over the past 400 years. *Quaternary International*, doi:10.1016/j.quaint.2015.05.054.
- Seama N. and Okino K. (2015): Asymmetric seafloor spreading of the Southern Mariana Trough back-arc basin. In: *Subseafloor Biosphere Linked to Global Hydrothermal Systems; TAIGA Concept*, edited by Ishibashi J., Okino K., and Sunamura M., Springer Japan, Tokyo, 253–260.
- Seama N., Sato H., Nogi Y., and Okino K. (2015): The mantle dynamics, the crustal formation, and the hydrothermal activity of the Southern Mariana Trough back-arc Basin. In: *Subseafloor Biosphere Linked to Global Hydrothermal Systems; TAIGA Concept*, edited by Ishibashi J., Okino K., and Sunamura M., Springer Japan, Tokyo, 215–228.
- Shirahama Y., Miyairi Y., He H., Fu B., Echigo T., Kano K., Yokoyama Y., and Ikeda Y. (2015): Climate-induced changes in sediment supply revealed by surface exposure dating of Sijiquan River terraces, northeastern Tibet. *Geomorphology*, **235**, 15–26.
- Takagi H., Moriya K., Ishimura T., Suzuki A., Kawahata H., and Hirano H. (2015): Exploring photosymbiotic ecology of planktic foraminifers from chamber-by-chamber isotopic history of individual foraminifers. *Paleobiology*, **41**, 108–121.
- Takano Y., Kojima H., Takeda E., Yokoyama Y., and Fukui M. (2015): Biogeochemistry and limnology in Antarctic subglacial weathering: Evidence of the linkage between subglacial silicon input and primary producers in a perennially ice-covered lake. *Progress in Earth and Planetary Science*, **2**, doi:10.1186/s40645-015-0036-7.
- Tauxe L. and Yamazaki T. (2015): Paleointensities. In: *Treatise on Geophysics. 2nd Edition, 5: Geomagnetism*, edited by Schubert G., Elsevier, Oxford, 461–509.
- Trütner S., Hüpers A., Ikari M.J., Yamaguchi A., and Kopf A.J. (2015): Lithification facilitates frictional instability in argillaceous subduction zone sediments. *Tectonophysics*, **665**, 177–185.
- Yamane M., Yokoyama Y., Abe-Ouchi A., Obrochta S., Saito F., Moriwaki K., and Matsuzaki H. (2015): Exposure age and ice-sheet model constraints on Pliocene East Antarctic ice sheet dynamics. *Nature Communications*, **6**, Article number:7016, doi:10.1038/ncomms8016.
- Yamaoka K., Hong E., Ishikawa T., Gamo T., and Kawahata H. (2015): Boron isotopic geochemistry of vent fluids from arc/back-arc seafloor hydrothermal systems in the western Pacific. *Chemical Geology*, **392**, 9–18.

- Yamaoka K., Matsukura S., Ishikawa T., and Kawahata H. (2015): Boron isotope systematics of a fossil hydrothermal system from the Troodos ophiolite, Cyprus: Water-rock interactions in the oceanic crust and seafloor ore deposits. *Chemical Geology*, **396**, 61-73.
- Yokoyama Y. and Esat T.M. (2015): Coral reefs. In: *Handbook of Sea-Level Research*, edited by Shennan I., Long A.J., and Horton B.P., John Wiley & Sons. Ltd, Chichester, UK, 104-124.
- Yokoyama Y., Maeda Y., Okuno J., Miyairi Y., and Kosuge T. (2015): Holocene Antarctic melting and lithospheric uplift history of the southern Okinawa trough inferred from mid- to late-Holocene sea level in Iriomote Island, Ryukyu, Japan. *Quaternary International*, doi:10.1016/j.quaint.2015.03.030.
- Yoshimura T., Izumida H., Nakashima R., Ishimura T., Shikazono N., Kawahata H., and Suzuki A. (2015): Stable carbon isotope values in dissolved inorganic carbon of ambient waters and shell carbonate of the freshwater pearl mussel (*Hyriopsis* sp.). *Journal of Paleolimnology*, **54**, 37-51.
- Yoshimura T., Tamenori Y., Takahashi O., Nguyen L.T., Hasegawa H., Iwasaki N., Kuroyanagi A., Suzuki A., and Kawahata H. (2015): Mg coordination in biogenic carbonates constrained by theoretical and experimental XANES. *Earth and Planetary Science Letters*, **421**, 68-74.
- 沖野郷子 (2015): フィリピン海の磁気異常とテクトニクス. 地学雑誌, **124**, 729-747.
- 眞中卓也・吉村寿紘 (2015): 化学風化と河川におけるマグネシウム同位体比の挙動. 地球化学, **49**, 45-58.
- 山口飛鳥・北村真奈美・濱田洋平・齋藤 有・向吉秀樹・廣瀬丈洋 (2015): 2014 年夏に露出した四万十帯手結メランジュの海食台露頭. 地質学雑誌, **121**, III-IV.

### 海洋生態系動態 Marine Ecosystems Dynamics

- Abe H., Kobayashi G., and Sato-Okoshi W. (2015): Impacts of the 2011 tsunami on the subtidal polychaete assemblage and the following recolonization in Onagawa Bay, northeastern Japan. *Marine Environmental Research*, **112**, 86-95.
- Choi A., Song J., Joung Y., Kogure K., and Cho J-C. (2015): *Lentisphaera profundus* sp. nov., isolated from deep-sea water of the Pacific Ocean. *International Journal of Systematic and Evolutionary Microbiology*, **65**, 4186-4190.
- Cui Y., Suzuki S., Omori Y., Wong S.-K., Ijichi M., Kaneko R., Kameyama S., Tanimoto H., and Hamasaki K. (2015): Abundance and distribution of dimethylsulfoniopropionate degradation genes and the corresponding bacterial community structure at dimethyl sulfide hot spots in the tropical and subtropical Pacific Ocean. *Applied and Environmental Microbiology*, **81**, 4184-4194.
- Curran H.A. and Seike K. (2015): Modern and fossil callianassid burrows of the Bahamas: comparisons and implications for paleoenvironmental analysis. In: Proceedings of the 16th Symposium on the Geology of the Bahamas and other Carbonate Regions, edited by Glumac B. and Savarese M., Gerace Research Centre, San Salvador, Bahamas, 153-167.
- Fujioka H., Machida R.J., and Tsuda A. (2015): Early life history of *Neocalanus plumchrus* (Calanoida: Copepoda) in the western subarctic Pacific. *Progress in Oceanography*, **137**, 196-208.
- Hashihama F., Kanda J., Tauchi A., Kodama T., Saito H., and Furuya K. (2015): Liquid waveguide spectrophotometric measurement of nanomolar ammonium in seawater based on the indophenol reaction with *o*-phenylphenol (OPP). *Talanta*, **143**, 374-380.
- Hidaka H., Ogura T., Watanabe H., Kano Y., and Kojima S. (2015): Population history of a hydrothermal vent-endemic gastropod *Alviniconcha hessleri* in the Mariana Trough. In: *Subseafloor Biosphere Linked to Global Hydrothermal Systems; TAIGA Concept*, edited by Ishibashi J., Okino K., and Sunamura M., Springer Japan, Tokyo, 325-333.
- Hirai J. and Tsuda A. (2015): Metagenetic community analysis of epipelagic planktonic copepods in the tropical and subtropical Pacific. *Marine Ecology Progress Series*, **534**, 65-78.
- Hirai J., Tsuda A., and Goetze E. (2015): Extensive genetic diversity and endemism across the global range of the oceanic copepod *Pleuromamma abdominalis*. *Progress in Oceanography*, **138**, 77-90.
- Inoue K. and Kogure K. (2015): Genus *Halomarina* Inoue, Itoh, Ohkuma and Kogure 2011, 944VP. In: *Bergey's Manual of Systematics of Archaea and Bacteria*, edited by Whitman W.B., Wiley, New Jersey, 00-05.
- Itoh H., Kamimura S., Hirose K., and Kojima S. (2015): Characterization of polymorphic microsatellite for the tideland snail *Batillaria flectosiphonata*. *Conservation Genetics Resources*, **7**, 751-753.
- Itoh H. and Nishida S. (2015): Spatiotemporal distribution of planktonic copepod communities in Tokyo Bay where *Oithona davisae* Ferrari and Orsi dominated in mid-1980s. *Journal of Natural History*, **49**, 2759-2782.
- Kano Y., Neusser T.P., Fukumori H., Jörger K.M., and Schrödl M. (2015): Sea-slug invasion of the land. *Biological Journal of the Linnean Society*, **116**, 253-259.

- Kato H.E., Inoue K., Abe-Yoshizumi R., Kato Y., Ono H., Konno M., Hososhima S., Ishizuka T., Hoque M.R., Kunitomo H., Ito J., Yoshizawa S., Yamashita K., Takemoto M., Nishizawa T., Taniguchi R., Kogure K., Maturana A.D., Iino Y., Yawo H., Ishitani R., Kandori H., and Nureki O. (2015): Structural basis for Na<sup>+</sup> transport mechanism by a light-driven Na<sup>+</sup> pump. *Nature*, **521**, 48-53.
- Kobayashi G., Miura T., and Kojima S. (2015): *Lamellibrachia sagami* sp. nov., a new vestimentiferan tubeworm (Annelida: Siboglinidae) from Sagami Bay and several sites in the northwestern Pacific Ocean. *Zootaxa*, **4018**, 097-108.
- Kojima S. and Watanabe H. (2015): Vent fauna in the Mariana Trough. In: *Subseafloor Biosphere Linked to Global Hydrothermal Systems; TAIGA Concept*, edited by Ishibashi J., Okino K., and Sunamura M., Springer Japan, Tokyo, 313-323.
- Kumagai H., Watanabe H., Yahagi T., Kojima S., Nakai S., Toyoda S., and Ishibashi J. (2015): Evaluating hydrothermal system evolution using geochronological dating and biological diversity analyses. In: *Subseafloor Biosphere Linked to Global Hydrothermal Systems; TAIGA Concept*, edited by Ishibashi J., Okino K., and Sunamura M., Springer Japan, Tokyo, 49-59.
- Lee H., Yoshizawa S., Kogure K., Kim H.S., and Yoon J. (2015): *Pelagitalea pacifica* gen. nov., sp. nov., a new marine bacterium isolated from seawater. *Current Microbiology*, **70**, 514-519.
- Metillo E.B., Cadelinia E.E., Hayashizaki K., Tsunoda T., and Nishida S. (2015): Feeding ecology of two sympatric species of *Acetes* (Decapoda: Sergestidae) in Panguil Bay, the Philippines. *Marine and Freshwater Research*, **66**, 1-14.
- Nishibe Y., Isami H., Fukuda H., Nishida S., Nagata T., Tachibana A., and Tsuda A. (2015): Impact of the 2011 Tohoku earthquake tsunami on zooplankton. *Journal of Oceanography*, doi:10.1007/s10872-015-0339-8.
- Nishibe Y., Takahashi K., Ichikawa T., Hidaka K., Kurogi H., Segawa K., and Saito H. (2015): Degradation of discarded appendicularian houses by oncaeid copepods. *Limnology and Oceanography*, **60**, 967-976.
- Nishibe Y., Takahashi K., Shiozaki T., Kakehi S., Saito H., and Furuya K. (2015): Size-fractionated primary production in the Kuroshio Extension and adjacent regions in spring. *Journal of Oceanography*, **71**, 27-40.
- Nishida S., Anandavelu I., and Padmavati G. (2015): Two new species of *Tortanus* (*Atortus*) (Copepoda, Calanoida, Tortanidae) from the Andaman Islands. *Crustaceana*, **88**, 216-230.
- Nishikawa J., Ohtsuka S., Mulyadi, Mujiono N., Lindsay D.J., Miyamoto H., and Nishida S. (2015): A new species of the commercially harvested jellyfish *Crambionella* (Scyphozoa) from central Java, Indonesia with remarks on the fisheries. *Journal of the Marine Biological Association of the United Kingdom*, **95**, 471-481.
- Noguchi T., Sakuma K., Kitahashi T., Itoh H., Kano Y., Shinohara G., Hashimoto J., and Kojima S. (2015): No genetic deviation between two morphotypes of the snipefishes (Macroramphosidae: *Macroramphosus*) in Japanese waters. *Ichthyological Research*, **62**, 368-373.
- Sakuma K., Ueda Y., Ito M., and Kojima S. (2015): Demographic histories of two deep-sea eelpouts, *Lycodes japonicus* and *Lycodes ocellatus*: palaeoenvironmental implications of the western North Pacific deep waters. *Ichthyological Research*, **62**, 363-367.
- Sano M., Nishibe Y., Tanaka Y., and Nishida S. (2015): Temporally sustained dietary niche partitioning in two mesopelagic copepod species and their mouthpart morphology. *Marine Ecology Progress Series*, **518**, 51-67.
- Sato-Takabe Y., Suzuki S., Shishikura R., Hamasaki K., Tada Y., Kataoka T., Yokokawa T., Yoshie N., and Suzuki S. (2015): Spatial distribution and cell size of aerobic anoxygenic phototrophic bacteria in the Uwa Sea, Japan. *Journal of Oceanography*, **71**, 151-159.
- Seike K., Nara M., Takagawa T., and Sato S. (2015): Paleoecology of a marine endobenthic organism in response to beach morphodynamics: trace fossil *Macaronichnus segregatis* in Holocene and Pleistocene sandy beach deposits. *Regional Studies in Marine Science*, **2**, Supplement, 5-11.
- Song J., Choi A., Im M., Joung Y., Yoshizawa S., Cho J.-C., Kogure K. (2015): *Aurantivirga profunda* gen. nov., sp. nov., a member of the family *Flavobacteriaceae* isolated from deep seawater. *International Journal of Systematic and Evolutionary Microbiology*, **65**, doi:10.1099/ijsem.0.000662.
- Tsuchiya K., Kuwahara V.S., Hamasaki K., Tada Y., Ichikawa T., Yoshiki T., Nakajima R., Imai A., Shimode S., and Toda T. (2015): Typhoon-induced response of phytoplankton and bacteria in temperate coastal waters. *Estuarine, Coastal and Shelf Science*, **167**, 458-465.
- Tsuda A., Saito H., Kasai H., Nishioka J., and Nakatsuka T. (2015): Vertical segregation and population structure of ontogenetically migrating copepods *Neocalanus cristatus*, *N. flemingeri*, *N. plumchrus*, and *Eucalanus bungii* during the ice-free season in the Sea of Okhotsk. *Journal of Oceanography*, **71**, 271-285.
- Watanabe H. and Kojima S. (2015): Vent fauna in the Okinawa Trough. In: *Subseafloor Biosphere Linked to Global Hydrothermal Systems; TAIGA Concept*, edited by Ishibashi J., Okino K., and Sunamura M., Springer Japan, Tokyo, 449-459.

- Wong S.-K., Park S., Lee J.-S., Lee K.C., Chiura H.X., Kogure K., and Hamasaki K. (2015): *Fabibacter misakiensis* sp. nov., a marine bacterium isolated from coastal surface water. *International Journal of Systematic and Evolutionary Microbiology*, **65**, 3276-3280.
- Yahagi T., Watanabe H., Ishibashi J., and Kojima S. (2015): Genetic population structure of four hydrothermal vent shrimp species (Alvinocarididae) in the Okinawa Trough, Northwest Pacific. *Marine Ecology Progress Series*, **529**, 159-169.
- Yamakita T., Yamamoto H., Nakaoka M., Yamano H., Fujikura K., Hidaka K., Hirota Y., Ichikawa T., Kakehi S., Kameda T., Kitajima S., Kogure K., Komatsu T., Kumagai N.H., Miyamoto H., Miyashita K., Morimoto H., Nakajima R., Nishida S., Nishiuchi K., Sakamoto S., Sano M., Sudo K., Sugisaki H., Tadokoro K., Tanaka K., Jintsu-Uchifune Y., Watanabe K., Watanabe H., Yara Y., Yotsukura N., Shirayama Y. (2015): Identification of important marine areas around the Japanese Archipelago: Establishment of a protocol for evaluating a broad area using ecologically and biologically significant areas selection criteria. *Marine Policy*, **51**, 136-147.
- 齊藤宏明 (2015): 黒潮の恵み その源を探る. *海洋と生物*, **37**, 443-444.
- 齊藤宏明・速水祐一 (2015): シンポジウム「沿岸高解像モデルの現在と未来(2)-物質循環と生態系の解明に向けて」のまとめ. *沿岸海洋研究*, **53**, 1-2.
- 永田 俊 (2015): 食物網の中の微生物. 「水圏微生物学の基礎」(濱崎恒二・木暮一啓 編), 恒星社厚生閣, 東京, pp 168-181.
- 永田 俊 (2015): 水圏微生物と人の関わり 第3節 窒素過剰負荷を軽減できるか. 「水圏微生物学の基礎」(濱崎恒二・木暮一啓 編), 恒星社厚生閣, 東京, pp 245-246.
- 永田 俊 (2015): 微生物による生元素循環. 「水圏微生物学の基礎」(濱崎恒二・木暮一啓 編), 恒星社厚生閣, 東京, pp 182-196.
- 西田周平・長井 敏・町田龍二(編) (2015): 遺伝子解析とプランクトン研究(日本プランクトン学会 2014 年度春季シンポジウム論文集). *日本プランクトン学会報*, **62**, 8-82.
- 濱崎恒二・木暮一啓(編) (2015): 「水圏微生物学の基礎」恒星社厚生閣, 東京, 280pp.
- 福田秀樹 (2015): 微生物の捕食者. 「水圏微生物学の基礎」(濱崎恒二・木暮一啓 編), 恒星社厚生閣, 東京, 149-167.
- 松政正俊・木下今日子・伊藤 萌・小島茂明 (2015): 三陸の渚: その大規模攪乱に対する脆弱性と頑強性. DNA 多型, **23**, 9-16.
- 山田秀秋・早川 淳・中本健太・河村知彦・今 考悦 (2015): 小型巻貝 2 種におけるソデカラッパからの被食回避に及ぼす人工海藻の影響. *日本水産学会誌*, **82**, 33-35.

## 海洋生命科学 Marine Bioscience

- Akiyama Y., Matsuda Y., Sakurai N., and Sato K. (2015): Evaluation of wave drag on bottlenose dolphin *Tursiops truncatus* from swimming effort. *Coastal Marine Science*, **38**, 42-46.
- Ando M. and Takei Y. (2015): Guanylin activates Cl<sup>-</sup> secretion into the lumen of seawater eel intestine via apical Cl<sup>-</sup> channel under simulated in vivo conditions. *American Journal of Physiology*, **308**, R400-R410.
- Aoki K., Amano M., Kubodera T., Mori K., Okamoto R., and Sato K. (2015): Visual and behavioral evidence indicates active hunting by sperm whales. *Marine Ecology Progress Series*, **523**, 233-241.
- Aoyama J., Yoshinaga T., Shinoda A., Shirotori F., Yambot A. V. and Han Y. S. (2015): Seasonal Changes in Species Composition of Glass Eels of the Genus *Anguilla* (Teleostei: Anguillidae) Recruiting to the Cagayan River, Luzon Island, the Philippines. *Pacific Science* **69**:263-270.
- Cameron M.S., Nobata S., Takei Y., and Donald J.A. (2015): Vasodilatory effects of homologous adrenomedullin 2 and adrenomedullin 5 in isolated blood vessels of two eel species. *Comparative Biochemistry and Physiology A*, **179**, 157-163.
- Feunteun E., Miller M.J., Carpentier A., Aoyama J., Dupuy C., Kuroki M., Pagano M., Réveillac E., Sellos D., Watanabe S., Tsukamoto K., and Otake T. (2015): Stable isotopic composition of anguilliform leptocephali and other food web components from west of the Mascarene Plateau. *Progress in Oceanography*, **137**, 69-83.
- Fukuoka T., Narazaki T., and Sato K. (2015): Summer-restricted migration of green turtles *Chelonia mydas* to a temperate habitat of the northwest Pacific Ocean. *Endangered Species Research*, **28**, 1-10.
- Hamano A., Tanoue H., Fujiwara T., and Komatsu T. (2015): New monitoring method to assess the marine algae distribution and fish school in marine ecosystems; The Hachiri-ga-se Hill (off Mishima, Hagi, Japan) case study. In: *Marine productivity: perturbations and resilience of socio-ecosystems*, edited by Ceccaldi H.J., Hénocque Y., Koike Y., Komatsu T., Stora G. and Tusseau-Vuillemin M.-H., Springer International Publishing, Cham, 309-318.
- Hayakawa H., Le Q.D., Kinoshita M., Takehana H., Sakuma K., Takeshima H., Kojima S., Naruse K., and Inoue K. (2015): Genetic similarity of the Hainan medaka populations collected from hyper- and hypoosmotic environments in northern Vietnam. *Ocean Science Journal*, **50**, 231-235.

- Hyodo S. (2015): Neurohypophysial Hormone Family. In: *Handbook of Hormones - Comparative Endocrinology for Basic and Clinical Research*, edited by Takei Y., Ando H. and Tsutsui K., Academic Press, San Diego, 39-52.
- Iwata T., Sakamoto K.Q., Edwards E.W.J., Staniland I.J., Trathan P.N., Goto Y., Sato K., Naito Y., and Takahashi A. (2015): The influence of preceding dive cycles on the foraging decisions of Antarctic fur seals. *Biology Letter*, **11**, doi:10.1098/rsbl.2015.0227.
- Kakumura K., Takabe S., Takagi W., Hasegawa K., Konno N., Bell J.D., Toop T., Donald J.A., Kaneko T., and Hyodo S. (2015): Morphological and molecular investigation of the holocephalan elephant fish nephron: the existence of a countercurrent-like configuration and two separate diluting segments in the distal tubule. *Cell and Tissue Research*, **362**, 677-688.
- Komatsu T., Ohtaki T., Sakamoto S., Sawayama S., Hamana Y., Shibata M., Shibata K., and Sasa S. (2015): Impact of the 2011 Tsunami on seagrass and seaweed beds in Otsuchi Bay, Sanriku Coast, Japan. In: *Marine productivity: perturbations and resilience of socio-ecosystems*, edited by Ceccaldi H.J., Hénocque Y., Koike Y., Komatsu T., Stora G. and Tusseau-Vuillemin M.-H., Springer International Publishing, Cham, 43-53.
- Manaka T., Ushie H., Araoka D., Inamura A., Suzuki A., Hossain H.M.Z., and Kawahata H. (2015): Spatial and seasonal variation in surface water pCO<sub>2</sub> in the Ganges, Brahmaputra, and Meghna Rivers on the Indian subcontinent. *Aquatic Geochemistry*, **1**, doi:10.1007/s10498-015-9262-2.
- Miller M.J., Feunteun E., Aoyama J., Watanabe S., Kuroki M., Lecomte-Finiger R., Minegishi Y., Robinet T., Réveillac E., Gagnaire P.-A., Berrebi P., Tsukamoto K., and Otake T. (2015): Biodiversity and distribution of leptocephali west of the Mascarene Plateau in the southwestern Indian Ocean. *Progress in Oceanography*, **137**, 84-102.
- Miyashita Y., Iwasaka M., and Endo H. (2015): Chlorophyll fluorescence control in microalgae by biogenic guanine crystals. *Journal of Applied Physics*, **117**, 17E130. doi: 10.1063/1.4918777.
- Mori T., Miyata N., Aoyama J., Niizuma Y., and Sato K. (2015): Estimation of metabolic rate from activity measured by recorders deployed on Japanese sea bass *Lateolabrax japonicus*. *Fisheries Science*, **81**, 871-882.
- Nagasaki T., Hongo Y., Koito T., Kusakabe-Nakamura I., Shimamura S., Takaki Y., Yoshida T., Maruyama T., and Inoue K. (2015): Cysteine dioxygenase and cysteine sulfinate decarboxylase genes of the deep-sea mussel *Bathymodiolus septemdiurum*: possible involvement in hypotaurine synthesis and adaptation to hydrogen sulfide. *Amino Acids*, **47**, 571-578.
- Nakamura I., Goto Y., and Sato K. (2015): Ocean sunfish rewarm at the surface after deep excursions to forage for siphonophores. *Journal of Animal Ecology*, **84**, 590-603.
- Narazaki T., Sato K., and Miyazaki N. (2015): Summer migration to temperate foraging habitats and active winter diving of juvenile loggerhead turtles *Caretta caretta* in the western North Pacific. *Marine Biology*, **162**, 1251-1263.
- Nurdin N., Komatsu T., Agus, M., Akbar A.S., Djailil A.R., and Amri K. (2015): Multisensor and multitemporal data from Landsat images to detect damage to coral reefs, small islands in the Spermonde Archipelago, Indonesia. *Ocean Science Journal*, **50**, 317-325.
- Onimaru K., Kuraku S., Takagi W., Hyodo S., Sharpe J., and Tanaka M. (2015): A shift in anterior-posterior positional information underlies the fin-to limb evolution. *eLife*, **4**, doi:10.7554/eLife.07048.
- Otaki T., Hamana M., Tanoë H., Miyazaki N., Shibuno T., and Komatsu T. (2015): Three-dimensional mapping of red stingray (*Dasyatis akajei*) movement with reference to bottom topography. *Ocean Science Journal*, **50**, 327-334.
- Ruhr I., Mager E., Takei Y., and Grosell M. (2015): The differential role of renoguanlylin in osmoregulation and apical Cl<sup>-</sup>/HCO<sub>3</sub><sup>-</sup> exchange activity in the posterior intestine of the Gulf toadfish (*Opsanus beta*). *American Journal of Physiology*, **309**, R399-R409.
- Sagawa T. and Komatsu T. (2015): Simulation of seagrass bed mapping by satellite images based on the radiative transfer model. *Ocean Science Journal*, **50**, 335-342.
- Sakamoto T., Nishiyama Y., Ikeda A., Takahashi H., Hyodo S., Kagawa N., and Sakamoto H. (2015): Neurohypophysial hormones regulate amphibious behavior in the mudskipper goby. *PLOS ONE*, **10**, doi:10.1371/journal.pone.0134605.
- Sakamoto T., Ogawa S., Nishiyama Y., Akada C., Takahashi H., Watanabe T., Minakata H. and Sakamoto H. (2015): Osmotic/ionic status of body fluids in the euryhaline cephalopod suggest possible parallel evolution of osmoregulation. *Scientific Reports*, **5**, doi:10.1038/srep14469.
- Sawayama S., Nurdin N., M. Akbar A.S., Sakamoto S.X., and Komatsu T. (2015): Introduction of geospatial perspective to the ecology of fish-habitat relationships in Indonesian coral reefs: A remote sensing approach. *Ocean Science Journal*, **50**, 343-352.
- Takei Y. (2015): From aquatic to terrestrial life: Evolution of the mechanisms for water acquisition. *Zoological Science*, **32**, 1-7.

- Takei Y., Ando H., and Tsutsui K. (2015): *Handbook of Hormones - Comparative Endocrinology for Basic and Clinical Research*. Elsevier, Amsterdam, 646pp.
- Tanoue H., Miyazaki N., Niizawa T., Mizushima K., Suzuki M., Ruitton S., Porsmoguer S.B., Alabsi N., Gonzalovo S., Mohori M., Hamano A., and Komatsu T. (2015): Measurements of fish habitat use by fish-mounted data loggers for integrated coastal management: an example of Japanese sea bass (*Lateolabrax japonicus*) in Tokyo Bay. In: *Marine productivity: perturbations and resilience of socio-ecosystems*, edited by Ceccaldi H.J., Hénocque Y., Koike Y., Komatsu T., Stora G. and Tusseau-Vuillemin M.-H., Springer International Publishing, Cham, 243-251.
- Tsuchiya K., Sano T., Kawasaki N., Fukuda H., Tomioka N., Hamasaki K., Tada Y., Shimode S., Toda T., Imai A. (2015): New radioisotope-free method for measuring bacterial production using [<sup>15</sup>N<sub>5</sub>]-2'-deoxyadenosine and liquid chromatography mass spectrometry (LC-MS) in aquatic environments. *Journal of Oceanography*, **71**, 675-683.
- Tsutsui S., Yoshinaga T., Watanabe S., Aoyama J., Tsukamoto K. and Nakamura O. (2015): Skin mucus C-type lectin genes from all 19 *Anguilla* species/subspecies. *Fisheries Science* **81**:1043-1051.
- van Katwijk M.M., Thorhaug A., Marbà N., Orth R.J., Duarte C.M., Kendrick G.A., Althuizen I.H.J., Balestri E., Bernard G., Cambridge M.L., Cunha A., Durance C., Giesen W., Han Q., Hosokawa S., Kiswara W., Komatsu T., Lardicci C., Lee K.-S., Meinesz A., Nakaoka M., O'Brien K.R., Paling E.I., Pickerell C., Ransijn A.M.A., and Verduin J.J. (2015): Global analysis of seagrass restoration: the importance of large-scale planting. *Journal of Applied Ecology*, doi:10.1111/1365-2664.12562.
- Yamaguchi Y., Takagi W., Kuraku S., Moriyama S., Bell J.D., Seale A.P., Lerner D.T., Grau E.G., and Hyodo S. (2015): Discovery of conventional prolactin from the holocephalan elephant fish, *Callorhynchus milii*. *General and Comparative Endocrinology*, **224**, 216-227.
- Yamamoto T., Kohno H., Mizutani A., Yoda K., Matsumoto S., Kawabe R., Watanabe S., Oka N., Sato K., Yamamoto M., Sugawa H., Karino K., Shiomi K., Yonehara Y., and Takahashi A. (2015): Geographical variation in body size of a pelagic seabird, the streaked shearwater *Calonectris leucomelas*. *Journal of Biogeography*, doi:10.1111/jbi.12654.
- Yorifuji M., Takeshima H., Mabuchi K., Watanabe T., and Nishida M. (2015): Comparison of *Symbiodinium* dinoflagellate flora in sea slug populations of the *Pteraeolidia ianthina* complex. *Marine Ecology Progress Series*, **521**, 91-104.
- Zágoršek K., Takashima R., and Hirose M. (2015): Palaeoenvironment of a monospecific association of a new bryozoan species, *Schizoretepora tamagawensis* sp. n. (Phidoloporidae, Bryozoa), from the Miocene Tanosawa Formation, Northern Japan. *Neues Jahrbuch für Geologie und Paläontologie - Abhandlungen*, **275**, 115-123.
- 青山 潤 (2015): ニホンウナギの大回遊を追いかける。「海の底深くを探る」(白山義久・赤坂憲雄 編), 玉川大学出版部, 東京, 186-199.
- 國分優孝・小松輝久 (2015): 流れ藻の Fate: 北海道南東沖合を例として. 月刊海洋, **47**, 265-270.
- 佐藤克文・青木かがり・中村乙水・渡辺伸一 (2015): 「野生動物は何を見ているのか: バイオロギング奮闘記」丸善プラネット, 東京, 197pp.
- 宍道弘敏・水野紫津葉・小松輝久 (2015): 鹿児島県海域における流れ藻とモジャコの来遊量の近年の傾向. 月刊海洋, **47**, 248-252.
- 西田由布子・佐々修司・宮島利宏・青木優和・小松輝久 (2015): 流れ藻生物群集の食物網. 月刊海洋, **47**, 231-235.
- 馬淵浩司・林 公義・トーマス フレイザー (2015): テンジクダイ科の新分類体系にもとづく亜科・族・属の標準和名の提唱. 魚類学雑誌, **62**, 29-49.

## 海洋生物資源 Living Marine Resources

- Abe Y., Yamada Y., Saito R., Matsuno K., Yamaguchi A., Komatsu K., and Imai I. (2015): Short term changes in abundance and population structure of dominant pelagic amphipod species in the Oyashio region during the spring phytoplankton bloom. *Regional Studies in Marine Science*, doi:10.1016/j.rsma.2015.07.005.
- Chow S., Okazaki M., Watanabe T., Segawa K., Yamamoto T., Kurogi H., Tanaka H., Ai K., Kawai M., Yamamoto S., Mochioka N., Manabe R., and Miyake Y. (2015): Light-sensitive vertical migration of the Japanese eel *Anguilla japonica* revealed by real-time tracking and its utilization for geolocation. *PLOS ONE*, **10**, doi:10.1371/journal.pone.0121801.
- Curchitser E.N., Rose K.A., Ito S., Peck M.A., and Kishi M.J. (2015): Combining modeling and observations to better understand marine ecosystem dynamics. *Progress in Oceanography*, **138**, 327-330.
- Fujioka K., Masujima M., Boustany A.M., and Kitagawa T. (2015): Horizontal movements of Pacific bluefin tuna. In: *Biology and Ecology of Bluefin Tuna*, edited by Kitagawa T. and Kimura S., CRC Press, Boca Raton, 101-122.
- Hashimoto M., Shirakihara K and Shirakihara M. (2015): Effects of bycatch on the population viability of the narrow-ridged finless porpoises in Ariake Sound and Tachibana Bay, Japan. *Endangered Species Research*, **27**, 87-94.

- Houki S., Kawamura T., Irie T., Won N.I., and Watanabe Y. (2015): The daily cycle of siphon extension behavior in the Manila clam controlled by endogenous rhythm. *Fisheries Science*, **83**, 453-461.
- Itakura H., Kaino T., Miyake Y., Kitagawa T., Kimura S. (2015): Feeding, condition, and abundance of Japanese eels from natural and revetment habitats in the Tone River, Japan. *Environmental Biology of Fishes*, **98**, 1871-1888.
- Itakura H., Kitagawa T., Miller M.J., Kimura S. (2015): Declines in catches of Japanese eels in rivers and lakes across Japan: Have river and lake modifications reduced fishery catches? *Landscape and Ecological Engineering*, **11**, 147-160.
- Ito S., Rose K.A., Megrey B., Schweigert J., Hay D., Werner F.E., and Aita M.N. (2015): Geographic variation in Pacific herring growth in response to regime shifts in the North Pacific Ocean. *Progress in Oceanography*, **138**, 331-347.
- Itoh S., Yasuda I., Saito H., Tsuda A., and Komatsu K. (2015): Mixed layer depth and chlorophyll *a*: Profiling float observations in the Kuroshio-Oyashio Extension region. *Journal of Marine Systems*, **151**, 1-14.
- Iwata Y., Sakurai Y., and Shaw P. (2015): Dimorphic sperm-transfer strategies and alternative mating tactics in loliginid squid. *Journal of Molluscan Studies*, **81**, 147-151.
- Kaeriyama H., Fujimoto K., Ambe D., Shigenobu Y., Ono T., Tadokoro K., Okazaki Y., Kakehi S., Ito S., Narimatsu Y., Nakata K., Morita T., and Watanabe T. (2015): Fukushima-derived radionuclides <sup>134</sup>Cs and <sup>137</sup>Cs in zooplankton and seawater samples collected off the Joban-Sanriku coast, in Sendai Bay, and in the Oyashio region. *Fisheries Science*, **81**, 139-153.
- Kakehi S., Ito S., Kuwata A., Saito H., and Tadokoro K. (2015): Phytoplankton distribution during the winter convective season in Sendai Bay, Japan. *Continental Shelf Research*, **97**, 43-53.
- Kida S., Mitsudera H., Aoki S., Guo X., Ito S., Kobashi F., Komori N., Kubokawa A., Miyama T., Morie R., Nakamura H., Nakamura T., Nakano H., Nishigaki H., Nonaka M., Sasaki H., Sasaki Y.N., Suga T., Sugimoto S., Taguchi B., Takaya K., Tozuka T., Tsujino N., and Usui N. (2015): Oceanic Fronts and Jets around Japan: a review. *Journal of Oceanography*, **71**, 469-497.
- Kurita Y., Shigenobu Y., Sakuma T., and Ito S. (2015): Radiocesium contamination histories of Japanese Flounder (*Paralichthys olivaceus*) after the 2011 Fukushima Nuclear Power Plant Accident. In: *Impacts of Fukushima Nuclear Accident on Fish and Fishing Grounds*, edited by K. Nakata and Sugkisasi H., Springer Japan, Tokyo, 139-151.
- Kuroda H., Wagawa T., Shimizu Y., Ito S., Kakehi S., Okunishi T., Ohno S., and Kusaka A. (2015): Interdecadal decrease of the Oyashio transport on the continental slope off the southeastern coast of Hokkaido, Japan. *Journal of Geophysical Research: Oceans*, **120**, 2504-2522.
- Miyake Y., Kimura S., Itoh S., Chow S., Murakami K., Katayama S., Takeshige A., and Nakata H. (2015): Roles of vertical behavior in the open-ocean migration of teleplanic larvae: a modeling approach to the larval transport of Japanese spiny lobster. *Marine Ecology Progress Series*, **539**, 93-109.
- Nakamura I., Meyer C., and Sato K. (2015): Unexpected positive buoyancy in deep sea sharks, *Hexanchus griseus*, and a *Echinorhinus cookei*. *PLOS ONE*, **10**, doi:10.1371/journal.pone.0127667.
- Narimatsu Y., Kakehi S., Ito S., Okazaki Y., Inagawa R., and Yano T. (2015): Impact of the Great East Japan Earthquake tsunami on growth and survival of Pacific cod (*Gadus macrocephalus*). *Canadian Journal of Fisheries and Aquatic Sciences*, **72**, 1629-1638.
- Nishida K., Suzuki A., Isono R., Hayashi M., Watanabe Y., Yamamoto Y., Irie T., Nojiri Y., Mori C., Sato M., Sato K., and Sasaki T. (2015): Thermal dependency of shell growth, microstructure, and stable isotopes in laboratory-reared *Scapharca broughtonii* (Mollusca: Bivalvia). *Geochemistry, Geophysics, Geosystems*, **16**, 2395-2408.
- Rose K.A., Fiechter J., Curchitser E.N., Hedstrom K., Bernal M., Creekmore S., Haynie A., Ito S., Lluch-Cota S., Megrey B.A., Edwards C., Checkley D., Koslow T., McClatchie S., Werner F., MacCall A., and Agostini V. (2015): Demonstration of a fully-coupled end-to-end model for small pelagic fish using sardine and anchovy in the California Current. *Progress in Oceanography*, **138**, 348-380.
- Shiozaki T., Takeda S., Itoh S., Kodama T., Liu X., Hashihama F., and Furuya K. (2015): Why is *Trichodesmium* abundant in the Kuroshio? *Biogeoscience*, **12**, 6931-6943.
- Takeshige A., Miyake Y., Nakata H., Kitagawa T., and Kimura S. (2015): Simulation of the impact of climate change on the egg and larval transport of Japanese anchovy (*Engraulis japonicus*) off Kyushu Island, the western coast of Japan. *Fisheries Oceanography*, **24**, 445-462.
- Wagawa T., Kuroda H., Ito S., Kakehi S., Yamanome T., Tanaka K., Endoh Y., and Kaga S. (2015): Variability in water properties and predictability of sea surface temperature along the Sanriku Coast, Japan. *Continental Shelf Research*, **103**, 12-22.
- Watai M., Nakamura Y., Honda K., Bolisay K.O., Miyajima T., Nakaoka M., and Fortes M.D. (2015): Diet, growth, and abundance of two seagrass bed fishes along a pollution gradient caused by milkfish farming in Bolinao, northwestern Philippines. *Fisheries Science*, **81**, 43-51.



- 青木一弘・杉松宏一・黒田 寛・瀬藤 聡・八木 宏・寛 茂穂・長谷川大介・伊藤進一 (2015): 係留観測および波浪・海洋結合モデルを用いた仙台湾における水温急変現象の解析. 土木学会論文集 B2 (海岸工学), **71**, I\_421-I\_426.
- 伊藤進一・大野創介・岸 道郎・尹 錫鎮・巢山 哲・中神正康・寛 茂穂・亀田卓彦・安倍大介 (2015): サンマ産卵回遊時の能動的遊泳と海洋環境. サンマ等小型浮魚資源研究会議報告, **63**, 264-269.
- 小川太輝・平松一彦 (2015): マサバ太平洋系群と北東大西洋のタイセイヨウサバの資源評価・管理の比較. 日本水産学会誌, **81**, 408-417.
- 北川貴士 (2015): バイオロギングによる魚類の行動研究. 日本水産学会誌, **81**, 872.
- 北川貴士 (2015): バイオロギングによるマグロ・カツオ類の行動生理学的研究. 海洋と生物, **221**, 622-625.
- 木村伸吾 (2015): ウナギの産卵・回遊生態の謎に迫る. *Biophilla*, **4-3**, 60-66.
- 平松一彦 (2015): マサバとタイセイヨウサバの資源評価・管理の比較. 月刊海洋, **47**, 413-417.
- 松本有記雄・野呂忠勝・高見秀輝・藤浪祐一郎・久慈康支・河村知彦 (2015): アワビモ *Uvella lens* と稚貝の匍匐粘液に針型珪藻 *Cylindrotheca closterium* を付着させた板によるエゾアワビ採苗法の検討. 日本水産学会誌, **81**, 995-997.
- 柳本 卓・猿渡敏郎 (2015): DNA 分析により明らかになったタラバガニの鰓から出現した異物の正体. DNA 多型, **23**, 43-48.

### 複合領域 Multiple Field Marine Science

- Amano Y., Shiao J.C., Ishimura T., Yokouchi K., and Shirai K. (2015): Otolith geochemical analysis for stock discrimination and migratory ecology of tunas. In: *Biology and Ecology of Bluefin Tuna*, edited by Kitagawa T. and Kimura S., CRC Press, Boca Raton, 225-250.
- Fukunaga T., Kubota S., Oda S., and Iwasaki W. (2015): GroupTracker: Video tracking system for multiple animals under severe occlusion. *Computational Biology and Chemistry*, **57**, 39-45.
- Gaston C.J., Furutani H., Guazzotti S.A., Coffee K.R., Jung J., Uematsu M., and Prather K.A. (2015): Direct night-time ejection of particle-phase reduced biogenic sulfur compounds from the ocean to the atmosphere. *Environmental Science and Technology*, **49**, 4861- 4867.
- Ishizu H., Iwasaki Y.W., Hirakata S., Ozaki H., Iwasaki W., Siomi H., and Siomi M.C. (2015): Somatic primary piRNA biogenesis driven by *cis*-acting RNA elements and *trans*-acting Yb. *Cell Reports*, **12**, 429-440.
- Iwai H., Fukushima M., Yamamoto M., and Motomura T. (2015): Seawater extractable organic matter (SWEOM) derived from a compost sample and its effect on the serving bioavailable Fe to the brown alga, *Saccahrina japonica*. *Humic Substances Research*, **12**, 5-20.
- Komatsu T. and Yanagi T. (2015): Sato-umi: An integrated approach for sustainable use of coastal waters, lessons from human-nature interactions during the Edo Period of eighteenth-century Japan. In: *Marine productivity: perturbations and resilience of socio-ecosystems*, edited by Ceccaldi H.J., Hénocque Y., Koike Y., Komatsu T., Stora G. and Tusseau-Vuillemin M.-H., Springer International Publishing, Cham, 283-290.
- Miya M., Sato Y., Fukunaga T., Sado T., Poulsen J.Y., Sato K., Minamoto T., Yamamoto S., Yamanaka H., Araki H., Kondoh M., and Iwasaki W. (2015): MiFish, a set of universal PCR primers for metabarcoding environmental DNA from fishes: detection of more than 230 subtropical marine species. *Royal Society Open Science*, **2**, doi:10.1098/rsos.150088.
- Seitzinger S. P., Gaffney O., Brasseur G., Broadgate W., Ciais P., Claussen M., Erisman J. W., Kiefer T., Lancelot C., Monks P. S., Smyth K., Syvitski J., Uematsu M. (2015): International Geosphere -Biosphere Programme and Earth system science: Three decades of co-evolution. *Anthropocene*, **12**, 3-16.
- Takashima M., Manabe R., Iwasaki W., Ohyama A., Ohkuma M., and Sugita T. (2015): Selection of orthologous genes for construction of a highly resolved phylogenetic tree and clarification of the phylogeny of Trichosporonales species. *PLOS ONE*, **10**, doi:10.1371/journal.pone.0131217.
- Takeuchi M., Yamagishi T., Kamagata Y., Oshima K., Hattori M., Katayama T., Hanada S., Tamaki H., Marumo K., Maeda H., Nedachi M., Iwasaki W., Suwa Y., and Sakata S. (2015): *Tepidicaulis marinus* gen. nov., sp. nov., a novel marine bacterium reducing nitrate to nitrous oxide strictly under microaerobic conditions. *International Journal of Systematic and Evolutionary Microbiology*, **65**, 1749-1754.
- Tuan V., Lee Y., and Nishida S. (eds.) (2015): Proceedings of 9th WESTPAC International Scientific Symposium-A Healthy Ocean for Prosperity in the Western Pacific: Scientific Challenges and Possible Solutions. *Ocean Science Journal*, **50**, 209-480.
- Yamaguchi T., Katata G., Noguchi I., Sakai S., Watanabe Y., Uematsu M., and Furutani H. (2015): Long-term observation of fog chemistry and estimation of fog water and nitrogen input via fog water deposition at a mountainous site in Hokkaido, Japan. *Atmospheric Research*, **151**, 82-92.

- Yamakita T., Yamamoto H., Nakaoka M., Yamano H., Fujikura K., Hidaka K., Hirota Y., Ichikawa T., Kakehi S., Kameda T., Kitajima S., Kogure K., Komatsu T., Kumagai N. H., Miyamoto H., Miyashita K., Morimoto H., Nakajima R., Nishida S., Nishiuchi K., Sakamoto S., Sano M., Sudo K., Sugisaki H., Tadokoro K., Tanaka K., Jintsu-Uchifune Y., Watanabe K., Watanabe H., Yara Y., Yotsukura N., and Shirayama Y. (2015): Identification of important marine areas around the Japanese Archipelago: Establishment of a protocol for evaluating a broad area using ecologically and biologically significant areas selection criteria. *Marine Policy*, **51**, 136–147.
- 安藤健太郎・岩滝光儀・植松光夫・大野浩史・北沢一宏・小松輝久・鈴木敏之・勢田明大・西田周平・福代康夫・松野健・道田豊・森本昭彦 (2015): 日本によるアジアにおける海洋研究 -WESTPAC 設立 25 年の活動を中心に-. *海の研究*, **24**, 79-108.
- 岩崎由香・岩崎 涉 (2015): ncRNA のバイオイノマトイクス解析. *実験医学*, **33**, 3379-3384.
- 植松光夫 (2015): 序文：生命を育む地球環境の変動予測と適応を目指して. *地球環境*, **20**, 125-126.
- 植松光夫・小池勲夫・甲山隆司・安成哲三 (2015): 生命を育む地球環境の変動；将来予測と適応を目指して. *地球環境*, **20**, 127-134.
- 植松光夫, 武田重信, 野尻幸宏, 谷本浩志 (2015): 生物がつなぐ海洋と大気間の物質循環と気候影響. *地球環境*, **20**, 195-202.
- 小川浩史・鈴木 亨・杉本隆成・齊藤宏明 (2015): 太平洋を中心とした海洋の物質循環と生態系動態の研究. *地球環境*, **20**, 173-180.
- 小畑元 (2015): 微量金属. 「海洋観測ガイドライン, 第 3 巻採水分析 (溶存態)」(日本海洋学会 編), 日本海洋学会, 東京, 4pp.
- 齊藤宏明 (2015): プランクトンネット. 「海洋観測ガイドライン, 第 6 巻プランクトン・ベントス」(日本海洋学会 編), 日本海洋学会, 東京, 9pp.
- 鈴木 亨・道田 豊 (2015): データの公開と国際交換. 「海洋観測ガイドライン, 第 2 巻物理観測」(日本海洋学会 編), 日本海洋学会, 東京, G105JP: 1-10.
- 福永津嵩・岩崎 涉 (2015): Computational Ethology: バイオイノマトイクスと動物行動学の融合. *領域融合レビュー*, **4**, doi:10.7875/leading.author.4.e003.