

東京大学海洋研究所

OCEAN RESEARCH INSTITUTE THE UNIVERSITY OF TOKYO

要覧 | CATALOG

年報 | ANNUAL REPORT



2009





CONTENTS

2009

OCEAN RESEARCH INSTITUTE
THE UNIVERSITY OF TOKYO

P2

要覽 | CATALOG

沿革

History

機構

Organization

委員会

Committees

教職員

Staff

全国共同利用研究

Cooperative Research Program

全国共同利用研究施設

Cooperative Research Facilities

教育システム

Educational System

研究内容

Research Contents

P53

年報 | ANNUAL REPORT

国際協力

International Cooperation

共同利用研究活動

Cooperative Research Activities

教育活動

Educational Activities

予算

Budget

研究業績

Publication List

はじめに | FOREWORD

新たな研究の展開をめざして

現在、人類の前には、温暖化などの地球環境問題、食糧問題、生物多様性問題など、地球規模のさまざまな大問題が立ちはだかっています。これらの問題の解明・解決につながる大切な鍵をにぎっているのが、地球表面の7割を占める海です。この海の重要性への認識を背景に、2007年には「海洋基本法」が制定されました。

この状況の中で、海洋研究所の重要性はますます大きくなっています。本研究所は、海に関する基礎研究を目的として、1962年に東京大学に設けられました。設立以来、研究船「白鳳丸」と「淡青丸」および陸上研究施設の全国共同利用の運営に尽力とともに、海洋の物理学・化学・地学・生物学・生物資源学の分野において、先進的な研究を進めてきました。また、多くの国際共同プログラムの推進役も果たしつつ、理学系研究科、農学生命科学研究科、および新領域創成科学研究科に属する大学院学生の教育を担い、多くの優れた人材を社会に送り出していました。

私たちはこうした活動をさらに強化するために、2009年から2010年にかけていくつかの変革に取り組みます。まず、老朽化・狭隘化が目立つ中野キャンパスから、東京大学キャンパス群の第三極をなす柏キャンパスへ移転します。また、地球環境変動研究を活発に進めている本学の気候システム研究センターと協力して、研究教育の布陣を拡大・強化します。さらに、2010年4月は、これまでの全国共同利用のシステムが共同利用・共同研究拠点というシステムへと全国的に転換されるときであり、私たちも新しい海洋科学・大気科学の拠点を立ち上げます。

このような新たな展開を通じて、私たちは大気・海洋・生命圏における基礎的過程と相互作用の解明を進め、豊かな生命系を包含する海洋を主軸にした地球表層圏の変動に関する先端的研究を先導します。その成果は、次の時代を力強く切り開く優れた概念、研究手法、そして何よりも人材というかたちで、生み出されてくるはずです。関係者のご理解とご支援ご協力を、よろしくお願ひいたします。

Towards a new horizon of research

The ocean, which covers more than 70 percent of the earth's surface, is an essential component of resolving critical issues for humanity, such as global environmental problems, food and resource problems, and the growing threat of loss of biodiversity. An awareness of the importance of these matters related to the ocean has been increasing in recent years, as exemplified by the adoption of the Basic Act on Ocean Policy in 2007 in Japan.

Such circumstances highlight the importance of the Ocean Research Institute (ORI) that was established in the University of Tokyo in 1962, whose members have achieved brilliant accomplishments in various disciplines of ocean sciences, such as physics, chemistry, geology, biology, and fisheries. The faculty of ORI has also participated in education in the Graduate Schools of Science, Agricultural and Life Sciences, and Frontier Sciences within the university. In addition, the institute has endeavored to support and manage cooperative scientific research using the two research vessels, Hakuho Maru and Tansei Maru, as well as its other facilities.

We are now restructuring our organization and activities in cooperation with the Center for Climate System Research of this university. It is a good time to do this because ORI is now preparing for its relocation to the Kashiwa Campus to the north of Tokyo, which is one of the major components in the tripolar campus structure of this university. In the beginning of 2010, we will move into a newly constructed building that can house cutting-edge facilities for high-quality research.

As can be seen in this catalogue of our activities in 2008, the faculty and staff of ORI are continuing our efforts to conduct and support marine science research and education in Japan and around the world. Through these types of activities, we will be addressing interesting and important problems in ocean sciences, such as global environmental changes, evolution of life and biodiversity in the ocean, marine ecosystem dynamics, and resource evaluation and management.



東京大学海洋研究所・所長 西田 瞳
Director of ORI NISHIDA, Mutsumi

A handwritten signature in black ink, appearing to read "Mutsumi Nishida".

沿革 | HISTORY


as of May 1, 2009

1958. 1 日本海洋学会と日本水産学会の連名で海洋総合研究所設立について日本学術会議に建議
The Oceanographic Society of Japan and the Society of Fisheries Sciences jointly proposed establishment of the Ocean Research Institute.
1958. 4 日本学術会議において研究所を設置すべきことを議決
Resolution on establishment of the Ocean Research Institute adopted by the Science Council of Japan.
1958. 8 科学技術審議会における審議に基づき、文部省に所属することが適当である旨、科学技術庁長官より文部大臣に通知。文部省は、国立大学研究所協議会において設置具体案を審議
The Minister of the Science and Technology Agency recommended to the Minister of Education and Culture that the new Ocean Research Institute be established in the Ministry of Education and Culture. The Ministry of Education and Culture formulated detailed plans for establishing the Ocean Research Institute.
1962. 4 海洋研究所、東京大学に附置。海洋物理部門、海底堆積部門、研究船、設置
ORI, the University of Tokyo, established. Ocean Circulation and Marine Geology groups established, and plans for research vessels formulated.
1963. 4 資源解析部門、プランクトン部門設置
Fish Population Dynamics and Marine Planktology groups established.
1963. 6 研究船淡青丸竣工
Original R/V Tansei Maru commissioned.
1964. 4 海洋無機化学部門、海洋生物生理部門設置
Marine Inorganic Chemistry and Physiology groups established.
1965. 4 海底物理部門、資源生物部門設置
Submarine Geophysics and Biology of Fisheries Resources groups established.
1966. 4 海洋気象部門、海洋微生物部門設置
Dynamic Marine Meteorology and Marine Microbiology groups established.
1967. 3 研究船白鳳丸竣工
Original R/V Hakuho Maru commissioned.
1967. 6 海洋生化学部門設置
Marine Biochemistry group established.
1968. 4 漁業測定部門設置
Behavior, Ecology, and Observations Systems group established.
1970. 4 海洋生物生態部門設置
Benthos group established.
1972. 5 資源環境部門設置
Fisheries Environmental Oceanography group established.
1973. 4 大槌臨海研究センター設置
Otsuchi Marine Research Center established.
1975. 4 大洋底構造地質部門設置
Ocean Floor Geotectonics group established.
1982. 10 淡青丸代船(469t、1995年規格変更により606t)竣工
Replacement R/V Tansei Maru commissioned.
1988. 4 日本学術振興会拠点大学方式によりインドネシア国との学術交流開始
Cooperative research with Indonesia initiated through the Core University Program of the Japan Society for the Promotion of Science.
1989. 5 白鳳丸代船(3991t)竣工
Replacement R/V Hakuho Maru commissioned.
1990. 6 海洋分子生物学部門設置
Molecular Marine Biology group established.
1994. 6 海洋科学国際共同研究センター設置
Center for International Cooperation established.
2000. 4 16部門を6部門16分野に改組。海洋環境研究センター設置
ORI internally reconstituted into six research departments and three research centers, including the newly-established Center for Environmental Research.
2001. 4 新領域創成科学研究科・海洋環境サブコース設置
Graduate School of Frontier Sciences, Sub-division of Marine Environmental Studies established.
2003. 4 大槌臨海研究センターを国際沿岸海洋研究センターに改名、改組
Otsuchi Marine Research Center reorganized and renamed the International Coastal Research Center.
2004. 4 東京大学の国立大学法人化に伴い、東京大学海洋研究所の組織、運営形態を改組
海洋環境研究センターを先端海洋システム研究センターに改組
研究船淡青丸及び白鳳丸が独立行政法人海洋研究開発機構へ移管
The University of Tokyo transformed into a National University Corporation incorporated as The University of Tokyo; Ocean Research Institute restructured accordingly.
Center for Environmental Research reorganized and renamed the Center for Advanced Marine Research.
R/V Tansei Maru and R/V Hakuho Maru operations transferred to the Japan Agency for Marine-Earth Science and Technology (JAMSTEC).
2006. 4 新領域創成科学研究科の組織改組に伴い自然環境学専攻を設置、その下に3つの基幹講座と3つの研究協力分野からなる海洋環境学コースを新たに発足
Graduate School of Frontier Sciences was reconstituted to establish Department of Natural Environmental Studies in which Course of Marine Environmental Studies, including three core programs and three cooperative programs, started.
2006. 11 海洋研究連携分野<生物圏環境学>設置
Marine Research Linkage group <Biosphere Environment> established.
2009. 3 海洋アライアンス連携分野 設置
Ocean Alliance Linkage established

機構 | ORGANIZATION

組織図

Organization of ORI



委員会 | COMMITTEES

協議会委員

Conference Committee

任期 Term 2008.4.1-2010.3.31

学 外 Outside the University

北海道大学大学院地球環境科学研究院 Graduate School of Environmental Science & Faculty of Environmental Earth Science, Hokkaido University	教授 Professor	乗木 新一郎 NORIKI, Shinichiro
北海道大学大学院水産科学研究院 Graduate School of Fisheries Sciences and Faculty of Fisheries, Hokkaido University	教授 Professor	桜井 泰憲 SAKURAI, Yasunori
東北大大学院理学研究科 Graduate School of Science, Tohoku University	教授 Professor	花輪 公雄 HANAWA, Kimio
海洋研究開発機構地球環境観測研究センター 地球温暖化情報観測研究プログラム IORG, JAMSTEC	プログラムディレクター Program Director	才野 敏郎 SAINO, Toshiro
早稲田大学人間科学学術院 Faculty of Human Sciences, Waseda University	教授 Professor	井内 美郎 INOUCHI, Yoshio
広島大学大学院生物圏科学研究科 Graduate School of Biosphere Science, Hiroshima University	教授 Professor	井関 和夫 ISEKI, Kazuo
国立極地研究所研究教育系 Research Group, National Institute of Polar Research	教授 Professor	福地 光男 FUKUCHI, Mitsuo
東海大学海洋学部 School of Marine Science and Technology, Tokai University	教授 Professor	久保田 雅久 KUBOTA, Masayuki
海洋研究開発機構地球内部変動研究センター 地球古環境変動研究プログラム IFREE, JAMSTEC	プログラムディレクター Program Director	北里 洋 KITAZATO, Hiroshi
東京大学 The University of Tokyo	副学長 Executive Vice President	松本 洋一郎 MATSUMOTO, Youichiro
東京大学大学院工学系研究科 Graduate School of Engineering, The University of Tokyo	教授 Professor	山口 一 YAMAGUCHI, Hajime
東京大学大学院理学系研究科 Graduate School of Science, The University of Tokyo	教授 Professor	日比谷 紀之 HIBIYA, Toshiyuki
東京大学大学院農学生命科学研究科 Graduate School of Agricultural and Life Sciences, The University of Tokyo	教授 Professor	小川 和夫 OGAWA, Kazuo
東京大学大学院新領域創成科学研究科 Graduate School of Frontier Sciences, The University of Tokyo	研究科長 Dean	大和 裕幸 YAMATO, Hiroyuki
東京大学大学院理学系研究科 Graduate School of Science, The University of Tokyo	研究科長 Dean	山形 俊男 YAMAGATA, Toshio
東京大学大学院農学生命科学研究科 Graduate School of Agricultural and Life Sciences, The University of Tokyo	研究科長 Dean	生源寺 真一 SHOGENJI, Shinichi
東京大学地震研究所 Earthquake Research Institute, The University of Tokyo	所長 Director	平田 直 HIRATA, Naoshi
東京大学海洋研究所 Ocean Research Institute, The University of Tokyo	教授 Professor	木暮 一啓 KOGURE, Kazuhiro
東京大学海洋研究所 Ocean Research Institute, The University of Tokyo	教授 Professor	新野 宏 NIINO, Hiroshi
東京大学海洋研究所 Ocean Research Institute, The University of Tokyo	所長 Director	西田 瞳 NISHIDA, Mutsumi

学 内 Inside the University

研究船共同利用運営委員会委員

Cooperative Research Vessel Steering Committee

任期 Term 2007.4.1-2010.3.31

所 外 Outside the Institute

東京大学地震研究所 Earthquake Research Institute, The University of Tokyo	教授 Professor	歌田 久司 UTADA, Hisashi
東京海洋大学海洋科学部 Faculty of Marine Science, Tokyo University of Marine Science and Technology	教授 Professor	吉田 次郎 YOSHIDA, Jiro
京都大学化学研究所 Institute for Chemical Research, Kyoto University	教授 Professor	宗林 由樹 SOHRIN, Yoshiki
名古屋大学地球水循環研究センター Hydrospheric Atmospheric Research Center, Nagoya University	教授 Professor	石坂 丞二 ISHIZAKA, Joji
水産総合研究センター西海区水産研究所 Seikai National Fisheries Research Institute, Fisheries Research Agency	東シナ海漁業資源部長 Director	谷津 明彦 YATSU, Akihiko
気象庁地球環境・海洋部 Global Environment and Marine Department, Japan Meteorological Agency	海洋気象課長 Director, Marine Division	北村 佳照 KITAMURA, Yoshiteru
海洋研究開発機構高知コア研究所 Kochi Institute for Core Sample Research, JAMSTEC	所長 Director	東 埼 AZUMA, Wataru
海洋研究開発機構 JAMSTEC	監事 Auditor	滝澤 隆俊 TAKIZAWA, Takatoshi
東京大学海洋研究所 Ocean Research Institute, The University of Tokyo	所長 Director	西田 瞳 NISHIDA, Mutsumi
東京大学海洋研究所 Ocean Research Institute, The University of Tokyo	教授 Professor	徳山 英一 TOKUYAMA, Hidekazu
東京大学海洋研究所 Ocean Research Institute, The University of Tokyo	教授 Professor	木暮 一啓 KOGURE, Kazuhiro
東京大学海洋研究所 Ocean Research Institute, The University of Tokyo	教授 Professor	西田 周平 NISHIDA, Shuhei

教職員 | STAFF

as of May 1, 2009

歴代所長

Past Directors

1962.4.1 - 1964.3.31	(故)日高 孝次 (deceased) HIDAKA, Kouji	
1964.4.1 - 1964.9.9	(故)松江 吉行 (事務取扱) (deceased) MATSUE, Yoshiyuki	
1964.9.10 - 1965.9.30	(故)松江 吉行 (deceased) MATSUE, Yoshiyuki	
1965.10.1 - 1967.9.30	小倉 義光 OGURA, Yoshimitsu	
1967.10.1 - 1968.11.30	(故)西脇 昌治 (deceased) NISHIWAKI, Shouji	
1968.12.1 - 1972.10.31	奈須 紀幸 NASU, Noriyuki	
1972.11.1 - 1974.10.31	(故)西脇 昌治 (deceased) NISHIWAKI, Shouji	
1974.11.1 - 1976.4.1	(故)内田 清一郎 (deceased) UCHIDA, Shin-ichirou	
1976.4.2 - 1980.4.1	(故)丸茂 隆三 (deceased) MARUMO, Ryuzo	
1980.4.2 - 1984.4.1	奈須 紀幸 NASU, Noriyuki	
1984.4.2 - 1986.4.1	服部 明彦 HATTORI, Akihiko	
1986.4.2 - 1990.4.1	(故)根本 敬久 (deceased) NEMOTO, Takahisa	
1990.4.2 - 1993.3.31	浅井 富雄 ASAI, Tomio	
1993.4.1 - 1997.3.31	平野 哲也 HIRANO, Tetsuya	
1997.4.1 - 2001.3.31	平 啓介 TAIRA, Keisuke	
2001.4.1 - 2005.3.31	小池 黙夫 KOIKE, Isao	
2005.4.1 - 2007.3.31	寺崎 誠 TERAZAKI, Makoto	
2007.4.1 -	西田 瞳 NISHIDA, Mutsumi	

名誉教授

Professors Emeritus

1983	堀部 純男 HORIBE, Yoshio
1984	多賀 信夫 TAGA, Nobuo
1984	奈須 紀幸 NASU, Noriyuki
1987	服部 明彦 HATTORI, Akihiko
1987	田中 昌一 TANAKA, Syoichi
1987	寺本 俊彦 TERAMOTO, Toshihiko
1987	平野 敏行 HIRANO, Toshiyuki
1993	浅井 富雄 ASAI, Tomio
1993	小林 和男 KOBAYASHI, Kazuo
1993	石井 丈夫 ISHII, Takeo
1997	瀬川 爽朗 SEGAWA, Jiro
1998	沖山 宗雄 OKIYAMA, Muneo
1998	平野 哲也 HIRANO, Tetsuya
2003	木村 龍治 KIMURA, Ryuuji
2003	平 啓介 TAIRA, Keisuke
2003	大和田 紘一 OOWADA, Kouichi
2004	杉本 隆成 SUGIMOTO, Takashige
2007	太田 秀 OHTA, Suguru
2007	小池 黙夫 KOIKE, Isao
2007	寺崎 誠 TERAZAKI, Makoto
2007	平 朝彦 TAIRA, Asahiko



東京大学海洋研究所長 Director and Vice-director of ORI

所長 Director	西田 瞳 NISHIDA, Mutsumi
副所長 Vice-director	新野 宏 NIINO, Hiroshi

海洋物理学部門 Department of Physical Oceanography

海洋大循環分野 Ocean Circulation	
教授 Professor	川邊 正樹 KAWABE, Masaki
講師 Lecturer	岡 英太郎 OKA, Eitaro
助教 Research Associate	柳本 大吾 YANAGIMOTO, Daigo
技術専門員 Chief Technician	北川 庄司 KITAGAWA, Shoji

海洋大気力学分野 Dynamic Marine Meteorology

教授 Professor	新野 宏 NIINO, Hiroshi
准教授 Associate Professor	伊賀 啓太 IGA, Keita
助教 Research Associate	柳瀬 直 YANASE, Wataru

海洋生態系動態部門 Department of Marine Ecosystems Dynamics

浮遊生物分野 Marine Planktology	
教授 Professor	西田 周平 NISHIDA, Shuhei
准教授 Associate Professor	津田 敦 TSUDA, Atsushi
助教 Research Associate	西川 淳 NISHIKAWA, Jun
技術職員 Technician	石丸 君江 ISHIMARU, Kimie

微生物分野 Marine Microbiology

教授 Professor	木暮 一啓 KOGURE, Kazuhiro
准教授 Associate Professor	濱崎 恒二 HAMASAKI, Kouji
助教 Research Associate	西村 昌彦 NISHIMURA, Masahiko
技術専門員 Chief Technician	塙本 久美子 TSUKAMOTO, Kumiko

底生生物分野 Benthos

教授 Professor	小島 茂明 KOJIMA, Shigeaki
-----------------	---------------------------

海洋化学部門 Department of Chemical Oceanography

海洋無機化学分野 Marine Inorganic Chemistry	
教授 Professor	蒲生 俊敬 GAMO, Toshitaka
准教授 Associate Professor	小畠 元 OBATA, Hajime
助教 Research Associate	中山 典子 NAKAYAMA, Noriko

生元素動態分野 Marine Biogeochemistry

教授 Professor	永田 俊 NAGATA, Toshi
准教授 Associate Professor	小川 浩史 OGAWA, Hiroshi
助教 Research Associate	宮島 利宏 MIYAJIMA, Toshihiro
技術専門職員 Senior Technician	早乙女 伸枝 SAOTOME, Nobue

海洋底科学部門 Department of Ocean Floor Geoscience

海洋底地質学分野 Marine Geology	
教授 Professor	徳山 英一 TOKUYAMA, Hidekazu
准教授 Associate Professor	芦 寿一郎 ASHI, Juichiro
助教 Research Associate	中村 恭之 NAKAMURA, Yasuyuki
技術職員(兼) Technician	亀尾 桂 KAMEO, Katsura

海洋底地球物理学分野 Submarine Geophysics

准教授 Associate Professor	沖野 郷子 OKINO, Kyoko
助教 Research Associate	今西 祐一 IMANISHI, Yuichi

海洋底テクトニクス分野 Ocean Floor Geotectonics

※兼務教授 Professor	川幡 穂高 KAWAHATA, Hodaka
准教授 Associate Professor	横山 祐典 YOKOYAMA, Yusuke
助教 Research Associate	井上 麻夕里 INOUE, Mayuri
技術専門職員 Senior Technician	田村 千織 TAMURA, Chiori

海洋生物資源部門 Department of Living Marine Resources

環境動態分野 Fisheries Environmental Oceanography	
教授 Professor	安田 一郎 YASUDA, Ichiro
※兼務准教授 Associate Professor	小松 幸生 KOMATSU, Kosei
助教 Research Associate	伊藤 幸彦 ITO, Sachi-hiko
技術専門員 Chief Technician	永江 英雄 NAGAE, Hideo
技術専門員 Chief Technician	松本 町子 MATSUMOTO, Machiko

資源解析分野 Fish Population Dynamics

※兼務教授 Professor	白木原 國雄 SHIRAKIHARA, Kunio
准教授 Associate Professor	平松 一彦 HIRAMATSU, Kazuhiko
技術専門職員 Senior Technician	森山 彰久 MORIYAMA, Akihisa

資源生態分野 Biology of Fisheries Resources

教授 Professor	渡邊 良朗 WATANABE, Yoshiro
准教授 Associate Professor	河村 知彦 KAWAMURA, Tomohiko
助教 Research Associate	猿渡 敏郎 SARUWATARI, Toshiro
技術専門員 Chief Technician	原 政子 HARA, Masako

国際沿岸海洋研究センター International Coastal Research Center

沿岸生態分野

Coastal Ecosystem

センター長(兼)・教授	道田 豊
Director, Professor	MICHIDA, Yutaka
准教授	新井 崇臣
Associate Professor	ARAI, Takaomi

沿岸保全分野

Coastal Conservation

教授	大竹 二雄
Professor	OTAKE, Tsuguo
准教授	佐藤 克文
Associate Professor	SATO, Katsufumi

地域連携分野

Regional Linkage

客員教授	岸 道郎
Visiting Professor	KISHI, Michio

船舶室

Office for Research Boats

技術専門職員	黒沢 正隆
Senior Technician	KUROSAWA, Masataka
技術職員	盛田 孝一
Technician	MORITA, Koichi

特任専門職員	平野 昌明
Project Specialist	HIRANO, Masaaki

海洋科学国際共同研究センター Center for International Cooperation

企画情報分野

Research Planning

教授	宮崎 信之
Professor	MIYAZAKI, Nobuyuki
准教授	井上 広滋
Associate Professor	INOUE, Kouji
客員准教授	川口 創
Visiting Associate Professor	KAWAGUCHI, So

研究協力分野

Research Cooperation

センター長(兼)・教授	植松 光夫
Director, Professor	UEMATSU, Mitsuo
准教授	朴 進午
Associate Professor	PAKU, Jino

先端海洋システム研究センター Center for Advanced Marine Research

海洋システム計測分野

Marine System Observation

センター長(兼)・教授	佐野 有司
Director, Professor	SANO, Yuji
准教授	藤尾 伸三
Associate Professor	FUJIO, Shinzou
助教	高畠 直人
Research Associate	TAKAHATA, Naohito
助教	田中 潔
Research Associate	TANAKA, Kiyoshi

海洋システム解析分野

Marine System Analysis

教授	窪川 かおる
Professor	KUBOKAWA, Kaoru
准教授	天川 裕史
Associate Professor	AMAKAWA, Hiroshi
助教	大村 亜希子
Research Associate	OMURA, Akiko

海洋研究連携分野(生物圏環境学) Marine Research Linkage(Biosphere Environment)

※ 兼務教授	木村 伸吾
Professor	KIMURA, Singo
特任准教授	青山 潤
Project Associate Professor	AOYAMA, Jun
兼任特任講師	高橋 鉄哉
Project Lecturer	TAKAHASHI, Tetsuya
※ 兼務助教	北川 貴士
Research Associate	KITAGAWA, Takashi

海洋アライアンス連携分野 Ocean Alliance Linkage

※ 兼務教授(兼)	木村 伸吾
Professor	KIMURA, Singo
特任准教授(兼)	青山 潤
Project Associate Professor	AOYAMA, Jun

兼任特任講師(兼)	高橋 鉄哉
Project Lecturer	TAKAHASHI, Tetsuya

観測研究企画室 Office for Cruise Coordination

室長(兼) Office Head

西田 周平
NISHIDA, Shuhei

技術班 Technical Team

技術専門職員	今井 圭理
Senior Technician	IMAI, Keiri
技術職員	石垣 秀雄
Technician	ISHIGAKI, Hideo
技術職員	小熊 健治
Technician	OGUMA, Kenji
技術職員	杢 雅利
Technician	MOKU, Masatoshi

企画班 Planning Team

助教(兼)	稻垣 正
Research Associate	INAGAKI, Tadashi
技術職員	龜尾 桂
Technician	KAMEO, Katsura

管理班 Information Team

教授(兼)	西田 周平
Professor	NISHIDA, Shuhei

共通施設

Research Facilities

金属工作室 Machine Shop

技術職員
Technician
金子 秋男
KANEKO, Akio

電子計算機室 / ネットワーク管理室 Computer Room / Network Management Office

技術職員
Technician
棚橋 由紀
TANAHASHI, Yuki

海図室 Chart Library

技術職員
Technician
五十嵐 千秋
IGARASHI, Chiaki

事務部 Administration

事務部長 池田 貞雄
Executive Secretary IKEDA, Sadao

総務課

General Affairs Division

総務課長 吉田 雅彦
Head, General Affairs YOSHIDA, Masahiko
Division
専門員(企画調整担当) 菊地 みつ子
Senior Specialist KIKUCHI, Mitsuko
総務係長 宮城 明治
Head, General Affairs MIYAGI, Akiharu
Section
主任 中井 珠美
Senior Administrative Staff NAKAI, Tamami
研究協力係長 安部 秀明
Head, Research Cooperation Section ABE, Hideaki
主任 浅川 優子
Senior Administrative Staff ASAOKAWA, Yuko
図書係長 濱田 すみ子
Head, Library Section HAMADA, Sumiko
国際交流係長 近 泰子
Head, International Affairs Section CHIKA, Yasuko
係員 飯塚 裕二
Administrative Staff IIZUKA, Yuji

経理課

Accounting Division

経理課長 山岸 公明
Head, Accounting Division YAMAGISHI, Koumei
主査(経理担当) 小渕 和宏
Specialist KOBUCHI, Kazuhiro
専門職員(安全衛星管理担当) 高野 哲郎
Senior Specialist TAKANO, Tetsuro
司計係長 大浦 輝一
Head, Budget Section OHURA, Kiichi
主任 清田 盟
Senior Administrative Staff KIYOTA, Mei
経理係長(兼) 小渕 和宏
Head, Accounting Section KOBUCHI, Kazuhiro
主任 麻生 邦仁子
Senior Administrative Staff ASO, Kuniko
用度係長 酒井 勝
Head, Contracts Section SAKAI, Masaru
主任 小城 哲夫
Senior Administrative Staff OGI, Tetsuo
施設係長 永野 太
Head, Campus Facilities Section NAGANO, Futoshi

国際沿岸海洋研究センター事務室

Office for International Coastal Research Center

主査 柳澤 茂孝
Specialist YANAGISAWA, Shigetaka
事務室係長 大森 弘光
Head, Center Office OHMORI, Hiromitsu

教職員数

Number of Staff

as of May 1, 2009

		教 授 Professor	准 教 授 Associate Professor	講 師 Lecturer	助 教 Research Associate	事務系職員 Administrative Staff	技術職員 Technical Staff	合 計 Total
研究 部 門 Research Departments		13 (2)	11 (2)	1	16	—	11 (1)	51 (1) (4)
附属研究施設 Research Centers	国際沿岸海洋研究センター International Coastal Research Center	2	2 (1)	—	1	2	2	9 (1)
	海洋科学国際共同研究センター Center for International Cooperation	2	2 (1)	—	—	—	—	4 (1)
	先端海洋システム研究センター Center for Advanced Marine Research	2	2	—	3	—	—	7
海洋研究連携分野(生物圏環境学) Marine Research Linkage (Biosphere Environment)		(1)	—	—	(1)	—	—	(2)
共 通 施 設 Research Facilities		—	—	—	—	—	3	3
観 测 研 究 企 画 室 Office for Cruise Coordination		(1)	—	—	(1)	—	5	5 (2)
事 務 部 Administration		—	—	—	—	19	—	19
合 計 Total		19 (1) (3)	17 (2)(2)	1	20 (1) (1)	21	21 (1)	98 (3)(2)(6)

※()は客員:外数 []は兼務:内数

Number of Visiting Professors in parentheses.

※()は大学院新領域創成科学研究科 自然環境学専攻 海洋環境学コース 基幹講座教員(海洋研兼務教員):外数

Core academic staff of Course of Marine Environmental Studies, Department of Natural Environmental Studies, Graduate School of Frontier Sciences

全国共同利用研究 | COOPERATIVE RESEARCH PROGRAM

海洋研究所は、海洋における基礎的な研究を行うことを目的とした全国の研究者のための共同利用研究所として、各研究分野において、多くの研究者に幅広く利用されています。

本所の共同利用は、毎年、翌年度実施分の公募を行っており、応募された研究計画などの選考については次のとおり行っています。研究船共同利用は、学内外の委員で構成された海洋研究所研究船共同利用運営委員会で審議決定され、国際沿岸海洋研究センター及び中野地区共同利用については、学内外の委員で構成された海洋研究所協議会で審議され、教授会で決定されます。

公募内容

■学術研究船白鳳丸・淡青丸共同利用

学術研究船白鳳丸は、遠洋、近海のいかんを問わず比較的長期の研究航海を行う研究船であり、あらかじめ決められた研究計画に基づいた共同利用の公募を行い、学術研究船淡青丸は、主として日本近海の調査研究の公募を行っています。

■国際沿岸海洋研究センター共同利用

岩手県大槌町の国際沿岸海洋研究センターを利用する共同利用であり、所内外の研究者が本センターに滞在して研究を行う外来研究員制度と、少数の研究者による研究集会の公募を行っています。

■中野地区共同利用

比較的多人数の1~2日間の研究集会、比較的少数の研究者による数日間の研究集会と、所外の研究者が本所に滞在して研究を行う便宜を提供することを目的とした外来研究員制度があります。

公募時期

Annual Schedule of Application

公募内容 Service to apply	公募時期 Announcement	申込期限 Closing date
白鳳丸 R/V Hakuho-maru	8月 August	9月中旬 September
淡青丸 R/V Tansei-maru	8月 August	9月中旬 September
国際沿岸海洋研究センター 外来研究員・研究集会 Visiting Scientist·Research Meeting in International Coastal Research Center	10月 October	11月末 November
中野地区 外来研究員・研究集会 Visiting Scientist·Research Meeting in Nakano Campus	10月 October	11月末 November

The Ocean Research Institute offers a cooperative research program for scientists conducting fundamental ocean research. Many researchers across all scientific disciplines participate in the program. Invitations to apply to the program are issued annually, one year prior to the year of shipboard operations.

Each proposed research plan is reviewed by a special administrative committee consisting of ORI and external members. Visiting scientist applications and research meeting proposals are subject to approval by vote of the entire ORI faculty after reviewed by conference committee consisting of ORI and external members.

Available Services

■Research Vessels Hakuho Maru and Tansei Maru

The research vessel Hakuho Maru conducts cruises worldwide. It is available to scientists having research plans relevant to the scientific themes of each cruise, which are announced in advance. The research vessel Tansei Maru is available for cruises near Japan.

■International Coastal Research Center

The International Coastal Research Center (Otsuchi, Iwate) offers two services. One is providing in-house laboratory space and facilities, and the other is assisting small groups holding on-site research meetings.

■Nakano Campus

This program supports relatively large scientific meetings lasting one to two days, and relatively small meetings lasting several days. It also supports short-term visiting scientists.



問い合わせ先 :

東京大学海洋研究所 総務課 研究協力係
〒164-8639 東京都中野区南台1-15-1
Tel (03) 5351-6354・6355・6370・6373
Fax (03) 5351-6836

For Inquires :

Cooperative Research Service Office, Ocean Research Institute, The University of Tokyo
1-15-1 Minamidai, Nakano-ku, Tokyo 164-8639
Tel : +81-3-5351-6354, 6355, 6370, 6373
Fax : +81-3-5351-6836

全国共同利用研究施設 | COOPERATIVE RESEARCH FACILITIES



■観測研究企画室

主として、学術研究船白鳳丸、淡青丸に乗船して共通観測機器の運用および機器の取り扱い指導など、航海計画の全般にわたる観測支援体制をとっています。陸上においては、共通機器の保守、管理や機器の開発、改良などを行います。また、運航計画、ドック工事、共通機器の選定・購入・修理など、航海計画の初期段階から携わっています。室長を総括として、技術・企画・管理の3班に分かれて組織を運営しています。

Office for Cruise Coordination

The "Office for Cruise Coordination" provides support for each R/V Hakuho Maru and R/V Tansei Maru research cruise. Its main task is technical support of scientific equipment, primarily via shipboard instruction. Other tasks include maintenance and enhancement of equipment for common use, expert advice on cruise planning, and dock service. It also selects, develops, and purchases new equipment. The Office is supervised by a manager and has three groups: Technical Service, Planning and Management, and Data Management.

組織図
Organization



■図書室

海洋研究所での研究および教育活動を支援するため、関連図書・雑誌などを収集、保存し、研究の参考に活用しています。また、東京大学附属図書館システムを活用し、図書室蔵書のオンライン目録化により、他大学・研究機関へも利用提供しています。
2009年3月25日現在の主な所蔵資料は次のとおりです。なお、三井海洋生物学研究所の蔵書は、当研究所が入手保管し、利用されています。

蔵書数 5万3664冊(和書1万6876冊、洋書3万6788冊)
継続購入雑誌182種(和雑誌23種、洋雑誌159種)
地図類 4628枚

Library

The library houses books and journals encompassing the scientific disciplines represented at the Ocean Research Institute, and provides information services for faculty, staff, and students. The library is part of the University of Tokyo Library System, and provides other universities and institutions with online resources. The library holds books provided by the Mitsui Institute of Marine Biology. The main collection comprises the following resources (as of Mar 25, 2009).



Books: 53,664 volumes (16,876 Japanese books and 36,788 foreign books)
Current journals (subscription): 182 titles (23 Japanese journals and 159 foreign journals)
Maps: 4,628 sheets



■電子計算機室・ネットワーク管理室

電子計算機室では、共有メモリ型並列計算サーバIBM Regatta Systemを中心とするシステムを保有。ネットワーク管理室では、科学情報の交換・データ転送に不可欠なネットワークシステムや、電子メールシステムの安全かつ効率的な維持・管理業務を行っております。

Computer Facility Network Management Office

The primary hardware of the computer facility is an IBM Regatta parallel system. The network management office oversees and maintains ORI's network, which is necessary for exchanging scientific information and data, and providing safe and effective electronic mailing services.

■放射線同位元素実験室

放射性同位元素を用いた生物学、化学、物理学的実験を行うための施設で、本所放射線安全委員会の安全管理のもとに運営されています。放射能測定装置としては、液体シンチレーションカウンター、ガンマカウンターなどを、また、実験装置としては、高速液体クロマトグラフィ、遠心型凍結乾燥機、PCRサーマルサイクラーなどを備えています。

Radioisotope Laboratory

Biological, chemical and physical studies using radioisotopes are undertaken in this facility, which is managed by ORI's Security Committee for Radioisotopes. Major instruments include a liquid scintillation counter, gamma counter, high performance liquid chromatograph (HPLC), centrifugal concentrator, and polymerase chain reaction (PCR) thermal cycler.

■飼育室

濾過装置、熱交換器、温度調節器をつけ、淡水・海水の双方が使用できる1t水槽、250ℓ水槽、200ℓ水槽、各4～8台を保有。空気供給口および暗幕を備えた飼育実験室、温度調節も可能な低温実験室も設置しております。

Aquarium Facility

An Aquaregina (with automated temperature control) with fresh-water and seawater inputs includes four 1-ton aquariums, eight 250 liter aquariums, and four 200 liter aquariums.

■培養室

培養準備室、空調付無菌接種室、恒温培養室、水槽培養室の4つの部屋からなり、海洋細菌、微細藻類等の株の保存、植え継ぎおよび短期、長期の培養実験を行っております。

Laboratory for Cultivation of Microalgae and Bacteria

The laboratory consists of four rooms: 1) a culture media preparation and sterilization room, 2) a clean room, 3) an air-conditioned room, and 4) a room with approximately 10 removable thermostat controlled tanks.

■資料室

研究船で採集した資料、例えば液浸生物試料、海水、岩石、堆積物コア、観測資料、海底地層図等を調整、保管しております。

Sample and Specimen Laboratory

Samples and specimens collected aboard R/V Hakuho Maru and R/V Tansei Maru, e.g., sediment cores, rock specimens, seawater samples, dried and formalin-preserved specimens of marine organisms, etc., together with various kinds of data, are stored in this facility.

■低温 / 冷凍室

低温実験室(+4°C)3室、試料低温保存室(+4°C)1室、試料冷凍貯蔵室(-25°C)3室からなり、低温での実験、研究船で採取した試料や実験試料の保存が可能です。

Low-Temperature Facilities

Experiments at low temperatures are undertaken in the low temperature laboratory (+4°C). Samples and specimens are held in cold storage (+4°C) or refrigerators (-25°C).

■写真室

写真の撮影、現像、焼付け、スライドの作成のための暗室を設置。また、資料接写台、引伸機、印画紙乾燥機、およびインスタントスライド作成器なども備えております。

Photography Laboratory

This facility includes a dark room for developing film and printing photographs, and a semi-dark room with dryers for film and prints. A slide maker is available for preparing slides and figures.



■ 金属工作室

マシンショップでは海洋観測のための新しい測器の開発、新機器の設計、試作、調整を行っています。また、研究者や大学院生に対し、金属工作に関する指導や助言も実施しております。

■ ガラス工作室

Open shop systemをとっており、室担当者の指導のもとに高度な技術を必要とする各種ガラス器具の作成が可能です。また、希望者には技術取得のための指導を行っております。

■ 海図室

研究航海に必要な様々な海域の海図を揃えています。

■ 遺伝子解析実験室

P2レベルまでの組み換えDNA実験を行うためにクラスIIBの安全キャビネットを備え、動物、植物および微生物の核酸の抽出、遺伝子ライブラリーの作成、RNAの発現解析を行うことができます。

■ 測定器室

使用目的の類似した大型実験機器を各部屋ごとに備え、共通の使用に供しております。以下、測定器室毎の主要設置機器名です。

1. 栄養塩自動分析装置、元素分析器、同位体比質量分析計、蛍光分光光度計、超遠心分離機、高速冷却遠心機
2. 電子線マイクロアナライザー(2機種)、蛍光X線分析装置(2機種)、X線粉末・単結晶回折装置、地質試料準備装置(超大型・精密岩石切断機、岩石琢磨薄片製作装置、岩石粉末作成装置)
3. CHNコーダー、コールターカウンター、高速TLCスキャナーコーダー、フローサイトメトリーシステム
4. ICP発光分光分析計、偏向ゼーマン型原子吸光光度計、四重極型ICP質量分析装置
5. 透過型電子顕微鏡、超ミクロトーム、ガラスナイフ作製機、凍結試料作製装置、真空蒸着装置
6. 走査電子顕微鏡、マグネットロンスパック、イオンスパック、臨界点乾燥装置、凝結乾燥装置、画像解析装置
7. 同位体比質量分析計、表面電離型質量分析計
8. ウエル型ピュアゲルマニウム検出器付γ線スペクトロメーター、レベル α/β 線測定装置
9. DNAシーケンサー、リアルタイムPCR機、自動コロニーピッカー、ピペッティングロボット

■ 講堂

内外研究者によるシンポジウムや講演会、学術研究船淡青丸・白鳳丸の航海打ち合わせ、各種講義などに利用されています。

Machine Shop

The machine shop is used for the design, development, testing, and repair of instruments for use at sea. Visiting scientists and students may obtain advice and instruction on machining in this facility.

Glass Blowing Shop

A technician oversees this open shop facility. Requests can be made to learn glass blowing techniques.

Chart Library

Collection of charts of various locations and sizes.

P2 Laboratory for Molecular Cloning

A Class IIB safety cabinet is available for recombinant deoxyribonucleic acid (DNA) experiments under the P2 level. A DNA synthesizer, a DNA sequencer, and an electrophoresis analyzer are also available.

Instrument Room

Widely used instruments are installed in various rooms for the convenience of researchers.

1. Autoanalyzer, elemental analyzer, isotope-ratio mass spectrometer, spectrofluorometer, ultracentrifuge, and centrifuges.
2. Two electron probe microanalyzers, two X-ray fluorescence analyzers, two X-ray diffractometers, and apparatuses for geological sample preparation.
3. Carbon, nitrogen, and hydrogen analyzer, and a Coulter counter.
4. Inductively coupled plasma mass spectrometers (ICP-MS) and atomic absorption spectrometer.
5. Electron microscope and ultramicrotome.
6. Scanning electron microscope, ion sputter, and critical point dryer.
7. Thermal ionization mass spectrometer (TIMS).
8. Radiocarbon dating system, liquid scintillation counter, and gamma spectrometer.
9. DNA sequencers, Real-time PCR system, Automated colony picker, Biomek 2000 pipetting robot

Lecture Hall

The lecture hall is used for symposia, meetings, and lectures by both domestic and foreign scientists.

国際沿岸海洋研究センター International Coastal Research Center



所在地：
〒028-1102
岩手県上閉伊郡大槌町赤浜2丁目106番1号
設置年月日：
昭和48年4月12日
Address：
2-106-1 Akahama,
Otsuchi, Iwate Prefecture
Established：
April 12, 1973



主要研究施設設備

■施設

屋外実験水槽：小型水槽 3.5×1.5m 28面、
中型水槽 6.0×3.0m 2面
実験水槽室：97.2m²、海水・淡水・空気供給施設
海水取水供給施設：海水取水装置 200t／時、
密閉型海水濾過装置 100t／時 2基
淡水取水供給施設：淡水取水装置 30t／時
RI実験室

■設備

海象気象自動観測記録装置：塩分、水温、風向、風速、気温など
10項目の観測記録
CTD(アレック電子製)
ICP質量分析装置 Agilent 7500CS
走査型電子顕微鏡：日本電子 JSM-5800LV
透過型電子顕微鏡：日本電子 JEM-100S
CHNコーダー：ジェイサイエンスラボ JM10
分離用超遠心器：日立 CP70MX、日立 CR20
オートアナライザ：プラン・ルーベ TRAACS 2000
採水器：バンドン型他
プランクトンネット：ノルパック型、MTD型、ORI型ほか
魚類等採集用船曳網各種
セディメントトラップ
採泥器：スミスマッキンタイヤー1／10m²、ボックスコアラー

■船艇

弥生：FRP12t、17.1×4.1×2.0m、740PS、
300kg×1000mウインチほか 竣工：平成17年1月21日
チャレンジャー三世：FRP0.7t、6.75×1.89×0.48m、
60PS船外機 竣工：平成11年3月25日
チャレンジャー二世：FRP1.0t、7.27×1.52×0.69m、
40PS船外機 竣工：平成元年3月11日

■Research facilities

Outdoor breeding tanks: 3.5×1.5m 28 tanks,
6.0×3.0m 2 tanks
Aquarium room: 97.2m²
Sea water supply facility: pump capacity, 200 tons/hour
Fresh water supply facility: pump capacity, 30 tons/hour
Radioisotope laboratory

■Sampling and experimental equipments

Weather and sea condition monitoring system
CTD
ICPMS
Scanning electron microscope
Transmission electron microscope
CHN corder
Preparative ultracentrifuge
Auto-analyzer
Water samplers
Plankton and fish sampling nets
Sediment traps
Bottom samplers

■Research Boats

Yayoi: FRP 12 tons, 17.1×4.1×2.0m, 740PS, 300kg×1000m winch
Challenger III: FRP 0.7 tons, 6.75×1.89×0.48m, 30PS outboard motor
Challenger II: FRP 1.0 tons, 7.27×1.52×0.69m, 40PS outboard motor



学術研究船—淡青丸・白鳳丸

Research Vessels—Tansei Maru and Hakuho Maru

東京大学海洋研究所は、研究所附属の研究施設として淡青丸と白鳳丸の二隻の研究船を保有し、それらの研究船は全国共同利用施設として日本全国の研究者に活用されてきました。2004年度からは、船籍が海洋研究開発機構(JAMSTEC)に移管され、東京大学海洋研究所と海洋研究開発機構が協力して学術研究船の運航にあたっています。

淡青丸は、1982年に就航した全長51m、総トン数610tの中型研究船であり、主として日本近海の調査研究で活躍しています。また、白鳳丸は、1989年に就航した全長100m、総トン数3991tの大型研究船であり、遠洋、近海を問わず、世界の海を舞台として長期の研究航海に利用されています。

The Ocean Research Institute coordinates scheduling and operations of two research vessels with the Japan Agency for Marine-Earth Science and Technology (JAMSTEC).

The research vessel Tansei Maru is 51m long and displaces 610 gross tons. She entered service in 1982 and is used for a relatively short cruises near Japan. The research vessel Hakuho Maru is 100m long and displaces 3991 gross tons. She entered service in 1989 and is used for cruises globally.



学術研究船 淡青丸

起工：1982年2月1日

進水：1982年7月9日

竣工：1982年10月15日

Research Vessel Tansei-maru

Keep Laid: February 1, 1982

Lunched: July 9, 1982

Completed: October 15, 1982

学術研究船 白鳳丸

起工：1988年5月9日

進水：1988年10月28日

竣工：1989年5月1日

Research Vessel Hakuho-maru

Keep Laid: May 9, 1988

Lunched: October 28, 1988

Completed: May 1, 1989

教育システム | EDUCATIONAL SYSTEM

教育システムの概要


Outline of Educational System

海洋研究所の教員は、東京大学大学院の協力講座あるいは兼任講座に所属して大学院教育を担当しております。修士課程あるいは博士課程の大学院生として、海洋研究所の各研究部門において修学、研究を行うには、当該研究部門の教員が所属する理学系研究科、農学生命科学研究科、新領域創成科学研究科および総合文化研究科の専門課程の入学試験に合格した後に、海洋研究所の教員を指導教員として選定することになります。

海洋研究所は、教養学部冬学期に海洋学に関するテーマを定め、関連の教員5~6名による連続講義(全学自由研究セミナー)を実施しています。そのほか、学部の授業も担当しています。学部卒業もしくは、これと同等以上の学力を有する者を対象とした海洋研究所研究生を受け入れています。また、理学系研究科、農学生命科学研究科および、新領域創成科学研究科所属の研究生に対する研究指導、大学外の機関に所属する研究者を対象とした受託研究員制度および、流動研究員制度により研究教育活動を行っています。

Almost all professors and associate professors of the Ocean Research Institute (ORI) belong to either the Graduate School of Science, the Graduate School of Agricultural and Life Sciences, the Graduate School of Frontier Sciences, or the graduate school of Arts and Sciences all of the University of Tokyo, and are engaged in graduate programs through lecturing and supervision of graduate students. Also, special lectures in oceanography are given to undergraduate students in the College of Arts and Sciences during their second (winter) term. In addition, ORI accepts both domestic and foreign research students and research fellows.

ORI staffs are affiliated with the Graduate School of Science (Earth and Planetary Science, Chemistry, and Biological Sciences), the Graduate School of Agricultural and Life Sciences (Aquatic Bioscience), or the Graduate School of Frontier Sciences (Division of Environmental Studies). Numbers of graduate students enrolled at the Ocean Research Institute are listed below.



概要 Outline

専攻は地球惑星科学、化学、生物科学の3つがあり、理学的アプローチにより海洋に関連した諸現象の解明を目指します。

Studies of a wide range of oceanographic phenomena are undertaken within specific disciplines.

海や河川、湖沼などの水圏における自然科学、生物科学を通して、地球の環境資源や生物資源の有効性などを追求します。

Studies of the global environment and living resources are undertaken in the entire hydrosphere, including the oceans, rivers, and lakes.

自然環境学専攻に、海洋環境学コースが新たに設置され、海洋環境に関する諸現象について複合的、学術的視点から研究をすすめる新しい分野です。

Course of Marine Environmental Studies was recently established. Studies of marine environmental phenomena are undertaken through multi-disciplinary and interdisciplinary approaches.

駒場キャンパスにあり、専攻は既存の学問体系を超えて学際的に新たな知を探求する精神を涵養する目的をもって作られた研究科に属しています。

The department belongs to the school that was established to create a new discipline that combines arts and sciences and is located at the Komaba campus.

新領域創成科学研究科 環境学研究系 自然環境学専攻 海洋環境学コース

Course of Marine Environmental Studies, Department of Natural Environmental Studies, Division of Environmental Studies, Graduate School of Frontier Sciences

2006年4月、新領域創成科学研究科の組織改組に伴い自然環境学専攻が設置され、その中に3つの基幹講座と3つの研究協力講座からなる海洋環境学コースが新たに発足しました。その理念、目的を次に示します。

海は地球表層の7割を占め、かつては冒険と神秘とロマンに満ちた世界でした。しかし研究の進展につれ、海は地球と生命の歴史を紐解く鍵であること、さらに我々人類が直面する地球環境問題あるいは食料資源問題に深く関わっていることが明らかになってきました。周辺を海に囲まれた我が国にとって、海を科学的に理解し、海をその望ましい状態に維持しながら持続的に利用していくことは必須の課題です。これには海洋メカニズムに関する総合的な知識と、海洋環境システムに対する探求能力あるいは問題解決型の能力を持った人材の養成が急務です。さらにその養成は豊富な国際的経験に裏打ちされたものでなければなりません。

海洋環境学コースの大学院教育の特徴は、海洋研究所のキャンパス上で学生生活を送ること、さらに研究航海や沿岸域の調査などを通して教員とともにフィールド研究を行う中でそれぞれの分野の知識を増やし、実践的に研究能力を育てていくことです。また、海洋研究は他国の研究者と共同して進められることが多く、大学院学生もそうした中で外国の若手研究者と共に過ごしながら学ぶことになります。このような現場体験型のプログラムと総合的な講義を通じ、海洋環境を統合的に理解し、そのシステムを駆動するメカニズムを探求する人材、あるいは我が国の海洋利用のあり方に新しい方向性を提示しうる人材の育成を図ることがこの海洋環境学コースの目的です。

学生数

Number of Graduate Students Enrolled

as of April 1, 2009

		年度 Academic Year	2006	2007	2008	2009
大学院 Graduate School	理学系研究科 Science	修士 MC	27(1)	18	12	22
		博士 DC	26(3)	20(3)	18(3)	14(1)
	農学生命科学研究科 Agricultural and Life Sciences	修士 MC	14	22(1)	25(3)	20(1)
		博士 DC	26(3)	26(3)	26(3)	31(7)
	新領域創成科学研究科 Frontier Sciences	修士 MC	28(2)	38(1)	44(1)	43(2)
		博士 DC	12(2)	15(3)	20(3)	24(3)
	大学院研究生 Post Graduate Research Student		-	2	-	1
	特別研究学生 Post Graduate Visiting Student		-	1	2	-
	外国人研究学生 International Research Student		2(2)	2(2)	1(1)	1(1)
	農学特定研究員 Post Doctoral Research Fellow		5	2	5	3
海洋科学特定共同研究員 Post Graduate Research Student for Ocean Science			7	4	5	4
研究生 Research Student			1	6(3)	3(2)	1(1)
日本学術振興会特別研究員 JSPS Research Fellowship for Young Scientists			8	7	8	4
日本学術振興会外国人特別研究員 JSPS Postdoctoral Fellowship for Foreign Researchers			4	3	2	5

()内は外国人で内数 Total number of foreign students are in parentheses.

In April 2006, Graduate School of Frontier Sciences was reconstituted to establish Department of Natural Environmental Studies in which Course of Marine Environmental Studies, including three core and three cooperative programs, started. The principle and aim are shown as follows.

The oceans cover 70% of the earth surface, and have long inspired adventure, mystery and imagination. Through earth history the global ocean has been a critical component of the earth's environment. Furthermore, it hosts important renewable and non-renewable resources. Japan, surrounded by the ocean, needs to gain comprehensive scientific knowledge of the ocean, in order to sustain and improve the oceanic environment and to utilize marine resources wisely. Specialists in basic and applied ocean environmental research are therefore in strong demand.

The educational program of Marine Environmental Studies is unique in that graduate students conduct their academic life on the campus of the Ocean Research Institute, offering exceptional opportunities to participate in research cruises and other field work. Students can observe natural phenomena directly, learn modern research techniques, and pursue their own investigations together with many young foreign scientists. The Marine Environmental Studies program is designed to provide graduate students with both field and classroom lecture experience, so that they can develop abilities to investigate environmental processes in the ocean and to develop solutions for current and future environmental challenges.

東京大学海洋アライアンス The University of Tokyo Ocean Alliance

東京大学海洋アライアンスとは、全学にわたる部局横断的の海洋教育研究を行うための核として、6研究科、3研究所、2研究センターなどを中心に平成19年7月に立ち上がった機構と呼ばれる組織です。東京大学には海洋に直接関係する150名を超す教育研究者が在籍しており、それぞれの研究分野をネットワークでつなぐ役割を海洋アライアンスは担っています。その基本的な理念は、社会から要請される海洋関連課題の解決に向けて、グローバルな観点から国と社会の未来を考えることにあり、海洋科学の発展のための知識と理解を深め、新しい概念・技術・産業を創出し、関係する学問分野を統合して新たな学問領域を拓く一方、シンクタンクとして我が国の海洋政策の立案と執行に貢献していくことを目的としています。そのための中核的な部局として、海洋研究所は、海洋アライアンスの活動に大きく貢献しています。

[大学院横断型 海洋学際教育プログラム]

このような目的を達成するために、海洋アライアンスでは、海に関する総合的人材育成を目的とした大学院横断型教育プログラムを実施しています。本プログラムは、理系、文系といった従来の枠組みを超えた学際領域としての海洋学の総合的な発展と、日本の海洋政策の統合化および国際化を担う人材の育成を目指しています(www.oa.u-tokyo.ac.jp)。

The University of Tokyo Ocean Alliance was established in July, 2007 as a core for faculty transecting marine education and research composed of six graduate schools, three institutes and two research centers. The 150 teaching and research staffs who study ocean sciences directly are belonging to the University of Tokyo and the Ocean Alliance takes an important role to link the scientists in one network. Its basic concept is development of ocean basic sciences with contribution to efficient planning and action of marine policy. For accomplishment of the purpose, education for scientists and government officials who can evaluate the marine policy based on professional knowledge of ocean sciences is required. The Ocean Alliance provides educational program transecting social science, natural science and technology for the purpose. The Ocean Research Institute, the University of Tokyo, is a core of the Ocean Alliance and contributes to the activity.

新世紀を拓く深海科学リーダーシッププログラム HADEEP (Hadal Environmental Science/Education Program)

深海は地球最後のフロンティアであり、人類の知的好奇心の対象です。ここは海洋大循環や気候変動などのグローバルプロセスの場であると同時に、医薬、微生物、鉱物など、産業的に重要な多くの未利用資源を包含しており、近年未理解のまま人類の大規模な開発のターゲットとなっています。


東京大学海洋研究所で2006年度から始められたこのプログラムは、深海を対象として、物理、化学、地質、生態、生命、資源などの各分野の研究を進めることにより、深海のより詳細な理解を追求するプログラムです。本プログラムでは、最先端の深海科学を教育する拠点を形成し、世界をリードする深海科学の研究者・技術者・行政者を数多く養成することを目的としています。またこれによって人類のもつ深海への理解を大幅に進めるこことを狙いとしています。このために、本プログラムでは深海を学際的に理解するための講義「深海科学概論」の開講や、外国との共同研究、また若手研究者の国際的な交流に力を注いでいます。

Hadal sea is the last frontier of the earth, so that we have interest in the hadal ocean from intellectual point of views. The hadal sea controls global earth processes such as deep sea circulation and global climate change. In addition the hadal sea has potentiality of developments of new medicine, and finding of new bacteria and deep sea mineral deposits from industrial aspects. Therefore, the hadal sea is a great target taking future utilization into accounts recently, despite of without understanding the system of the hadal sea.

Ocean Research Institute, University of Tokyo started the Hadal Environmental Science/Education Program at FY 2006. The program aims in , 1) comprehensive understanding of hadal sea, based on physics, chemistry, geology, ecology, life science, fishery science, and science for development of marine resources, 2) construction of the education center of advanced hadal research and nurturing frontrunners in the field of science, engineering, and administration. We hope the program makes a great progress of the understanding of hadal sea. In order to accomplish the aim of program, we start the course of "the introduction of hadal science", and international science collaboration including exchange program of young scientists with Aberdeen University Ocean Laboratory.

研究内容 | RESEARCH CONTENTS

DEPARTMENT



海洋物理学部門

Department of Physical Oceanography

19

海洋大循環分野・海洋大気力学分野

Division of Ocean Circulation・Division of Dynamic Marine Meteorology



海洋化学部門

Department of Chemical Oceanography

22

海洋無機化学分野・生元素動態分野

Division of Marine Inorganic Chemistry・Division of Marine Biogeochemistry



海洋底科学部門

Department of Ocean Floor Geoscience

25

海洋地質学分野・海洋底地球物理学分野・海洋底テクトニクス分野

Division of Marine Geology・Division of Submarine Geophysics・

Division of Ocean Floor Geotectonics



海洋生態系動態部門

Department of Marine Ecosystems Dynamics

29

浮遊生物分野・微生物分野・底生生物分野

Division of Marine Planktology・Division of Marine Microbiology・

Division of Benthos



海洋生命科学部門

Department of Marine Bioscience

33

生理学分野・分子海洋科学分野・行動生態計測分野

Division of Physiology・Division of Molecular Marine Biology・

Division of Behavior, Ecology and Observation Systems



海洋生物資源部門

Department of Living Marine Resources

37

環境動態分野・資源解析分野・資源生態分野

Division of Fisheries Environmental Oceanography・

Division of Fish Population Dynamics・Division of Biology of Fisheries Resources



国際沿岸海洋研究センター

International Coastal Research Center

41

沿岸生態分野・沿岸保全分野・地域連携分野

Division of Coastal Ecosystem・Division of Coastal Conservation・

Division of Regional Linkage



海洋科学国際共同研究センター

Center for International Cooperation

44

企画情報分野・研究協力分野

Division of Research Planning・Division of Research Cooperation



先端海洋システム研究センター

Center for Advanced Marine Research

47

海洋システム計測分野・海洋システム解析分野


Division of Marine System Observation・Division of Marine System Analysis



海洋連携分野<生物圏環境学>

Marine Research Linkage <Biosphere Environment>

50



海洋アライアンス連携分野

Ocean Alliance Linkage

51

海洋物理学部門


Department of Physical Oceanography



GPSゾンデの放球
Launching of GPS sonde



流速と水温、塩分、溶存酸素の測定
Observation of current velocity, water temperature, salinity, and oxygen



超音波流速計の設置作業
Deployment of acoustic current meter

人類や生物の生存に適した現在の気候と海洋環境は、海洋と大気の流れによる熱輸送や海洋・大気間での熱・運動量・水・二酸化炭素などの交換の微妙なバランスによって維持されています。そのため、このような海洋・大気システムの物理機構の解明とそれに基づく長期変動の予測は、人類の生存に関わる緊急の課題です。海洋物理学部門では、表層から深層にわたる海洋大循環の流れと水塊の形成・変質過程、海洋・大気間の相互作用とその結果生じる海洋・大気擾乱などについて、観測に基づく定量的把握と力学機構の解明を行っており、長期変動の予測に不可欠な海洋・大気システムの理解と検証のための研究を進めています。

The present climate and oceanic environment supporting life on earth are maintained through subtle balances among heat transport in the oceans and the atmosphere, and exchanges of heat, momentum, water, and carbon dioxide between them. Therefore, clarifying the physical mechanisms of the ocean-atmosphere system and predicting long-term variations of the system are critical goals for both science and society. We investigate general ocean circulation, water mass formation and conversion processes, air-sea interactions, and oceanic and atmospheric disturbances through observation, theory, numerical simulation, and laboratory experiments.

海洋大循環分野 Division of Ocean Circulation

海洋大循環の実態と力学、および水塊の形成や分布に果たす役割の解明を目指し、北太平洋の黒潮と深層循環を中心に、研究船やフロートなどによる海洋観測を重視した研究を進めている。

We primarily investigate the Kuroshio and North Pacific deep circulation based on ocean observations, in order to clarify the properties and dynamics of general ocean circulation and its roles in the formation and distribution of water masses.

海洋大気力学分野 Division of Dynamic Marine Meteorology

海洋上の気象擾乱のメカニズムや大気・海洋の相互作用に関する対流・乱流などの流れの基礎過程などを、観測データの解析、数値シミュレーション、力学理論、室内流体実験などの手法を用いて研究している。

Our group studies the mechanism of atmospheric disturbances over oceans and the basic hydrodynamic processes of convection and turbulence that play important roles in atmosphere-ocean interaction, through observation, numerical simulation, theory, and laboratory experiments.

海洋物理学部門

Department of Physical Oceanography, Division of Ocean Circulation

海洋大循環分野

世界の海を巡る海洋大循環は、熱や塩分、二酸化炭素などの温室効果気体、浮遊生物や生物に必要な栄養塩などを運び、熱や物質の循環、海域特有の水塊の形成と輸送、海洋生物の生育などに寄与し、地球の気候や海水構造および海洋の生態系に大きな影響を与えています。広い緯度帯に人間が住める現在の気候は、海洋と大気の循環が太陽から入射した熱の一部を高緯度に向かって輸送することで実現しています。北半球の中緯度では海洋の寄与が大きく、その主役が黒潮と湾流です。そのため、熱輸送量を決める黒潮の流量は重要な研究対象です。また、漁業や海運に大きな影響を及ぼす黒潮の流路変動の解明も重要な研究課題です。さらに、3000m以深の海洋を巡る深層循環も、水温成層の形成や気候変動などに重要です。これは、北大西洋の極域で冬季に沈降した海水が南下して南極周極流に合流し、南極底層水と混ざりながら特有の海水を作り、その一部が太平洋を北上して北太平洋で深層上部に湧昇するという雄大な海水循環です。その終着点である北太平洋での循環構造の理解は、深層循環の全体像を理解するために極めて重要です。

海洋大循環分野は、こうした海洋循環の実態と力学、および海洋循環が水塊の形成や分布に果たす役割の解明を目指しており、特に北太平洋の黒潮と深層循環の研究に力を入れています。海洋の実態を調べるために観測データを重視しており、研究船での海洋観測を行って重要な海域での高品質データを取得し、補足資料として他機関や国際研究計画のデータを収集し、現実の海洋を正確に理解するために、それらのデータを解析し力学機構を議論しています。

現在の主な研究テーマ

●太平洋深層循環の流路の解明

深層循環の終着点である北太平洋は、深層水の特性の薄まりと海底地形の複雑さのために研究の難しい海域です。そこで、海水特性を高精度で測定して丹念に分析し、深層西岸境界の流路や深層上部への湧昇などを明らかにしています。

●北太平洋深層循環の流速・流量の評価と監視

深層循環の減衰は地球温暖化に拍車をかけるので監視が必要です。深層循環の理解と監視のために、係留系による流速測定を行い、短周期擾乱を除いた正確な流速・流量の評価と変動特性の研究を行っています。

●太平洋表・中層の海洋構造の変動解明

表層と中層の海洋循環やそれに伴う水温・塩分構造の変動も、気候変動や水産資源の変動に大きな影響を与えます。世界規模の自動観測網や私たちの観測によって得られた水温・塩分などのデータの解析により、その実態解明をめざしています。

General ocean circulation plays a large role in the global climate, environment, and ecosystem by transporting heat, greenhouse gases, nutrients, and plankton. The Kuroshio carries significant heat northward, thereby influencing global climate. Important deep ocean circulation must also be investigated especially in the North Pacific, where global deep circulation overturns to the shallower deep layer.

We investigate the properties and dynamics of general ocean circulation including the formation, distribution, and variation of water masses. Our foci are primarily the Kuroshio and North Pacific deep circulation. We acquire high-quality oceanographic data from critical areas at sea, and compile data from national and international sources. We seek to understand the state of the ocean through analyzing these data and discussing the dynamics of the phenomena.

Ongoing Research Themes


●**Trajectory of deep circulation in the Pacific** : The North Pacific is critically important for understanding deep ocean circulation, but presents many challenges, including diluted water mass characteristics and complex bottom topography. We seek to clarify the routes of deep circulation in the Pacific.

●**Transport of North Pacific deep circulation** : We monitor deep current velocities in the North Pacific using moored current meters, and evaluate volume transport to improve understanding global deep circulation.

●**Variability of the upper ocean circulation in the Pacific** : Variations of ocean circulation and the associated temperature/salinity structure in upper oceans have a great impact on variations of climate and fisheries resources. We study these variations by analyzing the data from a recently developed global observing system and our observations.

係留流速計と係留CTD の回収作業

Recovery of a mooring of current meter and CTD



KAWABE, M.



OKA, E.



YANAGIMOTO, D.

教授
Professor

川邊 正樹
KAWABE, Masaki

講師
Lecturer

岡 英太郎
OKA, Eitarou

助教
Research Associate

柳本 大吾
YANAGIMOTO, Daigo

海洋物理学部門

Department of Physical Oceanography, Division of Dynamic Marine Meteorology

地球の気候を支配している大気と海洋は、海面を通して互いに強い相互作用を行う複雑な結合システムを構成しています。潮汐を除くほとんどの海洋の運動は、大気が海面に与える風の応力や熱・水などのフラックスによって駆動されています。一方、海面から供給された熱や水蒸気は大気中の対流や低気圧など、さまざまなスケールの擾乱の発生・発達に大きく影響しています。このように複雑なシステムの振る舞いを正確に把握し、精度良く予測するためには、対流や乱流をはじめとする大気・海洋の基礎的な過程に関する理解が不可欠であることが、以前にも増して強く認識されてきています。海洋大気力学分野では、大気と海洋の相互作用に関わる対流・乱流・低気圧など、さまざまな大気・海洋擾乱の実態・構造・メカニズムを観測データの解析・数値シミュレーション・力学理論・室内流体実験などの多様な手法により解明しています。

現在の主な研究テーマ

●日本周辺の海洋上に発生する大気擾乱の研究

冬期に大陸から寒気が流出すると、日本周辺の海洋上では活発な大気・海洋相互作用が起き、筋状に並んだ対流雲やボーラーロウ(水平スケールが数100km程度のメソ低気圧)などが発生して、豪雪や高波などを生じます。一方、梅雨期には、活発な対流雲の集まりを伴うメソ低気圧が梅雨前線上の東シナ海に発生して西日本に集中豪雨をもたらします。これらの低気圧では対流雲と低気圧の渦が複雑な相互作用をしており、その構造や力学過程の解明は防災上も気象学上も急務です。

●対流雲の形態・組織化機構と集中豪雨の研究

組織化された対流雲は、局地的な強風や集中豪雨の原因となります。また、対流雲による鉛直方向の熱輸送は地球の気候に大きな影響を与えるため、その形態と組織化機構の研究は重要です。

●大気・海洋間のフラックスに関する研究

台風は海面から供給される水蒸気をエネルギー源として発達する一方、その強風により海中に活発な混合、湧昇、内部波などを励起します。また、大気・海洋は海面での運動量の交換を通して固体地球の回転の変動にも寄与しています。大気・海洋間の物理量の交換に関わる大気・海洋境界層の乱流機構やその結果生ずる大気・海洋擾乱の機構の解明は大気・海洋相互作用の理解に不可欠です。

●室内実験による大気・海洋擾乱の研究

大気・海洋擾乱の基礎的過程を、最新の機器を用いた回転成層流体実験によって解明しています。

海洋大気力学分野

The earth's climate is regulated by the atmosphere and oceans, which interact strongly and constitute a complex coupled system. Most oceanic circulation, except for tidal motion, is caused by atmospheric forcing such as wind stress, surface heating/cooling, evaporation, and precipitation. Much atmospheric circulation, on the other hand, is forced by sensible and latent heat fluxes through the sea surface. To understand such a complex system and to predict its behavior reliably, it is important to investigate the basic processes of atmospheric and oceanic circulation such as turbulence, convection, and instabilities. Our group studies the behavior, structure, and mechanisms of various atmospheric and oceanic disturbances, which play important roles in atmosphere-ocean interactions, through observation, numerical simulation, theory, and laboratory experiments.

Ongoing Research Themes

●Atmospheric disturbances over the oceans around the Japanese islands

Meso-scale and synoptic-scale cyclones in which interactions among the vortex, convective clouds, and sea surface fluxes play important roles are investigated. These include polar lows that develop during cold air outbreaks, meso-scale cyclones that bring torrential rainfall during the Baiu/Meiyu season, typhoons, subtropical cyclones, and rapidly-developing extratropical cyclones.


●Convective cloud formation

●Atmosphere-ocean fluxes

●Laboratory experiments on atmospheric and oceanic disturbances

本分野の研究例

Examples of ongoing research



数値実験で得られたボーラーロウ(左上)と梅雨期の降水バンドの南北断面(右上)。亜熱帯低気圧のレーダー画像(左下)と回転系の水平対流の室内実験(右下)

Numerically simulated polar low (upper left), meridional cross-section of numerically simulated rainband (upper right), radar image of subtropical low (lower left; courtesy of Japan Meteorological Agency) and horizontal convection in a rotating tank experiment (lower right)



NIINO, H.



IGA, K.



YANASE, W.

教授
Professor

新野 宏
NIINO, Hiroshi

准教授
Associate Professor

伊賀 啓太
IGA, Keita

助教
Research Associate


柳瀬 亘
YANASE, Wataru

海洋化学部門

Department of Chemical Oceanography



石垣島のサンゴ礁
Coral reef in Ishigaki Island



CTD-CMSシステムを用いたクリーン採水
Clean seawater sampling using a CTD-CMS system



分子レベルでの同位体分析システム
The system for compound-specific isotopic analysis

地球の表面積の7割を占め、平均3800mの深度を持つ海洋。この広大な空間に地球上に存在する水の97%が満たされています。ここではさまざまな物質が、生物作用あるいは物理化学的な作用により姿・形を繰り返し変えながら存在しています。また、海洋は決して閉じた世界ではなく、大気、陸上、海底と接する境界面で物質を交換させながら、地球全体の物質循環を駆動させています。これら一つひとつのやり取りの微妙なバランスによって地球環境が成り立っているのです。果たして、海洋において物質はどのように変遷し、境界面ではどのような生物地球化学プロセスが進行しているのか？我々は最先端の技術を開発・駆使しながら、より鮮明な物質循環像の解明に取り組んでいます。

The boundless ocean covers 70% of the earth's surface to a mean depth of 3800m, encompassing 97% of all water on earth. The copious dissolved and suspended matter in the ocean cycles internally through biological and/or physicochemical processes, and externally through exchanges at the boundaries of the ocean with the atmosphere, land, and seafloor. The global environment maintains delicate balances and feedbacks for each process. We aim to elucidate the mechanisms of cycling in the ocean by employing state-of-the-art technologies for analyzing elements, isotopes, organic and inorganic matter, and biogeochemical processes.

海洋無機化学分野

Division of Marine Inorganic Chemistry

分析化学的手法を駆使して、海水中の主要および微量元素の濃度・同位体分布を詳細に解明し、海洋の化学的性質を明らかにする。海洋環境における生物地球化学的サイクルと進化を、大気、生物圏および固体地球との相互作用も含めて理解する。

Our main goals are: i) to elucidate chemical characteristics of the ocean from detailed mapping of the distribution of major and minor elements including their isotopes by making the best use of technologies of analytical chemistry, and ii) to understand biogeochemical cycles and evolution of the oceanic environments associated with interactions with the atmosphere, biosphere, and solid earth.

生元素動態分野

Division of Marine Biogeochemistry

海洋における生元素の循環メカニズムを、化学的、生物学的手法を駆使して解明する。特に、海洋における栄養塩類・有機物の動態と生物過程の相互作用に着目し、地域的な海洋環境や地球規模での気候変動に与える影響への定量化をめざす。

The mechanism of biogeochemical cycle of biophilic elements in the ocean will be elucidated using both chemical and biological approaches. In particular, we focus on the interaction between organic matter and nutrients dynamics, and biological processes, and aim to quantify its affect on local marine environments and global climate change.

海洋化学部門

海洋無機化学分野

Department of Chemical Oceanography, Division of Marine Inorganic Chemistry

海水が塩辛いのは、海水中に塩化ナトリウムなど、いろいろな塩が溶解しているためです。また、わずかですが海水は濁っています。これは、生物体や陸起源物質に由来する細かい粒子が漂っているためです。このように、海洋環境はさまざまな化学物質から構成されています。それらの複雑な分布と挙動は、各物質が固有に持つ化学的性質、供給と除去の起こり方、さらに海洋内での物理化学的あるいは生物学的过程によって、巧みにコントロールされていると考えられます。我々、海洋無機化学分野では、海洋におけるこのような地球化学的物質サイクルについて、大気圏、生物圏、および岩石圏との相互作用を経てどのように進化してきたのかも含め、総合的に理解することを目指しています。その上で、化石燃料二酸化炭素の放出をはじめとする地球環境問題に対し、海洋がどのように反応するのか、どのような役割を果たしているのかについて解明しようとしています。これらの研究を推進し新たな分野を開拓するために、白鳳丸・淡青丸などの研究船や「しんかい6500」などの潜水船を活用し、また他の大学・研究機関の多くの研究者とも共同で観測調査やデータ解析を進めます。さらに国際的には、海洋の総合的な地球化学研究に関わる共同プロジェクト、例えば、GEOTRACES, SOLAS, IMBER, InterRidge, LOICZ, IODPなどと密接に協調しつつ研究を進めています。

Various chemical components constitute the oceanic environment, and their complex distribution and behavior are controlled by their chemical properties, sources and sinks, as well as physicochemical and biological processes. Our main goal is to comprehensively understand geochemical cycles in the ocean and their evolution through interactions with the atmosphere, biosphere, and lithosphere, on the basis of chemical and isotopic measurements. We aim also to elucidate the oceanic response to natural and anthropogenic perturbations such as emission of fossil fuel carbon dioxide. We collaborate at sea with many marine scientists and actively participate in topical international projects such as GEOTRACES, the Surface Ocean Lower Atmospheric Study (SOLAS), Integrated Marine Biochemistry and Ecosystem Research (IMBER), International Cooperation in Ridge-Crest Studies (InterRidge), Land-Ocean Interactions in the Coastal Zone (LOICZ), the Integrated Ocean Drilling Program (IODP), etc.

Ongoing Research Themes

- Biogeochemical characterization of trace elements, major and minor dissolved gases, stable isotopes, and radioisotopes in seawater and sediment, for assessment of oceanic processes controlling their spatial and temporal variations, including anthropogenic effects.
- Application of chemical components and isotopes as tracers for various phenomena, such as global ocean circulation, mixing, biological production and degradation, and air-sea and land-ocean interactions.
- Elucidation of geochemical fluxes between the ocean and solid earth through submarine hydrothermal activity, cold seepage, and submarine groundwater discharge.
- Development of new technologies for clean sampling, in situ observations, and highly sensitive chemical analyses.



研究船淡青丸における大量採水器を用いた観測作業（日本海にて）
Large volume water sampling on board R/V Tansei-maru (Japan Sea)



GAMO, T.



OBATA, H.



NAKAYAMA, N.

教授 Professor	蒲生 俊敬 GAMO, Toshitaka
准教授 Associate Professor	小畠 元 OBATA, Hajime
助教 Research Associate	中山 典子 NAKAYAMA, Noriko

海洋化学部門

生元素動態分野

Department of Chemical Oceanography, Division of Marine Biogeochemistry

海洋における生元素(炭素・窒素・リン・珪素・イオウなど)のサイクルは、多様な海洋生物による生化学的変換プロセスと物質移動を支配する物理学的プロセスとの複雑な相互作用によって駆動され、大気や陸域における元素循環過程と連動しつつ地球環境に大きな影響をおよぼしています。近年、人類による物質循環系の擾乱と、その結果としての地球温暖化や生物多様性の大規模な消失といった環境問題が顕在化・深刻化し、生物圏と地球環境の相互作用の仕組みとその変動要因を明らかにすることは人類にとっての急務とされています。しかし、グローバル・スケールでの海洋物質循環とその制御機構に関する知見は十分でなく、特に生物の深く関与する非定常プロセス、局所的プロセスに関しては、その重要性にもかかわらずなお未知の領域を多く残しています。

生元素動態分野では、生元素循環の素過程を担う多様な生物群集による代謝ネットワークの進行する場の解析と制御メカニズムの解明、および生物代謝が環境中の物質の分布と輸送に果たす役割の解明を大目標に掲げ、新しい技術や方法論の開発、モデル実験や理論的アプローチによるプロセス研究、研究船航海や調査旅行によるルーティン観測作業を3つの柱として研究を進めています。河口・沿岸域から外洋に至るさまざまな場において固有のテーマに基づく基礎的研究に取り組んでいるほか、有機物・栄養塩の精密分析、軽元素同位体比分析、同位体トレーサー法、光学的粒子解析技術を主要な武器として大型共同プロジェクトの一翼を担うことにより、時代の要請に即応した分野横断的な海洋研究を目指しています。

現在の主な研究テーマ

- 海洋の生物地球化学的循環におけるウィルスの役割
- 海洋深層における微生物食物網の構造と役割
- 海水中の難分解性溶存有機物の構造とその分解を阻害している因子の研究
- 大気海洋炭素循環モデルにおける化学パラメータの精密観測
- 热帯～温帯沿岸生態系(特に大型底生植物群落)の生態学的機能とその保全
- 海洋窒素循環と有機物の分解過程における微生物学的酸化還元プロセスの役割
- 炭素・窒素の安定同位体比を用いた物質循環・食物連鎖解析法の開発とその応用



NAGATA, T.



OGAWA, H.




MIYAJIMA, T.

The distribution and circulation of biophilic elements such as carbon (C), nitrogen (N), phosphorus (P), silicon (Si), and sulfur (S) in the ocean are regulated by both physical transport processes and biochemical transformation by various organisms. These elements may occur in volatile, dissolved, or particulate forms, and thus their biogeochemical cycles in the ocean are closely linked with those in the atmosphere and the lithosphere. Because of its large capacity, the sea plays a crucial role in maintaining the global cycles and balance of these elements. Research in our laboratory is concerned primarily with the dynamics of biophilic elements in marine environments and their coupling with metabolisms of marine organisms. Emphasis is placed on identification of various biochemical processes operating in the water column and upper marine sediments, and their regulation and interaction.

Ongoing Research Themes

- Role of viruses in marine biogeochemical cycles
- Structure and function of microbial food webs in bathypelagic oceans
- The nature of refractory dissolved organic matter in oceanic waters
- Determination of chemical parameters used in global circulation models
- Conservation ecology of macrophyte-dominated coastal ecosystems
- The roles of microbial redox processes in marine sediment biogeochemistry
- Application of stable isotopic techniques to the evaluation of ecosystem status




教授
Professor
准教授
Associate Professor
助教
Research Associate


永田 俊
NAGATA, Toshi
小川 浩史
OGAWA, Hiroshi
宮島 利宏
MIYAJIMA, Toshihiro

海洋底科学部門


Department of Ocean Floor Geoscience



自航式深海底サンプル採取システム
Navigable Sampling System (NSS)



岩石薄片の偏向顕微鏡写真(カンラン岩)
Photomicrograph (polarization microscope) of peridotite



海底地形3次元図(海洋コアコンプレックス)
3D seafloor morphology (oceanic core complex)



船上作業風景
Work on a research vessel

大海原の下には堆積物や火山岩で覆われた海底が広がっています。そこには「惑星地球」の歴史が刻まれており、活動的な固体地球としてのさまざまなプロセスを研究する土台があります。この地球のいちばん表層部分こそ、地殻の形成や破壊、地球環境の変化、そして海洋生物の進化と絶滅の歴史を物語る鍵に満ちています。海洋底科学部門では、海底が新しく生まれている中央海嶺や背弧海盆、深部の地殻物質の露出するトランスフォーム断層、極めて大規模な火山活動で生まれた巨大海台、活発な地震活動や物質循環の生じているプレート沈み込み帯など、海底がダイナミックに生きている事実そのものを研究対象としています。

The oceans cover the majority of our planet's surface, and the seafloor underneath is typically sediment or volcanic rock. The ocean floor records the history of planet Earth, and also yields information on dynamic Earth processes. The Earth beneath the sea is a critical environment for researching the production and destruction of oceanic crust, changes in Earth environments, and the evolution and extinction of marine life. Scientists of the Department of Ocean Floor Geoscience study oceanic ridges, transform faults, large igneous provinces, subduction zones, and back arc basins to understand dynamic Earth.

海洋底地質学分野 Division of Marine Geology

地形・地下構造探査、採泥、深海掘削、海底観察などによって、現在進行中の地質現象を理解し、自然災害、地球環境変動、資源に関わる問題解決の鍵となる情報の取得を目的に研究を行なっています。

Our group conducts topographic, seismic reflection, sediment sampling, deepsea drilling and seafloor observation investigations to understand active processes in the deep sea and to obtain key information for reducing natural hazards, predicting global environmental changes, and locating natural resources.

海洋底地球物理学分野 Division of Submarine Geophysics

主に測地学・地球物理学的な手法を用いて、研究船による観測や陸上での観測を行い、中央海嶺プロセス、地球の構造とダイナミクスを研究しています。

We study dynamic processes and the history of the deep seafloor and Earth's interior using mainly geophysical methods, employing both marine and land observations.

海洋底テクトニクス分野 Division of Ocean Floor Geotectonics

海洋底テクトニクス分野では、地質・地球化学データおよび地球物理学データに基づいて海洋地殻に関連したテクトニクスと地球環境システムの相互作用の総合的な解明を目指しています。

The principal objectives of the Ocean Floor Geotectonics Division are investigation of the dynamics of the oceanic lithosphere and its interaction with earth's surface environments based upon the integration of the geological, geochemical and geophysical data.

海洋底科学部門

海洋底地質学分野

Department of Ocean Floor Geoscience, Division of Marine Geology

海洋底に分布する地層には、海洋地殻の形成、過去に生じた地震の痕跡、地域的あるいは全地球的な環境変動、碎屑物の集積、炭素をはじめとする物質循環などの記録が残されています。また、海底では火山活動、熱水活動、プレート沈み込み帯の地殻変動などの現在進行中の地質現象を観測することができます。海洋底地質学分野では、主に音波を用いた地形調査や地下構造探査、地質試料の採取、深海掘削、海底観察などによって、過去の現象を理解するとともに、自然災害、地球環境変動、資源に関する問題を解決し、将来を予測する上で基礎となる情報の取得を目的として研究を進めています。

研究は、調査船を用いた海洋底の構造の広域マッピングとともに、対象を絞った高精度・高解像度のデータの取得に力を入れています。具体的には研究室で所有する3つの装置、1) 海底の微細構造や底質のマッピングを目的とした深海曳航式サイドスキャナ探査システム、2) 海底下浅部構造を対象とした高解像度反射法地震探査システム、3) 精密照準採泥を目的とした自航式深海底サンプル採取システム、を用いた調査を実施しています。例えば、プレート沈み込み帯では付加ブリズムの成長過程、碎屑物の浅海から深海への運搬・堆積過程、泥火山の形成過程について、従来にない精度の情報を得ています。また、地球磁場の逆転イベントや白亜紀の海洋貧酸素イベントなどの研究では、海域調査のみならず海外の陸上調査も実施しています。これらの研究成果は、国際深海掘削計画のプロポーザルの事前調査データとしても活用されています。

Deep-sea strata record the development of oceanic crust, the history of earthquakes, regional and global environmental changes, and the carbon cycle. Moreover, active geological processes, e.g., volcanism, hydrothermal venting, sediment transport, and crustal movements at convergent, divergent, and transform plate boundaries, can be observed on or beneath the seafloor. Our group conducts topographic, seismic reflection, sediment sampling, and seafloor observation investigations to understand both the geological record and active processes in the deep sea. In particular, we pursue high-precision and high-resolution studies using the deep-tow sidescan sonar system "WADATSUMI", a seismic reflection system consisting of a generator-injector (GI) airgun and multichannel streamer cable, and a navigable pinpoint sampling system "NSS", as well as undertaking more regional studies. Complementary to local and regional studies, we participate intensively in the Integrated Ocean Drilling Program (IODP) and other international projects, both at sea and onshore. Our main goal is to obtain key information for reducing natural hazards, predicting global environmental changes, and locating natural resources.


Ongoing Research Themes

- Shallow structure, mass balances, and tectonics of subduction zones
- Distribution and displacements of active submarine faults
- Structure and physical properties of oceanic crust using seismic reflection data
- Distribution and origin of methane hydrates
- Characterization of brine lake and mud volcano related to continent-continent collision in the eastern Mediterranean Sea
- Seismic oceanography - Oceanic finestructure using seismic reflection method

現在の主な研究テーマ

- プレート沈み込み帯浅部の地質構造、物質循環とテクトニクスの研究
- 深海底活断層の分布と活動履歴の研究
- 反射法地震探査を用いた海底下構造・物性の研究
- メタンハイドレートの分布と成因の研究
- 大陸-大陸衝突に伴い形成される東地中海の塩水湖および泥火山の研究
- 反射法地震探査を用いた海洋中微細構造の研究

室戸沖南海トラフの3次元反射法地震探査で得られたプレート境界面(デコルマ)の形状。自己組織化マップを用いたアトリビュート解析で得られたクラス分けの結果を色で示す。海底面と海洋地殻上面の色は、深度(往復走時)を示している



Decollement geometry from 3D-seismic reflection data in the Nankai Trough. Color is based on a classification results using seismic attributes analysis with Kohonen self-organizing map



TOKUYAMA, H.



ASHI, J.



NAKAMURA, Y.

教授 Professor	徳山 英一 TOKUYAMA, Hidekazu
兼務准教授 Associate Professor	芦 寿一郎 ASHI, Juichiro
助教 Research Associate	中村 恒之 NAKAMURA, Yasuyuki

海洋底科学部門

海洋底地球物理学分野

Department of Ocean Floor Geoscience, Division of Submarine Geophysics

深海底は水に覆われて普通は見ることのできない世界ですが、地球上の大半の火山活動が実は海底で起こっていることからもわかるように、極めて活動的なところです。海底で起こるさまざまな地学現象は、地球深部の構造やダイナミクスと密接に関連し、一方で海や大気を介して地球環境変動とも結びついています。また、海底に刻まれたさまざまな証拠から、地球の経てきた歴史の一端を垣間見ることができます。しかしながら、深海底の調査はまだ歴史が浅く、人類が探査してきたのはごく限られた部分にすぎません。海底を研究するための手法は数多くありますが、比較的広い範囲を概観して基本的な原理や構造を把握するためには、リモートセンシングの考えを取り入れた地球物理観測と解析が強力な手段となり得ます。

海洋底地球物理学分野では、ダイナミックに変動する海底の現象と地球の構造を、主に測地学・地球物理学的な手法を用いて明らかにする研究に取り組んでいます。具体的には、研究船での観測や陸上観測で得られる地形・地磁気・重力・地震波構造などのデータを元に、中央海嶺での海底拡大のプロセス、熱水系と海洋性地殻の関わり、地球の深部構造などを明らかにすることを主な課題としており、観測の対象となる海域・地域は現在世界中に広がっています。これらの課題を通じて、過去から現在に至る地球の変動の実態に迫ることが目標です。また、観測技術や解析手法の開発、海底地球物理データベース統合などにも精力的に取り組んでいます。

現在の主な研究テーマ

●中央海嶺のテクトニクスの研究

新しい海洋底が生まれる中央海嶺の海底拡大過程を研究しています。特に、マグマの供給が少なく断層運動の卓越する海嶺(海洋デタッチメント断層)に焦点を当てています。また、マグマの過剰な系としてホットスポット近傍における中央海嶺の火成活動についても調査を行っています。

●熱水活動と海洋性地殻

海底熱水系とその周囲の生態系の多様性は海洋性地殻の組成と構造に支配されています。私たちは化学・生物の研究者とともに熱水の多様性を生み出すテクトニックな背景を研究しています。

●超伝導重力計観測による地球深部ダイナミクスの研究

長野県松代において超伝導重力計による精密重力観測を行い、地球自由振動から地球回転に至る幅広い周波数帯域にわたって地球の内部構造やダイナミクスについての研究を行っています。

●海上重磁力観測システムの開発



OKINO, K.



IMANISHI, Y.

The deep seafloor is an active, but hidden environment where most of Earth's volcanism and much of its tectonic activity occurs. Various phenomena on the deep seafloor are closely linked to Earth dynamics and structure, and also linked to Earth's environment through the hydrosphere and atmosphere. Though the seafloor plays an important role in Earth's evolution, the area we have investigated so far is quite limited. Geophysics is a powerful tool to investigate the vast seafloor realm and to contribute to understanding basic Earth principles and structure.

We, the submarine geophysics group, study dynamic processes and the history of the deep seafloor and Earth's interior using mainly geophysical methods, including one of the academic world's most advanced seismic processing and interpretation centers. Our targets range from mid-ocean ridge processes to core structure, employing both marine and land observations, and our goal is to paint a precise picture of the dynamic Earth system. We also develop new observation technologies and new methods of data analysis.


Ongoing Research Themes

●Mid-ocean ridge processes : The main goal of our mid-ocean ridge studies is to understand the key processes forming the wide variety seafloor globally. A recent target is oceanic detachments where tectonism dominates magmatic accretion. We also investigate hotspot-ridge interaction as the process in magma-excess systems.

●Oceanic crust formation and hydrothermalism : We study the tectonic background and oceanic crust structure, supporting the wide variety of hydrothermal activity and eco-system.

●Study of the Earth's Deep Interior with Superconducting Gravimeter

●Development of marine gravity and geomagnetic instruments



准教授
Associate Professor
助教
Research Associate

沖野 郷子
OKINO, Kyoko
今西 祐一
IMANISHI, Yuichi

海洋底科学部門

Department of Ocean Floor Geoscience, Division of Ocean Floor Geotectonics

海洋底テクトニクス分野

海洋底テクトニクス分野では、多岐にわたる海洋底火成活動の物質科学とテクトニクスのトータルな解明を目指しています。海洋底火成活動は、(A)プレートの発散の場である海嶺域、(B)収斂の場である島弧海溝域(そして両者の複合域である縁海域)、さらに両者とは(C)独立のプレート内域(LIPS、ホットスポット、コールドスポット、ミニスポットなど)の活動に大別できます。本分野は、上記3種の活動域での火成活動の構成物とその変遷過程の解明を目指し、基礎研究に臨んでいます。

日本の陸上地質の70%以上は、前弧域を含む海洋底由来の物質から構成されているといっても、過言ではありません。すなわち、陸上の地質は過去の地質過程の集積、いわゆる現在の海洋底地質過程の集積として理解できます。陸上地質の理解にも、海底地質・岩石の研究は不可欠です。そのため、精密な海底地形・地球物理調査を行い、その情報に基づいて海底地質・岩石試料(生物硬試料を含む)を採集し、物質科学的解析により現在の海底の構成物質・形成課程を理解し、さらには陸上地質・岩石の成因の理解にも供しています。解析には自動化されたXRF、EPMA、ICP-MSなどの最新の装置を駆使して、岩石および構成鉱物の主成分・微量元素成分・同位体に至る分析を行っています。特に、海洋底試料では報告の少ない造岩鉱物の分析と、それらの基礎分析データに基づくマグマの素過程; 温度圧力などの物理化学条件の解析に力を入れています。国際深海掘削、有人潜水艇探査、ドレッジなどの試料が研究に供されています。

本分野では、全国共同利用研究所の特性を生かすべく、共同研究に特別な努力を払っています。

現在の主な研究テーマ

●東フィリピン海の岩石とテクトニクスの変遷史

伊豆小笠原弧、雁行海山、九州パラオ弧、四国海盆の地形・年代・構成岩石の解析から、東フィリピン海の海洋性島弧初期火成活動から現在の背弧海盆・島弧・海溝系に至る岩石学的発達史とテクトニクスの変遷を解明します。

●背弧海盆・島弧系の地質断面と陸上オフィオライトの起源

伊豆小笠原・マリアナ前弧域蛇紋岩海山、および南部マリアナ域海洋地殻のマントルに至る地質断面の地質・岩石・形成史を解明し、陸上オフィオライトの起源も議論しています。

●中央海嶺および背弧海盆拡大域の火成活動とテクトニクス

東太平洋(ODP第200、203節)、インド洋海嶺三重点、アデン湾海嶺軸、および縁海の地質・岩石・テクトニクスの差異を比較検証し、成因を議論します。

●海底の熱水活動と地球表層環境のリンクの解明および古環境を復元するための間接指標の開発

Volcanism on the seafloor occurs in three settings: oceanic ridges, island arcs along subduction zone (backarc basin volcanism shares characteristics with oceanic ridges), and intra-plate volcanism (large igneous provinces, hotspots, coldspots, and individual volcanoes). We investigate such volcanism globally. More than 70% of Japan's geology formed at the ocean floor in the geological past, including igneous, sedimentary, and metamorphic rocks. Research on the ocean floor is important to understand the geology of both the ocean floor and land. Our group takes rocks from the seafloor based upon detailed bathymetric and geophysical surveys, and we use these samples for precise chemical analyses. Cooperative research is important for our group.

Ongoing Research Themes

● Petrologic and tectonic evolution of the East Philippine Sea :

Bathymetric, geophysical, and petrologic research on the Izu-Bonin arc, Kyushu-Palau ridge, en echelon seamounts, and Shikoku basin illuminates the geologic evolution of the East Philippine Sea.

● Geological transects of island arc-backarc systems and the ophiolite problem :


Ophiolites from forearc seamounts and backarc basins in the Philippine sea and along Southern Mariana trench inner wall help to elucidate the origin of ophiolites.

● Linkage between hydrothermal alteration and long-term changes in global environments :

Sub-seafloor hydrothermal alteration of oceanic crust of ophiolitic complexes have been studied. Hydrothermal alteration has been linked with long-term changes in global environments.

● Comparative studies of seafloor spreading in backarc basins and along mid-ocean ridges are welcomed

ドレッジの揚収
Dredge on deck



KAWAHATA, H.



YOKOYAMA, Y.



INOUE, M.

兼務教授
Professor

川幡 穂高
KAWAHATA, Hodaka

准教授
Associate Professor

横山 祐典
YOKOYAMA, Yusuke

助教
Research Associate


井上 麻夕里
INOUE, Mayuri

海洋生態系動態部門

Department of Marine Ecosystems Dynamics



ワガタヒカリボヤ:世界の外洋に広く分布する群体性ゼラチン質動物プランクトン
Pyrosomella verticillata:Colonial gelatinous zooplankton in the offshore region of the world ocean



発光細菌コロニー
Bioluminescent bacteria



南太平洋の熱水噴出域に生息するアルビンガイの一一種
Alviniconcha sp. inhabiting hydrothermal vent fields in the southern Pacific

地球全体の7割を占める巨大な海には、多種多様な生物が生息し、それらが互いに食う・食われるの関係を持ちながら生態系を構成しています。海洋生態系の解明は、健全な地球環境をキープする第一歩です。海洋生態系動態部門では、海洋に広く生息する微生物、植物プランクトン、動物プランクトン、マイクロネクトン、そして底生生物などが研究ターゲット。個体レベルでの生態や生理学的特徴を調べるとともに、これら生物がどのような役割を持って海洋の物質循環や地球環境に貢献しているかを探究しています。

An enormous variety of life constitutes the ecosystem, including the food chain, of the ocean, which covers 70% of earth. Understanding the marine ecosystem is the key to sustaining and improving the global environment. We study various microbes, phytoplankton, zooplankton, micronekton, and benthos. We investigate their ecological and physiological characteristics, and their role in mass cycling in the ocean and the earth's biosphere beyond.

浮遊生物分野

Division of Marine Planktology

世界のさまざまな海洋におけるプランクトンを研究対象とし、それらの系統類縁関係、種多様性、生活史、生物生産および物質循環における役割について研究を行っている。

Plankton Laboratory focuses on investigating marine plankton to understand their phylogeny, biodiversity, life cycle, production, and the roles in biogeochemical cycles in the ocean.

微生物分野

Division of Marine Microbiology

日本周辺から極域に至るまで、地球上のさまざまな海域における微生物の分布、多様性、進化、適応、生態的機能等について研究を行っています。ゲノムから生態系まで、地球生物圏システムの総合的な理解を目指しています。

Our research focuses on the distribution, diversity, evolution, adaptation and ecological functions of microorganisms in various oceanic provinces from Japanese coastal waters to polar oceans. Our ultimate goal is to understand earth's biosphere systems integrating multi-disciplinary studies from genomes to biomes.

底生生物分野

Division of Benthos

潮間帯から深海底に至る海底の生態系および底生生物(ベントス)を主な研究対象として、さまざまな角度から研究をおこなっています。現在の主要なキーワードは化学合成生物群集、日本海、干潟です。

We are studying the ecology of marine benthic ecosystems and organisms in various environments from the intertidal zones to deep sea trenches. The present research keywords are chemosynthesis-based communities, the Japan Sea and tidelands.

海洋生態系動態部門

浮遊生物分野


Department of Marine Ecosystems Dynamics, Division of Marine Planktology

プランクトン(浮遊生物)は熱帯から極域、表層から1万メートルを超える超深海まで、あらゆる海洋環境に生息しています。そこでは数ミクロンに満たない微小な藻類から数メートルを超えるクラゲの仲間まで、多種多様な生き物が相互に関係を持ちつつも独自の生活を送っています。これらプランクトンは、各々の生活を通じて基礎生産や高次食物段階へのエネルギー転送、さらには深海への物質輸送の担い手として海洋の生物生産と物質循環過程のなかで重要な役割を果たしています。また近年、地球規模での環境変動、地球温暖化や汚染物質、漁業活動等による海洋生態系の擾乱がプランクトン群集の変動と大きく関わっていることが明らかになってきました。

浮遊生物分野では、海洋におけるプランクトン・マイクロネクトン(小型遊泳生物)の種多様性(多様なプランクトンはどのように進化し、どのような関係をもって暮らしているか)と物質循環における役割の解明を目指しています。この目的のため、日本沿岸、北太平洋亜寒帯域、東南アジア海域、南極海域等をフィールドとし、種の生活史と個体群動態、群集の時空間的変動、個体・種レベルでの生理・生態、種間の系統関係等について研究を進めています。特に地球上で最大の未知の領域である深海生態系については、潜航艇や映像機器を駆使し、マリンスナーと食物網に注目した生物多様性の解明に取り組んでいます。また、地球規模での環境変動や汚染物質の負荷に対するプランクトン群集の応答と機能については、海洋での鉄散布実験や汚染物質モニタリングを通じて、国際的・学際的協力のもとに研究を進めています。

現在の主な研究テーマ

- 深海生態系の種多様性と食物網
- 國際協力研究: 北太平洋亜寒帯域における鉄散布実験
- 西部太平洋海域における主要動物プランクトン・マイクロネクトンの分布、季節変動、生活史に関する研究
- ゼラチン質プランクトンの多様性と生態学的役割
近年世界各地で大増殖が報じられているゼラチン質プランクトンの種多様性と生態を現場採集、潜水艇観察、室内実験により解明します。
- 外洋・深海生態系における人為的汚染物質の分布と輸送・蓄積過程
- 動物プランクトンの進化機構
物理的障壁の乏しいプランクトン生活圏における種の進化機構と系統関係を分子、形態、地理分布から解明します。
- 動物プランクトンの全海洋多様性調査
(Census of Marine Zooplankton)



NISHIDA, S.



TSUDA, A.



NISHIKAWA, J.

The world ocean is dominated by various drifting organisms referred to as plankton. While each plankton species is unique in its morphology, ecology, and evolutionary history, each also has various relationships with co-occurring species and their environments, and plays major roles in biological production and biogeochemical cycles in the ocean. In recent years, it has become increasingly apparent that global-scale environmental changes and disruptions to marine ecosystems by human activities are closely linked to changes in plankton communities. Our laboratory focuses on investigating marine plankton and microneuston to understand their biology, ecology, and roles in biogeochemical cycles in the ocean.

Ongoing Research Themes

- Species diversity and the food web in the deep-sea ecosystem
- Iron enrichment experiments in the subarctic Pacific : An international project aiming to assess the possibility of CO₂ fixation into the ocean and its impact on the ecosystem.
- Life history of zooplankton : Field studies in the western North Pacific on the distribution, seasonal changes, and life histories of major zooplankton species.
- Biodiversity and ecological roles of gelatinous plankton : Elucidating species diversity and ecologies of gelatinous plankton through field sampling, submersible observations, and laboratory experiments.
- Distribution and transport/accumulation processes of anthropogenic pollutants in oceanic and deep-sea ecosystems
- Evolutionary mechanisms in zooplankton through combined molecular, morphological, and zoogeographical approaches
- Global Census of Marine Zooplankton (Census of Marine Life) : A global-scale international project aiming to comprehensively understand zooplankton diversity.

研究船
白鳳丸での
プランクトン
採取
Plankton
sampling
on the R/V
Hakuho-
maru



教授
Professor
准教授
Associate Professor
助教
Research Associate

西田 周平
NISHIDA, Shuhei
津田 敦
TSUDA, Atsushi
西川 淳
NISHIKAWA, Jun

海洋生態系動態部門

微生物分野

Department of Marine Ecosystems Dynamics, Division of Marine Microbiology

海洋生態系はさまざまな種類の生物から構成されています。そのなかで、細菌は原核生物という生物群に属し、この地球上に最も古くから生息してきた一群です。海洋の大部分は高塩分、低栄養、低温、高圧で特徴づけられますが、海洋細菌はこれらの環境に適応した生理的特性を持つことによってあらゆる海域に分布するとともに、細菌同士あるいは高等動植物とさまざまな相互作用を行い、海洋生物圏の多様性創出の担い手となっています。

また、細菌は分解者として、さまざまな有機物を最終的に水と二酸化炭素に変換します。懸濁態の有機物は細菌以外の動物も餌として使うことができますが、溶存態の有機物を利用できるのは細菌だけです。海洋の溶存態有機物は地球上の炭素のリザーバーとしても極めて大きいので、細菌の機能を理解することは、地球全体の炭素循環の解明にとって重要です。

微生物分野では、多様な海洋細菌の生物的特性と生態系における機能を、分子生物学的手法、最新の光学的手法、斬新な方法論を導入することによって解析していくことを目指しています。

Marine ecosystems consist of diverse groups of living organisms. Bacteria or prokaryotes appeared on Earth first. Most of the ocean is characterized by high salinities, low nutrients, low temperatures, and high pressures. Through Earth history, marine bacteria have evolved to adapt to such physicochemical factors, and have become distributed throughout the ocean. In addition, bacteria have developed various interactions with both other bacteria and higher organisms. These interactions have also contributed to species enrichment on Earth. Bacteria, known as degraders, convert organic matter into water and carbon dioxide. Although particulate organic matter can be consumed by animals, Dissolved Organic Matter (DOM) is utilized solely by bacteria. As DOM is one of the largest global reservoirs of organic materials, clarification of bacterial functions is of primary importance in understanding the mechanisms of the global carbon cycle.


The Microbiology Group seeks to clarify the biological characteristics, functions, and ecological contributions of marine bacteria by introducing new approaches in combination with molecular techniques and newly developed optical devices.

Ongoing Research Themes

- Marine bacterial and archeal abundance and community structures and their metagenomic analysis
- Interaction between marine bacteria and colloidal particles
- Cell sorting on the basis of bacterial buoyant density
- Ecology of marine phototrophic bacteria
- Manazuru long-term marine microbial observatory

現在の主な研究テーマ

- 海洋細菌および古細菌の現存量、群集構造、メタゲノム解析
- 海洋細菌と微小粒子との相互作用
- 海洋細菌の細胞特性に応じた分別と生理、生態的意義
- 海洋性光從属栄養細菌の生態
- 相模湾真鶴沖における海洋細菌群集長期生態観測



原子間力顕微鏡で観察した海洋細菌
An Atomic Force Microscopy (AFM) image of a marine bacterium



KOGURE, K.



HAMASAKI, K.



NISHIMURA, M.

教授 Professor	木暮 一啓 KOGURE, Kazuhiro
准教授 Associate Professor	濱崎 恒二 HAMASAKI, Koji
助教 Research Associate	西村 昌彦 NISHIMURA, Masahiko

海洋生態系動態部門

底生生物分野

Department of Marine Ecosystems Dynamics, Division of Benthos

深海底にさまざまな距離をおいて分布する熱水噴出域や湧水域などの還元的な環境で観察される化学合成生物群集は、還元環境に高度に適応した固有の動物群から構成されており、深海生物の進化を研究する上で、絶好の対象です。私達は様々な動物群の起源や進化、集団構造などを遺伝子の塩基配列に基づいて解析しています。またその分散機構を理解するために、熱水域固有種のプランクトン幼生の飼育や細菌との共生様式の研究もおこなっています。

日本海は、狭く浅い海峡によって周囲の海域から隔てられた半閉鎖的な縁海です。最終氷期の最盛期には、海水準の低下と大陸からの多量の淡水流入により無酸素状態になり、多くの海洋生物が死に絶えたとされています。一方、おなじ縁海でも、オホーツク海には氷期にも、生物にとって比較的良好な環境が維持されていたと考えられています。私達はこうした環境変動が深海生物の遺伝的な集団構造にどの様なパターンを形成してきたかについて、底魚類を対象に解析しています。こうした研究は海洋生物集団の形成史を明らかにするのみでなく、将来の地球環境変動が海洋生態系に及ぼす影響の予測にも役立つと期待しています。

沿岸環境浄化の場であり、高い生物多様性を持つ日本の干潟は、近年の埋め立てや海洋汚染で大きく衰退してしまいました。私達は干潟生態系の生物多様性を保全するための基礎データ収集を目的に、干潟の代表的な動物群である巻貝類を対象として、全国の干潟で分布調査と集団の遺伝学的特性の解析をおこなっています。また、温暖化の影響が集団構造に及ぼす影響や底生生物が環境浄化に果たす役割を研究しています。

In deep-sea reducing environments, such as hydrothermal vent fields and cold water seep areas, faunal communities with extraordinary large biomass are often observed. They depend on primary production by chemoautotrophic bacteria. As most components of the chemoautotrophy-based communities are endemic and highly adapted to such environments, they are suitable subjects for the study of evolution in the deep-sea. We are studying origins, evolution processes and population structures of various groups based on nucleotide sequences of mitochondrial and nuclear genes. In order to understand dispersal mechanisms of endemic species, we are rearing planktonic larvae and analyzing symbiosis with bacteria.

The Japan Sea is a semi-enclosed sea area isolated from neighboring seas by relatively shallow and narrow straits. Severely anoxic conditions have been proposed for the Japan Sea during the last glacial maximum. In contrast, no anoxic or suboxic conditions has been suggested to have existed in the Okhotsk Sea even during the last glacial maximum. In order to reveal the effect of such environmental changes on marine ecosystems, we are comparing population structure of deep-sea demersal fishes between these sea areas. Obtained results will provide information about the formation process of Japanese marine fauna as well as fundamental data for estimations of the effects of future environmental changes on marine ecosystems. In Japan, tidelands have been severely damaged by reclamation and pollution during the resent explosive development of coastal areas. We are analyzing geographical distribution and population structures of tideland snails in order to obtain fundamental information for conservation of biodiversity of tideland ecosystems. We are also analyzing the effects of global warming on such geographical patterns.

Ongoing Research Themes

- Larval ecology of hydrothermal-vent endemic barnacles
- Evolution and ecology of hydrothermal-vent endemic gastropods
- Genetic and morphological deviation of deep-sea demersal fishes
- Effects of global warming on population structure of tideland snails
- Role of tideland benthos on purification of coastal environments

現在の主な研究テーマ

- 热水域固有の蔓脚類の幼生生態
- 热水域・湧水域に生息する巻貝類の進化と生態
- 深海性底魚類の遺伝的・形態的分化
- 干潟に生息する巻貝類の集団構造
- 干潟における底生生物の環境浄化作用

研究船
淡青丸での
トロール作業
Sampling of
deep-sea benthic
animals using a trawl
on the R/V
Tansei-maru




KOJIMA, S.

教授
Professor

小島 茂明
Kojima, Shigeaki

海洋生命科学部門

Department of Marine Bioscience



さまざまなアプローチによる生理学的研究
Physiological experiments from various approaches



最新設備を備えた実験室
Laboratory equipped with modern equipment



フィジーでの石膏ボールを用いた藻場の流動測定
Diver fixing plaster balls to measure water flow in a seagrass meadow in Fiji

古代の海で発生した地球上の生命は、約38億年をかけて現在の多様な生物へと進化してきた。その歴史は、全ての生物のDNAに刻み込まれ、多様な機能と行動を生み出した。海は広く深く、その環境は未知の生物や生命現象の宝庫である。海洋生命科学部門は、海洋生物の進化の過程を解き明かすとともに、回遊現象や海洋環境への適応機構など、海洋におけるさまざまな生命現象の不思議を解明することに挑戦している。使われる手法は分子生物学、生理学から行動学・生態学と多様であり、その研究対象も分子、細胞、個体から群集レベルにまで広がっている。本部門は、これらの成果を統合することにより、新しい「海の生命観」を創成することを目指している。

Life on the earth originated in the ancient seas, and has evolved over the past 3.8 billion years into the diverse organisms of today. The history of this evolution has been engraved in the DNA of all organisms that has created diverse functions, behaviors and ecology. The ocean is vast, rich, and mostly unknown, where countless creatures reside in many different environments. The Department of Marine Bioscience attempts to trace the evolutionary history of marine organisms through their DNA and to understand the significance of biological phenomena in the sea such as migration, reproduction, osmotic adaptation etc at molecular, cellular, organismal, and population levels using molecular biological, physiological, and behavioral/ecological techniques. In the near future, we expect to create a new, exciting 'outlook on life in the ocean' on the basis of our cooperative and collaborative research.

生理学分野

Division of Physiology

生物は多様な海洋環境に適応して生きている。生理学分野では、海水のもつ高い浸透圧に着目し、魚類の浸透圧調節機構を分子から個体にいたるさまざまな手法を用いて統合的に理解することを試みている。

Life has adapted to diverse marine environments. The laboratory of Physiology has focused their attention on the mechanism for adaptation to hyperosmotic seawater from an integrative view using various techniques from molecular to organismal levels.

分子海洋科学分野

Division of Molecular Marine Biology

海を舞台に繰り広げられてきた海洋生物の多様化の歴史、およびその多彩な生命活動の背後にある分子的メカニズムを、分子系統学的・分子生物学的手法を用いて遺伝子の言葉で理解することを目的に研究を行なっている。

Our objective is to understand evolutionary history of marine biodiversity and to clarify molecular mechanisms of various activities of marine organisms.

行動生態計測分野

Division of Behavior, Ecology and Observation Systems

回遊、分散、繁殖、生活史など、個々の海洋生物の様々な行動と生態を、遺伝子、耳石技術、ポップアップタグなどの解析・計測手法を用いて理解し、海の生命現象のメカニズムと進化のプロセスを解き明かす。

Our objective is to study the various behavioral and ecological aspects of individual marine organisms, such as migration, dispersion, reproduction, life history etc using molecular analysis, otolith techniques and pop-up tags, and to understand the behavioral mechanisms and evolutionary processes of the phenomena of marine life.

海洋生命科学部門

生理学分野

Department of Marine Bioscience, Division of Physiology

太古の海に誕生した生命は、地球の歴史とともに進化を遂げてきました。生理学分野では、生物と海との関わり合いのなかから、生物がどのようにして海洋という場に適応し生命を維持しているかについて、生理学的な立場から研究を進めています。海は安定な環境ですが、海水の浸透圧は非常に高く(我々の体液の約3倍)、海洋生物はさまざまな戦略をとりながら海という高い浸透圧環境に適応しています。その仕組みは図に示した3つのパターンに大別できます。私たちは、それぞれの仕組みを解明することにより、生物の進化という壮大な歴史において、海洋生物がどのようにそれぞれの適応戦略を獲得し、現在の繁栄をもたらしたのかに注目しています。

生物の生理を知ることは、まずその生物を観察することからはじめます。そこで、ウナギ・サケ・フグ・メダカ・ティラピア・サメ・エイ・ハイギョなど、多種類の魚を飼育して研究を行っています。血管へのカニュレーションなどさまざまな外科的手術によって、浸透圧調節器官の機能や各種ホルモンの働きを個体レベルで調べています。より詳細なメカニズムの解析では、水・イオン・尿素などの輸送体や、ホルモンとその受容体を分子生物学的に同定し、組織学のあるいは生理学的解析法を駆使して輸送分子の働きやホルモンによる調節を調べています。フグやメダカのゲノム情報に基づくバイオインフォマティクスを利用した新しいホルモンの探索や、トランジジェニックメダカの作成のような遺伝子工学的な手法もとり入れ、遺伝子から個体にいたる広い視野と技術を用いて、海洋生物の適応戦略を解明しようと研究を進めています。

現在の主な研究テーマ

- 海という高い浸透圧環境への適応の仕組みを、遺伝子から個体にいたる多様な手法を用いて明らかにしています。
- 回遊魚などに見られる広い塩分耐性(広塩性)の仕組みを、狭塩性魚と比較することにより解明しています。
- 体液調節ホルモンとその受容体の分子進化について、さまざまな系統解析法を用いて明らかにしています。
- 体液調節に関わるさまざまなホルモンの分泌や作用を統合的に眺め、海水適応における内分泌調節を理解しています。
- バイオインフォマティクスを利用して、魚類(フグ、メダカなど)や哺乳類(ヒト、マウス)から新規体液調節遺伝子を発見します。
- 遺伝子工学を利用して体液調節遺伝子の導入や破壊を行い、その機能を個体レベルで解明しています。
- 大槌川を遡上・降河するサケを材料として、回遊に伴う体液調節機構を解明しています。



TAKEI, Y.



HYODO, S.



KUSAKABE, M.

Life originated in the ancient seas, and has acquired diverse functions during the long history of evolution. The Laboratory of Physiology attempts to clarify, from a physiological perspective, how organisms have adapted to different marine environments. To cope with the life-threatening, high salinity of seawater, marine organisms adopt three different strategies, as depicted in the figure. Teleosts (e.g., eels, salmon, and tilapia) maintain their plasma osmolality at about one third of seawater, while elasmobranchs (sharks and rays) elevate their plasma osmolality to seawater levels by accumulating urea. Our studies focus on how animals have acquired different osmoregulatory mechanisms during the long evolutionary history of the sea by comparing mechanisms in extant vertebrate and invertebrate species. To this end, we investigate mechanisms of each osmoregulatory system utilizing a wide variety of physiological techniques at gene to organismal levels.

Ongoing Research Themes

- Analysis of diverse strategies for adaptation to high-salinity marine environments using various techniques.
- Analysis of osmoregulatory mechanisms in euryhaline fish.
- Analysis of molecular evolution of osmoregulatory hormones and their receptors by phylogenetic and genetic techniques.
- Integrative approach to endocrine control of osmoregulation.
- Discovery of novel osmoregulatory hormones in fish and mammals using bioinformatic techniques.
- Application of genetic engineering techniques to evaluate the role of an osmoregulatory gene at the organismal level.
- Ecophysiology of osmoregulatory systems in migrating chum salmon in the Otsuchi River.

海という高浸透圧環境に適応するための3つの戦略
Strategies for adaptation to hyperosmotic marine environment



Complete conformer

Ionic and osmotic conformer

Hagfish and invertebrates



Partial regulator

Ionic regulator, but osmotic conformer

Sharks, rays and coelacanth



Complete regulator

Ionic and osmotic regulator

Teleosts, reptiles, birds and mammals

教授 Professor	竹井 祥郎 TAKEI, Yoshio
准教授 Associate Professor	兵藤 晋 HYODO, Susumu
助教 Research Associate	日下部 誠 KUSAKABE, Makoto

海洋生命科学部門

分子海洋科学分野

Department of Marine Bioscience, Division of Molecular Marine Biology

生命の誕生以来、生物進化の舞台となってきた海洋では、現在でも多様な生物が、実に多彩な生命活動を営んでいます。分子海洋科学分野では、分子生物学的な研究手法を活用して、そうした多様な生物の歴史を探るとともに、海洋における重要で興味深い生命現象のメカニズムとその進化を、遺伝子の言葉で理解することを目指しています。

進化研究の面では、魚類や甲殻類などを対象に、ミトコンドリアゲノムの全長分析を基礎にした大規模系統解析によって、信頼性の高い系統枠の確立を進めています。さらにそれに基づいて、種分化に関わりのありそうな形質や生活史といった複雑な生物特性の進化、あるいはゲノムそのものの進化を、分子のレベルから解明することに挑戦しています。そして、これらの研究を通じて、水圏の生態系・生物多様性の進化的成り立ちをより深く理解すること、すなわち、多様な生きものが織りなす地球の豊かな自然が、どのように形成されてきたのかを解き明かしたいと考えています。

加えて、海産無脊椎動物と褐虫藻の間に見られる共生関係についての研究も行っています。このような関係の例としては、造礁サンゴに見られるものが有名ですが、その他の無脊椎動物についても興味深い例があり、本研究室では、ウミウシと褐虫藻の共生関係に注目しています。現在はとくに、DNA解析により褐虫藻の系統を同定し、共生藻の組成の地域による違いを調査しています。


現在の主な研究テーマ

- 水圏生物種における集団構造の分子集団遺伝学的・系統地理学的研究
- 種分化および近縁種の多様化過程の系統的分析およびその基礎にある遺伝子変異の探求
さまざまな生物グループにおける、種々の興味深い進化現象の解明が進んでいます。
- DNA分析による魚類・頭索類・甲殻類などの包括的高次系統解析
- 魚類のミトコンドリアゲノムおよび核ゲノムの進化
- 海産無脊椎動物と褐虫藻の共生関係

Our objective is to understand the molecular basis of evolution of biodiversity in the aquatic realm. This laboratory conducts research on population genetics, phylogenetics, and evolution of aquatic animals, including fish, lancelets, and crustaceans, with modern molecular techniques. We have been determining reliable phylogenetic frameworks, indispensable for evolutionary comparisons, through whole mitochondrial genome sequencing. On the basis of such frameworks, we seek to understand the evolution of biologically interesting characteristics, such as those responsible for speciation, from both genetic and genomic perspectives. We also conduct research on symbiotic associations between marine invertebrates and algae (zooxanthellae). As the first step towards understanding this interesting phenomenon, we are investigating symbiotic relationships between a sea slug and zooxanthellae. Geographic variation in algal partners of a sea slug species are now studied through molecular identification of the symbiotic zooxanthella strains.

Ongoing Research Themes

- Molecular population genetics and phylogeography of aquatic organisms
- Phylogenetic analysis of speciation and evolutionary processes in closely related species
- Comprehensive phylogenetic analysis of fish, lancelets, and crustaceans through DNA sequencing
- Evolution of mitochondrial and nuclear genomes in fish
- Symbiotic associations between marine invertebrates and zooxanthellae



魚類の系統的成り立ちには不明な点が多くあった。そこで当研究室では世界に先駆けて大規模DNA解析によって、その系統進化の解明を進めてきた。この図は、我々の一連の条鰓類の研究結果を整理したもの。このような知見があつてこそ、種々の進化現象の解析が可能となる。例えば、脊椎動物では全ゲノム規模での遺伝情報の倍化が数回起つたと考えられている。その3度目が進化史上のどこで起こったかは判然としていなかったが、系統関係が明瞭になったおかげで、3Rで示したところで生じたらしいことが明らかになってきた

Phylogenetic relationships of actinopterigian fishes derived from a series of our intensive and extensive molecular phylogenetic studies. 3R denotes probable position of the 3rd round of genome duplication in vertebrates



NISHIDA, M.



ENDO, K.



MABUCHI, K.

教授 Professor	西田 瞳 NISHIDA, Mutsumi
助教 Research Associate	遠藤 圭子 ENDO, Keiko
助教 Research Associate	馬渕 浩司 MABUCHI, Kohji

海洋生命科学部門

行動生態計測分野

Department of Marine Bioscience, Division of Behavior, Ecology and Observation Systems

行動生態計測分野では、魚類、ウミガメ類、藻類など、広く海洋生物の行動と生態について研究しています。これらの生活史、分布特性、産卵生態、回遊行動、さらにはその進化過程を、フィールド調査、分子遺伝学的手法、行動実験、リモートセンシング技術など、さまざまな手法を駆使して解明に努めています。

1. 海洋生物の回遊生態:生き物はなぜ旅をするのか? この究極の問いに答えを得るため、ウナギ、アユ、サクラマス、ボウズハゼなどの回遊魚とウミガメ類を対象にして、それぞれの回遊生態を研究しています。これらの研究成果を統合し、生物界に広く見られる回遊現象の根底に潜む共通原理を明らかにします。

一方でDNA解析から得た分子系統樹をもとに、回遊現象の起源と進化の過程を解き明かしつつあります。例えばウナギは、数千万年前に現在のインドネシア・ボルネオ島付近の海水魚から派生し、海と河川の間で回遊を拡大しつつ種分化を繰り返し、世界中に広がっていったらしいとわかつてきました。

2. 藻場生態系:沿岸環境の健全な維持と持続的な海洋生物資源の利用のためには、藻場や干潟など環境を形成する生態系の理解が必要です。特に研究が遅れている藻場生態系と流れ藻生態系に着目し、生物と海洋環境の相互作用の観点から総合的な研究を行っています。また、魚礁を用いた沿岸生態系の保全にも取り組んでいます。

3. 海洋生物の分布・環境計測:海洋生物の保全を行う場合、まず必要になるのが生物の分布や行動の情報です。マルチビームソナーなどの音響資源計測、衛星リモートセンシング技術とGIS(地理情報システム)を組み合わせた分布・環境計測法の開発、統合的な沿岸環境の保全手法の研究、魚類の遊泳行動の計測に取り組んでいます。

現在の主な研究テーマ

- ウナギの産卵場と繁殖生態に関する研究
- 魚類の回遊生態と初期生活史に関する研究
- 回遊の起源と進化に関する分子系統学的研究
- ウミガメの回遊生態と集団構造に関する研究
- レブトセファルス幼生の生物多様性に関する研究
- バイオロギングによる魚の遊泳行動の計測
- 流れ藻の分布・移動・生態に関する研究
- 魚礁を用いた沿岸生態系の保全に関する研究
- リモートセンシングによる藻場分布計測手法の開発
- 魚群探知機を用いた海底・魚類判別システムの開発
- マルチビームソナーを用いた魚群分布計測法の開発



TSUKAMOTO, K.



KOMATSU, T.



INAGAKI, T.



ISHIDA, K.

We investigate the life history, distribution, reproductive ecology, migratory behavior and evolution of marine organisms such as fish, sea turtles, and seaweed/seagrass through field surveys, behavioral experiments, molecular genetics, and remote sensing.


1. Migratory behavior of marine organisms : "Why do animals migrate?" This ultimate question is addressed by studying the migratory behavior of freshwater eels, ayu, salmon, gobies, and sea turtles, and by synthesizing this knowledge into the fundamental principles of migration. The origin and evolutionary processes of migration are also studied, together with molecular phylogenetic analyses of migratory animals.

2. Studies on coastal ecosystems : To help maintain healthy marine environment and exploit biological resources in a sustainable way, three main types of researches are currently conducted. The first group of studies aims to fully understand the ecological role of seaweed/seagrass meadows as well as drifting seaweeds. In such a purpose, a mapping system coupling both GIS and remote sensing techniques has been for instance developed and successfully applied. The second group of studies looks, through bio-logging experiments, for understanding the swimming behavior of numerous commercially exploited fish species such as *Parapristipoma trilineatum*. The final pillar deals with the potential value of marine artificial reefs as conservation tools. In order to select the management type, which optimizes such a potential, ecological simulation is currently conducted.

Ongoing Research Themes

- Survey of the spawning area of the Japanese eel and its reproductive ecology
- Ecology of fish migration and early life history
- Biodiversity and ecology of leptocephali
- Molecular phylogenetic studies of the origin and evolution of diadromous migration in fishes
- Migration and population structure of sea turtles
- Measurement of swimming behavior of fish species through biologging experiments
- Distribution, transport and ecology of drifting seaweed
- Conservation of marine ecosystem by using artificial reef
- Detection techniques for submerged aquatic vegetation using remote sensing
- Detection systems for bottom features, fish species, and fish schools using echo-sounder and multi-beam sonar

魚類における
通し回遊現象の
起源と進化
Origin and
evolution of
diadromous
migration
in fishes




サケは淡水に起源し、海にその回遊環を広げていったが、ウナギは逆に、海に起源し、淡水に侵入していく。赤い回遊環は祖先的な残留型の存在を示す

Eels originated in the sea and expanded their migration loops into freshwater habitat, while salmon originated in freshwater and invaded the sea. Red migration loops show ancestral types of migration of resident groups


教授 Professor	塚本 勝己 TSUKAMOTO, Katsumi
准教授 Associate Professor	小松 輝久 KOMATSU, Teruhisa
助教 Research Associate	稻垣 正 INAGAKI, Tadashi
助教 Research Associate	石田 健一 ISHIDA, Ken-ichi

海洋生物資源部門

Department of Living Marine Resources



マイワシ巻き網漁業
Purse-seine fisheries of sardine



海洋データ同化モデルによってシミュレートされたマアジ卵・仔稚魚の輸送分布 (灰色点) と20m層の流速・水温分布

Transport simulation of jack-mackerel eggs and larvae (grey dots) over current vector and temperature at 20m-depth (color) calculated by a data assimilative OGCM



底生資源生物の潜水調査
Scuba diving sampling of benthic resource organisms

市場に水揚げされるイワシ類やサバ類などは、毎日安定して供給されているように見えます。しかし、やはり自然の恵み、あり余るほど獲れるときもあれば、まったく獲れないときもあります。生命活動と生物生産の場である海洋生態系は非定常系であり、生態系の変動に対応して生物資源が大きく変動することがわかつきました。海洋生物資源部門では、生物資源の環境としての海洋変動機構の研究(環境動態分野)、資源変動の生物学的基礎としての繁殖生態と初期生態の研究(資源生態分野)、生物資源を持続的に利用するための資源評価・管理の研究(資源解析分野)を行っています。

Commercial fishes such as sardines and mackerels seem to be steadily supplied to the market. In reality, their populations may be superabundant in some years and extremely scarce in other years. It has been a common understanding that marine populations fluctuate in response to the ocean ecosystem variations. The research activities of the Department of Living Marine Resources focus on the mechanisms linking physical environment variability and population fluctuations (Fisheries Environmental Oceanography), reproductive and early life ecology of fishes and shellfishes as biological bases of the fluctuations (Biology of Fisheries Resources), and stock assessment and fisheries management for sustainable use of living marine resources (Fish Population Dynamics).

環境動態分野

Division of Fisheries Environmental Oceanography

海洋生物資源の分布・移動・変動の機構解明・予測を目標として、海洋物理構造・変動機構並びに海洋環境と生物の関係について、野外観測・資料解析・数値モデリングなどの手法を用いて、物理環境の視点から研究を進めています。

To explore the mechanisms controlling distribution, transport and variations of living marine resources, we study the dynamics of physical oceanographic processes and physical-biological interactions by field observations, laboratory experiments and numerical simulations.

資源解析分野

Division of Fish Population Dynamics

モデリング、シミュレーション、調査データの統計解析などの数理的手法を主に用いて、海洋生物資源の変動メカニズムの解明、持続的利用のための資源評価、不確実性に頑健な管理手法の開発に取り組んでいる。

Using mathematical modeling, computer simulations and statistical analyses of the survey data, we study the mechanisms of population fluctuations, stock assessment for sustainable use, and management of living marine resources.

資源生態分野

Division of Biology of Fisheries Resources

資源として利用される海洋動物について、繁殖生理・生態と初期生態をフィールド調査や飼育実験等の手法を用いて研究している。それによって加入量変動の生物学的基礎を明らかにし、最適な資源管理手法の確立に資する。

To elucidate the biological traits of marine living resources underlying the mechanisms of recruitment fluctuations, we investigate physiological and ecological characteristics of adult sexual maturation, and growth and mortality in their early life stages, by field studies and laboratory experiments.

海洋生物資源部門

環境動態分野

Department of Living Marine Resources, Division of Fisheries Environmental Oceanography

水温・塩分・海流・混合といった海洋の物理的環境は、海洋生物の生理・生態に影響をおよぼす最も基礎的な要因です。例えば、水温・塩分は魚の生理的状態に、海流は卵・仔稚魚の輸送・拡散に決定的な影響を与え、また、餌となるプランクトンなどの増殖や、回遊魚の行動生態にも物理環境が密接に関係しています。資源生物は、その生活史段階に応じて、沿岸域と沖合域、熱帯・亜熱帯と亜寒帯域といった海域の違いや、渦や波動、前線といった海洋現象を利用して、これらの物理環境の作用を享受しています。このような物理と生物の複合過程の仕組み、及び鍵となる物理過程を理解し、その影響を評価することは、資源の変動機構を解明するために必要不可欠です。マイワシ・サンマ等水産資源の長期変動が数10年規模の海洋・気候変動と関係していることが近年明らかになりましたが、具体的な物理環境変動の仕組みや魚への影響過程については未だ謎に包まれています。

環境動態分野では、海洋生物の分布・回遊・資源変動を理解・予測する基礎として、海洋物理環境とその変動機構、及び、物理環境と生物の相互作用の解明に向けて、海洋観測・野外・室内実験、数値シミュレーション手法による研究を行っています。

現在の主な研究テーマ

●北太平洋表中層循環・変動と気候・生態系への影響

北太平洋に亜熱帯・亜寒帯海域に分布する表中層水塊・循環の形成機構及び数10年規模海洋・気候・生態系変動(潮汐18.6年振動仮説)の解明に取り組んでいます。

●黒潮・親潮・変動機構と低次生態系・魚類資源変動

マイワシ・サンマ・マアジ等の資源変動やイセエビ等仔稚魚の輸送過程を解明するために、黒潮・親潮域の構造・変動機構、生物への影響について研究しています。

●鉛直混合と物質循環・生態系維持機構

これまでブラックボックスであった鉛直混合を直接観測し、栄養塩等物質輸送とその物質循環・生態系への影響について研究を進めています。

●エチゼンクラゲの輸送・出現過程

近年日本周辺海域での大量出現が問題になっているエチゼンクラゲの輸送・移動過程について数値シミュレーションを利用して研究し、出現予測に役立てています。

●海洋観測・機器開発、数値モデル開発、室内実験

船舶観測、係留系観測や2000mまで観測可能な深海乱流計を用いた海洋微細構造観測、海洋データ同化・高解像度海洋大循環モデル・生態系モデルを用いた数値シミュレーションなどの研究を行っています。



YASUDA, I.



KOMATSU, K.



ITOH, S.

Physical environment plays the most fundamental role of physiology and ecology of marine fishes. Temperature and salinity have critical impacts on physiology. Flow fields determine transport and diffusion of eggs and larvae, and even growth of planktons and fish migration has close relationship with the physical environment. Life history strategies of the fishes often select different areas among coastal and offshore, subtropical and subarctic, and specific oceanic phenomena such as eddies, waves, and fronts, to obtain their appropriate physical environments for survival. It is strongly required to understand these complex physical-biological interactions as well as physical oceanographic processes in order to make clear the dynamics of fluctuation of fisheries resources. Our group studies the dynamics of physical oceanographic processes and physical-biological interactions by field observations, laboratory experiments, and numerical simulations.

Ongoing Research Themes

- Observation and theory of the North Pacific surface-intermediate water-mass formation and circulation, and their impact on climate and marine ecosystem
- 18.6-year period nodal tidal cycle hypothesis linking oceanic mixing, circulation and long-term ecosystem variability
- Mechanism of the Kuroshio-Oyashio large-meso scale variability and its impact on lower-trophic level ecosystem and species replacement of small pelagic fishes as sardine, saury and jack mackerel
- Transport and migration process of giant jellyfish which cause damages to fisheries around Japan in recent years
- Oceanographic observations using moorings and deep-sea microstructure profilers, marine-system studies using numerical modeling of physical oceanography, ecosystem and data assimilation

白鳳丸における
乱流計回収
作業風景

Recovery of
turbulent
microstruc-
ture profiler on
deck of R/V
Hakuho-maru

2000m深まで
の鉛直乱流拡
散を有線で連続
的に計測する

Real-time verti-
cal eddy diffusiv-
ity measurement
down to 2000m
depth



教授
Professor
准教授
Associate Professor
助教
Research Associate

安田 一郎
YASUDA, Ichiro
小松 幸生
KOMATSU, Kosei
伊藤 幸彦
ITOH, Sachihiko

海洋生物資源部門

資源解析分野

Department of Living Marine Resources, Division of Fish Population Dynamics

水産資源は古くから人類の食料源として重要な役割を担ってきました。世界の動物性タンパク質供給の15%以上、我が国では約40%を魚介類が占めています。世界の漁業生産量は1999年以降9500万トン前後を維持しています。水産資源は自然の生態系の一部であり、自律的に増殖する性質があります。したがって、自然の生産力を維持しておけば資源を持続的に利用できる反面、資源が乱獲状態に陥ると直ちに回復するとは限りません。FAOによれば、世界の52%の資源は生産力の限界まで漁獲されており、25%の資源はすでに乱獲状態であるとされています。世界の漁業生産は限界に近い状態にあり、生物資源の持続性には充分な注意を払う必要があります。

資源解析分野では、限りある海洋生物資源を合理的かつ持続的に利用するための資源管理・資源評価の研究を主に行っています。海の生態系に対する我々の知識は断片的であり、魚の個体数の推定値や将来予測は大きな誤差を含みがちです。情報が正確であることを前提にした管理は資源を絶滅させる恐れすらあります。我々は、不確実性に頑健な管理方法の研究に取り組んでいます。スナメリやミナミハンドウイルカなど希少生物の保全に関する生態学的研究、管理や保全に必要な個体群パラメータ推定に関する統計学的手法の研究も行っています。これら研究のための主な手法は、個体数や生態系の変動を仮想的に再現するコンピュータシミュレーション、調査データの数理統計解析、現場調査、室内実験など多岐にわたります。

現在の主な研究テーマ

● 海洋生物資源の順応的管理に関する理論的研究

順応的管理とは、生態系の変動に人間の側が事後的に対応する方策です。不確実性に頑健な順応的管理は、野生生物管理の現場で注目されています。

● 資源評価のための統計学的手法の開発

漁業統計や試験操業データなどの断片的でかつ誤差の含まれたデータから、個体数や生態学的パラメータを推定するための統計学的な手法を開発しています。

● 沿岸性鯨類の保全生態学的研究

人間活動の影響を直接に受ける沿岸海域に生息しているスナメリやミナミハンドウイルカの個体群動態と保全に関する研究に取り組んでいます。

Fisheries play an important role in the global food supply. Fisheries production provides more than 15% of total animal protein supplies in the world, and about 40% in Japan. World fisheries production seems to have reached maximum sustainable limits. About 52% of the main stocks or species groups are fully exploited, and another 25% of stocks or species groups are overexploited or depleted (FAO SOFIA2006). Catches and biomass will decline unless concerted management efforts are taken to prevent overfishing.


The general research themes of the Division of Fish Population Dynamics are fisheries management and stock assessment for sustainable and efficient use of living marine resources. Other active research topics include conservation ecology of coastal cetaceans and biostatistics for estimating population parameters. Research is conducted by computer simulation of numerical models, statistical analyses of data, field research, and laboratory experiments.

Ongoing Research Themes

● Adaptive management of marine living resources : Our knowledge of ecosystems is extremely limited. We need to learn about ecosystems through monitoring and management of natural resources.

● Development of statistical techniques for stock assessment : Field data are commonly scarce and uncertain. Proper statistical techniques for data analysis are invaluable for estimating biological parameters from limited data.

● Conservation ecology of coastal cetaceans : Finless porpoise and Indo-Pacific bottlenose dolphin, which inhabit coastal waters, are affected by human impact. Our investigations encompass population dynamics and conservation of these two species.



海の幸を持続的に利用するためには、生物の生産性を損なわないことが重要。我々は、統計解析・数理モデルの解析・数値シミュレーションなどの数理的な手法を用いて、生物資源の管理方式を開発している

In order to develop management procedures for marine living sources, we have been developing numerical methods such as statistical analysis, construction of numerical model, and computer simulation



SHIRAKIHARA, K.



HIRAMATSU, K.

兼務教授
Professor

白木原 國雄
SHIRAKIHARA, Kunio

准教授
Associate Professor

平松 一彦
HIRAMATSU, Kazuhiko

海洋生物資源部門

資源生態分野

Department of Living Marine Resources, Division of Biology of Fisheries Resources

海洋動物は陸上動物と比べると一般に極めて多産です。産卵数や産卵期は年々の海洋環境の変化に伴って変わり、卵の大きさや栄養蓄積量も変化します。また、海洋動物の幼体は成体とは全く違う形態を持つものが多く、その生態も成体とは異なっています。例えば、マイワシやカツオの仔魚は泳ぐ力が弱く、外敵に対しても無力ですが、成魚は大きな群れを作り活発に遊泳します。アワビやウニなど底生無脊椎動物の幼生の多くは、生後しばらくは浮遊し、「変態」という劇的な形態の変化を経て底生生活に移行します。生まれた子の多くは卵から幼生期にかけての生活史初期に死んでしまう。その時期を乗り越えて生き残る個体はごくわずかです。したがって、毎年新たに加入する若齢群の資源量は、卵の量や幼生期の大量死亡の程度によって決まり、年によって大きく変動します。しかし、変動の仕方は種によってさまざまであり、それはそれぞれの繁殖生態や初期生態の特徴と密接な関わりがあると考えられます。例えば、同じニシン科の魚でも、亜寒帯から温帯水域に分布するニシンやマイワシでは、年々の新規加入量が2~3桁の幅で大変動しますが、亜熱帯から熱帯を分布の中心とするウルメイワシやキビナゴでは、新規加入量の年変動幅が1桁以内と安定しています。

資源生態分野では、海洋動物のうち主に資源として利用される動物の繁殖生理・生態と初期生態を、フィールドにおける調査や飼育実験、そのほかさまざまな手法を用いて研究しています。それによって加入量変動の生物学的基礎を明らかにして、生物学的特性に裏付けられた最適な資源管理手法の確立に資することを目的としています。

現在の主な研究テーマ

- 魚類の加入量変動に関する生態学的研究
- 貝類の再生産戦略と加入量変動機構の解明
- 海産動物の生活史、繁殖生理・生態、初期生態に関する研究
- 主な対象種と研究海域

ニシン(宮古湾、北海道沿岸)、マイワシ・ウルメイワシ(相模湾、三陸沖)、キビナゴ(和歌山県串本周辺、五島列島)、カタクチイワシ(相模湾、三陸沖)、サンマ(北西太平洋)、マアジ(若狭湾、東シナ海)、サワラ(香川県屋島)、カツオ(西部太平洋)、シラウオ・ワカサギ(涸沼)、シシャモ(北海道)、アオメエソ(福島県沖)、チョウチンアンコウ・ハダカイワシ科魚類(北西太平洋)、エゾアワビ(三陸沿岸)、クロアワビ・マダカアワビ・メガイアワビ・トコブシ・サザエ(相模湾)・アサリ(東京湾)など。

詳細は <http://otolith.ori.u-tokyo.ac.jp/> を参照ください。



WATANABE, Y.



KAWAMURA, T.



SARUWATARI, T.

Marine animals generally produce copious eggs, most of which perish during early stages of life histories. Recruitment of marine populations fluctuates considerably year to year. However, fluctuation patterns differ among species, which may be closely related to differences in reproductive and early life ecologies. For example, interannual variability in recruitment can vary by two to three orders of magnitude in subarctic *Clupea pallasii* and temperate *Sardinops melanostictus*, in contrast to subtropical *Etrumeus teres* and tropical *Spratelloides gracilis*, for which variability stays within one order of magnitude. We investigate physiological and ecological characteristics of adult sexual maturation, and growth and mortality in early life stages of living marine resources, by field studies and laboratory experiments. The aim of our research is to elucidate the biological traits of marine resources underlying the mechanisms of recruitment fluctuations. Our results will form the basis for management and conservation of fisheries resources.

Ongoing Research Themes

- Recruitment dynamics of marine fish populations
- Strategies of reproduction and mechanisms of recruitment fluctuations of shellfish species
- Life history, physiological and ecological characteristics of reproduction and early life stages of marine animals



マイワシの群泳

School of Japanese sardine *Sardinops melanostictus*



無節サンゴモ上を歩くトコブシ

Small abalone *Haliotis diversicolor* trailing on the crustose coralline algae

教授 Professor	渡邊 良朗 WATANABE, Yoshiro
准教授 Associate Professor	河村 知彦 KAWAMURA, Tomohiko
助教 Research Associate	猿渡 敏郎 SARUWATARI, Toshiro

国際沿岸海洋研究センター

International Coastal Research Center



空から見た大槌湾
Bird's eye view of Otsuchi Bay



大槌湾の碎波帶
Swash zone in Otsuchi Bay



調査船弥生による採水作業
Water sampling using research boat "Yayoi"

国際沿岸海洋研究センターの位置する三陸沿岸域は、親潮と黒潮の混合水域が形成され、生物生産性と多様性の高い海域として世界的にもよく知られており、沿岸海洋研究に有利な立地条件を備えています。また本センターは、良質の海水や淡水に恵まれ、調査船、各種観測装置などの施設も充実しており、沿岸海洋環境の総合研究センターとして重要な役割を果たしてきました。今後も大槌湾および周辺海域の生態系についての研究を実施するとともに、沿岸保全に積極的に取り組みつつ、新しい学際的ニーズに合う国際的な共同利用研究施設として、沿岸海洋研究の国際ネットワークの中核となることを目指しています。

The International Coastal Research Center is located in Otsuchi on northern Japan's Pacific coast. The cold Oyashio and warm Kuroshio currents foster high productivity and biodiversity in and around Otsuchi Bay. Coastal waters are facing increased ecological and environmental pressure from human activities. Public health may be adversely affected by marine pollution from hazardous chemicals. Comprehensive coastal marine science can provide important input to resolve growing global and domestic environmental challenges. International and interdisciplinary cooperation is necessary for addressing coastal ecological and environmental issues. This international center focuses on marine science not only in Japanese waters, but also in overseas coastal waters, in cooperation with foreign countries and international organizations.

沿岸生態分野 Division of Coastal Ecosystem

三陸沿岸域に生息する主要な海洋生物の生活史、生物多様性、有害物質の挙動と生物影響などの基礎的研究を推進するとともに、沿岸域における海象等の変動を含め、沿岸生態系研究に関する国際共同研究体制の構築を目指している。

Coastal areas of Japan have a high biodiversity comparing with that in tropical rain forests. But, partly because its complexity, structure and dynamics of coastal ecosystem remains mostly unknown. In order to understand coastal ecosystem, basic studies on ecology of each elements and interactions between them are required. The main task of the coastal ecosystem division is to study on mechanism of oceanic and atmospheric variability, life history of marine organisms, marine biodiversity and marine pollution by hazardous chemicals.

沿岸保全分野 Division of Coastal Conservation

沿岸域における生物の生活史や行動生態、物質循環に関する研究を行うとともに、国際的ネットワークを通じて総合的沿岸保全管理システムの構築を目指しています。

Conservation, restoration, and sustainability of coastal ecosystems are critical societal issues in 21st century. With the intention of providing a guideline for resolving such matters, the coastal conservation division focuses on the life history and behavioral ecology of coastal marine organisms and dynamics of bioelements in the coastal areas.

地域連携分野 Division of Regional Linkage

世界各国の沿岸海洋に関する諸課題について、国際機関や各国研究機関との共同研究の実施及び国際ネットワークによる情報交換により研究者ののみならず政策決定者、市民等との連携を深めることにより解決を目指す。

The regional linkage division endeavors to coordinate academic programs of coastal marine science and to establish network systems of coastal marine science among domestic and foreign universities and institutes as well as international organizations.

国際沿岸海洋研究センター | 沿岸生態分野

International Coastal Research Center, Division of Coastal Ecosystem

日本の海洋の沿岸域は、生物の多様性が高く、陸上の森林に比較し得る複雑な生態系の構造を持っています。また沿岸生態系は、栄養塩の供給、仔稚魚の生育場の提供などを通して、沖合域の生態にも密接な影響をおよぼしています。しかしながら、沿岸生態系の構造と動態については、いまだ解明されていない部分が多く残されています。沿岸生態系の構造を理解するには、構成要素となる各生物種それぞれの生態を明らかにし、その間の相互作用を明らかにしていくという地道な作業が必要となります。

沿岸生態分野では、三陸沿岸から沖合域に生息する主要な海洋生物の生活史、生物多様性や有害化学物質による沿岸域の環境汚染などの基礎的研究を実施して、これらの情報のデータベース化を行い、沿岸生態系の研究に関する国際共同研究体制の構築を目指しています。当センターの位置する大槌湾には、河口域、岩礁域、砂浜域、沖合域がそろっており、沿岸生態研究に適したフィールドを提供しています。沿岸生態分野では、1977年から継続している大槌湾の各種気象要素に関する長期観測データや係留ブイの観測データなどに基づく三陸沿岸域の海象・気象の変動メカニズムの解明、沿岸域に生息するプランクトン、仔稚魚の生活史と種間関係の解明、沿岸域における内分泌攪乱物質（環境ホルモン）をはじめとする有害化学物質の挙動と蓄積、生物濃縮メカニズム、毒性影響の解明を目指して研究に取り組んでいます。さらに国内外の研究者との共同研究を通して、多くの沿岸生物種の生態の調査や海洋環境の汚染の調査を行い、三陸沿岸海洋の生態系の構造と動態、そして保全の解明を目指します。

現在の主な研究テーマ

●三陸沿岸海域における海象・気象の変動特性の研究

三陸沿岸海域における海象・気象のさまざまな時間スケールでの変動特性のメカニズムを長期間の定置観測データや海底設置型ADCP(Acoustic Doppler Current Profiler)などのデータから解明する。

●大槌湾の生態系の構造と機能

大槌湾に生息するベントス・プランクトン・魚類の生態を明らかにすることにより、多くの生物の成育場としての藻場、碎波帯などの構造と機能を解明していきます。

●沿岸域における環境汚染研究

内分泌攪乱物質などの有害化学物質による沿岸環境汚染の現状と推移、生物濃縮機構、毒性影響などについて調べています。



MICHDIA, Y.



ARAI, T.

Coastal areas of Japan have high biodiversity, comparable to that of tropical rain forests. However, partly because of their complexity, the structure and dynamics of coastal ecosystems remain mostly unknown. To understand coastal ecosystems, basic studies of the ecology of each element and interactions between them are required. The main goal of the coastal ecosystem division is to study marine biodiversity, interactions between marine organisms and their environments, and marine pollution issues. Special emphases are placed on: (1) species diversity and production of "Garamo-ba" (Sargassum zone) on rocky shores, and (2) coastal pollution caused by hazardous chemicals, including endocrine disruptors.

Ongoing Research Themes

●Mechanism of oceanic and atmospheric variability : Mechanism of oceanic and atmospheric variability in the coastal areas of Sanriku is studied by the analysis of routine marine meteorological data and current data from bottom mount type ADCP.

●Coastal Marine Ecosystems : marine community structure (fauna and flora) and production processes of marine organisms in ecosystems are studied on the basis of life histories of key species.

●Coastal Pollution Studies : coastal pollution by hazardous chemicals such as organotin compounds, organochlorine compounds, and heavy metals is investigated with the goal of conserving coastal environments.

サケ *Oncorhynchus keta* の産卵回遊

Spawning migration of chum salmon *Oncorhynchus keta*



教授
Professor

道田 豊
MICHIDA, Yutaka

准教授
Associate Professor

新井 崇臣
ARAI, Takaomi

国際沿岸海洋研究センター | 沿岸保全分野

International Coastal Research Center, Division of Coastal Conservation



河口域を含む沿岸域は生産性が高く、漁業をはじめとして多目的に利用される海域であり、また人間と海とのインターフェースとして人間活動の影響を強く受ける海域です。20世紀後半に急速に進んだ生物多様性の低下や資源枯渇、環境汚染、気候変動などの生態系の機能低下は沿岸域でとりわけ顕著に現れています。沿岸域の健全な生態系を回復することは21世紀を生きる私たちに課された大きなテーマなのです。

沿岸保全分野では沿岸域における生物の生活史や海洋高次捕食動物の行動生態、物質循環過程に関する研究に取り組むとともに、国際的ネットワークを通じて総合的沿岸保全管理システムの構築を目指しています。サケ、アユ、シラウオ、イトヨなどの三陸沿岸に生息する沿岸性魚類や通し回遊魚の分布・回遊・成長・生残、サケ、海鳥、イルカ、さらにウミガメやアザラシなどに搭載したデータロガーや画像ロガーなどから得られる行動情報や生理情報の解析、生物活動を含む物質循環過程において溶存態・懸濁態成分が果たす役割の解明などを目標とした研究を行っています。本センターの調査船や研究船などを用いたフィールド研究を軸として、それに関わるデータ集積・分析・解析のための新しい手法や技術の開発を進めています。

In the 20th century, serious damage to the coastal ecosystem has occurred including a rapid decrease in biodiversity, resource depletion, pollution and global climate change. Conservation and restoration of the coastal ecosystem is a critical issue for societies in the 21st century. The coastal conservation division focuses on: (1) life history and behavior of coastal and diadromous fishes such as salmon, ayu, icefish and stickleback, (2) behavioral ecology of animals in relation to their surrounding environments using animal-borne data loggers, (3) role of dissolved and particulate matter in material cycling in coastal environments. This division also covers actual research plan on conservation and restoration of nature from environmental degradation.

Ongoing Research Themes

- **Early life history of diadromous fishes** : Distribution, migration and growth in the early life history of diadromous fishes are investigated in relation to the environmental factors.
- **Behavioral ecology of marine top predators** : Animal-borne data loggers are used to investigate behavior, physiology of animals and their surrounding environments.
- **Dynamics of bioelements** : Roles of dissolved and particulate matter in material cycling in coastal environments are investigated through field observations and laboratory experiments.

現在の主な研究テーマ

● 通し回遊魚の初期生活史に関する研究

アユやサケなどの通し回遊魚の初期生活史における分布・回遊・成長を調べて生き残り過程を明らかにするとともに、資源変動メカニズムを生息環境との関わりから解明する。

● 海洋高次捕食動物の行動生態研究

動物に搭載可能な小型データロガーを用いて、海洋高次捕食動物の視点から海洋環境を把握しつつ、動物の行動や生理情報より、彼らが海洋環境にいかに適応し、日々どう振る舞っているのかを調べる。

● 生元素の動態に関する研究

生物活動を含む沿岸域の物質循環において、溶存態・懸濁態成分が果たす役割について野外観測と室内実験を通して明らかにする。



3次元経路測定記録計を背負ったアカウミガメ
A loggerhead turtle equipped with a 3-D data logger



OTAKE, T.



SATO, K.




FUKUDA, H.

教授 Professor	大竹 二雄 OTAKE, Tsuguo
准教授 Associate Professor	佐藤 克文 SATO, Katsufumi
助教 Research Associate	福田 秀樹 FUKUDA, Hideki

海洋科学国際共同研究センター Center for International Cooperation



国際センターシンボルマーク
Original symbol mark of CIC.



アジア諸国との沿岸海洋学に関する共同研究会議
Scientific symposium on 'Coastal Marine Sciences',
a cooperative study with southeast Asian countries.



ベトナムハロン湾における海洋環境の国際共同研究
International cooperative study of marine environment at Halong Bay, Vietnam.

本センターは、日本の海洋科学の国際共同研究の推進拠点として設立されました。以来、政府間組織であるUNESCO/政府間海洋学委員会(IOC)や北太平洋海洋科学機関(PICES)などの太平洋における国際共同観測・研究活動の推進や、非政府間組織である国際科学会議(ICSU)の学際団体である地球圏—生物圏国際協同研究計画(IGBP)の海洋に関するコアプロジェクト、拠点大学交流事業による東南アジア諸国との沿岸海洋学プロジェクト、統合国際深海掘削計画(IODP)など、国際的な枠組で実施される日本の海洋科学に関わる大型研究プロジェクトを研究面から推進・支援しています。また、日本が主導する独創的な国際共同研究を企画・立案し、アジア諸国をはじめとする世界各国との学術交流を通して、基盤形成に貢献しています。

Center for International Cooperation (CIC) was established to enhance international cooperation in marine science. Since then, we have been supporting and promoting international cooperative research and observation programs in the oceans, mainly the Pacific Ocean for contributions to UNESCO's Intergovernmental Oceanographic Commission (IOC), the North Pacific Marine Science Organization (PICES), and core projects of the International Geosphere-Biosphere Programme (IGBP), the Multilateral Core University Program "Coastal Marine Science", the Integrated Ocean Drilling Program (IODP) and so on. Also, we have been coordinating academic exchange programs and establishing networks among various countries, especially in Asia.

企画情報分野 Division of Research Planning

企画情報分野では、海洋科学に関する国際共同研究の企画・立案・調整といった国際的な場に積極的に参加しています。各種委員会に委員として参画して新たな国際共同研究の立ち上げ等に貢献するほか、スタッフ自らも国際共同研究の一翼を担う研究を進めています。

This group helps to plan and coordinate the activities of various international cooperative studies in oceanography. Staff members of our group contribute to initiating new international research projects, and also carry out scientific studies related to such projects.

研究協力分野 Division of Research Cooperation

研究協力分野では、諸外国、とくにアジア諸国との学術交流の推進、研究ネットワークの構築等をめざして、関連する国際研究プロジェクトにおいて先導的な研究を進め主導的な役割を果たしています。

This group aims to establish international cooperative research networks, in particular among Asian countries, through capacity building activities, by promoting advanced scientific studies and playing leading roles in various international research projects.

海洋科学国際共同研究センター | 企画情報分野

Center for International Cooperation, Division of Research Planning



企画情報分野では、海洋科学に関する国際共同研究の企画・立案・調整といった国際的な場に積極的に参加しています。各種委員会に委員として参画して新たな国際共同研究の立ち上げ等に貢献するほか、スタッフ自らも国際共同研究の一翼を担う研究を進めています。

海洋生物を専門とする宮崎研究室では、バイオ・ロギング科学の構築を進めていると同時に、海棲哺乳動物の生活史を中心とした生態学的研究、外部形態や骨形態などの形態学的研究、および海棲哺乳動物を指標として、有害化学物質による海洋汚染モニタリング研究やその生物影響の研究を実施しています。これまで日本近海はもちろんのこと、南極海、北極海、バイカル湖、カスピ海、黒海などで国際共同研究を展開してきました。約20年前にヒトの世界で流行したインフルエンザウイルスがカスピカイアザラシに保持されていることを突き止めた研究は、国際的に注目されています。

井上研究室では、生物が海洋の多様な環境に適応するメカニズムとその進化の過程を、分子生物学、比較ゲノミクス、生化学などの手法を用いて研究しています。例えば、東南アジアのマングローブ域や河口域に広く分布するジャワメダカやその近縁種の環境適応能や地理的分布の研究を、アジアの研究者のネットワークを構築しながら進めています。また、深海の熱水噴出域に生息するシンカイヒバリガイやハオリムシ(チューブワーム)などの無脊椎動物の硫化水素に対する適応機構や、南極海の生態系の中心的存在であるナンキョクオキアミの環境塩濃度変化に対する適応機構を国内外の研究者と共同で進めています。

This group helps to plan and coordinate the activities of various international cooperative studies in oceanography. Staff members of our group contribute to initiating new international research projects, and also carry out for themselves scientific studies related such projects.

Ecological and morphological research on marine mammals has been conducted in cooperation with foreign scientists. Special emphasis is placed on bio-logging science and marine pollution by hazardous chemicals, using marine mammals as indicators. An international research topic is Caspian Sea seals, which have harbored the influenza A virus for 20 or more years.

Molecular biological, genomic and biochemical studies on fishes (e.g. *Oryzias* species inhabiting mangrove area in Southeast Asia) and invertebrates (e.g. deep-sea mussels and tubeworms inhabiting hydrothermal vents, and Antarctic krill) also started with a special interest in mechanisms of adaptation to various environmental conditions in the ocean, organizing international research network.

Ongoing Research Themes

- Establishment of "Bio-logging Science"
- Ecological and morphological studies of marine mammals
- Marine pollution studies using marine mammals as indicators
- Studies of coastal environments and conservation
- Environmental adaptation of fishes and marine invertebrates
- Physiology of deep-sea organisms inhabiting hydrothermal vents
- Evolution of functional genes involved in environmental adaptation
- Environmental monitoring using *Oryzias* fishes

現在の主な研究テーマ

- バイオ・ロギング科学
- 海棲哺乳動物の生態・形態学的研究
- 海棲哺乳動物を指標とした海洋汚染研究
- 沿岸域の環境保全研究
- 魚類・海産無脊椎動物の環境適応機能
- 深海の熱水噴出域に生息する生物の生理機能
- 環境適応に関与する機能分子(遺伝子)の進化
- メダカ類を用いた環境モニタリング

カズハゴンドウの集団漂着

Mass stranding of marine mammals



マレーシアでのジャワメダカの採集

Sampling of Javanese medaka in Malaysia



教授
Professor

准教授
Associate Professor

宮崎 信之
MIYAZAKI, Nobuyuki

井上 広滋
INOUE, Koji



MIYAZAKI, N.



INOUE, K.

海洋科学国際共同研究センター | 研究協力分野

Center for International Cooperation, Division of Research Cooperation

研究協力分野の植松研究室では、エアロゾルから見た地球環境変化の解明を研究対象とし、エアロゾルの地球上の分布、エアロゾルに含まれる化学成分、エアロゾルを媒介とした大気－海洋間の相互作用などの解明を主たる目的としています。同時に、観測に必要となる分析技術、観測手法の開発を行っています。

化石燃料から生じる硫黄酸化物が温暖化を抑制することが知られていますが、海洋生物が生産する硫黄化合物も海洋大気へ放出され硫黄酸化物へと変化し、雲の凝結核となり太陽光を遮断し、同様に抑制に寄与することがわかつてきました。また、陸地を発生源とするダストは海洋にも沈着し、海洋の生態系を変えます。このように、陸と海洋を結びつけるエアロゾルのさまざまな過程や役割、それらの地球環境への影響を解明することは、気候変動や生態系を理解する上で重要です。

海洋地質・地球物理学を専門とする朴研究室では、2次元及び3次元マルチチャンネル反射法地震探査データを用いた沈み込み帯の地殻構造に関する研究を行っています。また、反射法地震探査研究を統合国際深海掘削計画(IODP)の地震発生帯掘削研究と統合することで、海溝型巨大地震発生メカニズムの解明に必須不可欠なプレート境界断層の包括的解説を探求しています。特に、付加体の成長や海溝型巨大地震発生メカニズムの研究において絶好のフィールドとして知られている南海トラフに着目し、巨大地震破壊の鍵と考えられる地殻構造の詳細なイメージングや物性推定の研究を行っています。

Research in marine biogeochemistry laboratory focuses on aerosols in the marine environment. Our goal is to understand the distribution, chemical compositions, and atmosphere-ocean interactions of aerosols. Sea and land are closely linked, especially with respect to the biosphere and global climate. The ocean controls atmospheric levels of greenhouse gases originating from land. However, negative radiative forcing of global climate caused by aerosols is outweighed by the positive effects of greenhouse gases. Aeolian dust is transported over and deposited into the sea, which can influence how the marine ecosystem functions.


Marine geology and geophysics laboratory is aiming at comprehensive understanding on trench-arc-backarc basin systems on Earth. We focus on marine geologic and geophysical studies in the plate convergent margin such as Nankai Trough, mainly through 2-D and 3-D multichannel seismic reflection investigations. We are currently conducting 2-D and 3-D prestack depth imaging studies and physical property estimations along the Nankai Trough subduction zone. We are closely involved in Nankai Trough Seismogenic Zone Experiment of Integrated Ocean Drilling Program (IODP).

Ongoing Research Themes

- Chemical composition and fluxes into the ocean from the marine atmosphere
- Biogeochemistry of trace metals in the marine environment
- Trace element atmosphere-ocean interactions
- Development of automatic measurement of trace elements
- IODP Nankai Trough Seismogenic Zone Experiment
- Segmentation along rupture zone of subduction thrust earthquake
- 3-D prestack depth imaging and physical property estimation along Tonankai seismogenic fault
- Marine geology and geophysics on trench-arc-backarc basin system
- Integration of seismic reflection and ocean drilling data

現在の主な研究テーマ

- 大気を経由して輸送される陸起源・人為起源物質の海洋環境への影響
- 海水中の粒子の無機化学組成と生物との関係
- 海洋起源成分の海洋と大気間の相互作用に関する研究
- 堆積物粒子の粒径、化学組成を基にした地球環境変化の解明
- 微量成分の自動連続測定法に関する研究
- 統合国際深海掘削計画の南海トラフ震源域掘削研究
- 巨大地震発生帯セグメント化を規定する物理プロセスの解明
- 東南海巨大地震断層の3次元高精度イメージングおよび物理特性の解明
- 海溝・島弧・背弧海盆システムの海洋地質・地球物理学的研究
- 反射法地震探査データ・深海掘削データの統合データベース構築



UEMATSU, M.



PARK, J.

教授
Professor
准教授
Associate Professor


植松 光夫
uematsu, mitsuo
朴 進午
park, jin-oh

先端海洋システム研究センター

Center for Advanced Marine Research



水の惑星 地球
The Water Planet



超微小領域を分析できるイオンマイクロプローブ
Ion microprobe for trace element and isotopic analysis of ultra-fine features



生物多様なサンゴ礁
Biodiversity of coral reefs



ナメクジウオから脊椎動物への進化を探る
Amphioxus as a model for the ancestral vertebrate

7つの海は海流によって結びつけられ、さまざまな物質が世界中を循環します。また、微生物からクジラに至る様々な生き物の生命活動の場もあります。太古から現代に至る変遷をとげてきた海洋は時空間的に連続したひとつのシステムをなしており、その包括的理験を深めるには、学際的な海洋研究が不可欠です。先端海洋システム研究センターは、最先端の観測機器・分析技術・解析手法を駆使して海洋循環・物質循環や生物多様性に関する研究を連携して行うことで、海洋環境の統合的解明を目指しています。

The seven seas of the world are connected by ocean currents, which globally circulate various kinds of materials. There are many lives from microorganism to whale in the world ocean. The Center for Advanced Marine Research was established for growing demands of interdisciplinary and comprehensive research of the ocean as the whole system in both of space and time. Using the most advanced observational and analytical techniques, the present state of the marine environment is studied accurately, precisely, and thoroughly under the collaboration.

海洋システム計測分野

Division of Marine System Observation

海洋化学と物理学の研究者が連携しながら、海洋環境に関わる海洋循環と海洋物質循環過程を包括的に解明することを目指して、先端的な測定装置による現場観測や数値シミュレーションなどを行っています。

Our group consists of chemical and physical oceanographers. We aim to comprehensively understand water circulations and material cycles in the marine environment on the basis of advanced measurement systems and numerical simulation.

海洋システム解析分野

Division of Marine System Analysis

海洋システム解析分野では最新の分子生物学的、分析化学的な手法を用い、海洋における生物多様性の実体と変動を、現在および過去の環境変動要因との相互作用という視点から研究しています。

Using the most advanced techniques of molecular biology and analytical chemistry, the marine system analysis group studies the development of biodiversity, with special emphasis on interaction with the environmental fluctuations from the past to the present.

先端海洋システム研究センター | 海洋システム計測分野

Center for Advanced Marine Research, Division of Marine System Observation

人類は、これまで陸域を活動の場として発展してきましたが、海洋はその2倍以上の面積を持ち、地球環境と生命活動に重要な役割を果たしています。地球環境に関わる海洋システムの研究、すなわち海洋の持つ地球環境保全機能の定量化とその科学的理解は、地球環境と調和した社会を実現するために不可欠です。

例えば、地球環境に深刻な影響をおよぼす地球温暖化問題において、二酸化炭素は温室効果気体の主要要素ですが、海洋は大気に比較して50倍以上の量の炭素を含有し、そうした温室効果気体の吸収および循環過程に対して極めて重要な役割を果たしていると考えられています。また、過去50年間の人口増加は急速な食糧増産で支えられてきましたが、海洋中の深層水には栄養塩が豊富に含まれており、深層水とそれに含まれるさまざまな物質の循環の実態を明らかにすることは、将来における食糧問題の観点からも重要であると期待されています。

上記のような海洋・地球環境問題に取り組むためには、海洋の化学や物理学をはじめとして、生物学、生物資源学、海底科学等との共同研究が必要です。海洋システム計測分野では、本研究所研究部門および研究施設の教員、技術員と連携しながら、海洋循環過程と海洋物質循環過程の基礎研究に立脚しつつ、最新の技術や高精度の計測機器類を導入することで高密度観測や高感度分析、数値シミュレーションなどの先端的解析手法を開発し、近未来における海洋環境問題についての総合的な研究を行っています。

現在の主な研究テーマ

●希ガス元素をトレーサーとした海洋物質循環

希ガス元素は化学的な活性が低いため、海洋循環を調べるために良いトレーサーとなります。例えば、海水中のヘリウムの濃度分布は、海洋循環のモデル化を図る上で重要な情報を与えます(Fig.1)。また、深層水中のアルゴン、クリプトン、キセノンといった重い希ガス元素濃度からは、深層水がその昔、大気と平衡にあった時の温度を推定できます。

●太平洋における深層循環

CTDや降下式ADCPによる観測によって、太平洋深層における流速や水温・塩分・溶存酸素の分布、あるいは係留流速計による流速の時系列などをデータとして収集・解析しています。

The ocean, covering 70% of earth, is central to many environmental issues, including global climate change, and is a major source of food for humans. Japan, surrounded by the ocean, requires thorough scientific understanding, including quantitative modeling, of the ocean's roles in the earth's environment.

The marine environment is complex and requires comprehensive studies beyond the capabilities of a single department. Through cooperation with other research departments and centers, the marine system observation group develops advanced observation systems and conducts high resolution numerical simulations to model the marine environment. Modeling employs results from basic studies of water circulation and mass cycles from not only ocean chemistry and physics, but also biology, fisheries, and geoscience.

Ongoing Research Themes

●**Ocean circulation using noble gas isotopes** : noble gases are chemically inert and are regarded as ideal tracers to study ocean circulation. Helium-3 (^3He) is a primordial component that was trapped in earth's mantle at the time of accretion. It degasses from submarine volcanoes at mid-ocean ridges and back-arc basins. Three-dimensional mapping of the $^3\text{He}/^4\text{He}$ ratio provides important constraints on global ocean circulation models (Fig.1).

●**North Pacific deep circulation** : ocean observations using conductivity-temperature-depth (CTD) / lowered acoustic Doppler current profiler (LADCP) systems and moored current meters are undertaken, and resultant water temperature, salinity, and dissolved oxygen data from hydrographic sections and time series current data are analyzed.





Fig.1 中央海嶺を横切るセクションで見た海水中のヘリウム-3の濃度異常。中央海嶺から放出されたマントル起源のヘリウムは海水の流動とともに流れるように見える

We can know ocean current from distribution of helium isotopes that was emitted from a volcano on the seafloor



SANO, Y.



FUJIO, S.



TAKAHATA, N.



TANAKA, K.

教授 Professor	佐野 有司 SANO, Yuji
准教授 Associate Professor	藤尾 伸三 FUJIO, Shinzou
助教 Research Associate	高畠 直人 TAKAHATA, Naoto
助教 Research Associate	田中 潔 TANAKA, Kiyoshi

先端海洋システム研究センター | 海洋システム解析分野

Center for Advanced Marine Research, Division of Marine System Analysis



地球の表面積の約7割を占める海洋は、生命誕生と進化の舞台です。今までに海洋は何度も地球規模の大きな環境変動を繰りひろげてきました。多様な生命体も長い歴史をかけて出現と消滅を繰り返し、生命と海洋環境との間には密接な関係が営まれてきました。この関係は、海洋底や地殻、海洋生物の遺伝情報のなかに記録されています。最近の分析・測定技術の発展がもたらした網羅的解析、高精度解析、極微細な解析の技術で、その記録を読み解くことができます。さらには、古海洋環境の再現といった複雑な海洋システムの再構築の試みも可能になりつつあります。

海洋システム解析分野では、海洋化学、海洋地質学、分子生物学のそれぞれの学問領域から、海洋の環境変動と生物進化の両面を研究します。そして、海洋システムを横断的かつ総括的に理解することを研究のさらなる目的としています。具体的には、第四紀の氷期・間氷期を繰り返す劇的な環境変動の数万年間、さらに長期の数百万年間のタイムスケールの環境変動に焦点をあてます。古海洋環境の化学からは、海洋生物の化石中の微量元素や同位体比を解析します。計測分野の先端的な高精度計測技術を利用し、長期の環境変動や古環境を高精度かつ高分解能で復元する研究もおこないます。また、海洋生物の生物多様性を遺伝子科学とタンパク質科学の先端的手法で研究します。海洋生物の全ゲノム遺伝子の解読が可能となりつつある今日、生物の機能がどのように進化してきたかを解析します。さらに、解析分野のすべての研究を共通の時間軸をもって融合し、海洋環境の変動期における生物多様性の創出機構の解明を目指します。

The ocean, which occupies about 70% of earth's surface, is the cradle and incubator of life. Through earth history, life forms have repeatedly appeared and disappeared, and this evolution is closely related to surrounding environments. Long-term associations between marine life and marine environments are recorded in marine sediment, igneous crust, fossils, and the genetic codes of marine organisms, and can be analyzed using sophisticated modern techniques. Our group's major research goal is inclusive understanding of the global ocean system, including reconstruction of ancient marine environments, for the last two million years (Quaternary period). To reconstruct biogeochemical cycles, trace element and stable-isotope studies of natural archives such as microfossils and ferromanganese crusts are invaluable. Furthermore, for integrated understanding of geochemical cycles, and elucidation of adaptive mechanisms and diversity of biological functions, we employ genomic and proteomic methods.

Ongoing Research Themes

- Reconstructing environmental variables in ancient oceans using trace element abundances and isotopic ratios of natural archives such as microfossils and ferromanganese crusts.
- The geochemical cycle in various aquatic environments is negatively impacted by human activities. Therefore, studies of geochemical cycle, which help illuminate past, present, and future conditions and processes, are required.
- The mechanisms that adapt biological functions to changes in marine environments are analyzed using molecular biological and physiological methods (Figure).

鹿児島野間岬沖の海底約230mから引き上げた鯨骨。化学合成細菌共生系のイガイ類が付着している。

A whale bone found at a depth of 230m off Cape Nomamisaki, Kagoshima. The mussel attached on the bone surface has symbiotic bacteria.



鯨骨中に見つかった新種ナメクジウオ。
A new species of lancelet discovered in the whale bone and sediments beneath the whale carcasses.

現在の主な研究テーマ

- 堆積物中の生物の遺骸(有孔虫、ケイ藻、魚の歯など)やマンガンクラスト中の微量元素の濃度および同位体比を測定し、古海洋環境(水温、pH、アルカリ度、深層循環のパターンなど)の復元を進めます。
- 近年、人為的な環境負荷の増大により、多くの地球環境で、これまで長期間維持されてきた物質循環がバランスを崩しはじめています。そのため、過去・現在・未来を通しての物質循環を明らかにし、それを維持している生物多様性の実態と変動を、環境要因との相互作用を通して明らかにしていく研究を進めます。
- 脊椎動物に近縁な、ナメクジウオのドラフトゲノム遺伝子が解読されました。この動物を用いて、多様な生体機能のなかでも環境変動と関係しながら変化してきた機能を解析し、脊椎動物への進化について研究します。また、鯨骨生物群集の極限環境への適応現象の解明を進めます(図)。



KUBOKAWA, K.



AMAKAWA, H.



OMURA, A.

教授 Professor	窪川 かおる KUBOKAWA, Kaoru
准教授 Associate Professor	天川 裕史 AMAKAWA, Hiroshi
助教 Research Associate	大村 亜希子 OMURA, Akiko

海洋生物の分布・回遊および資源量は、海洋環境の物理・生物・化学的な要因で、さまざまな時空間スケールで大きく変化しています。エルニーニョに代表される地球規模の海洋気象現象は、数千キロを移動する生物の産卵・索餌回遊と密接な関係がある一方、幼生や微小生物の成長・生残には、海洋循環に伴う生物輸送や海洋乱流に伴う鉛直混合のような比較的小規模な海洋現象が重要な役割を果たしています。このように生物種のみならず成長段階の違いによって生物に影響を及ぼす海洋環境は多様であり、さらにそこには人間活動に伴う様々な現象も加わって、海洋は複雑な様相を呈しているのです。

本分野では、上述した生物を取り巻く海洋環境に着目して、海洋環境変動に対する生物の応答メカニズムを、研究船による海洋観測、バイオロギング（生物装着型記録計による測定）、野外調査、数値シミュレーション、飼育・室内実験などから解明する研究に取り組んでいます。特に、ニホンウナギやマグロ類をはじめとする大規模回遊魚の産卵環境、初期生活史、回遊生態に関する研究は、外洋生態系における重点的な研究課題であり、近年では生物進化・多様性保全の観点から、地球温暖化に対応した産卵・索餌行動、分布・回遊経路、成長・生残の予測研究にも力を入れているところです。また、アワビやムール貝といった底生生物が生息する内湾・海峡域の流動環境や基礎生産環境に着目した沿岸生態系に関する研究も行っており、様々な学問分野の複合領域としての総合的な海洋科学の研究と教育を目指しています。

現在の主な研究テーマ

- 亜熱帯循環の海洋構造・変動と大規模回遊魚の生態
- 稚仔魚の摂餌行動に与える乱流の影響
- 沿岸域に生息する生物資源の再生産機構
- 黒潮と生物資源変動との関係

ニホンウナギのレプトセファルス幼生（Fig.1）と数値実験で求めた幼生の輸送経路（Fig.2）。エルニーニョ発生年（Fig.2左図）は、幼生がフィリピン東部から黒潮にうまく乗ることができずに、エルニーニョ非発生年（Fig.2右図）に比べて、ニホンウナギが生息できないミンダナオ海流域に数多くの幼生が輸送される。事実、エルニーニョの年にシラスウナギの日本沿岸への来遊量が減少する。



Fig.1





Fig.2

Picture of the Japanese eel leptocephalus (Fig.1) and its larval transport from spawning ground in the North Equatorial Current reproduced by numerical simulation (Fig.2). Transports of the Japanese eel larvae along the Kuroshio are less than that along the Mindanao Current in El Niño years (Fig.2, left panel)



KIMURA, S.



KITAGAWA, T.


The distribution, migration and stock variation of marine organisms fluctuate with physical, biological and chemical marine environments on various temporal and spatial scales. Global oceanic and climatic phenomena represented by El Niño have a close relationship to spawning and feeding migrations of large-scale migrating fishes over several thousand kilometers. Biological transport associated with ocean circulation and vertical mixing caused by oceanic turbulence play very important roles on the growth and survival of larvae and small marine organisms. The marine environments that affect not only species but also growth stages vary widely. Our objectives are to clarify the characteristics of oceanic phenomena related to the ecology of marine organisms and the response mechanisms of marine organisms to global environmental changes through observation, biologging, numerical simulation, and field and laboratory experiments. We aim at the research and education of ocean science as a multidisciplinary domain.

Ongoing Research Themes

- Ecology of Japanese eel larvae and bluefin tuna in the North Pacific subtropical gyre in relation to migration and stock recruitment
- Laboratory experiment of fish larvae and juvenile in turbulent tanks
- Reproduction mechanisms of marine living resources in coastal areas
- Impact of meso-scale variability in the Kuroshio region on recruitment of small pelagic fish species



Fig.3



クロマグロ（Fig.3）と小型記録計によって得られたクロマグロ太平洋横断経路（Fig.4）。クロマグロは北海道沖からカリフォルニア沖まで2ヶ月で渡りきることができる。小型記録計は魚体内に装着するので、水温・照度などの環境データが取得できるだけでなく、体温・水深データから摂餌生態や体温維持のための生理的メカニズムを解明する研究が可能となる。

Pacific bluefin tuna (Fig.3) and track of a bluefin tuna that traversed the Pacific Ocean, obtained from a micro data logger (Fig.4). They migrate from off Hokkaido to off California in about two months

兼務教授
Professor

木村 伸吾
KIMURA, Shingo

兼務助教
Research Associate

北川 貴士
KITAGAWA, Takashi

海洋アライアンス連携分野

Ocean Alliance Linkage

海洋アライアンスは、社会的要請に基づく海洋関連課題の解決に向けて、海への知識と理解を深めるだけでなく、海洋に関する学問分野を統合して新たな学問領域を拓いていくことを目的に東京大学に設置された部局横断型の機構と呼ばれる組織です。

本分野では、海洋に関わる様々な学問領域と連携しつつ研究を進めると共に、海洋政策の立案から諸問題の解決まで一貫して行うことができる人材を育成するための研究・教育活動を行っています。

現在の主な研究テーマ

●回遊性魚類の行動解析と資源管理方策に関する研究

我が国で利用される水産資源には、地域や国の枠を越え、地球規模で海洋を移動する魚類が多く含まれています。これら高度回遊性魚類資源の持続的利用を図るために、回遊メカニズムの基礎的理解に加え、海洋環境の包括的な把握、さらに社会科学的側面を総合した統合的アプローチによる管理保全方策の策定を行っています。

●海洋キャリアパス形成と人材育成に関する研究

海洋は、海運、海岸開発、漁業など多様な価値観が交錯する場であり、海洋で起こる問題はますます複雑化しています。海洋問題の解決のためには、海洋のさまざまな分野の横断的知識が不可欠であり、学際的知識を有する人材育成のための教育研究を行っています。関係省庁での効率的なインターンシップ実習を推進し、学生のキャリアパス形成がより具体的になるように努めています。

●陸域での経済活動変遷と地球海洋変動に伴う海洋生態系の応答に関する研究

地球海洋においては、ENSO等に伴う地球規模の海洋の自然変動が明らかになる一方で、経済活動の活発化によって人為的インパクトもますます増大しています。持続的経済活動を可能とする沿岸域管理方策を構築することを目的として、陸域経済活動変動と海洋環境変動に対する海洋生態系の応答の解明に関する研究を行っています。

研究船白鳳丸による大型ORIネット作業

Large scaled ORI net operation on board R/V Hakuhō-Maru to sample fish larvae



KIMURA, S.



AOYAMA, J.



TAKAHASHI, T.

The University of Tokyo Ocean Alliance will strive to address the needs of our society with regard to ocean issues, and will consider the future of our society and of our nation from the global perspective of the related fields of ocean research. The alliance will extend and deepen our understanding of the ocean, develop new concepts, technologies, and industries and will form a distinguished think tank to contribute to our country's ocean related political discussions.

Ongoing Research Themes

●Migration of fishes and their conservation


Fishery resources often involve species that make global scale migrations in the vast open ocean. To begin or expand management and conservation efforts for these migratory species, we use multidisciplinary approaches to study their ecology and ocean environments, as well as the social science aspects of these important fisheries species.

●Study on career path and capacity building for addressing ocean affairs

Problems in the ocean have been increasingly complicated because of intensified human activities based on conflicting value systems such as coastal development and fisheries. This program aims to facilitate acquiring trans-boundary knowledge for solving the ocean problems through practical approaches.

●Response of marine ecosystems to human impacts and global ocean change

Whereas effects of natural fluctuations such as ENSO events in the ocean have likely always occurred, human impacts are rapidly increasing. The goal of this project is to clarify the impacts of human activities and ocean changes on marine ecosystems in order to provide a scientific basis for integrated coastal management for sustainable development.



Map of observed (left panels) and calculated (right panels) temperature (T) and dissolved oxygen (DO) on 19 August 2007, when the upwelling of oxygen depleted water "Aoshio" occurred. "Aoshio" is a composite phenomenon including human impacts (terrestrial nutrient load) and a natural phenomenon (wind-driven circulation).

兼任教授

Professor

木村 伸吾

KIMURA, Shingo

特任准教授

Project Associate Professor

青山 潤

AOYAMA, Jun

特任講師

Project Lecturer

高橋 鉄哉

TAKAHASHI, Tetsuya



国際協力 | INTERNATIONAL COOPERATION

国際共同研究

International Cooperative Studies

東京大学海洋研究所が参加している現在進行中の主な研究プロジェクト

Ongoing main research projects in which ORI participates

CLIVAR

気候変動と予測可能性に関する研究計画
Climate Variability and Predictability

<http://www.clivar.org/>

世界気候研究計画(WCRP)で実施された熱帯海洋全球大気研究計画(TOGA)と世界海洋循環実験(WOCE)の後継計画として1995年に開始された。世界海洋一大気一陸域システム、十年一百年規模の地球変動と予測、人為起源気候変動の三つのテーマを柱とし、地球規模の気候変動の実態把握と予測のための活動を行っている。

CLIVAR started in 1995 as a successive programme of TOGA (Tropical Ocean and Global Atmosphere) and WOCE (World Ocean Circulation Experiment) in WCRP (World Climate Research Programme). CLIVAR acts for assessment and prediction of global climate change, being composed of three streams of global ocean-atmosphere-land system, decadal-to-centennial global variability and predictability, and anthropogenic climate change.

C MarZ

Census of Marine Zooplankton

<http://www.cmarz.org/>

全海洋に生息する動物プランクトンの生物多様性を2010年までに解明することを目標として2004年から開始された国際プロジェクトで、2001年から進行中のCensus of Marine Life(CoML)の一環をなす。海洋研究所にはアジア海域の事務局が設置され、東南アジア諸国との研究協力と教育活動の推進に努めている。

C MarZ is a field project of the Census of Marine Life. C MarZ will work toward a taxonomically comprehensive assessment of biodiversity of animal plankton throughout the world ocean. The project goal is to produce accurate and complete information on zooplankton species diversity, biomass, biogeographical distribution, genetic diversity, and community structure by 2010.

GEOTRACES

海洋の微量元素・同位体による生物地球化学研究

[日本語]<http://www.geotracess.jp/>

[English]<http://www.geotracess.org/>

近年のクリーンサンプリング技術および高感度分析化学的手法を駆使して、海洋に極微量含まれる化学元素濃度とそれらの同位体分布を明らかにし、海洋の生物地球化学サイクルの詳細をグローバルスケールで解明しようとする研究計画。1970年代に米国を中心に実施されたGEOSECS(地球化学の大洋縦断研究)計画の第二フェーズに位置づけられる。2003年よりSCOR(海洋科学研究委員会)のサポートを受け、2005年にサイエンスプランが正式承認され、SCORの大型研究としてスタートした。

GEOTRACES, an international program in marine geochemistry, following the GEOSECS program in the 1970s, is one of the large-scale scientific program in SCOR since 2003. Its mission is to identify processes and quantify fluxes that control the distributions of key trace elements and isotopes in the ocean, and to elucidate response patterns of these distributions to changing environmental conditions.

GLOBEC

全球海洋生態系動態研究計画

Global Ocean Ecosystem Dynamics

<http://www.globec.org/>

GLOBECは1991年にSCORとIOCによって立ち上げられたIGBPのコアプロジェクトで、地球規模での気候変動が海洋生態系を構成する生物個体群の現存量、種多様性、生産性に与える影響に関する理解を得ることを目標としている。

GLOBEC is IGBP core project which was initiated by SCOR and the IOC of UNESCO in 1991, to understand how global change will affect the abundance, diversity and productivity of marine populations comprising a major component of oceanic ecosystems.

GOOS

世界海洋観測システム

Global Ocean Observing System

<http://www.ioc-goos.org/>

気候変動、海洋環境保全ほか、幅広い目的のため、世界の海洋観測システムを構築しようという計画。ユネスコ政府間海洋学委員会などが主導。政府間レベルでは1993年に開始された。

GOOS is an International initiative to establish global ocean observing system for a wide range of purposes including studies of global change, activities of marine environment protection and so on. It has been promoted by the Intergovernmental Oceanographic Commission of UNESCO and other related international organizations since 1993.

IGBP

地球圏—生物圏国際共同研究計画

International Geosphere-Biosphere Programme

<http://www.igbp.net/>

IGBPにおける海洋関係のプロジェクトにはMarine Biochemistry and Ecosystem Research(IMBER)とGlobal Ocean Ecosystem Dynamics(GLOBEC)の2つがあり、さらに海洋を取り巻く境界を扱うプロジェクトとしてSurface Ocean-Lower Atmosphere Study(SOLAS)とLand-Ocean Interactions in the Coastal Zone(LOICZ)がある。これらのプロジェクトに海洋研究所のスタッフは、国内レベルおよび国際レベルの両方で活発に活動している。

Ocean domain core projects of IGBP(International Geosphere-Biosphere Programme) Consist of Integrated Marine Biochemistry and Ecosystem Research(IMBER) and Global Ocean Ecosystem Dynamics(GLOBEC). In addition, two interface core projects, i.e., Surface Ocean-Lower Atmosphere Study(SOLAS) and Land-Ocean Interactions in the Coastal Zone(LOICZ), are also close to our study. Staff of ORI have been actively involved in these projects at both domestic and international levels.

IMBER

海洋生物地球化学・生態系統合研究
Integrated Marine Biogeochemistry and Ecosystem Research
<http://www.imber.info/>

IMBERは、IGBPとSCORが共同で後援している国際的な分野複合的な活動で、海洋生物地球化学的循環と生態系との相互作用が、どのように地球の変化に影響を与え、またその変化からどのような影響を受けるのか、という点について理解を深めることを目的としている。IMBER is a new IGBP-SCOR project focusing on ocean biogeochemical cycles and ecosystems. The IMBER vision is to provide a comprehensive understanding of, and accurate predictive capacity for, ocean responses to accelerating global change and the consequent effects on the Earth System and human society.

InterRidge

国際中央海嶺研究計画
<http://interridge.org/>
日本事務局
<http://ofgs.ori.u-tokyo.ac.jp/~intridgej/>

インターリッジは、中央海嶺に関するさまざまな研究を国際的かつ学際的に推進していくための枠組み。中央海嶺研究に関する情報交換や人材交流を行い、国際的な航海計画や研究計画を推し進めている。

InterRidge is an international and interdisciplinary initiative concerned with all aspects of mid-ocean ridges. It is designed to encourage scientific and logistical coordination, with particular focus on problems that cannot be addressed as efficiently by nations acting alone or in limited partnerships.

IODP

統合国際深海掘削計画
Integrated Ocean Drilling Program
<http://www.iodp.org/>

我が国が建造する世界最新鋭の掘削研究船「ちきゅう」や米国のライザーレス掘削船などを用いて、新しい地球観を打ち立て、人類の未来や我が国の安全へ貢献しようとする国際共同研究。2003年10月に発足し、推進には我が国が中心的な役割を果たす。

Using the world's most advanced drilling vessel "CHIKYU" constructed in Japan and the US riserless drilling vessel, an international joint research expedition is being undertaken to create new theories about the Earth and to try to contribute to the future safety of Japan and humankind. This program established in October 2003, and Japan is fulfilling a central role in the promotion of this project.

JSPS

Multilateral Core University Program
日本学術振興会拠点大学交流事業
<http://www.wdc-jp.com/jsp-cms/>

本事業(沿岸海洋学)は、アジアの5ヶ国(インドネシア、マレーシア、フィリピン、タイ、ベトナム)および日本国内の研究機関と共同して、東アジア・東南アジアの沿岸域で次の4つの研究課題を実施している;(1)物質輸送に関する研究、(2)有害微細藻類の生物生態学、(3)生物多様性、(4)有害化学物質による海洋汚染と生態学影響。

The project "Coastal Oceanography" has been conducted with cooperation of domestic and international institutes from five Asian countries (Indonesia, Malaysia, Philippines, Thailand and Vietnam) on the following research items; (1) Water circulation and the process of material transport, (2) Ecology of harmful marine microalgae, (3) Biodiversity, and (4) Marine pollution and ecological impact in the East and the Southeast Asia.

PICES

北太平洋海洋科学機関
North Pacific Marine Science Organization
<http://www.pices.int/>

北太平洋海洋科学機関は、北部北太平洋とその隣接海における海洋科学研究を促進・調整することを目的として1992年に設立された政府間科学機関で、北大西洋のICESに相当する。現在の構成国は、カナダ、日本、中国、韓国、ロシア、米国の6カ国で、毎年秋に年次会議を開催する。

PICES is an intergovernmental scientific organization established in 1992 to promote and coordinate marine research in the northern North Pacific and adjacent seas. PICES is a Pacific equivalent of the North Atlantic ICES(International Council for the Exploration of the Seas). Its present members are Canada, Japan, People's Republic of China, Republic of Korea, the Russian Federation, and the United States of America.

SOLAS

海洋・大気間の物質相互作用研究計画
Surface Ocean-Lower Atmosphere Study
[日本語]<http://solas.jp/>
[English]<http://www.uea.ac.uk/env/solas/>

海洋と大気の境界領域での物質循環を中心とした化学・生物・物理分野の研究を展開し、気候変化との関係を解明するIGBPの新しいコアプロジェクトとして、2003年から立ち上げられた。2005年度には、我が国においても、SOLAS関係の研究航海が実施された。

SOLAS is aimed to achieve quantitative understanding of the key biogeochemical-physical interactions and feedbacks between the ocean and atmosphere, and how this coupled system affects and is affected by climate and environmental change. In 2005, the cruises related SOLAS activity were carried out in the North Pacific.

WESTPAC

西太平洋海域共同調査
Programme of Research for the Western Pacific
<http://ioc.unesco.org/westpac/>

西太平洋諸国の海洋学の推進、人材育成を目的としたユネスコ政府間海洋学委員会(IOC)のプログラム。1970年代初めに開始され、その運営委員会は1989年からはIOCのサブコミッショナに格上げされた。

WESTPAC is a regional subprogram of IOC to promote oceanographic researches and capacity building in marine sciences in the Western Pacific Region. It was initiated in early 1970s and the steering committee for WESTPAC was upgraded to one of the Sub-Commission of IOC in 1989.

国際研究集会
International Meetings

2008年度中に東京大学海洋研究所が主催した主な国際集会
International Meetings hosted by ORI during FY2008

日本学術振興会拠点大学交流事業多国間交流「沿岸海洋学」 ナショナルコーディネーター会議
JSPS Multilateral Cooperative Research Program "Coastal Marine Science", The 8th National Coordinators' Meeting

2008.5.19～20 マラッカ、マレーシア Melaka, Malaysia
宮崎 信之 N. Miyazaki.
後援:日本学術振興会 supported by JSPS

日本学術振興会拠点大学交流事業多国間交流「沿岸海洋学」 海洋汚染研究プロジェクト会議
JSPS Multilateral Cooperative Research Program "Coastal Marine Science",
The 2008 POME WORKSHOP in Kota Kinabalu, Malaysia

2008.5.25 コタキナバル、マレーシア Kota Kinabalu, Malaysia
宮崎 信之 N. Miyazaki
後援:日本学術振興会 supported by JSPS

日本学術振興会拠点大学交流事業多国間交流「沿岸海洋学」 動物プランクトンの生態・分類研究法に関するトレーニングコース
JSPS Multilateral Cooperative Research Program "Coastal Marine Science",
Advanced Training Course on Methods of Zooplankton Ecology and Identification

2008.10.14～18 ティンギ島(マレーシア) Tinggi Island, Malaysia
西田 周平 S. Nishida
後援:日本学術振興会 supported by JSPS

日本学術振興会拠点大学交流事業多国間交流「沿岸海洋学」 東南アジアの動物プランクトン多様性に関するワークショップ
JSPS Multilateral Cooperative Research Program "Coastal Marine Science",
2008 JSPS-VCC (UKM, UPM) Workshop on Zooplankton Biodiversity in SE Asia

2008.10.20～26 ティンギ島(マレーシア) Tinggi Island, Malaysia
西田 周平 S. Nishida
後援:日本学術振興会 supported by JSPS

東南アジア域における海洋科学研究に関する将来構想ワークショップ
First JSPS Ocean Research Workshop in 2009
Future Collaboration Beyond the JSPS "Coastal Marine Science" program

2009.2.12～14 海洋研究所、東京(日本) ORI, Tokyo, Japan
植松 光夫 M. Uematsu
後援:日本学術振興会 supported by JSPS

共同利用研究活動 | COOPERATIVE RESEARCH ACTIVITIES

2008年度における利用実績

User Records in FY2008

白鳳丸乗船者数

The Number of Users of the R/V Hakuho-maru

所内 ORI	所外 Outside					乗船者合計 Total
	国公立大学 Public Univ.	私立大学 Private Univ.	国公立研究機関 Public Institute	その他 Others	所外合計 Subtotal	
69	49	5	7	3	64	133

淡青丸乗船者数

The Number of Users of the R/V Tansei-maru

所内 ORI	所外 Outside					乗船者合計 Total
	国公立大学 Public Univ.	私立大学 Private Univ.	国公立研究機関 Public Institute	その他 Others	所外合計 Subtotal	
92	150	17	49	2	218	310

中野地区外来研究員制度利用者数

The Number of Users of Visiting Scientist System for the Cooperative Research (Nakano Campus)

所内 ORI	国公立大学 Public Univ.	私立大学 Private Univ.	国公立研究機関 Public Institute	その他 Others	所外合計 Subtotal	利用者合計 Total
1	30	7	9	6	52	53

国際沿岸海洋研究センター外来研究員制度利用者数(公募内)

The Number of Users of the International Coastal Research Center (based on the application system)

所内 ORI	所外 Outside					利用者合計 Total
	国公立大学 Public Univ.	私立大学 Private Univ.	国公立研究機関 Public Institute	その他 Others	所外合計 Subtotal	
44	68	21	6	0	95	139

国際沿岸海洋研究センター外来研究員制度利用者数(公募外)

The Number of Users of the International Coastal Research Center (not based on the application system)

所内 ORI	所外 Outside					利用者合計 Total
	国公立大学 Public Univ.	私立大学 Private Univ.	国公立研究機関 Public Institute	その他 Others	所外合計 Subtotal	
22	23	11	3	4	41	63

研究集会(中野地区) : 代表者所属機関別件数

The Number of Organizers of Research Meeting (Nakano Campus)

所内 ORI	所外 Outside					件数合計 Total	参加人数合計 Total Participants
	国公立大学 Public Univ.	私立大学 Private Univ.	国公立研究機関 Public Institute	その他 Others	所外合計 Subtotal		
7	7	4	0	0	11	18	1658

研究集会(国際沿岸海洋研究センター) : 代表者所属機関別件数

The Number of Organizers of Research Meeting (International Coastal Research Center)

所内 ORI	所外 Outside					件数合計 Total	参加人数合計 Total Participants
	国公立大学 Public Univ.	私立大学 Private Univ.	国公立研究機関 Public Institute	その他 Others	所外合計 Subtotal		
0	1	1	0	1	3	3	135


所内在籍の大学院学生は全て所内人数に含まれる。

The number of user for all students of ORI is included in the category of "ORI".




淡青丸—研究航海航跡図(内航 2008)

Track Chart of R/V Tansei-maru in FY2008





白鳳丸—研究航海航跡図(内航 2008)
Track Chart of R/V Hakuho-maru in FY2008



2008年度に実施された淡青丸研究航海

Research Cruise of R/V Tansei-maru in FY2008

航海次数 Cruise No.	期間(日数) Period (days)	海 域 Research Area	研究題目 Title of Research
KT-08-5	2008.4.2 ~4.9(8)	相模湾 Sagami Bay	人工衛星による海洋基礎生産モニタリングシステムの相模湾における実運用と利用および相模湾沿岸域における低次生物群集の生産生態と有機物の分解過程に関する研究 Development of a real-time marine primary productivity measurement system for validation of satellite remote sensing data in Sagami Bay - Studies of production and ecology of the lower trophic communities and composition of organic matters in the coastal region of Sagami Bay
KT-08-6	2008.4.12 ~4.20(9)	伊豆大島近海、相模湾 around Izu Oshima Islands and Sagami bay	相模湾深海性底生有孔虫の代謝活性測定および伊豆小笠原弧大島火山におけるマグマ長距離移動を伴うマグマ供給システム、噴火プロセスの解明 Benthic foraminiferal metabolic activities associated with vertical microhabitat segregation at the sediment-water interface, and long distance lateral magma transport and magma plumbing system of Izu Oshima volcano
KT-08-7	2008.4.23 ~5.7(15)	房総沖黒潮続流域 Kuroshio Extension area off Boso	黒潮続流前線域における水塊・栄養塩構造と生物生産・浮魚類魚種交代についての観測研究 Observational studies on hydrographic structures and pelagic fish replacement around the Kuroshio Extension
KT-08-8	2008.5.10 ~5.16(7)	本州南方黒潮域 Kuroshio area	黒潮域における窒素固定生物の分布生態 Distribution ecology of diazotrophs in Kuroshio waters
KT-08-9	2008.5.18 ~5.21(4)	鹿児島湾 Kagoshima Bay	鹿児島湾若尊海底火山熱水系の化学フランクスと微量元素の分布に関する研究 Study of chemical flux of hydrothermal emission and distribution of minor elements around the hydrothermal system occurred in the Wakamiko submarine volcano in Kagoshima Bay
KT-08-10	2008.5.24 ~5.29(6)	東シナ海北部男女海盆 Northern East China Sea	東シナ海北部IODP掘削予定地点 (ECS-1B) における音響反射面の年代推定と堆積史、構造発達史の検討 Estimation of the age of the seismic reflector under the IODP proposed site in the northern East China Sea (ECS-1B) and estimation of the sedimentary and tectonic history
KT-08-11	2008.5.31 ~6.5(6)	対馬海峡 Tsushima Straits	対馬海峡から日本海へ流入する物質フランクス観測 Observation of material transports through Tsushima Straits
KT-08-12	2008.6.8 ~6.12(5)	隱岐諸島周辺 around Oki Islands	西南日本背弧の電気伝導度構造 Electrical Resistivity Structure beneath the Back-arc Region in Southwest Japan
KT-08-13	2008.6.14 ~6.21(8)	太平洋黒潮流域、相模湾、東京湾 Kuroshio area, Sagami Bay, and Tokyo Bay	海洋細菌群集の逆システム的機能解析および黒潮域におけるウミアメンボ類(Halobates属)の生態学的および比較生理学的研究 Reverse system-biological analyses of marine microorganisms and ecological and physiological research on Halobates in Kuroshio Current region
KT-08-14	2008.6.24 ~7.4(11)	相模湾、伊豆黒潮周辺海域 Sagami Bay and Kuroshio area around Izu	相模湾・伊豆黒潮周辺海域における有機物動態に関する研究 Biogeochemical study on dynamics of marine organic matter in Sagami Bay and Kuroshio area around Izu
KT-08-15	2008.7.6 ~7.10(5)	相模湾 Sagami Bay	人工衛星による海洋基礎生産モニタリングシステムの相模湾における実運用と利用 Development of a real-time marine primary productivity measurement system for validation of satellite remote sensing data in Sagami Bay
KT-08-16	2008.7.13 ~7.17(5)	相模湾 Sagami Bay	相模湾長期観測定点における微生物群集の動態解析 Ecological study on microbial communities in an adjacent area of the Sagami Bay time series observatory
KT-08-17	2008.7.19 ~7.24(6)	西部北太平洋・三陸沖 Western North Pacific Ocean	西部北太平洋深層における物質輸送と拡散の研究 Study on material recycling and diffusion in the western north Pacific
KT-08-18	2008.7.29 ~8.6(9)	南海トラフ(遠州沖、熊野トラフ、紀伊沖、室戸沖) Nankai Trough area	遠州沖活断層群の分布と構造、南海トラフの地殻熱流量異常、および高知沖宝石サンゴ類の分布と生物量に関する研究 Studies on distribution and structure of active faults off Enshu, heat flow anomaly in the Nankai Trough and distribution of precious corals off Kochi
KT-08-19	2008.8.8 ~8.18(11)	東シナ海北部(済州島南西海域) Northern part of East China Sea	夏季における東シナ海長江希釈水域の基礎生産を支える栄養塩の起源について Survey for origin of nutrients that support the primary production in the Changjiang Diluted Water region in the East China Sea



航海次数 Cruise No.	期間(日数) Period (days)	海 域 Research Area	研究題目 Title of Research
KT-08-20	2008.8.21 ~ 8.27(7)	隱岐諸島周辺 Oki islands area	西南日本背弧の電気伝導度構造 Electrical Resistivity Structure beneath the Back-arc Region in Southwest Japan
KT-08-21	2008.8.29 ~ 9.2(5)	黒潮域および周辺外洋域 Kuroshio area	本州南方黒潮域におけるメソ動物プランクトン、 特にサルバ類の糞粒生産と微生物分解過程に関する研究 Study on the fecal pellets production and their bacterial decomposition of mesozooplankton, especially salps around the Kuroshio area, south of Honshu, Japan.
KT-08-22	2008.9.4 ~ 9.12(9)	鹿児島湾 Kagoshima Bay	自律型海中ロボット「Tuna-Sand」によるタギリのサツマハオリムシ群集周辺と 山中チムニー周辺のTerrain-Navigationによる全自動潜航観測との 広域海底調査手法の研究 Autonomous observation of Tagiri shallow vent area by the AUV "TUNA-SAND" using terrain navigation and research of method for large-area seabed observation
KT-08-23	2008.9.14 ~ 9.19(6)	土佐湾周辺海域 Tosa Bay	土佐湾の黒潮周辺海域における海洋構造および生物再生産過程に関する研究 Studies on the Environmental Structure, Ecosystems, and Reproduction Process in the Kuroshio Region of Tosa Bay
KT-08-24	2008.9.22 ~ 9.28(7)	相模湾 Sagami Bay	人工衛星による海洋基礎生産モニタリングシステムの相模湾における実運用と利用 Development of a real-time marine primary productivity measurement system for validation of satellite remote sensing data in Sagami Bay
KT-08-25	2008.10.1 ~ 10.8(8)	日本海溝海域(三陸沖) Japan Trench off Sanriku	日本海溝に沈み込む太平洋プレートの温度構造と間隙水流動に関する研究 Studies of the thermal structure and pore fluid flow in the Pacific plate subducting along the Japan Trench
KT-08-26	2008.10.10 ~ 10.16(7)	東北沖日本海溝周辺海域 Japan Trench off Tohoku	測地および地震観測による東北沖沈み込み帯の海底地殻変動総合観測 Experiments for detecting seafloor crustal movement in the off-Tohoku subduction zone from geodetic and seismological observations
KT-08-27	2008.10.19 ~ 10.26(8)	本州東北地方沖合太平洋 off the Pacific coast of north-eastern Japan	東北日本沖合太平洋における深海動物相の解明と海洋汚染の調査研究 Studies on deep-sea fauna and pollutants off the Pacific coast of northeastern Japan
KT-08-28	2008.10.28 ~ 11.3(7)	大槌湾沖・塩屋崎(福島県)沖 off Otsuchi Bay, offshore Joban	遺伝情報にもとづく生物多様性の計測の試みおよび 陸棚・海溝斜面上部の堆積相構造とその後氷期温暖化に対する応答の研究 Estimation of biodiversity based on genomic information, and sedimentary architecture of shelf to upper-slope and its response to Holocene sea-level raise in the offshore Joban
KT-08-29	2008.11.6 ~ 11.10(5)	相模湾 Sagami Bay	人工衛星による海洋基礎生産モニタリングシステムの相模湾における実運用と利用 Development of a real-time marine primary productivity measurement system for validation of satellite remote sensing data in Sagami Bay
KT-08-30	2008.11.13 ~ 11.17(5)	遠州灘および熊野灘 Ensyu-Nada and Kumano-Nada	陸域から海域へ流入した洪水流が陸棚域～深海域に与える影響の解明 Researches on influence of flood run-off on shelf to deep marine environments
KT-08-31	2008.11.20 ~ 12.2(13)	東シナ海、西部北太平洋 East China Sea · Western North pacific ocean	ウナギの産卵回遊生態に関する研究 Spawning migration of the Japanese eel
KT-08-32	2008.12.5 ~ 12.12(8)	南西諸島 Nansei Islands	黒潮上流域で相互作用する黒潮と中規模渦の観測的研究 Observational research on the Kuroshio and mesoscale eddies and their interaction in the Kuroshio upstream region
KT-08-33	2008.12.14 ~ 12.19(6)	沖縄トラフ・沖縄本島周辺海域 Okinawa Trough	深海性底生生物の進化古生物学的研究 Paleobiological study on the deep-water benthic organisms
KT-08-34	2008.12.21 ~ 12.25(5)	東シナ海 East China Sea	東シナ海における流れ藻の分布と生態 Distribution and ecology of drifting seaweeds in East China Sea
KT-09-1	2009.3.8 ~ 3.10(3)	別府湾 Beppu Bay	堆積魚鱗を用いたカタクチイワシおよびマイワシ資源の長期変動に関する研究 Study of long-term variations of Japanese anchovy and sardine abundance inferred from their fossil scales in the Beppu Bay sediments
KT-09-2	2009.3.13 ~ 3.23(11)	伊豆・小笠原海域 Izu-Ogasawara area	日本海溝およびその周辺での超深海～大深海底生生物相の分布・ 多様性調査(HADEEP)および相模湾産底生無脊椎動物の起源探索 Research on distribution/diversity of hadal-abyssal benthic fauna around the trench (HADEEP), and Research on the origin of Sagami-Bay benthic invertebrates

2008年度に実施された白鳳丸研究航海
Research Cruise of R/V Hakuho-maru in FY2008

航海次数 Cruise No.	期間(日数) Period (days)	海 域 Research Area	研究題目 Title of Research
KH-08-1	2008.5.21 ~ 7.14(55)	フィリピン海 Philippine Sea	ニホンウナギの回遊と産卵に関する研究 Marine biological investigation on the spawning and migration of the Japanese eel
KH-08-2	2008.7.29 ~ 9.16(50)	西部北太平洋 Western North Pacific	西部北太平洋における大気と海洋の物質循環・生態系の相互作用 (SOLAS/IMBER航海) Linkages in biogeochemical cycles and ecosystems between surface ocean and lower atmosphere
KH-08-3	2008.9.24 ~ 11.7(45)	日本南方・東方海域 Southern and eastern region of Japan	日本東方海域における水塊の形成・輸送・変質過程の研究および 房総沖における海洋プレートの沈み込みに関する地震学的研究 Study of generation, transportation, and conversion processes of water masses in the eastern region of Japan, and a seismological study on subduction of the oceanic plate off the Boso Peninsula



2008年度に開催された研究集会(中野地区)
Research Meeting in FY2008 (Nakano Campus)

開催期間 Period	研究集会名称 Title of Meeting	参加人数 Number of Participants
2008.5.22~23	潮汐混合とオホーツク海・ベーリング海の物理・化学・生物過程 Tidal mixing and physical,chemical and biological processes in the Okhotsk Sea and the Bering Sea	62
2008.6.13	生理、行動、分子から見た海棲哺乳類の生物学—最近の話題からー Current Topics in Marine Mammal Sciences —Physiology,Ethology and Molecular Biology	101
2008.6.19~20	バイオミネラリゼーションと石灰化—遺伝子から地球環境までー Biomineralization and calcification —from a gene to Earth's environments—	95
2008.6.25~26	駿河湾・相模湾の生態系に対する気象と黒潮変動の影響 Influence of climate and changes in Kuroshio-Current on the Suruga- and Sagami-Bay ecosystems	98
2008.7.31	太平洋の海洋循環と力学過程 Pacific Ocean circulations and their dynamic processes	37
2008.8.4	水塊構造の時空間変動と高頻度連続観測による親潮生態系の動態解明 Evaluation of temporal and spatial variability in water mass and ecosystem dynamics by high-frequent observations in the Oyashio region	31
2008.10.10	第42回海中海底工学フォーラム The 42nd Underwater Technology Forum	193
2008.10.30~31	InterRidge-Japan 研究集会 海底拡大系の総合研究—海底拡大系における海洋地殻内流体ー Sub-seafloor fluid circulation and ridge lithosphere –InterRidge Japan Workshop 2008	113
2008.11.19	海と畑と森のDNA多型研究 DNA polymorphism research of the sea,field and the forest.	69
2008.11.20~21	我が国における刺胞動物研究 Studies on Cnidaria in Japan	185
2008.12.1	ゾーニング：使い分けや棲み分けによる漁場・資源管理 Zoning:spatial management of fisheries and fishery resources.	44
2008.12.11~12	亜熱帯海洋学の最前線 Recent advancements of oceanography in subtropical oceans	62
2008.12.11~12	板鰓類の魅力と多様性 Fascination and Diversity of Elasmobranch Fishes	186
2009.1.8~9	古海洋シンポジウム Symposium on Paleoceanography 2008	168
2009.1.22~23	「微量元素海洋学」事始：海洋の微量元素・同位体研究の動向と今後の展望(GEOTRACES計画) Research Meeting in Nakano Campus "Trace element oceanography initiative : recent trends and perspectives on marine biogeochemical studies using trace elements and isotopes(GEOTRACES Program)"	97
2009.3.5~6	地球流体における構造の組織化とパターン形成の力学 Dynamics of Structure and Pattern Formation in Geophysical Fluids	51
2009.3.16	ポストGLOBECをどのように展開するか How to advance the future research program beyond GLOBEC project	23
2009.3.24	藻場研究の今—分布・生態から磯焼け対策・利用まで Recent studies —from distribution and ecology of seaweed and seagrass beds to their denudation on the rocky shore and utilizations	43

2008年度に開催された研究集会(国際沿岸海洋研究センター)
Research Meeting in FY2008 (International Coastal Research Center)

開催期間 Period	研究集会名称 Title of Meeting	参加人数 Number of Participants
2008.8.21~8.22	水圏生態系の生産力に関する研究の現状と展望 Current status and perspectives for study on productivity of aquatic ecosystems	31
2008.9.10~11	親潮～混合域の観測研究 —「親潮」認識の再確認— Observational Studies on the Oyashio area to the Mixed Water Region —To Confirm Again the Characteristics of "Oyashio"	54
2008.9.11~12	中緯度における大気海洋結合に関する数値モデル実験と観測的研究のレビュー Reviews of observational and numerical studies on the extratropical ocean-atmosphere interaction	50

教育活動 | EDUCATIONAL ACTIVITIES

2008年度 修士論文 Master's theses in FY2008

	研究科 Graduate school	専攻 Department/Division	学生名 Student	論文タイトル Title of thesis	主たる指導教員 Supervisor
東京大学 大学院 Graduate School of The University of Tokyo	理学系研究科 Science	地球惑星科学 専攻 Earth and Planetary Science	島田 和明 SHIMADA, Kazuaki	長期飼育実験によるハマサンゴ <i>Porites australiensis</i> の光応答に関する研究 Study on the coral skeleton of <i>Porites australiensis</i> response to light under long-term rearing experiments	川幡 穂高 KAWAHATA, Hodaka
			牛江 裕行 USHIE, Hiroyuki	Evaluation of land-water interaction in aquatic chemistry and carbon cycle of small rivers on Iriomote and Ishigaki Islands, Okinawa, Japan	川幡 穂高 KAWAHATA, Hodaka
	農学生命科学 研究科 Agricultural and Life Sciences	水圈生物科学 専攻 Aquatic Bioscience	ベンロムダーネ, ハイファ BEN ROMDHANE, Haifa	熱帯島嶼における海草場とサンゴ礁のマッピングに関する研究 Mapping seagrass beds and coral reefs in tropical islands: A case of Barrang Lombo Island, Spermonde Archipelago, South Sulawesi, Indonesia	小松 輝久 KOMATSU, Teruhisa
			伊藤 吉彦 ITO, Yoshihiko	サンゴ・褐虫藻共生系の環境ストレスに応答する遺伝子の探索 Search for genes responsive to environmental stress in coral-algal symbiosis	西田 瞳 NISHIDA, Mutsumi
			角村 佳吾 KAKUMURA, Keigo	軟骨魚類の尿素輸送に関わる新規輸送タンパク質の同定 Identification of novel transporter proteins contributing urea transport in cartilaginous fish	兵藤 晋 HYODO, Susumu
			香森 英宜 KAMORI, Hidenori	加速度データロガーを使用したカラチョウザメの遊泳行動に関する研究 Study on swimming behavior of Chinese sturgeons using acceleration data loggers	宮崎 信之 MIYAZAKI, Nobuyuki
			町田 真通 MACHIDA, Masamichi	イセエビ類・セミエビ類フィロゾーマ幼生の摂餌生態に関する研究 Studies on feeding ecology of phyllosoma larvae of palinurid and scyllarid lobsters	西田 周平 NISHIDA, Shuhei
			眞鍋 謙太郎 MANABE, Ryotaro	ウナギの産卵回遊行動に関する生態学的研究 Ecological study of the spawning migration of the Japanese eel near Japan	塚本 勝巳 TSUKAMOTO, Katsumi
			三股 朋子 MIMATA, Tomoko	九州天草周辺海域に生息するミニハンドウイルカの生残率・ 個体数推定と個体群存続可能性分析 Survival rate, population size and population viability of Indo-Pacific bottlenose dolphin in Amakusa, western Kyushu, Japan	白木原 國雄 SHIRAKIHARA, Kunio
			成田 拓 NARITA, Taku	日本近海の表層水中における水素ガスの挙動に関する研究 Dissolved hydrogen in surface seawater around Japan	蒲生 俊敬 GAMO, Toshitaka
			太田 雄樹 OHTA, Yuuki	大型海藻幼芽の生残におよぼす植食動物の摂食の影響 Effects of grazing of herbivores on the survival of juvenile macro-algae	河村 知彦 KAWAMURA, Tomohiko
			岡澤 洋明 OKAZAWA, Hiroaki	分子形質を用いたシギウナギ科魚類の分類に関する研究 Morphological and genetic species identification of Nemichthid eels in the Indo-Pacific	塚本 勝巳 TSUKAMOTO, Katsumi
			佐藤 由季 SATO, Yuki	海洋における酸素非発生型好気性光合成細菌の生態に関する研究 Study on the ecology of anoxygenic aerobic phototrophic bacteria in the ocean	浜崎 恒二 HAMASAKI, Koji
			脇 司 WAKI, Tsukasa	相模湾長井の岩礁域における貝類の生態に関する研究 Ecological studies on rocky reef mollusks in Sagami Bay	河村 知彦 KAWAMURA, Tomohiko
			家口 泰道 YAGUCHI, Hiromichi	都市河川・猪名川におけるアユ自然個体群の回復： 耳石および遺伝子の分析による検証 Natural upstream migration of the Ayu <i>Plecoglossus altivelis altivelis</i> in a typical urban river in Japan: evidences from otolith and DNA analyses	西田 瞳 NISHIDA, Mutsumi
	新領域創成 科学研究科 Frontier Sciences	自然環境学 専攻 Natural Environmental Studies 環境学 自然環境コース 海洋環境サブコース Division of Environmental Studies Sub-division of Marine Environmental Studies	青山 高幸 AOYAMA, Takayuki	自然環境におけるコクチバスの遊泳行動 Swimming behavior of small mouth bass under the natural condition	宮崎 信之 MIYAZAKI, Nobuyuki
			榎本 明子 ENOMOTO, Akiko	日本近海におけるカツオの回遊生態 Migration ecology of skipjack tuna in the sea off Japan	白木原 國雄 SHIRAKIHARA, Kunio
			藤ノ木 優 FUJINOKI, Masaru	シンカイヒバリガイ類の共生硫黄酸化細菌定量のためのFISH画像解析 FISH image analysis for quantification of triphotic endosymbionts of bathymodiolid mussels	井上 広滋 INOUE, Koji
			池尾 誠之 IKEO, Masayuki	ウォッチングボートがミナミハンドウイルカ (<i>Tursiops aduncus</i>) の 海域利用と行動に及ぼす影響 Effects of watching boats on habitat use patterns and behaviours of a resident population of Indo-Pacific bottlenose dolphins (<i>Tursiops aduncus</i>)	白木原 國雄 SHIRAKIHARA, Kunio
			稻葉 真由美 INABA, Mayumi	還元環境における脊索動物の環境適応に関する研究 Study on the environmental adaptation of lancelet found in the anaerobic environment	窪川 かおる KUBOKAWA, Kaoru
			伊藤 萌 ITO, Hajime	東北地方におけるホソウミニナの系統地理学的研究 Phylogeographic study of a mud snail <i>Batillaria cumingi</i> in the Tohoku distinct	小島 茂明 KOJIMA, Shigeaki
			岩田 尚之 IWATA, Naoyuki	ナメクジウオの環境因子の受容体に関する研究 Study on the receptors for environmental factors in amphioxus	窪川 かおる KUBOKAWA, Kaoru
			古原 聰美 KOHARA, Satomi	南太平洋における中層循環と南極中層水の時間変動 Temporal variations of intermediate ocean circulation and Antarctic Intermediate Water in the South Pacific	川辺 正樹 KAWABE, Masaki
			小池 いずみ KOIKE, Izumi	海洋環境における酸素非発生型好気性光合成細菌の増殖解析 Growth of aerobic anoxygenic phototrophic bacteria in seawater environments	木暮 一啓 KOGURE, Kazuhiro
			近藤 英恵 KONDO, Hanae	海洋性粒子捕獲細菌の時空間変動 Spatiotemporal dynamics of particle capturing bacteria in marine environments	木暮 一啓 KOGURE, Kazuhiro
			前田 圭祐 MAEDA, Keisuke	小型鯨類スナメリの分布と環境要因の関係 Relationship between distribution of finless porpoise and environmental factors	白木原 國雄 SHIRAKIHARA, Kunio
			森岡 裕詞 MORIOKA, Hiroshi	英國メナイ海峡におけるヨーロッパイガイ (<i>Mytilus edulis</i>) の餌料環境に関する研究 Studies on the food environment of blue mussels (<i>Mytilus edulis</i>)	木村 伸吾 KIMURA, Shingo
			森田 博之 MORITA, Hiroyuki	水産資源管理における新規加入量予測の有効性の評価 Evaluation of effectiveness of recruitment prediction in fisheries management	平松 一彦 HIRAMATSU, Kazuhiko



	研究科 Graduate school	専攻 Department/Division	学生名 Student	論文タイトル Title of thesis	主たる指導教員 Supervisor
東京大学 大学院 Graduate School of The University of Tokyo	新領域創成 科学研究科 Frontier Sciences	自然環境学 専攻 Natural Environmental Studies	村田 奈穂 MURATA, Naho	多摩川水系における糞便汚染指標菌の評価 The assessment of indicator of fecal contamination in the Tamagawa River system	木暮 一啓 KOGURE, Kazuhiro
			大塚 宏徳 OOTSKA, Hironori	三次元反射法地震探査データを用いた東部南海トラフ付加体における流体移動の研究 Study of fluid flow in the eastern Nankai accretionary prism using high-resolution 3D-seismic data	芦 寿一郎 ASHI, Juichiro
			田村 百奈美 TAMURA, Monami	'アオ鰐'に関する人文学的・生物学的総合研究 A cultural and biological evaluation of 'Ao-unagi': the premium green eel of Japan	塚本 勝巳 TSUKAMOTO, Katsumi
			寺西 源太 TERANISHI, Genta	希土類元素を用いた水曜海山海底熱水系における物質循環研究 Study on marine geochemical cycles at Suiyo Seamount hydrothermal system by determining the rare earth elements in hydrothermal fluids and plumes	小畠 元 OBATA, Hajime
			和田 英里 WADA, Eri	RNAを用いた海洋細菌群集の構造解析 Study of marine bacterial community structure using ¹⁶ S rDNA and ¹⁶ S rRNA	木暮 一啓 KOGURE, Kazuhiro
			渡辺 陽子 WATANABE, Yoko	異なる培養温度条件下での白潮形成円石藻の増殖特性と円石の元素分析 Growth characteristics of white tide forming coccolithophorids and elementary analysis of the coccolith under different temperatures	川幡 穂高 KAWAHATA, Hodaka
			頼末 武史 YORISUE, Takeshi	日本周辺の熱水噴出域に生息するマリアナイトエラゴカイの分散と 沖縄トラフにおけるイトエラゴカイ未記載種の報告 Dispersal of <i>Paralvinella hessleri</i> inhabiting hydrothermal vents around Japan and a report of undescribed species of the genus <i>Paralvinella</i> from the Okinawa Trough	小島 茂明 KOJIMA, Shingeaki

2008年度 博士論文 Ph.D theses in FY2008


	研究科 Graduate school	専攻 Department/Division	学生名 Student	論文タイトル Title of thesis	主たる指導教員 Supervisor
東京大学 大学院 Graduate School of The University of Tokyo	理学系研究科 Science	地球惑星科学 専攻 Earth and Planetary Science	岩本 洋子 IWAMOTO, Yoko	北太平洋における懸濁粒子の生物地球化学的過程に関する研究 Biogeochemical processes of suspended particles in the North Pacific	植松 光夫 UEMATSU, Mitsuo
			加藤 史拓 KATO, Fumihiro	北太平洋における深層循環の観測的研究 Observational study of deep water circulation in the North Pacific	川辺 正樹 KAWABE, Masaki
			李 納兵 LI, Yibing	小笠原海嶺前弧海域ボニナイト質、アダカイト質、カルクアルカリ質、 ソレアイト質及び中央海嶺型火山岩の岩石学研究： 初期島弧火山活動のマグマの進化とそのメカニズム Petrological studies on boninitic, adakitic, calc-alkalic, tholeiitic and MORB-like volcanic rocks dredged from Bonin (Ogasawara) Ridge forearc seamounts: varied magmatic evolutions of early stage island-arc	川幡 穂高 KAWAHATA, Hodaka
			内藤 和也 NAITO, Kazuya	個別要素法を用いたリソスフェアの変形解析による プレート沈み込み初期過程の数値シミュレーション A numerical study of subduction initiation with deformation analysis of lithosphere in convergent system using Discrete Element Method	徳山 英一 TOKUYAMA, Hidekazu
			長船 哲史 OSAFUNE, Satoshi	潮汐 18.6年振動に伴う北太平洋亜寒帯海域の水塊変動 Water-mass variability in the subarctic North Pacific in relation to 18.6-year tidal cycle	安田 一郎 YASUDA, Ichiro
			藤内 智士 TONAI, Satoshi	琉球弧北部の伸張テクトニクス：九州西部における断層活動年代、 古応力場、および古地磁気の研究 Extensional tectonics in the northern end of the Ryukyu Arc: Studies on fault ages, paleostress fields, and paleomagnetism in western Kyushu, Japan	芦 寿一郎 ASHI, Juichiro
	農学生命科学 研究科 Agricultural and Life Sciences	生物科学専攻 Biological Science	SETIAMBARGA, Davin Hadryant Ekaputra	メダカの系統と進化 Phylogeny and evolution of the Medaka	西田 瞳 NISHIDA, Mutsumi
			湯山 育子 YUYAMA, Ikuko	サンゴと渦鞭毛藻の細胞内共生に関与する遺伝子の解析 Analysis of endosymbiosis genes in coral harboring zooxanthellae	竹井 祥郎 TAKEI, Yoshio
		水圈生物科学 専攻 Aquatic Bioscience	井上 雄介 INOUE, Katsuyuki	海洋細菌の菌体密度とその生態的意義 Ecological implication of marine bacterial buoyant density	木暮 一啓 KOGURE, Kazuhiro
			甲斐 幹彦 KAI, Mikihiko	禁漁区を用いたフィードバック管理方式に関する数理的研究 Theoretical study on feedback management procedures using marine protected areas	白木原 國雄 SHIRAKIHARA, Kunio
			川口 慎介 KAWAGUCCI, Shinsuke	深海熱水系における還元性気体の生物地球化学 Biogeochemistry on reduced gases at deep-sea hydrothermal systems	蒲生 俊敬 GAMO, Toshitaka
			田上 英明 TANOUE, Hideaki	海丘における計量魚群探知機と地理情報システムを用いた魚群量の推定 Estimation of fish abundance in a sea hill by using a quantitative echo sounder and a geographical information system	小松 輝久 KOMATSU, Teruhisa
	新領域創成 科学研究科 Frontier Sciences	自然環境学 専攻 Natural Environmental Studies	坪井 潤一 TSUBOI, Jun-ichi	河川性サケ科魚類におけるキャッチアンドリリースの資源維持効果に関する研究 The effectiveness of catch and release fishing in sustainable use of stream-dwelling salmonids populations	白木原 國雄 SHIRAKIHARA, Kunio
			佐川 龍之 SAGAWA, Tatsuyuki	衛星リモートセンシングによる海草藻場分布マッピング手法の開発 Development of mapping method for seagrasses by satellite remote sensing	小松 輝久 KOMATSU, Teruhisa
		吉澤 晋 YOSHIZAWA, Susumu	海洋性発光細菌の発光色多様性 Light emission spectral diversity of marine luminous bacteria	木暮 一啓 KOGURE, Kazuhiro	

予算 | BUDGET

2008年度予算額 Budget in FY2008

運営費交付金(人件費を除く)
Subsidies for Management Expenses (Expenses except Personal)

外部資金
External Funds



※%の数値は小数点以下第2位を省略しています

2008

Physical Oceanography	68
Chemical Oceanography	68
Ocean Floor Geoscience	69
Marine Ecosystem Dynamics	71
Marine Bioscience	72
Living Marine Resources	75
Multiple Field Marine Science	76
HADEEP	77

研究業績 | PUBLICATION LIST 2008

Physical Oceanography

- Chuda T., Niino H., Yoneyama K., Katsumata M. and Tsukamoto O.: A statistical analysis of surface heat flux enhancements due to precipitating clouds observed in the tropical Western Pacific. *Journal of the Meteorological Society of Japan*, **86**, 439-457, 2008.
- Ishizu M., Kitade Y. and Michida Y.: Microstructure in the northeast coast of Hokkaido in summer. *Proceedings of the 23rd International Symposium on Okhotsk Sea & sea ice*, **23**, 61-64, 2008.
- Kawabe M.: Vertical and horizontal eddy diffusivities and oxygen dissipation rate in the subtropical Northwest Pacific. *Deep-Sea Research Part I*, **55**, 247-260, 2008.
- Kawabe M., Kashino Y. and Kuroda Y.: Variability and linkages of New Guinea Coastal Undercurrent and Lower Equatorial Intermediate Current. *Journal of Physical Oceanography*, **38**, 1780-1793, 2008.
- Michida Y., Odamaki M., Yashima K. and Kato S.: Mechanism of ocean currents. A Small Encyclopedia on the Ocean, Kodansha Blue Backs, B1593, Tokyo, pp. 11-86, 2008.(道田 豊・小田巻実・八島邦夫・加藤 茂: 海流の秘密。「海のなんでも小事典」, 講談社ブルーバックス, 東京, pp. 11-86, 2008.)
- Nakajima M. and Michida Y.: Observational estimation of depth dependence of horizontal eddy diffusivity in coastal waters. *Proceedings of the 23rd International Symposium on Okhotsk Sea & sea ice*, **23**, 23-26, 2008.
- Niino H.: The mechanism of tornadogenesis. *Journal of Wind Engineering*, **33**, 91-94, 2008. (新野 宏: 竜巻の発生メカニズム. 日本風工学会誌, **33**, 91-94, 2008.)
- Ogura Y., Kumabe R. and Nishimura S.: How to understand and enjoy weather phenomena, No.14, Scenario for the record-breaking torrential rain in Aomori on 11-12 November 2007. *Tenki*, **55**, 621-627, 2008.(小倉義光・隈部良司・西村修司: お天気の見方・楽しみ方(14)晚秋の青森を襲った記録的な豪雨のシナリオ—2007年11月11-12日. 天気, **55**, 621-627, 2008.)
- Ogura Y., Kumabe R. and Nishimura S.: How to understand and enjoy weather phenomena, No.15, Weather watching of "the first strong southerly wind" that flung up a cloud of dust. *Tenki*, **55**, 921-927, 2008.(小倉義光・隈部良司・西村修司: お天気の見方・楽しみ方(15)砂ぼこりを巻き上げた春一番のウェザー・ウォッチング—2008年2月23日. 天気, **55**, 921-927, 2008.)
- Tanaka K.: Dynamics of density current descending a continental slope. Reports of RIAM (Research Institute for Applied Mechanics, Kyushu University) Symposium No.19ME-S6, 8-76, 2008.(田中 潔: 海洋中において大陸棚斜面を沈降する密度流の力学. 九州大学応用力学研究所研究集会報告, 19ME-S6, 8-76, 2008.)
- Tanaka K., Michida Y. and Komatsu T.: Numerical experiments on wind-driven circulations and associated transport processes in Suruga Bay. *Journal of Oceanography*, **64**, 93-102, 2008.
- Tanaka R., Niino H., Nakanishi M. and Itoh J.: Large eddy simulation of dust devils. *Meteorological Research Note*, **219**, 117-139, 2008.(田中 売・新野 宏・中西幹郎・伊藤純至: 風塵風のラージ・エディ・シミュレーション. 気象研究ノート, **219**, 117-139, 2008.)
- Young C.R., Fujio S. and Vrijenhoek R.C.: Directional dispersal between mid-ocean ridges: deep-ocean circulation and gene flow in *Ridgeia piscesae*. *Molecular Ecology*, **17**, 1718-1731, 2008.

Chemical Oceanography

- Brewer P.G. and Nakayama N.: What Lies Beneath: A Plea for Complete Information. *Environmental Science & Technology*, **42**, 1394-1399, 2008.
- Doi T., Takano M., Okamura K., Ura T., and Gamo T.: In-situ survey of nanomolar manganese in seawater around a volcanic crater at Teishi Knoll using an autonomous underwater vehicle. *Journal of Oceanography*, **64**, 471-477, 2008.
- Duce R.A., LaRoche J., Altieri K., Arrigo K.R., Baker A.R., Capone D.G., Cornell S., Dentener F., Galloway J.N., Ganeshram R.S., Geider R.J., Jickells T., Kuypers M.M., Langlois R., Liss P.S., Liu S.M., Middelburg J.J., Moore C.M., Nickovic S., Oschlies A., Pedersen T.F., Prospero J.M., Schlitzer R., Seitzinger S.P., Sorenson L.L., Uematsu M., Ulloa O., Voss M., Ward B. and Zamora L.: Impacts of atmospheric anthropogenic nitrogen on the open ocean. *Science*, **320**, 893-897, doi: 10.1126/science.1150369, 2008.
- Kashiyama Y., Miyashita H., Ohkubo S., Ogawa N.O., Chikaraishi Y., Takano Y., Suga H., Toyofuku T., Nomaki H., Kitazato H., Nagata T. and Ohkouchi N.: Evidence of global chlorophyll d. *Science*, **321**, 658, 2008.
- Kawagucci S., Okamura K., Kiyota K., Tsunogai U., Sano Y., Tamaki K. and Gamo T.: Methane, manganese, and helium-3 in newly discovered hydrothermal plumes over the Central Indian Ridge, 18-20°S. *Geochemistry, Geophysics, Geosystems*, **9**, Q10002, doi:10.1029/2008GC002082, 2008.
- Kinoshita N., Hashimoto T., Nakanishi T., Yokoyama A., Amakawa H., Mitsugashira T., Ohtsuki T., Takahashi N., Ahmad I., Greene J.P., Henderson D.J., Jiang C.L., Notani M., Pardo R.C., Patel N., Rehm K.E., Scott R., Vondrasek R., Jisonna L., Collon P., Robertson D., Schmitt C., Tang X.D., Kashiv Y., Nassar H. and Paul M.: Ultra-sensitive detection of p-process nuclide ^{146}Sm produced by (γ, n) , (p, pn) and $(n, 2n)$ reactions. *Journal of Physics-G: Nuclear and Particle Physics Sciences*, **35**, 014033. doi:10.1088/0954-3899/35/1/014033, 2008.
- Kumagai H., Nakamura K., Toki T., Morishita T., Okino K., Ishibashi J., Tsunogai U., Kawagucci S., Gamo T., Shibuya T., Sawaguchi T., Neo N., Joshima M., Sato T. and Takai K.: Geological background of the Kairei and Edmond hydrothermal fields along the Central Indian Ridge: Implications of their vent fluids' distinct chemistry. *Geofluids*, **8**, 239-251, 2008.
- Miki T., Nakazawa T., Yokokawa T. and Nagata T.: Functional consequences of viral impacts on bacterial communities: a food-web model analysis. *Freshwater Biology*, **53**, 1142-1153, 2008.
- Miki T., Yokokawa T., Nagata T., and Yamamura N.: Immigration of prokaryotes to local environments enhances remineralization efficiency of sinking particles: a metacommunity model. *Marine Ecology Progress Series*, **366**, 1-14, 2008.
- Nagata T.: Organic matter-bacteria interactions in seawater. In: *Microbial Ecology of the Oceans, Second Edition*, Kirchman D.L. (eds.), John Wiley & Sons, Hoboken, NJ , pp.207-241, 2008.
- Nakayama N., Yamanaka Y. and Gamo T.: O₂ consumption rate and its isotopic fractionation factor in the deep water of the Philippine Sea. *Journal of Oceanography*, **64**, 451-457, 2008.
- Obata H., Shitashima K., Isshiki K. and Nakayama E.: Iron, manganese and aluminum in upper waters of the western South Pacific Ocean and its adjacent seas. *Journal of Oceanography*, **64**, 233-245, 2008.
- Ogawa H.: Marine Pollution/Global Environment. In: *Encyclopedia of Environment*, The Japan Scientists Association (eds.), Junposha, Tokyo, 1240pp., 2008.(小川浩史: 地球環境—海洋汚染、「環境事典」, 日本科学者会議(編), 旬報社, 東京, 1240pp., 2008)

- Sano Y. and Nakajima J.: Geographical distribution of ${}^3\text{He}/{}^4\text{He}$ ratios and seismic tomography in Japan. *Geochemical Journal*, **42**, 51-60, 2008.
- Sano Y., Shirai K., Takahata N., Amakawa H. and Otake T.: Ion microprobe Sr isotope analysis of carbonates with about five micrometer spatial resolution: an example from an ayu otolith. *Applied Geochemistry*, **23**, 2406-2413, 2008.
- Sano Y., Tokutake T. and Takahata N.: Accurate measurement of atmospheric helium isotopes. *Analytical Sciences*, **24**, 521-525, 2008.
- Shirai K., Kawashima T., Sowa K., Watanabe T., Nakamori T., Takahata N., Amakawa H. and Sano Y.: Minor and trace element incorporation into branching coral *Acropora nobilis* skeleton. *Geochimica et Cosmochimica Acta*, **72**, 5386-5400, 2008.
- Shirai K., Takahata N., Yamamoto H., Omata T., Sasaki T. and Sano Y.: Novel analytical approach to bivalve shell biogeochemistry: a case study of hydrothermal mussel shell. *Geochemical Journal*, **42**, 413-420, 2008.
- Sugimoto R., Kasai A., Miyajima T. and Fujita K.: Temporal variation in natural isotopic composition of nitrate during the development of hypoxia in a coastal marine environment. *Journal of Oceanography*, **64**, 39-48, 2008.
- Takahata N., Sano Y., Horiguchi K., Shirai K. and Gamo T.: Helium isotopes of seawater in the Japan Sea. *Journal of Oceanography*, **64**, 293-301, 2008.
- Takahata N., Tsutsumi Y. and Sano Y.: Ion microprobe U-Pb dating of zircon with a 15 micrometer spatial resolution using NanoSIMS. *Gondwana Research*, **14**, 587-596, 2008.
- Takai K., Nunoura T., Ishibashi J., Lupton J.E., Suzuki R., Hamasaki H., Ueno Y., Kawagucci S., Gamo T., Suzuki Y., Hirayama H. and Horikoshi K.: Variability in the microbial communities and hydrothermal fluid chemistry at the newly-discovered Mariner hydrothermal field, southern Lau Basin. *Journal of Geophysical Research*, **113**, G02031, doi:10.1029/2007JG000636, 2008.
- Tanaka Y., Miyajima T., Koike I., Hayashibara T. and Ogawa H.: Production of dissolved and particulate organic matter by the reef-building corals *Porites cylindrica* and *Acropora pulchra*. *Bulletin of Marine Science*, **82**, 237-245, 2008.
- Tanaka Y., Miyajima T., Yamada K., Hori M., Hasegawa N., Umezawa Y. and Koike I.: Specific growth rate as a determinant of carbon isotopic composition of a temperate seagrass *Zostera marina*. *Aquatic Botany*, **89**, 331-336, 2008.
- Tanimoto H., Matsumoto K. and Uematsu M.: Ozone-CO correlations in Siberian Wildfire Plumes observed at Rishiri Island. *SOLA*, **4**, 065-068, doi:10.2151/sola.2008-017, 2008.
- Toki T., Tsunogai U., Ishibashi J., Utsumi M. and Gamo T.: Methane enrichment in low-temperature hydrothermal fluids from the Suiyo Seamount in the Izu-Bonin Arc of the western Pacific Ocean. *Journal of Geophysical Research*, **113**, B08S13, doi:10.1029/2007JB005476, 2008.
- Uchida A., Nishizawa M., Shirai K., Iijima H., Kayanne H., Takahata N. and Sano Y.: High sensitivity measurements of nitrogen isotopic ratios in coral skeletons from Palau, western Pacific: Temporal resolution and seasonal variation of nitrogen sources. *Geochemical Journal*, **42**, 255-262, 2008.
- Umezawa Y., Hosono T., Onodera S., Siriringan F., Buapeng S., Delinom R., Yoshimizu C., Tayasu I., Nagata T. and Taniguchi M.: Sources of nitrate and ammonium contamination in groundwater under developing Asian megacities. *Science of the Total Environment*, **404**, 361-376, 2008.
- Umezawa Y., Miyajima T. and Koike I.: Stable nitrogen isotope composition in sedimentary organic matter as a potential proxy of nitrogen sources for primary producers at a fringing coral reef. *Journal of Oceanography*, **64**, 899-909, 2008.
- Yamashita N., Taniyasu S., Petrick G., Wei S., Gamo T., Lam P.K.S. and Kannan K.: Perfluorinated acids as novel chemical tracers of global circulation of ocean waters. *Chemosphere*, **70**, 1247-1255, 2008.
- Zhang J., Gamo T., Dai M., Chen C.-T.A. and Sohrin Y.: Introduction to GEOTRACES in Asia-I (From Regional to International Networks: The studies of Marine Biogeochemical Cycles of Trace Elements and Isotopes). *Journal of Oceanography*, **64**, 231, 2008.
- Zhang Y., Obata H. and Gamo T.: Silver in the Tokyo Bay estuarine waters and Japanese rivers. *Journal of Oceanography*, **64**, 259-265, 2008.

Ocean Floor Geoscience

- Ando A., Kaiho K., Kawahata H. and Kakegawa T.: Timing and magnitude of Early Aptian extreme warmth: Unraveling secular $\delta^{18}\text{O}$ variation in indurated pelagic carbonates at Deep Sea Drilling Project Site 463, central Pacific Ocean. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **260**, 463-476, 2008.
- Ashi J.: Active structures along the Nankai Trough. In: *Geological history of Kinki district, Japan*, Yoshikawa S.(eds.), Asakura Publishing Co., Tokyo, pp. 55-57, 2008. (芦 寿一郎：南海トラフ沿いの活構造。「日本地方地質史,近畿地方」, 吉川周作(編), 朝倉書店, 東京, pp. 55-57, 2008.)
- Ashi J., Lallemand S., Masago H. and the Expedition 315 Scientists: NanTroSEIZE Stage 1A: NanTroSEIZE megasplay riser pilot. *IODP Preliminary Report*, **315**, 1-55, 2008.
- Chang Y.P., Wang W.L., Yokoyama Y., Matsuzaki H., Kawahata H. and Chen M.T.: Millennial-scale planktic foraminifer faunal variability in the East China Sea during the past 40,000 years (IMAGES MD012404 from the Okinawa Trough). *Terrestrial Atmospheric and Oceanic Sciences*, **19**, 389-401, 2008.
- Gupta P.L., Kawahata H. and Suzuki A.: Physiological function, calcification and endolithic aspartic acid of corals. *Gekkan Chikyu Special volume*, **59**, 25-29, 2008. (Lallan P. Gupta・川幡穗高・鈴木 淳: サンゴの生理作用,石灰化そして骨格内のアスパラギン酸. 月刊地球, 号外**59**, 25-29, 2008.)
- Kandilarov A., Mjelde R., Okino K. and Murai Y.: Crustal structure of the ultra-slow spreading Knipovich Ridge, North Atlantic, along a presumed amagmatic portion of oceanic crustal formation. *Marine Geophysical Researches*, **29**, 109-134, 2008.
- Kumagai H., Nakamura K., Toki T., Morishita T., Okino K., Ishibashi J., Tsunogai U., Kawagucci S., Gamo T., Shibuya T., Sawaguchi T., Neo N., Joshima M., Sato T. and Takai K.: Geological background of the Kairei and Edmond hydrothermal fields along the Central Indian Ridge: Implications for their vent fluids' distinct chemistry. *Geofluids*, **8**, 1-13, 2008.
- Ike T., Moore G.F., Kuramoto S., Park J.-O., Kaneda Y. and Taira A.: Variations in sediment thickness and type along the northern Philippine Sea Plate at the Nankai Trough. *Island Arc*, **17**, 342-357, 2008.

- Ike T., Moore G.F., Kuramoto S., Park J.-O., Kaneda Y. and Taira A.: Tectonics and sedimentation around Kashinosaki Knoll: A subducting basement high in the eastern Nankai Trough. *Island Arc*, **17**, 358-375, 2008.
- Inoue M., Suzuki A., Nohara M., Hibino K. and Kawahata H.: Fluctuation of trace elements in the coral skeletons during cultivation experiments. *Gekkan Chikyu Special volume*, **59**, 12-17, 2008.(井上麻夕里・鈴木淳・野原昌人・日比野浩平・川幡穂高・飼育実験に基づくサンゴ骨格中の微量元素変動. 月刊地球, 号外**59**, 12-17, 2008.)
- Inoue M. and Tanimizu M.: Anthropogenic lead inputs to the western Pacific during the 20th century. *Science of the Total Environment*, **406**, 123-130, 2008.
- Itaki T., Minoshima K. and Kawahata H.: Radiolarian flux at an IMAGES site at the western margin of the subarctic Pacific and its seasonal relationship to the Oyashio Cold and Tsugaru Warm currents. *Marine Geology*, **255**, 131-148, 2008.
- Kawahata H.: Impact of toxic chemicals on the tropical and subtropical coastal environments by human activity. *Natural Environmental Studies for Sustainability*, 201-211, 2008.
- Kawahata H.: Global warming and energy resources problems — A subject to be solved in this century —. *Chishitsu-News*, **641**, 17-27, 2008.(川幡穂高: 地球温暖化問題とエネルギー資源問題—今世紀の課題—, 地質ニュース, **641**, 17-27, 2008.)
- Kawahata H.: Global Marine Environments -Interpreting from the Biogeochemical Cycles-. University of Tokyo Press, Tokyo, 280pp., 2008.(川幡穂高:「海洋地球環境学—生物地球化学循環から読む」東京大学出版会, 東京, 280pp., 2008.)
- Kawahata H., Gupta L.P., Takauchi M., Syoji R., Suzuki A. and Ono Y.: Environmental pollution by poisonous chemicals IV — Leaching of chemicals from fly ash of municipal solid waste—. *Chishitsu-News*, **650**, 15-25, 2008.(川幡穂高・Lallan P. Gupta・竹内美緒・庄司 良・鈴木 淳・小野芳郎: 危険化学物質による環境汚染、その4 —都市環境問題に関係したゴミ焼却灰からの化学物質の溶脱—. 地質ニュース, **650**, 15-25, 2008.)
- Kawahata H., Ohkouchi N. and Yamanaka T.: Interaction between biogeochemical cycle and biosphere in the Cretaceous environments. *Gekkan Chikyu*, **349**, 367-371, 2008.(川幡穂高・大河内直彦・山中寿朗: 白亜紀環境における物質循環と生物圏の相互作用. 月刊地球, **349**, 367-371, 2008.)
- Kawahata H. and Suzuki A.: An influence on biominerilization by acidification. *Gekkan Chikyu*, **348**, 309-315, 2008.(川幡穂高・鈴木 淳: 生物鉻化作用に影響を与える酸性化. 月刊地球, **348**, 309-315, 2008.)
- Kitada Y., Kawahata H., Suzuki A. and Oomori T.: Distribution of pesticides and bisphenol A in sediments collected from rivers adjacent to coral reefs. *Chemosphere*, **71**, 2082-2090, 2008.
- Kuroyanagi A., Kawahata H., Nishi N. and Honda M.C.: Seasonal to interannual changes in planktonic foraminiferal assemblages in the northwestern North Pacific: sediment trap results encompassing a warm period related to El Niño. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **262**, 107-127, 2008.
- Kuroyanagi A., Tsuchiya M., Kawahata H. and Kitazato H.: Paleo-environmental implications of two genotypes of the planktonic foraminifer *Globigerinoides ruber* (white). *Marine Micropaleontology*, **68**, 236-243, 2008.
- Minoshima K. and Kawahata H.: Sediment trap experiment at IMAGES site — the environmental parameters recorded by particles —. *Gekkan Chikyu*, **344**, 113-118, 2008.(蓑島佳代・川幡穂高: IMAGESサイトにおけるセメントラップ観測—粒子状物質が記録する環境—. 月刊地球, **344**, 113-118, 2008.)
- Mishima M., Kawahata H. and Suzuki A.: Reconstruction of the East China Sea paleoenvironment in the last glacial period by the marine sediment and fossil corals. *Gekkan Chikyu Special volume*, **59**, 30-33, 2008.(三島真理・川幡穂高・鈴木 淳: 海底堆積物とサンゴ化石による氷期東シナ海の海洋環境復元. 月刊地球, 号外**59**, 30-33, 2008.)
- Nakanishi A., Kodaira S., Miura S., Ito A., Sato T., Park J.-O., Kido Y. and Kaneda Y.: Detailed structural image around splay fault branching in the Nankai subduction seismogenic zone: Results from a high-density ocean-bottom seismic survey. *Journal of Geophysical Research*, **113**, B03105, 2008.
- Nakashima R., Suzuki A., Watanabe T. and Kawahata H.: Ecology and environments recorded in bivalves (Hotate). *Gekkan Chikyu Special volume*, **59**, 46-52, 2008.(中島 礼・鈴木 淳・渡邊 剛・川幡穂高: ホタテガイ類の貝殻に記録された生態と環境. 月刊地球, 号外**59**, 46-52, 2008.)
- Okai T., Suzuki A., Yukino I., Inoue M., Kawahata H., Terashima S. and Imai N.: Geochemical reference materials Coral JCp-1 and Giant Clam Jct-1. *Gekkan Chikyu Special volume*, **59**, 124-126, 2008.(岡井貴司・鈴木 淳・雪野 出・井上麻夕里・川幡穂高・寺島 澄・今井 登: 化学分析用地球化学標準物質サンゴJCp-1, シャコガイJct-1について. 月刊地球, 号外**59**, 124-126, 2008.)
- Omata T., Suzuki A., Sato T., Minoshima K., Nomaru E., Murakami A., Murayama S., Kawahata H. and Maruyama T.: Effect of photosynthetic light intensity on carbon isotope composition in the coral skeleton: Long-term culture of *Porites* spp. *Journal of Geophysical Research*, **113**, G02014, 2008.
- Park J.-O., Tsuru T., No T., Takizawa K., Sato S. and Kaneda Y.: A high-resolution 3D seismic reflection survey and prestack depth imaging in the Nankai Trough off southeast Kii Peninsula. *Geophysical Exploration (BUTSURI-TANSA)*, **61**, 231-241, 2008.(朴 進午・鶴 哲郎・野 徹雄・瀧澤 薫・佐藤 壮・金田義行: 紀伊半島南東沖南海トラフでの高分解能3次元反射法地震探査と重合前深度マイグレーション処理. 物理探査, **61**, 231-240, 2008.)
- Shirai M., Tsukamoto S. and Kondo R.: Transport-depositional processes of the present fluvial deposits estimated from OSL intensity of sand-sized grains. *Quaternary Research*, **47**, 377-389, 2008.(白井正明・塚本すみ子・近藤玲介: OSL強度より推定する現世河川堆積物中の長石粒子の露光状況と運搬—堆積過程. 第四紀研究, **47**, 377-389, 2008.)
- Suzuki A., Nakamura T., Yamasaki H., Minoshima M. and Kawahata H.: Influence of water-flow on skeletal isotopic compositions of the branching coral *Pocillopora damicornis*. *Coral Reefs*, **27**, 209-218, 2008.
- Suzuki A., Nakamura T., Yamazaki H., Morimoto N., Sakai K., Inoue M. and Kawahata H.: Coral culture experiments on skeletal oxygen and carbon isotope compositions. *Gekkan Chikyu Special volume*, **59**, 6-11, 2008.(鈴木 淳・中村 崇・山崎秀雄・森本直子・酒井一彦・井上麻夕里・川幡穂高: サンゴ骨格の酸素・炭素同位体比についての飼育実験による検討. 月刊地球, 号外**59**, 6-11, 2008.)
- Suzuki A., Yokoyama Y., Kanda H., Minoshima K., Matsuzaki H., Hamanaka N. and Kawahata H.: Identification of 1771 Meiwa Tsunami deposits using a combination of radiocarbon dating and oxygen isotope microprofiling of emerged massive *Porites* boulders. *Quaternary Geochronology*, **3**, 226-234, 2008.
- Tago Y., Suzuki A., Nakashima R., Kawahata H. and Shikazono N.: Reconstruction of growth history of an abalone shell collected off Shima Peninsula estimated from stable oxygen isotope analysis around Shima Peninsula. *Gekkan Chikyu Special volume*, **59**, 70-74, 2008.(田子裕子・鈴木 淳・中島 礼・川幡穂高・鹿園直建: 志摩半島産クロアワビ殻の酸素同位体比による成長過程復元. 月刊地球, 号外**59**, 70-74, 2008.)
- Tokuyama H.: Resources for 21 century-burnable ice methane hydrate. *Kaiyo Monthly*, **40**, 65-66, 2008.(徳山英一: 21世紀の資源—燃える氷メタンハイドレート, 月刊海洋, **40**, 65-66, 2008.)

- Tsuji T., Tokuyama T., Pisani P.C. and Moore G.: Effective stress and pore pressure in the Nankai accretionary prism off the Muroto Peninsula, southwestern Japan. *Journal of Geophysical Research*, **113**, B11401, doi:10.1029/2007JB005002, 2008.
- Tsunoda T., Kawahata H., Suzuki A., Minoshima K. and Shikazono N.: East Asian Monsoon to El Niño/Southern Oscillation: a shift in the winter climate of Ishigaki Island accompanying the 1988/1989 regime shift, based on instrumental and coral records. *Geophysical Research Letters*, **35**, L13708, 2008.
- Yoshimura T., Nakashima R., Suzuki A. and Kawahata H.: Calcification of freshwater bivalves and its application to paleoceanographical study. *Gekkan Chikyu Special volume*, **59**, 53-57, 2008.(吉村寿紘・中島 礼・鈴木 淳・川幡穂高: 淡水二枚貝の石灰化と古環境研究への応用. 月刊地球, 号外**59**, 53-57, 2008.)

Marine Ecosystem Dynamics

- Fujikura K., Kojima S. and Hashimoto J.: Seep and hydrothermal vent communities. In: *Deep-sea life – biological observations using research submersibles*, Fujikura K., Okutani T. and Maruyama T. (eds.), Tokai University Press, Kanagawa, pp. 57-80, 2008. (藤倉克則・小島茂明・橋本 悅: 渕水生物群集・熱水噴出孔生物群集.「潜水調査船が観た深海生物－深海生物研究の現在」, 藤倉克則・奥谷喬司・丸山 正(編), 東海大学出版会, 神奈川, pp. 57-80, 2008.)
- Fujikura K., Kojima S. and Hashimoto J.: Chemosynthesis-based communities Japanese submersibles visited. In: *Deep-sea life – biological observations using research submersibles*, Fujikura K., Okutani T. and Maruyama T. (eds.), Tokai University Press, Kanagawa, pp. 84-92, 2008. (藤倉克則・小島茂明・橋本 悅: 日本の潜水調査船が訪れた世界の化学合成生物群集.「潜水調査船が観た深海生物－深海生物研究の現在」, 藤倉克則・奥谷喬司・丸山 正(編), 東海大学出版会, 神奈川, pp. 84-92, 2008.)
- Itoh H. and Nishida S.: Life history of the copepod *Hemicyclops spinulosus* (Poecilostomatoida, Clausidiidae) associated with crab burrows with notes on male polymorphism and precopulatory mate guarding. *Plankton and Benthos Research*, **3**, 189-201, 2008.
- Khan N.H. and Kogure K.: Phylogenetic analyses of marine *Pseudomonas aeruginosa*. *Applied and Environmental Microbiology*, **74**, 6194-6205, 2008.
- Kobari T., Steinberg D.K., Uyeda A., Tsuda A., Silver M.W. and Kitamura M.: Impacts of the ontogenetically migrating copepods to carbon flux in the western subarctic Pacific Ocean. *Deep-Sea Res. II*, **55**, 1648-1660, 2008.
- Kodama Y., Yanagimoto T., Shinohara G., Hayashi I. and Kojima S.: Deviation age of a deep-sea demersal fish *Bothrocara hollandi* between the Japan Sea and the Okhotsk Sea. *Molecular Phylogenetics and Evolution*, **49**, 682-687, 2008.
- Kojima S.: Evolution and phylogeny of vesicomyid clams. In: *Deep-sea life – biological observations using research submersibles*, Fujikura K., Okutani T. and Maruyama T. (eds.), Tokai University Press, Kanagawa, pp. 143-145, 2008. (小島茂明: シロウリガイ類の進化と系統.「潜水調査船が観た深海生物－深海生物研究の現在」, 藤倉克則・奥谷喬司・丸山 正(編), 東海大学出版会, 神奈川, pp. 143-145, 2008.)
- Kojima S.: Evolution and phylogeny of vestimentiferan tube worms. In: *Deep-sea life – biological observations using research submersibles*, Fujikura K., Okutani T. and Maruyama T. (eds.), Tokai University Press, Kanagawa, pp. 158-159, 2008. (小島茂明: ハオリムシ類の進化と系統.「潜水調査船が観た深海生物－深海生物研究の現在」, 藤倉克則・奥谷喬司・丸山 正(編), 東海大学出版会, 神奈川, pp. 158-159, 2008.)
- Kojima S., Ozeki S., Iijima A., Okoshi K., Suzuki T., Hayashi I. and Furota T.: Genetic characteristics of three recently discovered populations of the tideland snail *Cerithidea djadjariensis* (Martin) (Mollusca, Gastropoda) from the Pacific coast of the eastern Japan. *Plankton and Benthos Research*, **3**, 96-100, 2008.
- Kojima S. and Watanabe H.: Evolution and phylogeny of provaniid snails. In: *Deep-sea life – biological observations using research submersibles*, Fujikura K., Okutani T. and Maruyama T. (eds.), Tokai University Press, Kanagawa, pp. 109, 2008. (小島茂明: 渡部裕美: ハイカブリニナ類の進化と系統.「潜水調査船が観た深海生物－深海生物研究の現在」, 藤倉克則・奥谷喬司・丸山 正(編), 東海大学出版会, 神奈川, pp. 109, 2008.)
- Matsuoka K., Takahashi T., Nakata H., Yamaguchi H., Iwataki M. and Nakada N.: Relation between primary production and noxious environments in the enclosed bay in the case of Omura Bay, West Kyushu, Japan. *Gekkan Chikyu*, **30**, 387-395, 2008. (松岡敷充・高橋鉄哉・中田英昭・山口仁志・岩滝光儀・中田希望: 閉鎖系海域での貧酸素水塊が基礎生産に与える影響. 月刊地球, **30**, 387-395, 2008.)
- Nakamura Y., Horinouchi M., Shibuno T., Tanaka Y., Miyajima T., Koike I., Kurokura H. and Sano M.: Evidence of ontogenetic migration from mangroves to coral reefs by black tail snapper *Lutjanus fulvus*: a stable isotope approach. *Marine Ecology Progress Series*, **355**, 257-266, 2008.
- Nishikawa J., Thu N.T., Ha T.M. and Thu P.T.: Jellyfish fisheries in northern Vietnam. *Plankton and Benthos Research*, **3**, 227-234, 2008.
- Nishimura M., Shimakita T., Matsuzaki T., Tashiro Y. and Kogure K.: Automatic counting of FISH-labeled microbes by an LED illuminated detecting apparatus. *Fisheries Science*, **74**, 405-410, 2008.
- Nonomura T., Machida R.J. and Nishida S.: Stage-V copepodites of *Calanus sinicus* and *C. jashnovi* (Copepoda: Calanoida) in mesopelagic zone of Sagami Bay as identified with genetic markers, with special reference to their vertical distribution. *Progress in Oceanography*, **77**, 45-55, 2008.
- Sasakawa M., Tsunogai U., Kameyama S., Nakagawa F., Nojiri Y. and Tsuda A.: Carbon isotopic evidence for the origin of excess methane in subsurface seawater. *Journal of Geophysical Research*, **113**, doi: 10.1029/2007JC004217, 2008.
- Taniguchi A. and Hamasaki K.: Community structures of actively growing bacteria shift along a north-south transect in the western North Pacific. *Environmental Microbiology*, **10**, 1007-1017, 2008.
- Tanimura A., Kawaguchi S., Oka N., Nishikawa J., Toczko S., Takahashi K.T., Terazaki M., Odate T., Fukuchi M. and Hosie G.: Abundance and grazing impacts of krill, salps and copepods along the 140°E meridian in the Southern Ocean during summer. *Antarctic Science*, **20**, 365-379, 2008.
- Tanimura A., Oka N., Kawaguchi S., Nishikawa J., Takahashi K.T., Makabe R., Hosie G. and Odate T.: Distribution pattern of macrozooplankton along the 140 meridian in the Southern Ocean during austral summer 2002 and 2003. *Antarctic Record*, **52**, 1-8, 2008.
- Wada M., Zhang D., Nishimura M. and Kogure K.: Co-inoculation of *Capitella* sp. I with its synergistic bacteria enhances degradation of organic matter in organically enriched sediment below fish farms. *Marine Pollution Bulletin*, **57**, 86-93, 2008.
- Watanabe H., Høeg J.T., Chan B.K.K., Kado R., Kojima S. and Sari A.: First report on the existence of antennular attachment organs in late nauplii of the deep-sea barnacle *Newmaniverruca albatrossiana* (Cirripedia; Verrucumorpha) epibiotic on sea urchin spines. *Journal of Zoology*, **274**, 284-291, 2008.

- Watanabe H. and Yorisue T.: Larval dispersion in chemosynthesis-based communities. *Monthly Kaiyo*, **40**, 322-328, 2008. (渡部裕美・頼末武史: 化学合成生物群集の幼生分散. 月刊海洋, **40**, 322-328, 2008.)
- Yoshida A., Seo Y., Suzuki S., Nishino T., Kobayashi T., Hamada-Sato N., Kogure K. and Imada I.: Actinomycetal community structures in seawater and freshwater examined by DGGE analysis of 16S rRNA gene fragments. *Journal of Marine Biotechnology*, **10**, 554-563, 2008.

Marine Bioscience

- Arai T. and Goto A.: Diverse migratory histories in a brackish water type of the ninespine stickleback, *Pungitius pungitius*. *Environmental Biology of Fishes*, **83**, 349-353, 2008.
- Arai T., Kotake A. and Ohji M.: Variation in migratory history of Japanese eels, *Anguilla japonica*, collected in the northernmost part of its distribution. *Journal of the Marine Biological Association of the United Kingdom*, **88**, 1075-1080, 2008.
- Avise J.C., translated by Nishida M., Muto F., Mabuchi K., Mukai T. and Nohara M.: *Phylogeography*, University of Tokyo Press, Tokyo, 303pp., 2008. (John C. Avise (著). 西田睦・武藤丈人(監訳). 馬渕浩司・向井貴彦・野原正広(訳):「生物系統地理学種の進化を探る」, 東京大学出版会, 東京, 303pp., 2008.)
- Azuma Y., Kumazawa Y., Miya M., Mabuchi K. and Nishida M.: Mitogenomic evaluation of the historical biogeography of cichlids toward reliable dating of teleostean divergences. *BMC Evolutionary Biology*, **8**, 215, 2008.
- Chino N., Yoshinaga T., Hirai A. and Arai T.: Life history patterns of silver eels *Anguilla japonica* collected in the Sanriku Coast of Japan. *Coastal Marine Science*, **32**, 54-56, 2008.
- Dou S., Yamada Y., Okamura A., Shinoda A., Tanaka S. and Tsukamoto K.: Temperature influence on the spawning performance of artificially-matured Japanese eel, *Anguilla japonica*, in captivity. *Environmental Biology of Fishes*, **82**, 151-164, 2008.
- Fujimura K., Terai Y., Ishiguro N., Miya M., Nishida M. and Okada N.: Heterotypy in the N-terminal region of Growth/Differentiation Factor 5 (GDF5) mature protein during teleost evolution. *Molecular Biology and Evolution*, **25**, 797-800, 2008.
- Fujita S., Komiya T., Takeshima H., Watanabe K. and Nishida M.: Isolation and characterization of 15 microsatellite loci for the Japanese gudgeon *Sarcocheilichthys variegatus*. *Molecular Ecology Resources*, **8**, 1335-1337, 2008.
- Fukui S., Watanabe S. and Iida M.: Additional comments of rare fishes and the ichthyofauna on Fukui and Mochizuki's "Japanese fishes of Kishu-Kumano: a collection of artworks" (1999). *NANKISEIBUTU*, **50**, 108-113, 2008. (福井正二郎・渡邊俊・飯田碧:「[紀州・熊野採集]日本魚類図譜」から考察される当地域の稀種と魚類相. 南紀生物, **50**, 108-113, 2008.)
- Hashiguchi Y., Furuta Y. and Nishida M.: Evolutionary patterns and selective pressures of odorant/pheronome receptor gene families in teleost fishes. *PLoS ONE*, **3**, e4083, 2008.
- Hashimoto H., Kitamura K., Kawasaki M., Saito T., Suzuki H., Otsubo H., Ohbuchi T., Yokoyama T., Fujihara H., Takei Y. and Ueta Y.: Adrenomedullin 2/intermedin-like immunoreactivity in the hypothalamus and brainstem of rats. *Autonomic Neuroscience*, **139**, 46-54, 2008.
- Hatase H., Sudo R., Watanabe K.K., Kasugai T., Saito T., Okamoto H., Uchida I. and Tsukamoto K.: Shorter telomere length with age in the loggerhead turtle: a new hope for live sea turtle age estimation. *Genes & Genetic Systems*, **83**, 423-426, 2008.
- Hatase H. and Tsukamoto K.: Smaller longer, larger shorter: energy budget calculations explain intrapopulation variation in remigration intervals for loggerhead sea turtles (*Caretta caretta*). *Canadian Journal of Zoology*, **86**, 595-600, 2008.
- Holland L.Z., Albalat R., Azumi K., Benito-Gutiérrez E., Blow M.J., Bronner-Fraser M., Brunet F., Butts T., Candiani S., Dishaw L.J., Ferrier D.E.K., García-Fernández J., Gibson-Brown J.J., Gissi C., Godzik A., Hallböök F., Hirose D., Hosomichi K., Ikuta T., Inoko H., Kasahara M., Kasamatsu J., Kawashima T., Kimura A., Kobayashi M., Kozmik Z., Kubokawa K., Laudet V., Litman G.W., McHardy A.C., Meulemans D., Nonaka M., Olinsky R.P., Pancer Z., Pennacchio L.A., Pestarino M., Rast J.P., Rigoutsos I., Robinson-Rechavi M., Roch G., Saiga H., Sasakura Y., Satake M., Satou Y., Schubert M., Sherwood N., Shiina T., Takatori N., Tello J., Vopalensky P., Wada S., Xu A., Ye Y., Yoshida K., Yoshizaki F., Yu J.-K., Zhang Q., Zmasek C.M., de Jong P.J., Osoegawa K., Putnam N.H., Rokhsar D.S., Satoh N. and Holland P.W.H.: The amphioxus genome illuminates vertebrate origins and cephalochordate biology. *Genome Research*, **18**, 1100-1111, 2008.
- Horie N., Utoh T., Mikawa N., Yamada Y., Okamura A., Tanaka S. and Tsukamoto K.: Influence of artificial fertilization methods of the hormone-treated Japanese eel *Anguilla japonica* upon the quality of eggs and larvae (Comparison between stripping-insemination and spontaneous spawning methods). *Nippon Suisan Gakkaishi*, **74**, 26-35, 2008. (堀江則行・宇藤朋子・三河直美・山田祥朗・岡村明浩・田中悟・塙本勝巳: ウナギの人工種苗生産における採卵法が卵質に及ぼす影響(擇出媒精法と自発産卵法の比較). 日本水産学会誌, **74**, 26-35, 2008.)
- Hyodo S.: A unique body fluid regulation in cartilaginous fish: adaptation to seawater and freshwater environments. *Idem*, **62**, 47-51, 2008. (兵藤晋: ユニークな体液調節、海水および淡水環境への適応のしくみ. 特集:軟骨魚類の不思議. 生物の科学, 遺伝, **62**, 47-51, 2008.)
- Hyodo S., Konno N. and Uchiyama M.: Urea-based body fluid regulation 1: cartilaginous fish. *Comparative Endocrinology*, **34**, 137-145, 2008. (兵藤晋・今野紀文・内山実: 尿素を利用する体液調節:その比較生物学1:軟骨魚類(サメ・エイ)を中心に. 比較内分泌学, **34**, 137-145, 2008.)
- Iida M., Watanabe S., Shinoda A. and Tsukamoto K.: Recruitment of the amphidromous goby *Sicyopterus japonicus* to the estuary of the Ota River, Wakayama, Japan. *Environmental Biology of Fishes*, **83**, 331-341, 2008.
- Inoue K., Tsukuda K., Koito T., Miyazaki Y., Hosoi M., Kado R., Miyazaki N. and Toyohara H.: Possible role of a taurine transporter in the deep-sea mussel *Bathymodiolus septendierum* in adaptation to hydrothermal vents. *FEBS Letters*, **582**, 1452-1456, 2008.
- Katsu Y., Kohno S., Hyodo S., Ijiri S., Adachi S., Hara A., Guillette Jr. L.J. and Iguchi T.: Molecular cloning, characterization and evolutionary analysis of estrogen receptors from phylogenetically ancient fish. *Endocrinology*, **149**, 6300-6310, 2008.
- Kawaguchi M., Nakagawa M., Noda T., Yoshizaki N., Hiroi J., Nishida M., Iuchi I. and Yasumasu S.: Hatching enzyme of the ovoviparous black rockfish *Sebastes schlegelii* — environmental adaptation of the hatching enzyme and evolutionary aspects of formation of the pseudogene. *FEBS Journal*, **275**, 2884-2898, 2008.
- Kawahara R., Miya M., Mabuchi K., Lavoué S., Inoue J.G., Satoh T.P., Kawaguchi A. and Nishida M.: Interrelationships of the 11 gasterosteiform families (sticklebacks, pipefishes, and their relatives): a new perspective based on whole mitogenome sequences from 75 higher teleosts. *Molecular Phylogenetics and Evolution*, **46**, 224-236, 2008.
- Kawahara R., Miya M., Mabuchi K., Near T.J. and Nishida M.: Stickleback phylogenies resolved: Evidence from mitochondrial genomes and 11 nuclear genes. *Molecular Phylogenetics and Evolution*, **50**, 401-404, 2008.

- Komatsu T.: Influences of global warming on seaweed beds and drifting seaweeds. *Aquaculture*, **568**, 38-40, 2008. (小松輝久: 地球温暖化による藻場・流れ藻への影響. *養殖*, **568**, 38-40, 2008.)
- Komatsu T., Matsunaga D., Mikami A., Sagawa T., Boisnier E., Tatsukawa K., Aoki M., Ajisaka T., Uwai S., Tanaka K., Ishida K., Tanoue H. and Sugimoto T.: Abundance of drifting seaweeds in eastern East China Sea. *Journal of Applied Phycology*, **20**, 801-809, 2008.
- Kuroki M., Aoyama J., Miller M.J., Watanabe S., Shinoda A., Jellyman D.J., Feunteun E. and Tsukamoto K.: Distribution and early life-history characteristics of anguillid leptocephali in the western South Pacific. *Marine and Freshwater Research*, **59**, 1035-1047, 2008.
- Kuroki M., Kawai M., Jonsson B., Aoyama J., Miller M.J., Noakes D.L.G. and Tsukamoto K.: Inshore migration and otolith microstructure/microchemistry of anguillid glass eels recruited to Iceland. *Environmental Biology of Fishes*, **83**, 309-325, 2008.
- Kusakabe M., Cheong P.L., Nikfar R., McLennan I.S. and Koishi K.: The structure of the TGF-beta latency associated peptide region determines the ability of the proprotein convertase furin to cleave TGF-betas. *Journal of Cellular Biochemistry*, **103**, 311-320, 2008.
- Lavoué S., Miya M., Kawaguchi A., Yoshino T. and Nishida M.: The phylogenetic position of an undescribed paedomorphic clupeiform: Mitogenomic evidence. *Ichthyological Research*, **55**, 328-334, 2008.
- Lavoué S., Miya M., Poulsen J.Y., Moller P.R. and Nishida M.: Monophyly, phylogenetic position and inter-familial relationships of the Alepocephaliformes (Teleostei) based on whole mitogenome sequences. *Molecular Phylogenetics and Evolution*, **47**, 1111-1121, 2008.
- Lee T.W., Miller M.J., Hwang H.B., Wouthuizen S. and Tsukamoto K.: Distribution and early life history of *Kaupichthys* leptocephali (family Chlopsidae) in the central Indonesian Seas. *Marine Biology*, **153**, 285-295, 2008.
- Luckenbach J.A., Kusakabe M., Swanson P. and Young G.: Unilateral ovariectomy increases egg size and reduces follicular atresia in the semelparous coho salmon, *Oncorhynchus kisutch*. *Journal of experimental zoology. Part A. Ecological genetics and physiology*, **309A**, 468-476, 2008.
- Ma T., Aoyama J., Miller M.J., Minegishi Y., Inoue J.G. and Tsukamoto K.: Genetic differentiation in the genus *Uroconger* in the Indo-Pacific region. *Aquatic Biology*, **2**, 29-35, 2008.
- Ma T., Kuroki M., Miller M.J., Ishida R. and Tsukamoto K.: Morphology and microchemistry of abnormal otoliths in the Ayu, *Plecoglossus altivelis*. *Environmental Biology of Fishes*, **83**, 155-167, 2008.
- Ma T., Miller M.J., Aoyama J., Minagawa G., Inoue J.S., Watanabe S. and Tsukamoto K.: Genetic identification of two types of *Ariosoma* leptocephali. *Coastal Marine Science*, **32**, 48-53, 2008.
- Mabuchi K., Senou H. and Nishida M.: Mitochondrial DNA analysis reveals cryptic large-scale invasion of non-native genotypes of common carp *Cyprinus caprio* in Japan. *Molecular Ecology*, **17**, 796-809, 2008.
- Maeda K., Takeshima H., Mizoiri S., Okada N., Nishida M. and Tachida H.: Isolation and characterization of microsatellite loci in the cichlid fish in Lake Victoria, *Haplochromis chilotes*. *Molecular Ecology Notes*, **8**, 428-430, 2008.
- Minegishi Y., Aoyama J., and Tsukamoto K.: Multiple population structure of the giant mottled eel *Anguilla marmorata*. *Molecular Ecology*, **17**, 3109-3122, 2008.
- Minegishi Y., Yoshizawa N. and Aoyama J.: Genetic population analysis for Japanese eels. *Kaiyo Monthly, Ex.*, **48**, 39-44, 2008. (峰岸有紀・吉澤葉津子・青山潤: ウナギの遺伝的集団構造. 月刊海洋, 号外**48**, 39-44, 2008.)
- Miyazaki M., Nogi Y., Fujiwara Y., Kawato M., Kubokawa K. and Horikoshi K.: *Neptunomonas japonica* sp. nov., an *Osedax japonicus* symbiont-like bacterium isolated from sediment adjacent to sperm whale carcasses off Kagoshima, Japan. *International Journal of Systematic and Evolutionary Microbiology*, **58**, 866-871, 2008.
- Miyazaki M., Nogi Y., Fujiwara Y., Kawato M., Nagahama T., Kubokawa K. and Horikoshi K.: *Amphritea japonica* sp. nov. and *Amphritea balenae* sp. nov., isolated from the sediment adjacent to sperm whale carcasses off Kagoshima, Japan. *International Journal of Systematic and Evolutionary Microbiology*, **58**, 2815-2820, 2008.
- Mizuta T., Asahina K., Suzuki M. and Kubokawa K.: Cloning of cytochrome P450 genes for sex steroid metabolism in amphioxus. *Journal of Experimental Zoology*, **309**, 1-11, 2008.
- Nobata S., Ogochi M. and Takei Y.: Potent cardiovascular actions of homologous adrenomedullins in eel. *American Journal of Physiology*, **294**, R1544-R1553, 2008.
- Ogochi M., Nobata S. and Takei Y.: Potent osmoregulatory actions of peripherally and centrally administered homologous adrenomedullins in eels. *American Journal of Physiology*, **295**, R2075-R2083, 2008.
- Ohji M., Kotake A. and Arai T.: Habitat use and migration of Plecoglossidae and Osmoridae fishes. *Journal of the Marine Biological Association of the United Kingdom*, **88**, 637-640, 2008.
- Okamura A., Huan Z., Mikawa N., Kotake A., Yamada Y., Utoh T., Horie N., Tanaka S., Oka H.P. and Tsukamoto K.: Decline in non-native freshwater eels in Japan: ecology and future perspectives. *Environmental Biology of Fishes*, **81**, 347-358, 2008.
- Okamura A., Yamada Y., Horie N., Utoh T., Mikawa N., Tanaka S. and Tsukamoto K.: Effects of silvering state on induced maturation and spawning in wild female Japanese eel *Anguilla japonica*. *Fisheries Science*, **74**, 642-648, 2008.
- Robinet T., Réveillac E., Kuroki M., Aoyama J., Tsukamoto K., Rabenevanana M.W., Valade P., Gagnaire P.A., Berrebi P. and Feunteun E.: New clues for freshwater eels (*Anguilla* spp.) migration routes to eastern Madagascar and surrounding islands. *Marine Biology*, **154**, 453-463, 2008.
- Sagawa T., Mikami A., Komatsu T., Kosaka N., Kosako A., Miyazaki M. and Takahashi M.: Mapping seagrass beds using IKONOS satellite image and side scan sonar measurements: a Japanese case study. *International Journal of Remote Sensing*, **29**, 281-291, 2008.
- Sato K.: Foraging strategy of European shags investigated using integrated information on behavior and habitat. *Proceedings of the 2007 Animal-Borne Imaging Symposium*, 115-116, 2008.
- Sato K.: Education on the spot. *Animals and Zoological Garden, Autumn*, 31, 2008.(佐藤克文: デートコースから教育の場へ. どうぶつと動物園, **Autumn**, 31, 2008.)
- Sato K.: Effect of global warming on penguins. *Morning Two*, **12**, 43, 2008.(佐藤克文: 温暖化とペンギン. モーニングツー, **12**, 43, 2008.)
- Sato K.: Diving capacity of penguins. *Morning Two*, **12**, 279, 2008.(佐藤克文: 超鳥ペンギンの潜水能力. モーニングツー, **12**, 279, 2008.)

- Sato K.: Mystery of penguins. *Morning Two*, **12**, 350, 2008.(佐藤克文: 超鳥ペンギンの謎. モーニングツー, **12**, 350, 2008.)
- Sato K.: Synchronized diving of penguins. *Morning Two*, **12**, 368, 2008.(佐藤克文: 超鳥ペンギンシンクロダイブ. モーニングツー, **12**, 368, 2008.)
- Sato K.: Why do penguins swim at speed of 2 m/s? *Morning Two*, **12**, 379, 2008.(佐藤克文: 秒速2メートルの謎. モーニングツー, **12**, 379, 2008.)
- Sato K.: Study of European shag using Bio-Logging method. *Bird Research News*, **5**, 1-2, 2008.(佐藤克文: バイオロギング手法を用いたヨーロッパヒメウ研究. *Bird Research News*, **5**, 1-2, 2008.)
- Sato K.: Are they good friends? *Ushio*, **2**, 55-56, 2008.(佐藤克文: 仲が良いのか悪いのか. 潮, **2**, 55-56, 2008.)
- Sato K., Daunt F., Watanuki Y., Takahashi A. and Wanless S.: A new method to quantify prey acquisition in diving seabirds using wing stroke frequency. *Journal of Experimental Biology*, **211**, 58-65, 2008.
- Sato K. and Watanabe Y.: Ecology of birds and mammals living around ice edge. *Heredity*, **62**, 62-65, 2008.(佐藤克文・渡辺佑基: 氷縁に暮らす鳥類・哺乳類の生態 2) 哺乳類(アザラシ). *遺伝*, **62**, 62-65, 2008.)
- Setiamarga. D.H., Miya M., Yamanoue Y., Mabuchi K., Satoh T.P., Inoue J.G. and Nishida M.: Interrelationships of Atherinomorpha (medakas, flyingfishes, killifishes, silversides, and their relatives): The first evidence based on whole mitogenome sequences. *Molecular Phylogenetics and Evolution*, **49**, 598-605, 2008.
- Shiomi K., Sato K., Mitamura H., Arai N., Naito Y. and Ponganis P.J.: Effect of ocean current on the dead-reckoning estimation of 3-D dive paths of emperor penguins. *Aquatic Biology*, **3**, 265-270, 2008.
- Takahashi A., Kobayashi Y., Moriyama S. and Hyodo S.: Evaluation of posttranslational processing of proopiomelanocortin in the banded houndshark pituitary by combined cDNA cloning and mass spectrometry. *General and Comparative Endocrinology*, **157**, 41-48, 2008.
- Takahashi A., Matsumoto K., Hunt Jr G.L., Shultz T., Kitaysky A.S., Sato K., Iida K. and Watanuki Y.: Thick-billed murres use different diving behaviors in mixed and stratified waters. *Deep-Sea Research Part II*, **55**, 1837-1845, 2008.
- Takei Y.: Exploring novel hormones essential for seawater adaptation in teleost fish. *General and Comparative Endocrinology*, **157**, 3-13, 2008.
- Takei Y.: Water metabolism in fishes. In: *Encyclopedia of Body and Water*, Sasaki S. and Ishibashi K. (eds.), Asakura Publishing Co. Ltd., Tokyo, pp100-106, 2008. (竹井祥郎: 魚類の水代謝. 「からだと水の事典」, 佐々木 成・石橋賢一(編), 朝倉書店, 東京, pp.100-106, 2008.)
- Takei Y.: From fish to human: discovery of two novel adrenomedullins. *Cardioangiology*, **64**, 486-495, 2008. (竹井祥郎: 魚類からヒトへ:2種の新規アドレノメデュリンの発見. 循環器科, **64**, 486-495, 2008.)
- Takei Y., Hashimoto H., Inoue K., Osaki T., Yoshizawa-Kumagaye K., Tsunemi M., Watanabe T.X., Ogoshi M., Minamino N. and Ueta Y.: Central and peripheral cardiovascular actions of adrenomedullin 5, a novel member of the calcitonin gene-related peptide family, in mammals. *Journal of Endocrinology*, **197**, 391-400, 2008.
- Tsukamoto K.: Present status and conservation of eel resources. *Kaiyo Monthly, Ex.*, **48**, 5-8, 2008. (塙本勝巳: ウナギ資源の現状と保全 一コンビナーを代表して. 月刊海洋, 号外**48**, 5-8, 2008.)
- Tsukamoto K.: Spawning area of the Japanese eel. *Kaiyo Monthly, Ex.*, **48**, 10-15, 2008. (塙本勝巳: ニホンウナギの産卵場. 月刊海洋, 号外**48**, 10-15, 2008.)
- Tsunagawa T. and Arai T.: Flexible migration of Japanese freshwater gobies *Rhinogobius* spp. as revealed by otolith Sr:Ca ratios. *Journal of Fish Biology*, **73**, 2421-2433, 2008.
- Umatani Y., Arai T. and Maekawa K.: Variation in migratory history of Dolly Varden in a stream with an artificial dam in the Shiretoko Peninsula, Hokkaido, Japan. *Environmental Biology of Fishes*, **83**, 37-44, 2008.
- Watanabe K., Takeshima H., Iwata A., Abe T., Uehara K., Kakioka R., Kihira D. and Nishida M.: Isolation and characterization of 39 microsatellite loci in the endangered Japanese loach *Leptobotia curta*. *Molecular Ecology Resources*, **8**, 145-148, 2008.
- Watanabe S., Aoyama J., Miller M.J., Ishikawa S., Feunteun E. and Tsukamoto K.: Evidence of population structure in the giant mottled eel, *Anguilla marmorata*, using total number of vertebrae. *Copeia*, **2008**, 680-688, 2008.
- Watanabe S., Aoyama J. and Tsukamoto K.: The use of morphological and molecular genetic variations to evaluate subspecies issues in the genus *Anguilla*. *Coastal Marine Science*, **32**, 19-29, 2008.
- Watanabe S., Iida M., Fukui S., Takino S. and Tsukamoto K.: Oceanic dispersal of an amphidromous goby *Sicyopterus japonicus*: population structure and pelagic larval duration. *NANKISEIBUTU*, **50**, 213-221, 2008. (渡邊 俊・飯田 碧・福井正二郎・瀧野秀二・塙本勝巳: ボウズハゼ(*Sicyopterus japonicus*)の海洋分散に関する—考察:集団構造と浮遊仔魚期間に着目して. 南紀生物, **50**, 213-221, 2008.)
- Watanabe Y. and Sato K.: Functional dorsoventral symmetry in relation to lift-based swimming in the ocean sunfish *Mola mola*. *PLoS ONE*, **3**, e3446, 2008.
- Watanabe Y., Wei Q., Yang D., Chen X., Du H., Yang J., Sato K., Naito Y. and Miyazaki N.: Swimming behavior in relation to buoyancy in an open swimbladder fish, the Chinese sturgeon. *Journal of Zoology*, **275**, 381-390, 2008.
- Watanuki Y., Daunt F., Takahashi A., Newell M., Wanless S., Sato K. and Miyazaki N.: Microhabitat use and prey capture of a bottom feeding top predator, the European shag, as shown by camera loggers. *Marine Ecology Progress Series*, **356**, 283-293, 2008.
- Watanuki Y. and Sato K.: Dive angle, swim speed and wing stroke during shallow and deep dives in common murres and rhinoceros auklets. *Ornithological Science*, **7**, 15-28, 2008.
- Yada T., Hyodo S. and Schreck C.B.: Effects of seawater acclimation on mRNA levels of corticosteroid receptor genes in osmoregulatory and immune systems in trout. *General and Comparative Endocrinology*, **156**, 622-627, 2008.
- Yamamoto T., Takahashi A., Yoda K., Katsumata N., Watanabe S., Sato K. and Trathan P.N.: The lunar cycle affects at-sea behaviour in a pelagic seabird, the streaked shearwater, *Calonectris leucomelas*. *Animal Behaviour*, **76**, 1647-1652, 2008.
- Yamanoue Y., Miya M., Matsuura K., Katoh M., Sakai H. and Nishida M.: A new perspective on phylogeny and evolution of tetraodontiform fishes (Pisces: Acanthopterygii) based on whole mitochondrial genome sequences: Basal ecological diversification? *BMC Evolutionary Biology*, **8**, 212, 2008.
- Yamanoue Y., Miya M., Matsuura K., Miyazawa S., Tsukamoto N., Doi H., Takahashi H., Mabuchi K., Nishida M. and Sakai H.: Explosive speciation of *Takifugu*: another use of fugu as a model system for evolutionary biology. *Molecular Biology and Evolution*, **26**, 623-629, 2008.
- Yokouchi K., Aoyama J., Oka H.P. and Tsukamoto K.: Variation in the demographic characteristics of yellow-phase Japanese eels in different habitats of the Hamana Lake system, Japan. *Ecology of Freshwater Fish*, **17**, 639-652, 2008.

Zuccarelli M.D., Kusakabe M., Nakamura I., Prentice E.F., Young G. and Ingemann R.L.: Acute stress response of Kootenai River white sturgeon, *Acipenser transmontanus* Richardson reflected in peritoneal fluid and blood plasma. *Journal of Fish Biology*, **72**, 1831-1840, 2008.

Living Marine Resources

- Hasumi H., Yasuda I., Tatebe H. and Kimoto M.: Pacific bidecadal climate variability regulated by tidal mixing around the Kuril Island. *Geophysical Research Letters*, **35**, 2008.
- Hayakawa J., Kawamura T., Ohashi S., Horii T. and Watanabe Y.: Habitat selection of Japanese top shell (*Turbo cornutus*) on articulated coralline algae; combination of preferences in settlement and post-settlement stage. *Journal of Experimental Marine Biology and Ecology*, **363**, 118-123, 2008.
- Hiramatsu K.: Assessment and management of fisheries stocks managed by TAC. 56th Annual Report of the Research Meeting on Saury Resources, 224-239, 2008.(平松一彦: TAC魚種の資源評価と資源管理. 第56回サンマ等小型浮魚資源研究会議報告, 224-239, 2008)
- Hoshino K. and Saruwatari T.: Risk of misidentification of samples and importance of voucher specimens. *DNA Polymorphism*, **16**, 145-148, 2008. (星野浩一・猿渡敏郎: DNA研究におけるサンプル誤同定の危険と証拠標本の重要性. DNA多型, **16**, 145-148, 2008.)
- Itoh S. : Observations of current and turbulence within the Urup Strait. *Kaiyo Monthly, Ex.*, **50**, 77-84, 2008.(伊藤幸彦: ウルップ海峡における流動・乱流構造観測. 月刊海洋, 号外**50**, 77-84, 2008.)
- Itoh S. and Sugimoto T.: Current variability of the Kuroshio near the separation point from the western boundary. *Journal of Geophysical Research*, **C113**, doi:10.1029/2007JC004682, 2008.
- Kai M. and Shirakihara K.: Effectiveness of a feedback management procedure based on controlling the size of marine protected areas through catch per unit effort. *ICES Journal of Marine Science*, **65**, 1216-1226, 2008.
- Kaneko H., Yasuda I., Ikeya T., Nishioka J. and Nakatsuka T.: Intermediate-depth nutrient distribution around the Kuril Straits. *Kaiyo Monthly, Ex.*, **50**, 93-98, 2008.(金子 仁・安田一郎・池谷 透・西岡 純・中塚 武: 千島列島付近での中層栄養塩分布. 月刊海洋, 号外**50**, 93-98, 2008.)
- Kato Y., Takebe T., Masuma S., Kitagawa T. and Kimura S.: Turbulence effect on the survival and feeding of Pacific bluefin tuna, *Thunnus orientalis*, larvae on the basis of a rearing experiment. *Fisheries Science*, **74**, 48-53, 2008.
- Kawamura T.: Seed production techniques of abalone species based on their ecological characteristics. *Kaiyo Monthly*, **40**, 552-559, 2008. (河村知彦: 生態学的特性に基づいたアワビ類種苗生産技術. 月刊海洋, **40**, 552-559, 2008.)
- Kawamura T., Horii T. and Takami H.: Assessment and future direction of abalone stock enhancement in Japan. *Kaiyo Monthly*, **40**, 485-489, 2008. (河村知彦・堀井豊充・高見秀輝: アワビ類栽培漁業の検討と今後の展望—総論—. 月刊海洋, **40**, 485-489, 2008.)
- Kimura S., Kato Y., Yamaoka N. and Kitagawa T.: Biological response of blue fin tuna larvae associated with global warming. *Bulletin of the Japanese Society of Fisheries Oceanography*, **72**, 290-291, 2008. (木村伸吾・加藤慶樹・山岡直樹・北川貴士: 地球温暖化に伴うクロマグロ仔魚の生態的応答. 水産海洋研究, **72**, 290-291, 2008.)
- Kimura S., Kim H-Y., Kitagawa T. and Miyazaki S.: Spawning migration of the Japanese eel, —characteristics of larval distribution on the basis of stable isotope analyses—. *Kaiyo Monthly, Ex.*, **48**, 59-63, 2008.(木村伸吾・金 熙容・北川貴士・宮崎幸恵: ニホンウナギの産卵回遊—同位体比解析からみた幼生分布の特徴—. 月刊海洋, 号外**48**, 59-63, 2008.)
- Kitagawa T.: Studies on the behavioral ecology and thermal adaptation mechanisms of Pacific bluefin tuna, *Thunnus orientalis*. *Nippon Suisan Gakkaishi*, **74**, 580-583, 2008.(北川貴士: クロマグロの行動生態と水温適応機構に関する研究. 日本水産学会誌, **74**, 580-583, 2008.)
- Kitagawa T., Kimura S., Nakata H., Yamada H., Nitta A., Sasai Y. and Sasaki H.: Immature Pacific bluefin tuna, *Thunnus orientalis*, utilizes cold waters in the Subarctic Frontal Zone for trans-Pacific migration. *Environmental Biology of Fishes*, DOI 10.1007/s10641-008-9409-8, 2008.
- Kouketsu S. and Yasuda I.: Unstable frontal waves along the Kuroshio Extension with low-potential vorticity intermediate Oyashio water. *Journal of Physical Oceanography*, **38**, 2308-2321, 2008.
- Miyazaki S., Kim H-Y., Kitagawa T. and Kimura S.: Studies on diet environment of the Japanese eel larvae and adults on the basis of stable isotope analyses. *Kaiyo Monthly, Ex.*, **48**, 64-67, 2008.(宮崎幸恵・金 熙容・北川貴士・木村伸吾: 安定同位体比を用いたウナギ幼生の餌料環境に関する研究. 月刊海洋, 号外**48**, 64-67, 2008.)
- Miyazawa Y., Komatsu K. and Setoh S.: Reproduction of the Kuroshio-Oyashio Extension Area using JCOP2E numerical ocean forecast system. *Umi to Sora*, **84**, 85-91, 2008.(宮澤泰正・小松幸生・瀬藤 聰: 数値海況予測システムJCOP2Eによる黒潮・親潮混合域の再現性. 海と空, **84**, 85-91, 2008.)
- Moriyama A., Tatsukawa K. and Shirakihara K.: A trial to evaluate reproductive potential of Japanese eel. *Kaiyo Monthly, Ex.*, **48**, 74-81, 2008.(森山彰久・立川賢一・白木原国雄: 繁殖価に基づくウナギの再生産評価. 月刊海洋, 号外**48**, 74-81, 2008.)
- Nishikawa H. and Yasuda I.: Variation of Japanese sardine (*Sardinops melanostictus*) mortality in relation to the winter mixed layer in the Kuroshio Extension. *Fisheries Oceanography*, **17**, 411-420, 2008.
- Onitsuka T. and Kawamura T.: Factors affecting recruitment of abalone *Haliotis diversicolor* in Sagami Bay. *Kaiyo Monthly*, **40**, 500-506, 2008. (鬼塚年弘・河村知彦: 相模湾におけるトコブシの新規加入量変動要因. 月刊海洋, **40**, 500-506, 2008.)
- Onitsuka T., Kawamura T., Horii T., Takiguchi N. and Watanabe Y.: Survival, growth and recruitment of abalone *Haliotis diversicolor* in Sagami Bay, Japan. *Journal of Shellfish Research*, **27**, 843-855, 2008.
- Onitsuka T., Kawamura T., Ohashi S., Iwanaga S., Horii T. and Watanabe Y.: Effects of sediments on larval settlement of abalone *Haliotis diversicolor*. *Journal of Experimental Marine Biology and Ecology*, **365**, 53-58, 2008.
- Oohara I., Kobayashi T., Hoshino K., Saruwatari T. and Takashima Y.: Identification of 6 fish species in genus *Decapterus* by using partial sequences of cytochrome b. *DNA Polymorphism*, **16**, 149-151, 2008. (大原一郎・小林敬典・星野浩一・猿渡敏郎・高島康晴: Cytb部分塩基配列を用いたムロアジ属6種の種判別. DNA 多型, **16**, 149-151, 2008.)
- Osafune S. and Yasuda I.: Water mass variations in the subarctic North Pacific in relation to the 18.6-year period nodal tidal cycle. *Kaiyo Monthly, Ex.*, **50**, 41-49, 2008.(長船哲史・安田一郎: 北太平洋亜寒帯域での18.6年水塊変動. 月刊海洋, 号外**50**, 41-49, 2008.)
- Sakurada R. and Hiramatsu K.: Evaluation of the ABC decision rule for Japanese common squid (*Todarodes pacificus*) using an operating model. Report of the Research Meeting on Squid Resources(fiscal year 2007/2008), 55-62, 2008. (櫻田玲子・平松一彦: オペレーティングモデルを用いたスルメイカABC算定規則の検討. イカ類資源研究会議報告(平成19年度), 55-62, 2008.)

- Saruwatari T.: Larvae and juveniles of Mehikari, *Chlorophthalmus* spp. Vast oceanic migration inferred from their small body. *Aquabiology*, **30**, 733-739, 2008. (猿渡敏郎: メヒカリ(オメエゾ属魚類)の仔稚魚. 小な体が明かす大回遊. 海洋と生物, **30**, 733-739, 2008.)
- Saruwatari T. and Hoshino K.: On the holotype specimen of Maru-aomeeso *Chlorophthalmus borealis* Kuronuma and Yamaguchi 1941. *Aquabiology*, **30**, 760-761, 2008. (猿渡敏郎・星野浩一: マルアオメエゾ*Chlorophthalmus borealis* Kuronuma and Yamaguchi 1941のホロタイプ(完模式標本)について. 海洋と生物, **30**, 760-761, 2008.)
- Shirakihara K.: Biological assessment of ecological important areas for fish and invertebrates in the Yellow Sea Ecoregion (Japan Part). In: *Biological Assessment report of the Yellow Sea Ecoregion*, Tobai S. et al. (eds.), WWF/KORDI/KEI, Tokyo, pp.123-137, 2008.
- Shirakihara K.: Marine life and the environment. In: *Natural environmental studies for sustainability*, Department of Natural environmental Studies, Graduate School of Frontier Sciences, The University of Tokyo, Kashiwa, pp. 187-199, 2008.
- Shirakihara M., Seki K., Takemura A., Shirakihara K., Yoshida H. and Yamazaki T.: Food habits of finless porpoises *Neophocaena phocaenoides* in western Kyushu, Japan. *Journal of Mammalogy*, **89**, 1248-1256, 2008.
- Takahashi M., Nishida H., Yatsu A. and Watanabe Y.: Year-class strength and growth rates after metamorphosis of Japanese sardine (*Sardinops melanostictus*) in the western North Pacific Ocean during 1996-2003. *Canadian Journal of Fisheries and Aquatic Sciences*, **65**, 1425-1434, 2008.
- Takami H., Saido T., Endo T., Noro T., Musashi T. and Kawamura T.: Overwinter mortality of young-of-the-year Ezo abalone (*Haliotis discus hannah*) in relation to sweater temperature on the Northern Pacific coast of Japan. *Marine Ecology Progress Series*, **367**, 203-212, 2008.
- Tamura H., Waseda T., Miyazawa Y. and Komatsu K.: Current-induced modulation of the ocean wave spectrum and the role of nonlinear energy transfer. *Journal of Physical Oceanography*, **38**, 2662-2684, 2008.
- Watanabe Y.: Ecology and population fluctuation of small pelagic fishes. *Suisan-Sinko*, **42**, 1-48, 2008. (渡邊良朗: 小型浮魚類の生態と資源量変動. 水産振興, **42**, 1-48, 2008.)
- Watanabe Y., Dingsjør D.E., Tian Y., Tanaka I. and Stenseth N.C.: Determinants of mean length at age of spring spawning herring off the coast of Hokkaido. *Marine Ecology Progress Series*, **366**, 209-217, 2008.
- Won N.-I., Kawamura T., Takami H. and Watanabe Y.: Applicability of stable isotope analyses for ecological studies of abalone: estimation of fractionation values and natural diets. *Journal of Shellfish Research*, **27**, 871-879, 2008.
- Yagi M. and Yasuda I.: Turbulence observation in Kuril Straits using density inversions. *Kaiyo Monthly, Ex.*, **50**, 85-92, 2008. (八木雅宏・安田一郎: 千島列島海域における密度逆転を用いた乱流混合観測. 月刊海洋, 号外**50**, 85-92, 2008.)
- Yasuda I.: Review of the symposium "Tidal mixing and physical, chemical and biological processes in the Okhotsk Sea and the Bering Sea. *Kaiyo Monthly, Ex.*, **50**, 5-15, 2008. (安田一郎: 総論:潮汐混合とオホーツク海・ベーリング海の物理・化学・生物過程. 月刊海洋, 号外**50**, 5-15, 2008.)
- Yatsu A., Aydin K.Y., King J.R., McFarlane G.A., Chiba S., Tadokoro K., Kaeriyama M. and Watanabe Y.: Elucidating dynamic responses of North Pacific fish populations to climate forcing: Influence of life-history strategy. *Progress in Oceanography*, **77**, 252-268, 2008.
- Yoshinari H., Setoh S., Okuno A., Anbe D., Komatsu K. and Miyazawa Y.: Influence of Argo data on the FRA-JCOPE data assimilation. *Umi to Sora*, **84**, 77-84, 2008. (吉成浩志・瀬藤聰・奥野章・安倍大介・小松幸生・宮澤泰正・FRA-JCOPEグループ: FRA-JCOPEの再現性に対するArgoデータの影響評価. 海と空, **84**, 77-84, 2008.)
- Zenimoto K., Kimura S. and Nakata H.: Oceanic structure of spawning areas for the Atlantic eels in the North Atlantic Ocean. *Kaiyo Monthly, Ex.*, **48**, 68-72, 2008. (錢本慧・木村伸吾・中田英昭: 北大西洋におけるウナギ属魚類産卵海域の海洋構造特性. 月刊海洋, 号外**48**, 68-72, 2008.)

Multiple Field Marine Science

- Agusa T., Nomura K., Kunito T., Anan Y., Iwata H., Miyazaki N., Tatsukawa R. and Tanabe S.: Interelement relationships and age-related variation of trace element concentrations in liver of striped dolphin (*Stenella coeruleoalba*) from Japanese coastal waters. *Marine Pollution Bulletin*, **57**, 807-815, 2008.
- Aoki T. and Tsukamoto K.: The future of fisheries science and the Japanese Society of Fisheries Science Part-III: Action plans for the future of the society. *Nippon Suisan Gakkaishi*, **74**, 1088-1089, 2008. (青木宙・塙本勝巳: 日本水産学会理事会・日本学術会議水産学分科会主催シンポジウム 水産学と日本水産学会の未来 Part-III 一行動する日本水産学会―. 日本水産学会誌, **74**, 1088-1089, 2008.)
- Furuta S., Yoshida M., Okamoto T., Wakabayashi T., Ichise S., Aoki S., Kohno T. and Miyajima T.: Morphological variations of a manganese-oxidizing microorganism *Metallogenium* observed in the developmental process of cultures collected from Lake Biwa. *Japanese Journal of Limnology*, **68**, 433-441, 2008.
- Harino H., Arai T., Ohji M., Ismail A.B. and Miyazaki N.: Organotin contaminations in Malaysia. *Coastal Marine Science*, **32**, 96-101, 2008.
- Harino H., Eguchi S., Yamamoto Y., Kurokawa Y., Kawai S., Arai T., Ohji M., Yamato S., Kobayashi N. and Miyazaki N.: Distribution of organotin compounds in representative coastal areas from Japan. *Coastal Marine Science*, **32**, 88-95, 2008.
- Harino H., Ohji M., Brownell R.L., Arai T. and Miyazaki N.: Concentrations of organotin compounds in the stranded killer whales from Rausu, Hokkaido, Japan. *Archives of Environmental Contamination and Toxicology*, **55**, 137-142, 2008.
- Harino H., Ohji M., Gullaya W., Karnjana A., Arai T. and Miyazaki N.: Accumulation of organotin compounds in tissues and organs of dolphins from the coasts of Thailand. *Archives of Environmental Contamination and Toxicology*, **54**, 145-153, 2008.
- Ishibashi H., Iwata H., Kim E-Y., Tao L., Kannan K., Amano M., Miyazaki N., Tanabe S., Batoev V.B. and Petrov E.A.: Contamination and effects of perfluorochemicals in Baikal seal (*Pusa sibirica*), residue level, tissue distribution, and temporal trend. *Environmental Science & Technology*, **42**, 2295-2301, 2008.
- Itoh H., Aoki M., Tsuchiya Y., Sato T., Shinagawa H., Komatsu T., Mikami A. and Hama T.: Fate of organic matter in faecal pellets egested by epifaunal mesograzers living in a *Sargassum* forest and its implications for biogeochemical cycling. *Marine Ecology Progress Series*, **352**, 101-112, 2008.
- Kajiwara N., Kamikawa S., Amano M., Hayano A., Yamada T.K., Miyazaki N. and Tanabe S.: Polybrominated diphenyl ethers (PBDEs) and organochlorines in melon-headed whales, *Peponocephala electra*, mass stranded along the Japanese coasts: maternal transfer and temporal trend. *Environmental Pollution*, **156**, 106-114, 2008.

- Kajiwara N., Watanabe M., Wilson S., Eybatov T., Mitrofanov I.V., Aubrey D.G., Khuraskin L.S., Miyazaki N. and Tanabe S.: Persist organic pollutants (POPs) in Caspian seals of unusual mortality event during 2000 and 2001. *Environmental Pollution*, **152**, 431-442, 2008.
- Kim C., Miyajima T. and Nagata T.: Stable isotope ratio of dissolved inorganic carbon. In: *Stable Isotopes in Environmental Assessment of Watersheds — Progress Towards an Integrated Approach*, Nagata T. and Miyajima T. (eds.), Kyoto University Press, pp. 133-148, 2008(金 喆九・宮島利宏・永田 俊: 溶存無機炭素安定同位体比による評価、「流域環境評価と安定同位体－水循環から生態系まで」, 永田 俊・宮島利宏(編), 京都大学学術出版会, pp.133-148, 2008.)
- Kimberly H., Kannan K., Isobe T., Takahashi S., Yamada T., Miyazaki N. and Tanabe S.: Time trends and transplacental transfer of perfluorinated compounds in melon-headed whales stranded along the Japanese coast in 1982, 2001/2002, and 2006. *Environmental Science & Technology*, **42**, 7132-7137, 2008.
- Kitajima K., Hirata T., Maruyama S., Yamanashi T., Sano Y. and Liou J.G.: U-Pb zircon geochronology using LA-ICP-MS in the North Pole Dome, Pilbara Craton, Western Australia: A new tectonic growth model for the Archean chert/greenstone succession. *International Geological Review*, **50**, 1-14, 2008.
- Kohzu A., Miyajima T., Tayasu I., Yoshimizu C., Hyodo F., Matsui K., Nakano T., Wada E., Fujita N. and Nagata T.: Use of stable nitrogen isotope signatures of riparian macrophytes as an indicator of anthropogenic N inputs to river ecosystems. *Environmental Science and Technology*, **42**, 7837-7841, 2008.
- Kohzu A., Tayasu I., Yoshimizu C., Maruyama A., Kohmatsu Y., Hyodo F., Onoda Y., Igeta A., Matsui K., Nakano T., Wada E., Nagata T. and Takemon Y.: Nitrogen stable isotopic signatures of basal food items, primary consumers and omnivores in rivers with different levels of human impact. *Ecological Research*, **24**, 127-136, 2008.
- Komatsu T.: Mediterranean Sea and its inflow rivers. In: *Rivers and seas: Science of basin zones*, Unoki S., Yamamoto T. and Seino S. (eds.), Tsukiji-Shokan, Tokyo, pp. 245-257, 2008. (小松輝久: 地中海とその流入河川。「川と海 流域圏の科学」, 宇野木早苗・山本民治・清野聰子(編), 築地書館, 東京, pp. 245-257, 2008.)
- Komatsu T., Mikami A., Ajisaka T., Aoki M., Uwai S., Tanaka K., Ishida K., Fukuda M., Kokubu Y. and Michida Y.: Ecology and function of drifting seaweeds. *Seaweed Resources*, **19**, 9-17, 2008. (小松輝久・三上温子・鰐坂哲朗・青木優和・上井進也・田中克彦・石田健一・福田正浩・國分優孝・道田 豊: 流れ藻の生態と機能. 海藻資源, **19**, 9-17, 2008.)
- Kondo Y., Takeda S., Nishioka J., Obata H., Furuya K., Johnson W.K. and Wong C.S.: Organic iron (III) complexing ligands during an iron enrichment experiment in the western subarctic North Pacific. *Geophysical Research Letters*, **35**, L12601, 2008.
- Maki K. and Nagata T.: Sources and dynamics of dissolved organic matter in lakes. In: *Stable Isotopes in Environmental Assessment of Watersheds — Progress Towards an Integrated Approach*, Nagata T. and Miyajima T. (eds.), Kyoto University Press, pp. 187-197, 2008.(横 洋・永田 俊: 湖沼における溶存態有機物の起源と動態、「流域環境評価と安定同位体－水循環から生態系まで」, 永田 俊・宮島利宏(編), 京都大学学術出版会, 日本, pp. 187-197, 2008.)
- Miyazaki N. and Wattayakorn G.: Marine pollution of hazardous chemicals in the Asian waters. In: *Coastal Systems and Continental Margins*, Mimura M. (eds.), Springer, pp.101-111, 2008.
- Miyazaki N. and Wattayakorn G.: *The ASEAN International Conference “Conservation on the Coastal Environment”*, Shinjusha, Tokyo, 132pp., 2008.
- Nagata T.: Stable isotope indicators for the assessment of watershed environments. In: *Stable Isotopes in Environmental Assessment of Watersheds—Progress Towards an Integrated Approach*, Nagata T. and Miyajima T. (eds.), Kyoto University Press, pp. 395-409, 2008.(永田 俊: 流域環境評価と安定同位体指標。「流域環境評価と安定同位体－水循環から生態系まで」, 永田 俊・宮島利宏(編), 京都大学学術出版会, pp. 395-409, 2008)
- Rumengen I.F.M., Ohji M., Arai T., Harino H., Arfin Z. and Miyazaki N.: Contamination status of butyltin compounds in Indonesian coastal waters. *Coastal Marine Science*, **32**, 116-126, 2008.
- Sawaki Y., Nishizawa M., Suo T., Komiya T., Hirata T., Takahata N., Sano Y., Han J., Kon Y. and Maruyama S.: Internal structures and U-Pb ages of zircons from a tuff layer in the Meishucunian formation, Yunnan Province, South China. *Gondwana Research*, **14**, 148-158, 2008.
- Tsukamoto K.: The future of fisheries science and the Japanese Society of Fisheries Science Part-III: Research and social activities. (塚本勝巳: 水産学と日本水産学会の未来 Part-III 一行動する日本水産学会—III (3) 研究と社会連携. 日本水産学会誌, **74**, 1111-1112, 2008.)
- Yang J., Harino H., Liu H. and Miyazaki N.: Monitoring the organotin contamination in the Taihu Lake of China by bivalve mussel *Anodonta woodiana*. *Bulletin of Environmental Contamination and Toxicology*, **81**, 164-168, 2008.
- Yang J., Kunito T., Anan Y., Tanabe S. and Miyazaki N.: Subcellular distribution of trace elements in kidney of a mother-fetus pair of Dall's porpoises (*Phocoenoides dalli*). *Chemosphere*, **70**, 1203-1210, 2008.

HADEEP

- Amano K., Jenkins R.G., Kurihara Y.: A New Genus for *Vesicomya inflata* Kanie and Nishida, a Lucinid Shell Convergent with that of Vesicomyids, from Cretaceous Strata of Hokkaido, Japan. *Veliger*, **50**, 255-262, 2008.
- Asahi H. and Takahashi K.: A new insight into oceanography with multivariate and time-series analyses on the 1990-1999 planktonic foraminiferal fluxes in the Bering Sea and the central subarctic Pacific. *Memories of the Faculty of Science, Kyushu University, Earth and Planetary Sciences*, **32**, 73-96, 2008.
- Kaim A., Jenkins R.G. and Waren A.: Provannid and provannid-like gastropods from the Late Cretaceous cold seeps of Hokkaido (Japan) and the fossil record of the Provannidae (Gastropoda: Abyssochrysoidea). *Zoological Journal of the Linnean Society*, **154**, 421-436, 2008.
- Kuroyanagi A.: Reconstruction of plaeo-environment based on the laboratory culture experiments of planktonic foraminifera. *Chikyu Monthly*, **30**, 338-345, 2008.(黒柳あずみ: 浮遊性有孔虫の飼育実験が寄与する環境解析. 月刊地球, **30**, 338-345, 2008.)
- Machida S., Ishii T., Kimura J., Awaji S. and Kato Y.: Petrology and geochemistry of cross-chains in the Izu-Bonin back arc: Three mantle components with contributions of hydrous liquids from a deeply subducted slab. *Geochemistry Geophysics Geosystems*, **9**, 5, 2008.



www.ori.u-tokyo.ac.jp



**東京大学海洋研究所
Ocean Research Institute, The University of Tokyo**

住 所 / Address 〒164-8639 東京都中野区南台1丁目15番1号
1-15-1 Minamidai, Nakano-ku, Tokyo 164-8639
電 話 / Tel (03) 5351-6342 (代表 / Main)
Fax (03) 5351-6836 (総務課 / General Affairs Division)
(03) 5351-6837 (経理課 / Accounting Division)
URL www.ori.u-tokyo.ac.jp

■附属研究センター / Research Centers

**国際沿岸海洋研究センター
International Coastal Research Center**

住 所 / Address 〒028-1102 岩手県上閉伊郡大槌町赤浜2
丁目106番1号
2-106-1 Akahama, Otsuchi-cho, Kamihei-
gun, Iwate 028-1102
電 話 / Tel (0193) 42-5611
Fax (0193) 42-3715

**海洋科学国際共同研究センター
Center for International Cooperation**

住 所 / Address 〒164-8639 東京都中野区南台1丁目15番1号
1-15-1 Minamidai, Nakano-ku, Tokyo
164-8639
電 話 / Tel (03) 5351-6437
Fax (03) 3375-6530

**先端海洋システム研究センター
Center for Advanced Marine Research**

住 所 / Address 〒164-8639 東京都中野区南台1丁目15番1号
1-15-1 Minamidai, Nakano-ku, Tokyo
164-8639
電 話 / Tel (03) 5351-6823
Fax (03) 5351-6824

アクセス・交通

- 新宿駅西口から京王バスに乗車
17番:永福町行・佼成会聖堂前行約10分
弥生町三丁目又は東大附属前下車徒歩2分
- 地下鉄丸ノ内線中野新橋駅から徒歩10分
- 京王線幡ヶ谷駅から徒歩20分
- 地下鉄大江戸線西新宿五丁目から徒歩15分

How to reach ORI

- Bus from Shinjuku-KEIO bus line17 for Eifukucho/Koseikai Seido Mae. About 10 min ride from bus terminal outside JR Shinjuku Station West Exit to Yayoicho Sanchome Stop and walk 2 min along the bus road.
- About 10 min walk from Nakano Shimbashi station on Marunouchi Subway Line.
- About 20 min walk from Hatagaya station on KEIO Railway Line.
- About 15 min walk from Nishi-Shinjuku go-chome station on Oedo Subway Line.



発 行:2009.5 東京大学海洋研究所
Published in 2009.5 by Ocean Research Institute, The University of Tokyo

編 集:東京大学海洋研究所 広報委員会
Edited by Public Relations Committee, Ocean Research Institute, The University of Tokyo
委員長:木村 伸吾 / KIMURA, Shingo 編集幹事:兵藤 晋 / HYODO, Susumu