

2007

Physical Oceanography	66
Chemical Oceanography	67
Ocean Floor Geoscience	68
Marine Ecosystem Dynamics	70
Marine Bioscience	71
Living Marine Resources	74
Multiple Field Marine Science	76

研究業績 | PUBLICATION LIST 2007

Physical Oceanography

- Asano K. and Michida Y.: Geostrophic components of the North Pacific subarctic gyre estimated from surface drifters and Argo floats. *Proc. Int. Sympo, Okhotsk Sea and Sea Ice*, **22**, 146-149, 2007.
- Chuda T., Kimura R. and Niino H.: Vertical fine structures of temperature and water vapor in the free atmosphere. *Journal of the Meteorological Society of Japan*, **85**, 583-597, 2007.
- Iga K. and Kimura R.: Convection driven by collective buoyancy of microbubbles. *Fluid Dynamics Research*, **39**, 68-97, 2007.
- Iwasaka N., Ohno Y., Oka E., Hoshimoto M. and Yoshida T.: Recent studies on mixed layer variations and distributions in the North Pacific using Argo data. *Kaiyo Monthly*, **39**, 445-449, 2007. (岩坂直人・大野祐子・岡英太郎・星本みづほ・吉田隆：海洋混合層の分布と変動. 月刊海洋, **39**, 445-449, 2007.)
- Kawabe M.: Kuroshio variations and Kuroshio-climate system, *Kaiyo Monthly*, **39**, 683-689, 2007. (川辺正樹: 黒潮変動と黒潮・気候システム. 月刊海洋, **39**, 683-689, 2007.)
- Komaki K. and Kawabe M.: Correction method for full-depth current velocity with lowered acoustic Doppler current profiler (LADCP). *Journal of Oceanography*, **63**, 995-1007, 2007.
- Komaki K. and Kawabe M.: Structure of the upper deep current in the Melanesian Basin, western North Pacific. *La mer*, **45**, 15-22, 2007.
- Mizuno, T., Niino H., Kobayashi F., Suzuki O., Kato T., Tsuboki K., Tamura Y., Akaeda K. and Ebihara, S.: Report on the Tornado Symposium sponsored by Meteorological Research Institute. *Tenki*, **54**, 889-898, 2007. (水野孝則・新野宏・小林文明・鈴木修・加藤輝之・坪木和久・田村幸雄・赤枝健治・海老原智: 気象研究所主催「竜巻シンポジウム」報告. 天気, **54**, 889-898, 2007.)
- Niino H.: Atmospheric disturbances, in *Plan for Global Precipitation Measurement (GPM): Scientific and Social Expectation*, EORC, JAXA, pp.30-34, 2007.
- Niino H.: Toward mitigation of tornado disaster, *Yobou-Jihou*, **230**, 8-13, 2007. (新野宏: 竜巻災害の軽減に向けて. 予防時報, **230**, 8-13, 2007.)
- Niino H.: Attracted by vortices for 30 years, Part I. *Tenkist*, **48**, 1-4, 2007. (新野宏: 涡に惹かれて30年(前編), てんきすと, **48**, 1-4, 2007.)
- Niino H.: Attracted by vortices for 30 years, Part II. *Tenkist*, **49**, 2-4, 2007. (新野宏: 涡に惹かれて30年(後編), てんきすと, **49**, 2-4, 2007.)
- Niino H.: Tornadoes and waterspouts. *Tenki*, **54**, 933-936, 2007. (新野宏: 竜巻, 天気, **54**, 933-936, 2007.)
- Noda A.T. and Niino H.: High-resolution simulation of a cumulonimbus cloud accompanied by a tornado: Toward understanding the mechanism of a tornadogenesis. *Journal of the Japan Association for Wind Engineering*, **32**, 357-368, 2007. (野田暁・新野宏: 竜巻を伴う積乱雲の高解像度数値シミュレーション～竜巻の発生メカニズムの解明に向けて～. 日本風工学会誌, **32**, 357-368, 2007.)
- Ogura Y., Niino H., Kumabe R. and Nishimura S.: How to understand and enjoy weather phenomena, No. 8, Mysterious torrential rain that hit Shizuoka without prediction on 11-12 November 2004, *Tenki*, **54**, 83-90, 2007. (小倉義光・新野宏・隈部良司・西村修司: お天気の見方・楽しみ方(8) 謎が深まる静岡県不意打ち集中豪雨—2004年11月11~12日, 天気, **54**, 83-90, 2007.)
- Ogura Y.: How to understand and enjoy weather phenomena, No. 9, An extratropical cyclone in the dissipating stage. *Tenki*, **54**, 247-253, 2007. (小倉義光: お天気の見方・楽しみ方(9) 終末期の温帯低気圧, 天気, **54**, 247-253, 2007.)
- Ogura Y.: How to understand and enjoy weather phenomena, No. 10, Weather diagnosis of heavy snowfall over Kanto and Koushin Districts. *Tenki*, **54**, 573-579, 2007. (小倉義光: お天気の見方・楽しみ方(10) 関東・甲信地方の大雪のお天気診断, **54**, 573-579, 2007.)
- Ogura Y., Kumabe R. and Nishimura S.: How to understand and enjoy weather phenomena, No. 11, An extratropical cyclone that developed to a typhoon strength on 6 January 2007, *Tenki*, **54**, 663-669, 2007. (小倉義光・隈部良司・西村修司: お天気の見方・楽しみ方(11) 「台風並みに発達した」低気圧—2007年1月6日の場合, 天気, **54**, 663-669, 2007.)
- Ogura Y., Kumabe R. and Nishimura S.: How to understand and enjoy weather phenomena, No. 12, Torrential rain and severe wind associated with an upper-level dipole-type flow on 27 September 2006. *Tenki*, **54**, 917-922, 2007. (小倉義光・隈部良司・西村修司: お天気の見方・楽しみ方(12) ダイポール型の上層の流れに伴う大雨と強風—2006年9月27日の場合, **54**, 917-922, 2007.)
- Ogura Y., Kumabe R. and Nishimura S.: How to understand and enjoy weather phenomena, No. 13, Torrential rain and violent wind associated with a tropical cyclone and an Autumn Rain Front on 6-8 October 2006, *Tenki*, **54**, 961-969, 2007. (小倉義光・隈部良司・西村修司: お天気の見方・楽しみ方(13) 热帶低気圧と秋雨前線がもたらした大雨と暴風—2006年10月6~8日, **54**, 961-969, 2007.)
- Oka E., Talley L. D. and Suga T.: Temporal variability of winter mixed layer in the mid- to high-latitude North Pacific. *Journal of Oceanography*, **63**, 293-307, 2007.
- Tagami H. and Niino H.: A study of meso-alpha-scale disturbances on the Baiu Front and their environmental field, *Journal of the Meteorological Society of Japan*, **85**, 767-784, 2007.
- Tanaka K., Michida Y. and Komatsu T.: A numerical experiment on ocean circulation forced by seasonal winds in Suruga Bay. *Coastal Marine Science*, **31**, 30-39, 2007.
- Ueno H., Oka E., Suga T., Onishi H. and Roemmich D.: Formation and variation of temperature inversions in the eastern subarctic North Pacific. *Geophysical Research Letters*, **34**(5), L05603, doi:10.1029/2006GL028715, 2007.
- Yanagimoto D. and Kawabe M.: Deep-circulation flow at mid-latitude in the western North Pacific. *Deep-Sea Research Part I*, **54**, 2067-2081, 2007.
- Yanase W. and Niino H.: Dependence of polar low development on baroclinicity and physical processes: An idealized high-resolution numerical experiment. *Journal of the Atmospheric Sciences*, **64**, 3044-3067, 2007.

Chemical Oceanography

- Amakawa H., Nomura M., Sasaki K., Oura Y. and Ebihara M.: Vertical distribution of Scandium in the North Central Pacific. *Geophysical Research Letters*, **34**, L11606, doi:10.1029/2007GL029903, 2007.
- Aoyama M., Becker S., Dai M., Daimon H., Gordon L. I., Kasai H., Kerouel R., Kress N., Masten D., Murata A., Nagai N., Ogawa H., Ota H., Saito H., Saito K., Himizu T., Takano H., Tsuda A. and Yokouchi K. A. Youenou: Recent comparability of oceanographic nutrients data: Results of a 2003 intercomparison exercise using reference materials. *Analytical Sciences*, **23**, 1151-1154, 2007.
- Fukuda H., Ogawa H., Sohrin R., Yamasaki A. and Koike I.: Sources of dissolved organic carbon and nitrogen in Otsuchi Bay on the Sanriku ria coast of Japan in the spring. *Coastal Marine Science*, **31**, 19-29, 2007.
- Fukuda H., Sohrin R., Nagata T. and Koike I.: Size distribution and biomass of nanoflagellates in meso- and bathypelagic layers of the subarctic Pacific. *Aquatic Microbial Ecology*, **46**, 203-207, 2007.
- Gamo T. (ed.): *Series of Geochemistry Courses, Vol. 7: Geochemistry of the Environment*, Baifukan, Co. Ltd., Tokyo, 235 pp., 2007. (蒲生俊敬(編集): 地球化学講座7巻「環境の地球化学」, 培風館, 235, 2007.)
- Gamo T.: Japan Sea and Sulu Sea: Geochemical studies on deep convection systems of the two marginal basins in contrast with each other. *Transaction of The Research Institute for Oceanchemistry*, **20**, 3-17, 2007 (蒲生俊敬: 日本海とスルー海: 対照的な二つの縁海循環系の地球化学, 海洋化学研究, **20**, 3-17, 2007).
- Gamo T., Okamura K., Mitsuzawa K. and Asakawa K.: Tectonic pumping: earthquake-induced chemical flux detected in situ by a submarine cable experiment in Sagami Bay, Japan. *Proceeding of the Japan Academy, Series B*, **83**, 199-204, 2007.
- Gamo T., Kato Y., Hasumoto H., Kakiuchi H., Momoshima N., Takahata N. and Sano Y.: Geochemical implications for the mechanism of deep convection in a semi-closed tropical marginal basin: Sulu Sea. *Deep-Sea Research II*, **54**, 4-13, 2007.
- Goto S., Gamo T., Chiba H., Fujioka K. and Mitsuzawa K.: Contribution of heat outputs from high- and low-temperature hydrothermal sources to the neutrally buoyant plume at the TAG hydrothermal mound, Mid-Atlantic Ridge. *Earth, Planets and Space*, **59**, 1141-1146, 2007.
- Hongo Y., Obata H., Gamo T., Nakashima M., Ishibashi J., Konno U., Saegusa S., Ohkubo S. and Tsunogai U.: Rare earth elements in the hydrothermal system at Okinawa Trough back-arc basin. *Geochemical Society of Japan*, **41**, 1-15, 2007.
- Johnson K. S., Boyle E., Bruland K., Coale K., Measures C., Moffett J., Aguilar-Islas A., Barbeau K., Bergquist B., Bowie A., Buck K., Cai Y., Chase Z., Cullen J., Doi T., Elrod V., Fitzwater S., Gordon M., King A., Laan P., Laglera-Baquer L., Landing W., Lohan M., Mendez J., Milne A., Obata H., Ossiander L., Plant J., Sarthou G., Sedwick P., Smith G., Sohst B., Tanner S., Van den Berg S. and Wu J.: Developing standards for dissolved iron in seawater. *EOS*, **88**(11), 131-132, 2007.
- Kato S., Ui T., Uematsu M. and Kajii Y.: Trace gas measurements over the northwest Pacific during the 2002 IOC cruise. *Geochemistry, Geophysics, Geosystems*, **8**, Q06M10, doi:10.1029/2006GC001241, 2007.
- Kim C., Nishimura Y. and Nagata T.: High potential activity of alkaline phosphatase in the benthic nepheloid layer of a large mesotrophic lake: Implications for phosphorus regeneration in oxygenated hypolimnion. *Aquatic Microbial Ecology*, **49**, 303-311, 2007.
- Kinoshita N., Hashimoto T., Nakanishi T., Yokoyama A., Amakawa H., Mitsugashira T., Ohtsuki T., Takahashi N., Ahmad I., Greene J. P., Henderson D. J., Jiang C. L., Notani M., Pardo R. C., Patel N., Rehm K. E., Scott R., Vondrasek R., Jisonna L., Collon P., Robertson D., Schmitt C., Tang X. D., Kashiv Y. and Paul M.: Technological development for half-life measurement of ¹⁴⁶Sm nuclide. *Journal of Nuclear and Radiochemical Sciences*, **8**, 109-112, 2007.
- Koike I. and Fukuda H.: Mini-review: Assessment of size distribution of suspended particles in coastal and estuarine environments using in situ instruments. *Coastal Marine Science*, **31**, 1-8, 2007.
- Matsumoto, K., Minami, H., Hayano, T., Uyama, Y., Tanimoto, H., Uematsu, M., Regional climatology of particulate carbonaceous substances in the northern area of the east Asian Pacific rim. *Journal of Geophysical Research*, **112**, D24203, doi:10.1029/2007JD008607, 2007.
- Mito Y., Yamada Y., Ogawa H., Yamamoto T. and Tada K.: Spatial and seasonal variations of surface water nitrogen and phosphorus of Chita Bay. *Bulletin on Coastal Oceanography*, **44**, 191-202, 2007 (三戸勇吾・山田佳裕・山本敏哉・小川浩史・多田邦尚: 知多湾表層水中における窒素とリンの空間的季節的変動—特に高濃度の溶存有機物について—.沿岸海洋研究, **44**, 191-202, 2007.)
- Miura K. and Uematsu M.: Shipboard Observation. p.136-151, in : Kasahara, M., and Tohno, S. (ed), *Aerosol impact to Environment*, eds, Kyoto University Press, 2007. (三浦和彦・植松光夫: "船舶観測" エアロゾルの長距離輸送と三次元分布の観測, 「エアロゾルの大気環境影響」, 笠原三紀夫, 東野達編, 京都大学学術出版会, pp.136-151, 2007.)
- Miyajima T.: Eutrophication-related parameters. p.282-287. In: N. Washida (ed.) *Environmental Chemistry*. Maruzen Co., Ltd., 2007. (宮島利宏: 富栄養化項目、「実験化学講座20-2巻 環境化学」, 鶴田伸明, 丸善株式会社, 東京, pp.282-287, 2007.)
- Miyajima T., Hata H., Umezawa Y., Kayanne H. and Koike I.: Distribution and partitioning of nitrogen and phosphorus in a fringing reef lagoon of Ishigaki Island, Northwestern Pacific. *Marine Ecology Progress Series*, **341**, 45-57, 2007.
- Miyajima T., Tanaka Y., Koike I., Yamano H. and Kayanne H.: Evaluation of spatial correlation between nutrient exchange rates and benthic biota in a reef-flat ecosystem by GIS-assisted flow-tracking. *Journal of Oceanography*, **63**, 643-659, 2007.
- Motegi C. and Nagata T.: Enhancement of viral production by addition of nitrogen or nitrogen plus carbon in subtropical surface waters of the South Pacific. *Aquatic Microbial Ecology*, **48**, 27-34, 2007.
- Nakayama N., Obata H. and Gamo T.: Consumption of dissolved oxygen in the deep Japan Sea, giving a precise isotopic fractionation factor. *Geophys. Res. Lett.*, **34**, L20604, doi:10.1029/2007GL029917, 2007.
- Narita Y. and Uematsu M.: Transport of Pollution Aerosols over Ocean from Land Bulletin of the Society of Sea Water Science, Japan, **61**, No. 2, 95-101, 2007.(成田祥・植松光夫「海を越える大気汚染」特集「海と大気汚染」, 日本海水学会誌, **61**, No. 2, 95-101, 2007.)

- Nishida S. and Gamo T. : Biogeochemistry and biodiversity in the Sulu Sea. *Deep Sea Research II*, **54**, 1-3, 2007.
- Nishio Y., Nakai S., Ishii T. and Sano Y. : Isotope systematics of Li, Sr, Nd and volatiles in the Rodrigues Triple Junction Indian Ocean MORBs: constraints on the DUPAL origin. *Geochimica et Cosmochimica Acta*, **71**, 745-759, 2007.
- Nishimura Y. and Nagata T. : Alpha-proteobacterial dominance in a large mesotrophic lake (Lake Biwa, Japan). *Aquatic Microbial Ecology*, **48**, 231-240, 2007.
- Nishizawa M., Sano Y., Ueno Y. and Maruyama S. : Speciation and isotope ratios of nitrogen in fluid inclusions from seafloor hydrothermal deposits at ~3.5 Ga. *Earth and Planetary Science Letters*, **254**, 332-344, 2007.
- Obata H., Alibo, D. S., and Nozaki, Y.: Dissolved aluminum, indium and cerium in the Sea of Japan and the Sea of Okhotsk: Comparison to the marginal seas of the western North Pacific. *Journal of Geophysical Research-Ocean*, **112**, C12003, doi:10.1029/2006JC003944, 2007.
- Obata H., Doi T., Hongo Y., Alibo D.S., Minami H., Kato Y. and Maruo M.: Manganese, cerium, and iron in the Philippine, Celebes, and Sulu Seas. *Deep-Sea Research II*, **54**, 38-49, 2007.
- Obata H.: Investigation of water quality-Seawater. p.94-99. In: N. Washida (ed.) *Environmental Chemistry*. Maruzen Co., Ltd., 2007. (小畠 元: 水質の調査法—海水。「実験化学講座20-2巻 環境化学」, 鷺田伸明, 丸善株式会社, 東京, pp.94-99, 2007.)
- Ogawa H.: Measurements of organic matter in aquatic environments, In: *The fifth series of experimental chemistry*, edited by the chemical society of Japan, 309-319, Maruzen, Tokyo, 2007 (小川浩史: 有機物。「実験化学講座20-2巻 環境化学」, 鷺田伸明, 丸善株式会社, 東京, pp.309-319, 2007.)
- Okubo A., Obata H., Luo S., Gamo T., Minami H. and Yamada M.: Particle flux in the twilight zone of the eastern Indian Ocean: a constraint from ^{234}U - ^{230}Th and ^{226}Ra - ^{228}Th disequilibrium. *Deep-Sea Research I*, **54**, 1758-1772, 2007.
- Okubo A., Obata H., Gamo T., Minami H. and Yamada M.: Scavenging of ^{230}Th in the Sulu Sea. *Deep-Sea Research II*, **54**, 50-59, 2007.
- Patra P. K., Moore J. K., Mahowald N., Uematsu M., Doney S. C. and Nakazawa T.: Exploring the sensitivity of interannual basin-scale air-sea CO_2 fluxes to variability in atmospheric dust deposition using ocean carbon cycle models and atmospheric CO_2 inversions. *Journal of Geophysical Research*, **112**, G02012, doi:10.1029/2006JG000236, 2007 .
- Ram A.S.P., Nagata T., Tomaru Y. and Nagasaki K : Tungstate compounds as an alternative to uranyl acetate for enumerating viral infected prokaryote cells in aquatic systems. *Aquatic Microbial Ecology*, **47**, 209-212, 2007.
- Sugimoto K., Fukuda H., Baki M.A. and Koike I.: Bacterial contributions to formation of transparent exopolymer particles (TEP) and seasonal trends in coastal waters of Sagami bay, Japan, *Aquatic Microbial Ecology*, **46**, 31-41, 2007.
- Tanaka Y., Miyajima T., Koike I., Hayashibara T. and Ogawa H.: Imbalanced coral growth between organic tissue and carbonate skeleton brought by nutrient enrichment. *Limnology and Oceanography*, **52**, 1139-1146, 2007.
- Tazoe H., Obata H. and Gamo T.: Determination of cerium isotope ratios in geochemical samples using oxidative extraction technique with chelating resin. *Journal Analytical Atomic Spectrometry*, **22**, 616-622, 2007.
- Tazoe H., Obata H., Amakawa H., Nozaki Y. and Gamo T.: Precise determination of the cerium isotopic composition of surface water in the Northwest Pacific Ocean and Tokyo Bay. *Marine Chemistry*, **103**, 1-14, 2007.
- Terada K., Sasaki Y., Anand M., Joy K.H. and Sano Y. : Uranium-lead systematics of phosphates in lunar basaltic regolith breccia, Meteorite Hills 01210. *Earth and Planetary Science Letters*, **259**, 77-84, 2007.
- Toki T., Tsunogai U., Gamo T. and Tanahashi M. : Geochemical study of pore fluid in surface sediment at the Daini-Atsumi Knoll. *Journal of Geochemical Exploration*, **95**, 29-39, 2007.
- Uematsu M. and Narita Y. : Substances of Marine Origin. p.71-74, In: The Chemical Society of Japan (ed), Survey techniques for atmospheric substances. *Lecture Series of Experimental Chemistry*, Environmental Chemistry, Maruzen, Co., Ltd., 2007. (植松光夫・成田 祥 "海洋起源物質" 大気質の調査法, 「環境化学」第五版実験化学講座, 日本化学会編, 丸善, pp.71-74, 2007.)
- Uematsu M. and Narita Y. : Inorganic Aerosols. Survey techniques for atmospheric substances. pp.226-230, In: The Chemical Society of Japan (ed), *Lecture Series of Experimental Chemistry*, Environmental Chemistry, Maruzen, Co., Ltd., 2007 (植松光夫・成田 祥 "無機エアロゾル" 環境測定の実例, 「環境化学」第五版実験化学講座, 日本化学会編, 丸善, pp.226-230, 2007.)
- Umezawa Y., Miyajima T., Tanaka Y. and Koike I.: Variation in internal $\delta^{15}\text{N}$ and $\delta^{13}\text{C}$ distributions and their bulk values in the brown macroalga *Padina australis* growing in subtropical oligotrophic waters. *Journal of Phycology*, **43**, 437-448, 2007.
- Uno I., Uematsu M., Hara Y., He Y. J., Ohara T., Mori A., Kamaya T., Murano K., Sada-naga Y. and Bandow H. : Numerical Study of the Atmospheric Input of Anthropogenic Total Nitrate to the Marginal Seas in the Western North Pacific Region. *Geophysical Research Letters*, **34**, L17817, doi:10.1029/2007GL030338, 2007.
- Yoshida K., Narita S., Frank G., Iwamoto Y., Kondo M. and Uematsu M: Chemical composition and size distribution of sea fog over the northern North Pacific. *Chikyu Kagaku*, **41**, 156-172, 2007.(吉田健太郎, 成田 祥, フランク グリースバウム, 岩本洋子, 近藤雅輝, 植松光夫:「北部北太平洋における海霧の化学組成と粒径分布」地球化学, **41**, 165-172, 2007.)
- Yoshimura T. and Ogawa H.: Dissolved organic matter dynamics during SEEDS and SERIES experiments. *PICES Scientific Reports*, No.31, 2007.

Ocean Floor Geoscience

- Asada M., Deschamps A., Fujiwara T. and Nakamura Y. : Submarine lava flow emplacement and faulting in the axial valley of two morphologically distinct spreading segments of the Mariana back-arc basin from Wadatsumi side-scan sonar images. *Geochemistry, Geophysics, Geosystems*, **8**, Q04001, 2007.

- Chen Z.Q., Tong J., Kaiho K. and Kawahata H. : Onset of biotic and environmental recovery from the end-Permian mass extinction within 1-2 million years: A case study of the Lower Triassic of the Meishan section, South China. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **252**, 176-187, 2007.
- Coffin M.F. : Hotspot modification of crust in the ocean, In :*The Establishment of the Outer Limits of the Continental Shelf beyond 200 Nautical Miles-Its International Circumstances, and its Scientific and Technical Aspects*. Ocean Policy Research Foundation (Ship & Ocean Foundation), Tokyo: 201-212, 2007.
- Connelly D. P., German C. R., Asada M., Okino K., Egorov A., Naganuma T., Pimenov N., Cherkashev G. and Tamaki K. : Hydrothermal activity on the ultra-slow spreading southern Knipovich Ridge. *Geochemistry, Geophysics, Geosystems*, **8**, Q08013, doi: 10.1029/2007GC001652, 2007.
- Gupta L.P. and Kawahata H. : ENSO related variations in biogeochemistry of AA and HA in settling particles along the equatorial Pacific Ocean. *Journal of Oceanography*, **63**, 695-709, 2007.
- Gupta L.P., Suzuki A. and Kawahata H. : Endolithic aspartic acid as a proxy of fluctuations in coral growth. *JGR Biogeosciences*, **112 (G1)** : Art. No. G01001, 2007.
- Ingle S.P., Mahoney J.J., Sato H., Coffin M.F., Kimura J.-I. and Nakanishi M. : Depleted mantle wedge and sediment signature in unusual basalts from the Manihiki Plateau, Central Pacific. *Geology*, **35**: 595-598, 2007.
- Inoue M., Suzuki A., Nohara M., Hibino K. and Kawahata H. : Empirical assessment of coral Sr/Ca and Mg/Ca ratios as climate proxies using colonies grown at different temperatures. *Geophysical Research Letters*, **34**, L12611, 10.1029/2007GL029628, 2007.
- Isozaki Y., Kawahata H. and Ota A. : A unique carbon isotope record across the guadalupian-Lopingian (Middle-Upper Permian) boundary in mid-oceanic paleo-atoll carbonates: The high-productivity "Kamura event" and its collapse in Panthalassa. *Global Planetary Change*, **55**, 21-38, 2007.
- Kawahata, H., Nakashima, R., Suzuki, A., Furuta, N.: Isotopic characteristics and calcification process of pearl and pearl oyster. *Chishitsu News*, 632, 13-17, 2007. (川幡穂高・中島 礼・鈴木 淳・古田望美：真珠とアコヤ貝の同位体および石灰化過程。地質ニュース, 632, 13-17, 2007.)
- Kuroda J., Ogawa N., Tanimizu M., Coffin M., Tokuyama H., Kitazato H. and Ohkouchi N.: Contemporaneous massive subaerial volcanism and Late Cretaceous oceanic anoxic event 2. *Earth and Planetary Science Letters*, **256**, 211-223, 2007.
- Martinez F., Okino K., Ohara Y., Reysenbach A.-L. and Goffredi S. K.: Back-Arc Basins. *Oceanography*, **20**, 1, 116-127, 2007.
- Minoshima K., Kawahata H. and Ikehara K.: Changes in biological production in the mixed water region (MWR) of the northwest-ern North Pacific during the last 27 kyr. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **254**, 430-447, 2007.
- Minoshima K., Kawahata H., Irino T., Ikehara K., Aoki K., Uchida M., Yoneda M. and Shibata Y. : Deep water ventilation in the northwestern North Pacific during the last deglaciation and the early Holocene (15-5 cal. kyr B.P.) based on AMS ^{14}C dating. *Nuclear Instrument Method B*, **259**, 448-452, 2007.
- Moriya K., Wilson P.A., Friedrich O., Erbacher J. and Kawahata H. : Testing for icesheets during the mid-Cretaceous greenhouse using glassy foraminiferal calcite from the mid-Cenomanian tropics on Demerara Rise. *Geology*, **35**, 615-618, 2007.
- Nakashima R., Suzuki A., Watanabe T., Minoshima K., Hokanishi N. and Kawahata H.: Life history of the extinct scallop *Fortipecten takahashii*, reconstructed from oxygen isotope analysis. *Chishitsu News*, **632**, 7-12, 2007. (中島 礼・鈴木 淳・渡邊 剛・蓑島佳代・外西奈津美・川幡穂高：酸素同位体比解析から復元された絶滅種タカハシホタテの生活史。地質ニュース, 632, 7-12, 2007.)
- Ohara Y., Kasahara J. and Okino K. : Seismic study on oceanic core complexes in the Parece Vela backarc basin, *Island Arc*, **16**, 3, 348-360, 2007.
- Sawyer D.S., Coffin M.F., Reston T.J., Stock J.M. and Hopper J.R. : COBBOOM: the continental breakup and birth of oceans mission. *Scientific Drilling*, **5**: 13-25, doi: 10.2204/iodp.sd.02.2007.
- Shirai M., Nishimura M. and Yasuda H. : Descriptive evaluation of consolidated sedimentary rock structures with X-ray imaging: Examples from Site 1276 core samples. In : Tucholke, B.E et al. (eds.), *Proceedings of ODP Scientific Results*, **210**, College Station, TX (Ocean Drilling Program), USA, Chapter111, p.1-11, 2007.
- Shirai M. and Omura A.: Sand grains transport from river to deep marine revealed by OSL measurement technique. *Quaternary International*, **167-168** (supplement), 381, 2007.
- Shirai, M., Liu, H., Tajima, Y. and Sato, S.: Sand grains transport around river mouth revealed by OSL measurement technique. *Quaternary International*, **167-168** (supplement), 381, 2007.
- Fujiwara, H., Sato, S., Shirai, M. and Tajima, Y. 2007. A Field Study on the Sediment Movement in the Tenryu-Enshunada Watershed. *Annual Journal of Coastal Engineering*, **54**, 591-595, 2007. (藤原弘和・佐藤慎司・白井正明・田島芳満：表層堆積物の分析に基づく天竜川・遠州灘流砂系の土砂動態の解明.海岸工学論文集, 54, 591-595, 2007.)
- Suzuki A. and Kawahata H. : Oxygen and carbon isotope ratios and their kinetic effects in biogenic and non-biogenic carbonates. *Chikyu-Kagaku*, **41**, 17-33, 2007. (鈴木 淳・川幡穂高：サンゴなどの生物起源炭酸塩および鍾乳石の酸素・炭素同位体比による反応速度論的効果. 地球化学, 41, 17-33, 2007.)
- Suzuki A. and Kawahata H.: Biominerization and global environment. *Chishitsu News*, **632**, 6, 2007. (鈴木 淳・川幡穂高：生物鉱化作用と地球環境. 地質ニュース, 632, 6, 2007.)
- Suzuki A., Inoue M. and Kawahata H.: Oxygen and carbon isotope ratios of hermatypic corals *Chishitsu News*, **632**, 23-38, 2007. (鈴木 淳・井上麻夕里・川幡穂高：水槽飼育実験による造礁サンゴ骨格の環境指標研究. 地質ニュース, 632, 23-38, 2007.)

Takeuchi M., Kawahata H., Gupta L.P., Kita N., Morishita Y., Ono Y. and Komai T. : Arsenic Resistance and Removal by Marinomonas communis. *J. Biotechnology Research*, **127**, 434-442, 2007.

Tsuji T., Nakamura Y., Tokuyama H., Coffin M. F. and Koda K. : Oceanic crust and Moho of the Pacific plate in the eastern Ogasawara. *Island Arc*, **16**, 361-373, 2007.

Yamamura M., Kawahata H., Matsumoto K., Takashima R. and Nishi H. : Paleoceanography of the northwestern Pacific during the Albian. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **254**, 477-491, 2007.

Yoneda M., Uno H., Shibata Y., Suzuki R., Kumamoto Y., Yoshida K., Sasaki T., Suzuki A. and Kawahata H.: Radiocarbon marine reservoir ages in the western Pacific estimated by pre-bomb molluscan shells. *Nuclear Instrument Method B*, **259**, 432-437, 2007.

Marine Ecosystem Dynamics

Itoh H. and Nishida S.: Life history of the copepod *Hemicyclops gomsoensis* (Poecilostomatoida, Clausidiidae) associated with decapod burrows in the Tama-River estuary, central Japan. *Plankton and Benthos Research*, **2**, 134-146, 2007.

Tsuda A., Takeda S., Saito H., Nishioka J., Kudo I., Nojiri Y., Suzuki K., Uematsu M., Wells M. L., Tsumune D., Yoshimura T., Aono T., Aramaki T., Cochlan W. P., Hayakawa M., Imai K., Isada T., Iwamoto Y., Johnson W. K., Kameyama S., Kato S., Kiyoysawa H., Kondo Y., Levasseur M., Machida R., Nagao I., Nakagawa F., Nakanishi T., Nakatsuka S., Narita A., Noiri Y., Obata H., Ogawa H., Oguma K., Ono T., Sakuragi T., Sasakawa M., Sato M., Shimamoto A., Takada H., Trick C. G., Watanabe Y. W., Wong C. S. and Yoshie N.: Evidence for the grazing hypothesis: Grazing reduces phytoplankton responses of the HNLC ecosystem to iron enrichment in the western subarctic Pacific (SEEDS II). *J. Oceanogr.*, **63**, 983-994, 2007.

Seo Y., Ikemoto E., Yoshida A. and Kogure K. : Particle capture by marine bacteria. *Aquatic Microbial Ecology*, **49**, 243-253, 2007.

Boyd P.W., Jickells T., Law C.S., Blain S., Boyle E.A., Buesseler K.O., Coale K.H., Cullen J.J., de Baar H.J.W., Follows M., Harvey M., Lancelot C., Levasseur M., Owens N.P.J., Pollard R., Rivkin R.B., Sarmiento J., Schoemann V., Smetacek V., Takeda S., Tsuda A., Turner S. and Watson A.J. : Mesoscale iron enrichment experiments 1993-2005: Synthesis and future direction. *Science*, **315**, 612-617, 2007.

Hamasaki K. : Distribution of phototrophic bacteria in the oceans and its perspectives on microbial oceanography. *Biseibutsu Seitai*, **22**, 5-14, 2007. (浜崎恒二: 海洋における光合成細菌の分布と微生物海洋学への展望. 日本微生物生態学会誌, 22巻1号, 5-14, 2007.)

Hamasaki K., Taniguchi A., Tada Y., Long R.A. and Azam F. : Actively growing bacteria in the Inland Sea of Japan, identified by combined bromodeoxyuridine immunocapture and denaturing gradient gel electrophoresis. *Applied and Environmental Microbiology*, **73**, 2787-2798, 2007.

Inoue K., Nishimura M., Nayak B. and Kogure K. : Separation of marine bacteria according to buoyant density by use of the density-dependent cell sorting method. *Applied and Environmental Microbiology*, **73**, 1049-1053, 2007.

Inoue N., Watanabe H., Kojima S. and Sekiguchi H. : Population structure of the Japanese spiny lobster Panulirus japonicus inferred by nucleotide sequence analysis of the mitochondrial COI gene. *Fish. Sci.*, **73**, 550-556, 2007.

Itoh H. and Nishida S. : Life history of the copepod *Hemicyclops gomsoensis* (Poecilostomatoida, Clausidiidae) associated with decapod burrows in the Tama-River estuary, central Japan. *Plankton Benthos Research*, **2**, 134-146, 2007.

Kamiya E., Izumiya S., Nishimura M., Mitchell J. and Kogure K. : Effects of fixation and storage on flow cytometric analysis of marine bacteria. *Journal of Oceanography*, **63**, 101-112, 2007.

Kogure K. : How do we evaluate the viable but nonculturable state? *Journal Veterinary Medicine*, **60**, 583-584, 2007. (木暮一啓: 培養不能状態をどう考えるか. *Journal Veterinary Medicine*, 60巻, 583-584, 2007.)

Khan N. H., Ishii Y., Kimata-Kino N., Esaki H., Nishino T., Nishimura M. and Kogure K. : Isolation of *Pseudomonas aeruginosa* from open ocean and comparison with freshwater, clinical, and animal isolates. *Microbial Ecology*, **53**, 173-186, 2007.

Kishi M.J., Eslinger D.L., Kashiwai M., Megrey B.A., Ware D.M., Werner F.E., Aita-Noguchi M., Azumaya T., Fujii M., Hashimoto S., Huang D., Izumi H., Ishida Y., Kang S., Kantakov G.A., Kim H.-c., Komatsu K., Navrotsky V.V., Smith S.L., Tadokoro K., Tsuda A., Yamamura O., Yamanaka Y., Yokouchi K., Yoshie N., Zhang J., Zuenko Y.I. and Zvansky V.I.: NEMURO - A lower trophic level model for the North Pacific marine ecosystem. *Ecological Modeling*, **202**, 12-25, 2007.

Kojima S., Adachi K. and Kodama Y. : Formation of deep-sea fauna and changes of marine environment in the Japan Sea. *Fossils*, **82**, 67-71, 2007. (小島茂明・足立健郎・児玉安見: 日本海における深海生物相形成と海洋環境変動 一深海性底魚を例として-. 化石 82巻, 67-71, 2007.)

Nakaoka M., Tanaka Y., Mukai H., Suzuki T. and Aryuthaka T.: Tsunami impacts on biodiversity of seagrass communities in the Andaman Sea, Thailand: (1) Seagrass abundance and diversity. *Publications of the Seto Marine Biological Laboratory*, 2007 (in press).

Nishida S. and Gamo T. (eds) : Biogeochemistry and Biodiversity in the Sulu Sea. *Deep-Sea Research II* **54** (1-2), Elsevier Ltd., 176 pp., 2007.

Nishikawa J., Matsuura H., Castillo L. V., Campos W. L. and S. Nishida : Biomass, vertical distribution and community structure of mesozooplankton in the Sulu Sea and its adjacent waters. *Deep-Sea Research II* **54** , 114-130, 2007.

Nishioka J., Ono T., Saito H., Nakatsuka T., Takeda S., Yoshimura T., Suzuki K., Kuma K., Nakabayashi S. and Tsuda A. : Iron supply to the western subarctic Pacific: Importance of iron export from the Sea of Okhotsk. *Journal of Geophysical Research*, **112**, C10012, doi:10.1029/2006JC004055, 2007.

Ohwada K. and Nishimura M. : Microbial monitoring during oil spill accidents in marine environment-mesocosm experiments. *Nippon Suisan Gakkaishi*, **73**, 313-316, 2007. 大和田紘一・西村昌彦: 海洋での流出油事故と微生物のモニタリング—メソコスム実験—*Nippon Suisan Gakkaishi*, **73**, 313-316, 2007.

- Tanaka Y., Nakaoka M. : Interspecific variation in photosynthesis and respiration balance of three seagrasses in relation to light availability. *Marine Ecology Progress Series* **350**, 63-70, 2007.
- Tanaka Y., Kayanne H.: Relationship of species composition of tropical seagrass meadows to multiple physical environmental factors. *Ecological Research* **22**, 87-96, 2007, doi:10.1007/s11284-006-0189-3.2007.
- Toyoshima S., Takahashi S., Ikemoto T., Agusa T., Miyasaka H., Omori K., Nishida S. and Tanabe S. : Evaluation of accumulation properties of trace elements in a deep-sea ecosystem of Sagami Bay, Japan by using stable isotope ratios ($\delta^{15}\text{N}$ and $\delta^{13}\text{C}$), Chemical Pollution and Environmental Changes (Proceedings of the International Symposium: Pioneering Studies of Young Scientists on Chemical Pollution and Environmental Changes, November 17-19, 2006), Universal Academy Press, 225-228, 2007.
- Tsuda A.: Iron-fertilization experiments in the Oceans. p157-169, In: Graduate School of Environmental Earth Science, Hokkaido Univ. (ed), *Global Warming*, Hokkaido Univ. Press, Sapporo, 2007.(津田敦：鉄散布実験。「地球温暖化の科学」, 北海道大学大学院環境科学院(編), 北海道大学出版会, 札幌, pp.157-169 , 2007.)
- Wada M. : Mutualistic relationship between a marine bioluminescent bacterium, *Photobacterium leiognathi* and host fish. *Kagaku to Seibutsu*, **45**, 261-264, 2007. (和田実：海洋性発光細菌*Photobacterium leiognathi*と魚類の共生関係. 化学と生物, **45**, 261-264, 2007.)
- Yamada K., Hori M., Tanaka Y., Hasegawa N. and Nakaoka M: Temporal and spatial macrofaunal community changes along a salinity gradient in seagrass meadows of Akkeshi-ko estuary and Akkeshi Bay, northern Japan. *Hydrobiologia* **592**, 345-358, 2007
- Yokouchi K., Tsuda A., Kuwata A., Kasai H., Ichikawa T., Hirota Y., Adachi K., Asanuma I. and Ishida H. : Seasonal variations in primary production measured by ^{13}C -spiked incubations around Japan. : ELSEVIER OCEANOGRAPHY SERIES 73, Global climate change and response of carbon cycle in the equatorial Pacific and Indian Oceans and adjacent landmasses. Eds by H. Kawahata and Y. Awaya, Elsevier, p 65-88, 2007.
- Yoshida A., Nishimura M. and Kogure K. : Bacterial community structure in the Sulu Sea and adjacent areas. *Deep Sea Research II* **54**, 103-113, 2007.
- Yoshimura T., Nishioka J., Saito H., Takeda S., Tsuda A. and Wells M.L. : Distributions of particulate and dissolved organic and inorganic phosphorus in North Pacific surface waters. *Marine Chemistry*, **103**, 112-121, 2007.

Marine Bioscience

- Aoyama J., Wouthuyzen S., Miller M.J., Minegishi Y., Kuroki M., Suharti S.R., Kawakami T., Sumadhihara K.O. and Tsukamoto K: Distribution of leptocephali of the freshwater eels, genus *Anguilla*, in the waters off west Sumatra in the Indian Ocean. *Environmental Biology of Fishes*, **80**, 445-452,2007.
- Arai T., Ohji M. and Hirata T. : Trace metal deposition in teleost fish otolith as an environmental indicator. *Water, Air, & Soil Pollution*, **179**, 255-263. 2007.
- Arai T. : Studies on life history and migration in fish by otolith analyses. *Nippon Suisan Gakkaishi*, **73**, 652-655. 2007 (新井崇臣: 耳石が解き明かす魚類の生活史と回遊. 日本水産学会誌, **73**, 652-655, 2007.)
- Arai T., Hirata T. and Takagi Y. : Application of laser ablation ICPMS to trace the environmental history of chum salmon *Oncorhynchus keta*. *Marine Environmental Research*, **63**, 55-66, 2007.
- Deheyn D. D., Kubokawa K., McCarthy J. K., Murakami A., Porachia M., Rouse G. W. and Holland N. : Amphioxus green fluorescent protein. *Biological Bulletin*, **213**, 95-100, 2007.
- Dou S. and Tsukamoto K.: Locomotor activity rhythm in the Japanese eel *Anguilla japonica* elvers. *Acta Oceanologica Sinica*, **26**, 76-89, 2007.
- Dou S., Yamada Y., Okamura A., Tanaka S., Shinoda A. and Tsukamoto K.: Observations on the spawning behavior of artificially matured Japanese eels *Anguilla japonica* in captivity. *Aquaculture*, **266**, 117-129, 2007.
- Fox B.K., Naka T., Inoue K., Takei Y., Hirano T. and Grau E.G. : In vitro effects of homologous natriuretic peptides on growth hormone and prolactin release in the tilapia, *Oreochromis mossambicus*. *General and Comparative Endocrinology*, **150**, 270-277, 2007.
- Frankham R., Ballou J. D. and Briscoe D. A., translated by Nishida M., Takahashi H., Yamazaki Y. and Watanabe K. : Introduction to conservation genetics. Bunichi Sogo Shuppan, Tokyo, 751, 2007. (Frankham R., Ballou J.D. and Briscoe D.A. (著), 西田睦(監訳), 高橋洋・山崎裕治・渡辺勝敏(訳):「保全遺伝学入門」, 文一総合出版, 東京, 751pp., 2007.).
- Gagnaire P. A., Tsukamoto K., Aoyama J., Minegishi Y., Valade P. and Berrebi P. : RFLP and semi-multiplex PCR-based identification of four eel species from the south-western Indian Ocean region. *Journal of Fish Biology*, **71(B)**, 279-287, 2007.
- Hashiguchi Y. and Nishida M. : Evolution of trace amine-associated receptor (TAAR) gene family in vertebrates: lineage-specific expansions and degradations of a second class of vertebrate chemosensory receptors expressed in the olfactory epithelium. *Molecular Biology and Evolution*, **24**, 2099-2107, 2007.
- Hashiguchi Y., Furuta Y., Kawahara R. and Nishida M. : Diversification and adaptive evolution of putative sweet taste receptors in threespine stickleback. *Gene*, **396**, 170-179, 2007.
- Hashiguchi Y. and Nishida M. : Molecular mechanisms of adaptation and evolution of odor perception in fishes with special reference to the evolutionary dynamics of chemosensory receptor gene families. *Japanese Journal of Ichthyology*, **54**, 105-120, 2007. (橋口康之・西田 瞳：魚類における嗅覚系の適応および進化の分子機構:嗅覚受容体遺伝子ファミリーに着目して. 魚類学雑誌, **54**, 105-120, 2007.).
- Hashimoto H., Fujihara H., Kawasaki M., Saito T., Shibata M., Takei Y. and Ueta Y. : Centrally and peripherally administered ghrelin potently inhibits water intake in rats. *Endocrinology*, **148**, 1638-1647, 2007.

- Hashimoto H., Hyodo S., Kawasaki M., Shibata M., Saito T., Suzuki H., Otsubo H., Yokoyama T., Fujihara H., Higuchi T., Takei Y. and Ueta Y. : Adrenomedullin 2 (AM2)/intermedin is a more potent activator of hypothalamic oxytocin-secreting neurons than AM possibly through an unidentified receptor in rats. *Peptides*, **28**, 1104-1112, 2007.
- Hatase H., Omura K. and Tsukamoto K. : Bottom or midwater: alternative foraging behaviours in adult female loggerhead sea turtles. *Journal of Zoology*, **273**, 46-55, 2007.
- Hayakawa, H., Andoh T. and Watanabe T. : Identification of a novel yolk protein in the hermatypic coral *Galaxea fascicularis*. *Zoological Science*, **24**, 249-255, 2007.
- Hyodo S., Bell J.D., Healy J.M., Kaneko T., Hasegawa S., Takei Y., Donald J.A. and Toop T. : Osmoregulation in elephant fish, *Callorhinus milii* (Holocephali), with special reference to the rectal gland. *Journal of Experimental Biology*, **210**, 1303-1310, 2007.
- Hyodo S. : Corticotropin-releasing hormone and related peptides. In *Hormone Handbook (New eBook)*, edited by Urano A., Hyodo S., et al., Nankodo, Tokyo, pp. 78-147, 2007. (兵藤 晋: 副腎皮質刺激ホルモン放出ホルモンおよび関連ペプチド。「ホルモンハンドブック新訂eBook版」, 浦野明央ほか, 南江堂, 東京, pp.78-147, 2007.)
- Hyodo S.: Melanotropin-releasing factor. In *Hormone Handbook (New eBook)*, edited by Urano A., Hyodo S., et al., Nankodo, Tokyo, pp. 214-215, 2007. (兵藤 晋: 黒色素胞刺激ホルモン放出因子。「ホルモンハンドブック新訂eBook版」, 浦野明央ほか, 南江堂, 東京, pp.214-215, 2007.)
- Hyodo S. : Melanotropin release-inhibiting factor. In *Hormone Handbook (New eBook)*, edited by Urano A., Hyodo S., et al., Nankodo, Tokyo, pp. 216-218, 2007. (兵藤 晋: 黒色素胞刺激ホルモン放出抑制因子。「ホルモンハンドブック新訂eBook版」, 浦野明央ほか, 南江堂, 東京, pp.216-218, 2007.)
- Hyodo S. : Neurohypophysial hormones. In *Hormone Handbook (New eBook)*, edited by Urano A., Hyodo S., et al., Nankodo, Tokyo, pp. 219-302, 2007. (兵藤 晋: 後葉ホルモン。「ホルモンハンドブック新訂eBook版」, 浦野明央ほか, 南江堂, 東京, pp.219-302, 2007.)
- Iwata H., Takeshima H., Tago Y., Watanabe K., Iguchi K. and Nishida M. : Post-stocking dynamics of landlocked ayu traced by a mitochondrial SNP marker. *Nippon Suisan Gakkaishi*, **73**, 278-283, 2007. (岩田祐士・武島弘彦・田子泰彦・渡辺勝敏・井口惠一朗・西田 瞳: ミコンドリアSNP標識で追跡した放流琵琶湖産アユの行方. 日本水産学会誌, **73**, 278-283, 2007.)
- Jennings B.L., Bell J.D., Hyodo S., Toop T. and Donald J.A. : Mechanisms of vasodilation in the dorsal aorta of the elephant fish, *Callorhinus milii* (Chimaeriformes: Holocephali). *Journal of Comparative Physiology B*, **177**, 557-567, 2007.
- Kawahara R. and Nishida M. : Extensive lineage-specific gene duplication and evolution of the spiggin multi-gene family in stickleback. *BMC Evolutionary Biology*, **7**, 209, 2007.
- Kawai H., Kamiya M., Komatsu T., Nakaoaka M., Yamamoto T. and the Marine Life Research Group of Takeno : Ten years' monitoring of intertidal macroalgal vegetation of Hyogo Prefecture, northwestern coast of Honshu, Japan to assess the impact of the Nakhodka oil spill. *Algae*, **22**, 1-10, 2007.
- Kii S., Tanaka J. and Watanabe T. : Guanine-cytosine contents of the host and symbiont cDNAs in a symbiotic coral, *Fisheries Science*, **73**, 1362-1372, 2007.
- Komatsu T., Matsuoka Y., Shibata K., Ikemori T. and Ohkei N. : Mapping and quantifying a *Sargassum* forest off Ossaka (Toyama Bay, the Sea of Japan) by using narrow multibeam sonar and GIS. In: *GIS/spatial analyses in fisheries and aquatic sciences Volume 3*, ed. by T. Nishida, P.J. Kaiola, and A.E. Caton, *Fishery-Aquatic GIS Research Group*, Saitama, pp. 97-114, 2007.
- Komatsu T., Tatsukawa K., Filippi J. B., Sawgawa T., Matsunaga D., Mikami A., Ishida K., Ajisaka T., Tanaka K., Aoki M., Wang W.D., Liu H.F., Zhang S.Y., Zhou M.D. and Sugimoto T. : Distribution of drifting seaweeds in eastern East China Sea. *Journal of Marine Systems*, **67**, 245-252, 2007.
- Kon T., Nohara M., Yamanoue Y., Fujiwara Y., Nishida M. and Nishikawa T. : Phylogenetic position of a whale-fall lancelet (Cephalochordata) inferred from whole mitochondrial genome sequences. *BMC Evolutionary Biology*, **7**, 127, 2007.
- Kon T., Yoshino T., Mukai T. and Nishida M. : DNA sequences identify numerous cryptic species of the vertebrate: A lesson from the gobioid fish *Schindleria*. *Molecular phylogenetics and Evolution*, **44**, 53-62, 2007.
- Konno N., Hyodo S., Matsuda K. and Uchiyama M. : Arginine vasotocin promotes urea permeability through urea transporter expressed in the toad urinary bladder cells. *General and Comparative Endocrinology*, **152**: 281-285, 2007.
- Konno N., Hyodo S., Yamada T., Matsuda K. and Uchiyama M. : Immunolocalization and mRNA expression of the epithelial Na⁺ channel α -subunit in the kidney and urinary bladder of the marine toad, *Bufo marinus*, under hyperosmotic conditions. *Cell and Tissue Research*, **328**, 583-594, 2007.
- Kotake A., Arai T., Okamura A., Yamada Y., Utoh T., Oka H. P., Miller M. J. and Tsukamoto K.: Ecological aspects of the Japanese eel, *Anguilla japonica*, collected from coastal areas of Japan. *Zoological Science*, **24**, 1213-1221, 2007.
- Kubokawa K. and Satoh N. : Comparative genomics in chordates. In Life System analyses by Comparative Genomics. pp.64-73, Shujun Sha, Tokyo, 2007 (窪川かおる・佐藤矩行: 脊索動物の比較ゲノム: ホヤとナメクジウオのゲノム解読. 細胞工学, 別冊, 64-73, 2007.)
- Kubokawa K. : Evolution of endocrine system from a view of Amphioxus. In *Zoological Science in 21th century*, edited by Nagahama Y. and Iguchi T., 10, pp.210-249, Baifukan, Tokyo, 2007. (窪川かおる: 内分泌機構の進化—ナメクジウオの内分泌学, シリーズ21世紀の動物科学10巻内分泌と生命現象, 長濱嘉孝・井口泰泉編, 210-246.)
- Kubokawa K., Fujiwara Y. and Miyazaki M. : Conformation of whale fall fauna and its specificities. *Kagaku to Seibutsu*, **45**, 439-443, 2007 (窪川かおる・藤原義弘・宮崎征行: 化学と生物, **45**, 439-443.)
- Kuriwa K., Hanzawa N., Yoshino T., Kimura S. and Nishida M. : Phylogenetic relationships and natural hybridization in rabbitfishes (Teleostei: Siganidae) inferred from mitochondrial and nuclear DNA analyses. *Molecular phylogenetics and Evolution*, **45**, 69-80, 2007.

- Kuroki M., Aoyama J., Wouthuyzen S., Sumardiaga K. O., Miller M. J. and Tsukamoto K.: Age and growth of *Anguilla bicolor bicolor* leptocephali in the eastern Indian Ocean. *Journal of Fish Biology*, **70**, 538-550, 2007.
- Kusakabe M., Cheong PL., Nikfar R., McLennan IS. and Koishi K. : The structure of the TGF-beta latency associated peptide region determines the ability of the proprotein convertase furin to cleave TGF-betas. *J Cell Biochem*, May **21**, 2007 (Epub ahead of print)
- Lavoue S., Miya M., Saitoh K., Ishiguro N. B. and Nishida M. : Phylogenetic relationships among anchovies, sardines, herrings and their relatives (Clupeiformes), inferred from whole mitogenome sequences. *Molecular phylogenetics and Evolution*, **43**, 1096-1105, 2007.
- Ma T., Miller M. J., Aoyama J. and Tsukamoto K : Genetic identification of *Conger myriaster* leptocephali in East China Sea. *Fisheries Science*, **73**, 989-994, 2007.
- Mabuchi K., Miya M., Azuma Y. and Nishida M. : Independent evolution of the specialized pharyngeal jaw apparatus in cichlid and labrid fishes, *BMC Evolutionary Biology*, **7**, 10, doi:10.1186/1471-2148-7-10, 2007.
- Mikami A., Komatsu T., Aoki M. and Sagwa T. : Biomass estimation of a mixed-species *Sargassum* forest using aerial photography, field survey and Geographical Information Systems. In: *GIS/spatial analyses in fisheries and aquatic sciences Volume 3*, ed. by T. Nishida, P.J. Kaiola, and A.E. Caton, *Fishery-Aquatic GIS Research Group*, Saitama, pp. 147-160, 2007.
- Minagawa G., Miller M. J., Kimura Y., Watanabe S., Shinoda A., Aoyama J. and Tsukamoto K. : Seasonal differences in catches of leptocephali in the East China Sea and Suruga Bay, Japan. *Estuarine, Coastal and Shelf Science*, **71**, 730-740, 2007.
- Miya M., Holcroft N. I., Satoh T. P., Yamaguchi M., Nishida M. and Wiley E. O. : Mitochondrial genome and a nuclear gene indicate a novel phylogenetic position of deep-sea tube-eye fish (Stylephoridae). *Ichthyological Research*, **54**, 323-332, 2007.
- Miyazaki, N., Sato, K., Watanabe, Y., Aoki, K., Narasaki, T., Kudo K., and Naito, Y. : New approach to diving behaviour of aquatic animals using bio-logging system. *The 2007 International Symposium on Underwater Technology and Workshop on Scientific Submarine Cable and Related Technologies*. 455-457.2007.
- Mizuta T. and Kubokawa K. : Cloning of cytochrome P450 genes for sex steroid metabolism in amphioxus. *Endocrinology*, **148**, 3554-3565, 2007.
- Nag K., Kato A., Sultana N., Ogoshi M., Takei Y. and Hirose S. : Fish calcitonin receptors have novel features. *General and Comparative Endocrinology*, **154**, 48-58. 2007.
- Naka T., Katsumata E., Sasaki K., Minamino N., Yoshioka M. and Takei Y. : Natriuretic peptides in cetaceans: Identification, molecular characterization and changes in plasma concentration after landing. *Zoological Science*, **24**, 577-587, 2007.
- Niizuma Y., Gabrielsen G. W., Sato K., Watanuki Y. and Naito Y. : Brnnich's guillemots (*Uria lombia*) maintain high temperature in the body core during dives. *Comparative Biochemistry and Physiology A*, **147**, 438-444, 2007.
- Okamura A., Yamada Y., Horie N., Utoh T., Mikawa N., Tanaka S. and Tsukamoto K.: Effects of water temperature on early development of Japanese eel *Anguilla japonica*. *Fisheries Science*, **73**, 1241-1248, 2007.
- Okamura A., Yamada Y., Yokouchi K., Horie N., Mikawa N., Utoh T., Tanaka S. and Tsukamoto K. : A silvering index for the Japanese eel *Anguilla japonica*. *Environmental Biology of Fisheries*, **80**, 77-89, 2007.
- Otake T.: Fish migration revealed by otolith elements, in *Mineral in the Sea*, edited by Okoshi K., Seizandou-shyoten, Tokyo, pp.164-179, 2007. (大竹二雄：耳石のミネラルでアユやウナギの回遊を探る。「海のミネラル学」, 大越健嗣, 成山堂書店, 東京都, pp.164-179, 2007.)
- Sagawa T., Mikami A., Komatsu T., Kosaka N., Kosako A., Miyazaki S. and Takahashi M. : Mapping seagrass beds in Funakoshi Bay (Sanriku Coast, Japan), by high precision multi-spectral image of IKONOS and side scan sonar technique, In: *GIS/spatial analyses in fisheries and aquatic sciences Volume 3*, ed. by T. Nishida, P.J. Kaiola, and A.E. Caton, *Fishery-Aquatic GIS Research Group*, Saitama, pp. 85-96, 2007.
- Saito T., Kaga T., Seki J. and Otake T. : Otolith microstructure of chum salmon *Onchorhynchus keta*: formation of sea entry check and daiky deposition of otolith increments in seawater condition. *Fisheries Science*, **73**, 27-37, 2007.
- Sasai S., Katoh F., Kaneko T. and Tsukamoto K.: Ontogenetic change of gill chloride cells in leptocephalus and glass eel stages of the Japanese eel, *Anguilla japonica*. *Marine Biology*, **150**, 487-496, 2007.
- Sato K., Watanuki Y., Takahashi A., Miller P. J. O., Tanaka H., Kawabe R., Ponganis P. J., Handrich Y., Akamatsu T., Watanabe Y., Mitani Y., Costa D. P., Bost C.-A., Aoki K., Amano M., Trathan P., Shapiro A. and Naito Y. : Stroke frequency, but not swimming speed, is related to body size in free-ranging seabirds, pinnipeds and cetaceans. *Proceedings of the Royal Society London B*, **274**, 471-477, 2007.
- Sato K. : Penguins and whales swim at same speed. Kobunsha shinsho, pp. 299, 2007. (佐藤克文：「ペンギンもクジラも秒速2メートルで泳ぐ—ハイテク海洋動物学への招」. 光文社, 東京, 299pp, 2007.).
- Sato Y. and Nishida M. : Post-duplication charge evolution of phosphoglucose isomerasases in teleost fishes through weak selection on many amino acids. *BMC Evolutionary Biology*, **7**, 204, 2007.
- Takahashi R., Watanabe K., Nishida M. and Hori M. : Evolution of feeding specialization in Tanganyikan scale-eating cichlids: a molecular phylogenetic approach. *BMC Evolutionary Biology*, **7**, 195, 2007.
- Takei Y.: Renin-Angiotensin system. In *Hormone Handbook (New eBook)*, edited by Urano A., Hyodo S., et al., Nankodo, Tokyo, pp. 1166-1207, 2007. (竹井祥郎：レニン-アンジオテンシン系。「ホルモンハンドブック新訂eBook版」, 浦野明央ほか, 南江堂, 東京, pp. 1166-1207, 2007.)

- Takei Y. : Natriuretic peptide family. In *Hormone Handbook (New eBook)*, edited by Urano A., Hyodo S., et al., Nankodo, Tokyo, pp. 1222-1267, 2007 (竹井祥郎: ナトリウム利尿ペプチドファミリー。「ホルモンハンドブック新訂eBook版」, 浦野明夫ほか, 南江堂, 東京, pp. 1222-1267, 2007.)
- Takei Y. and Irimura T. : Maintenance of animal body, In *Life Science for Students in General Science*, edited by Faculty of General Education, The University of Tokyo, Yodobashi, pp. 252-268, 2007. (竹井祥郎・入村達郎: 動物個体の維持. 「理系総合のための生命科学」, 東京大学生命科学教科書編集委員会, 羊土社, 東京, pp.252-268, 2007.)
- Takei Y. and Yuge S. : The intestinal guanylin system and seawater adaptation in eels. *General and Comparative Endocrinology*, **152**, 339-351, 2007.
- Takei Y.: Homeostasis and hormone, In *Endocrine Phenomena and Life Activity*, edited by Nagahama Y. and Iguchi T., Baifukan, pp.176-209, 2007. (竹井祥郎: 恒常性(ホメオスタシス)とホルモン.「シリーズ21世紀の動物科学10 内分泌と生命現象」, 日本動物学会監修, 長濱嘉季・井口泰泉編, 塔風館, 東京, pp.176-209, 2007.)
- Takei Y., Oogoshi M. and Inoue K. : A 'reverse' phylogenetic approach for identification of novel osmoregulatory and cardiovascular hormones in vertebrates. *Frontiers in Neuroendocrinology*, **28**, 143-160, 2007.
- Tanoue H., Hamano A., Komatsu T. and Boismier E.: The efficient coupling of GIS and acoustic survey in mapping fish abundance around a hill: the Hachirigase case study. In: *GIS/spatial analyses in fisheries and aquatic sciences Volume 3*, ed. by T. Nishida, P.J. Kaiola, and A.E. Caton, *Fishery-Aquatic GIS Research Group*, Saitama, pp.115-128, 2007.
- Trajanovska S., Inoue K., Takei Y. and Donald J.A. : Genomic analyses and cloning of novel chicken natriuretic peptide genes reveal new insights into natriuretic peptide evolution. *Peptides*, **28**, 2155-2163, 2007.
- Tsukada T., Nobata S., Hyodo S. and Takei Y. : Area postrema, a brain circumventricular organ, is the site of antidiuretic action of circulating atrial natriuretic peptide in eels. *Journal of Experimental Biology*, **210**, 3970-3978, 2007.
- Tsukamoto K.: Study on the eel migration. *Proceedings of prize thesis of the Association of Japanese Agricultural Scientific Societies*, 10-12, 2007. (塚本勝巳: ウナギの回遊に関する研究. 平成19年度日本農学賞受賞論文要旨, 10-12, 2007.)
- Tsukamoto K.: Microscopia in the ocean – the way to discovery of the spawning area of the Japanese eel. *Microscopia*, **24**, 14-22, 2007. (塚本勝巳: 大海原のミクロスコピアついに発見 ニホンウナギの産卵場. ミクロスコピア, **24**, 14-22, 2007.)
- Watanabe K., Jang-Liaw N.-H., Zhang C.-G., Jeon S.-R. and Nishida M. : Comparative phylogeography of bagrid catfishes in Taiwan. *Ichthyological Research*, **54**, 253-261, 2007.
- Watanabe S., Iida M., Fukui S., Takino S. and Tsukamoto K.: Seasonal changes in condition factor of an amphidromous goby *Sicyopterus japonicus* in three rivers in Nanki area, middle Japan. *Nankiseibutu*, **49**, 125-130, 2007. (渡邊 俊・飯田 碧・福井正二郎・瀧野秀二・塚本勝巳: 南紀3河川におけるボウズハゼ(*Sicyopterus japonicus*)の生活史に関する一考察. 南紀生物, **49**, 125-130, 2007.)
- Watanabe T., Utsunomiya Y. and Yuyama I. : Long-term laboratory culture of symbiotic coral juveniles and their use in ecotoxicological study. *Journal of Experimental Marine Biology and Ecology*, **352**, 177-186, 2007.
- Watanabe T. : Molecular mechanisms of calcification in skeletogenesis of reef-building corals. *Chishitsu News*, 632, 35-40, 2007. (渡辺俊樹: 造礁サンゴ骨格形成における石灰化の分子機構. 地質ニュース, 632号, 35-40, 2007.)
- Watanabe T. and Suzuki Y. : Intra-specific polymorphism in a reef coral using DNA markers, In *DNA swimming in the water*, edited by Saruwatari T., Tokai University Press, Kanagawa, pp. 31-51, 2007. (渡辺俊樹・鈴木悠太: DNAマークを用いた造礁サンゴ種内多型の解析.「泳ぐDNA」, 猿渡敏郎, 東海大学出版会, 神奈川, pp.31-51, 2007.)
- Wewengkang, D.S., Watanabe T. and Hidaka M. : Studies on morphotypes of the coral *Galaxea fascicularis* from Okinawa: color pattern, nematocyst shape, and coenosteum density. *Galaxea, JCRS*, **9**, 49-59, 2007.
- Yada T., Azuma T., Hyodo S., Hirano T., Grau E. G. and Schreck C. B. : Differential expression of corticoid receptor genes in rainbow trout (*Oncorhynchus mykiss*) immune system in response to acute stress. *Canadian Journal of Fisheries and Aquatic Sciences*, **64**, 1382-1389, 2007.
- Yamanoue Y., Miya M., Matsuura K., Yagishita N., Mabuchi K., Sakai H., Katoh M. and Nishida M. : Phylogenetic position of tetraodontiform fishes within the higher teleosts: Bayesian inferences based on 44 whole mitochondrial genome sequences. *Molecular phylogenetics and Evolution*, **45**, 89-101, 2007.

Living Marine Resources

- Akazaki, T., Saruwatari, T., Asanaga, H., Sato, S. and Watanabe, Y.: Identification of imported Chirimen at the genus level by a direct sequencing method, pp203-214, in, Saruwatari T. ed., *DNA swimming in the water. Ontogeny, phylogeny, ecology and application of aquatic organisms revealed from DNA*. Tokai University Press, Hadano, vi+296pp., 2007 (赤崎哲也・猿渡敏郎・朝長洋祐・佐藤宗衛・渡邊良朗:「輸入ちりめんじゃこ」についての属レベルでの原料魚種推定, pp203-214, 猿渡敏郎編著, 『泳ぐDNA』、東海大学出版会, 秦野, vi+296pp., 2007.)
- Fukazawa H., Kawamura T., Takami H. and Watanabe Y. : Oogenesis and relevant changes in egg quality of abalone *Haliotis discus hannai* during a single spawning season. *Aquaculture*, **270**, 265-275, 2007.
- Hara M. : Ultrastructure of spermatozoa of two species of Myctophidae; *Symbolophorus californiensis* and *Notoscopelus* sp. *Japanese Journal of Ichthyology*, **54**, 41-46, 2007.(原 政子:ハダカイワシ科2種の精子微細構造.魚類学雑誌, **54**, 41-46, 2007.)
- Hayakawa J., Kawamura T., Horii T. and Watanabe Y. : Settlement of larval top shell, *Turbo (Batillus) cornutus*, in response to several marine algae. *Fisheries Science*, **73**, 371-377, 2007.
- Hirakawa N., Suzuki N., Narimatsu Y., Saruwatari T. and Ohno A. : The spawning and settlement season of *Chlorophthalmus altivelis* along the Pacific coast of Japan. *The Raffles Bulletin of Zoology Supplement*, No.14, 167-170, 2007.

- Hoshino, K. and Saruwatari, T.: On the importance of preserving voucher specimens of DNA tissue samples. pp215-226, in Saruwatari T. ed., *DNA swimming in the water. Ontogeny, phylogeny, ecology and application of aquatic organisms revealed from DNA*. Tokai University Press, Hadano, vi+296pp., 2007. (星野浩一・猿渡敏郎:その同定は正しいか?DNA研究の意外な落とし穴—標本の保存はサイエンスの命綱 pp215-226, 猿渡敏郎編著,『泳ぐDNA』、東海大学出版会, 秦野, vi+296pp., 2007.)
- Itoh, S and Kimura S.: Transport and survival of larvae of pelagic fishes in the Kuroshio system region estimated with Lagrangian drifters., *Fisheries Science*, **73**, 1295-1308, 2007.
- Yasuda I. and Watanabe T. : Chlorophyll a variation in the Kuroshio Extension revealed with a mixed layer tracking float: implication on long-term change of Pacific saury. *Fisheries Oceanography*, **16**, 482-488, 2007.
- Kanaji Y. and Watanabe Y. : Early life ecology of jack mackerel in the Tsushima Warm Current area. *Kaiyo Monthly*, **39**, 561-565, 2007. (金治佑・渡邊良郎. 対馬暖流域におけるマジの初期生態. 月刊海洋 39, 561-565, 2007.)
- Kato Y., Takebe T., Masuma S., Kitagawa T. and Kimura S. : Turbulence effect on the survival rate and ingestion rate of bluefin tuna, *Thunnus orientalis*, larvae on the basis of a rearing experiment, *Fisheries Science*, **74**, 48-53, 2007.
- Katayama S., Saruwatari T., Kimura K., Yamaguchi M., Sasaki T., Torao M., Fujioka T. and Okada N. : Variation in migration patterns of pond smelt, *Hypomesus nipponensis*, in Japan determined by otolith microchemical analysis. *Bulletin of the Japanese Society of Fisheries Oceanography*, **71**, 175-182, 2007.
- Katsukawa T. : Studies on the adaptive management of fisheries resources. *Nippon Suisan Gakkaishi*, **73**, 656-659, 2007. (勝川俊雄: 水産資源の順応的管理に関する研究. 日本水産学会誌, **73**, 656-659, 2007.)
- Katsukawa T. : Fisheries impact on Japanese sardine. *Nippon Suisan Gakkaishi*, **73**, 763-766, 2007. (勝川俊雄: I-4.マイワシ資源への漁獲の影響(第1部).マイワシの資源動態. 日本水産学会誌, **73**, 763-766, 2007.)
- Katsukawa T. : Management theory of fish stocks with species replacement by regime shift. *Regime shift*, Kawasaki K. et al.ed, Seizando Press, Tokyo, pp.175-182, 2007. (勝川俊雄: レジーム・シフトによって大変動する魚種交替資源の管理理論. 「レジーム・シフト 気候変動と生物資源管理」, 川崎 健はか, 成山堂書店, 東京, 175-182, 2007.)
- Katsukawa T. and Yamakawa T. : Stock fluctuation and utilization of Japanese sardine *Sardinops melanostictus*. *Nippon Suisan Gakkaishi*, **73**, 748-749, 2007. (勝川俊雄・山川 卓: 特集 マイワシ資源の変動と利用. 日本水産学会誌, **73**, 748-749, 2007.)
- Kawamura T. : Selective settlement of abalone larvae and its ecological implications. *Sessile Organisms*, **24**, 95-102, 2007. (河村知彦: アワビ類浮遊幼生の着底場選択とその生態学的意義. *Sessile Organisms*, **24**, 27-34, 2007.)
- Kawamura T. : Stock management and enhancement of abalone species based on their ecological characteristics. *Kaiyo Monthly*, **39**, 240-247, 2007. (河村知彦: 生態学的特性に基づいたアワビ類資源の管理と増殖. 月刊海洋, **39**, 240-247, 2007.).
- Kayama S., Tanabe T., Ogura M., Okuhara M., Tanaka S. and Watanabe Y. : Validation of daily ring formation in sagittal otoliths of late juvenile skipjack tuna *Katsuwonus pelamis*. *Fisheries Science*, **73**, 958-960, 2007.
- Kim H., Kimura S. and Sugimoto T. : Transport of jack mackerel (*Trachurus japonicus*) eggs and larvae inferred from the numerical experiment in the East China Sea. *Bulletin of the Japanese Society of Fisheries Oceanography*, **71**, 9-17, 2007.
- Kim H., Kimura S., Shinoda A., Kitagawa T., Sasaki Y. and Sasaki H. : Effect of El Nino on migration and larval transport of the Japanese eel (*Anguilla japonica*). *ICES Journal of Marine Science*, **64**, 1387-1395, 2007.
- Kimura S., Kitagawa T., Kato Y. and Yamaoka N. : Fluctuation in spawning environment of bluefin tuna and Japanese eel associated with global warming and their ecological response. *Monthly Kaiyo*, **39**, 317-322, 2007. (木村伸吾・北川貴士・加藤慶樹・山岡直樹: 地球温暖化に伴うクロマグロおよびニホンウナギの産卵環境の変化とその生態的応答. 月刊海洋, **39**, 317-322, 2007.)
- Kimura S. : Larval migration of the Japanese eel -3000 nautical miles for seeking mother sea-. *Frontier*, **9**, 9, 2007. (木村伸吾: ニホンウナギの回遊—母を尋ねて三千海里—. 創成, **9**, 9, 2007.)
- Kitagawa T. : The effect of water temperature on habitat use and vertical movements of young Pacific bluefin tuna *Thunnus orientalis* in the East China sea. *Ecology and aquaculture of bluefin tuna*, Sakamoto W. et al.ed, Kinki University Press, Osaka, pp.1-8, 2007.
- Kitagawa T., Boustany A.M., Farwell C.J., Williams T.D., Castleton M.R. and Block B.A. : Horizontal and vertical movements of juvenile bluefin tuna (*Thunnus orientalis*) in relation to seasons and oceanographic conditions in the eastern Pacific Ocean. *Fisheries Oceanography*, **16**, 409-421, 2007.
- Kitagawa T., Kimura S., Nakata H. and Yamada H. : Why do young Pacific bluefin tuna repeatedly dive to depths through the thermocline. *Fisheries Science*, **73**, 98-106, 2007.
- Kitagawa T., Kimura S., Nakata H. and Yamada H. : Thermal adaptation of Pacific bluefin tuna *Thunnus orientalis* to temperate waters. *Nippon Suisan Gakkaishi*, **73**, 647-647, 2007. (北川貴士・木村伸吾・中田英昭・山田陽巳: 体温保持機構からみたクロマグロの温帯水域への適応. 日本水産学会誌, **73**, 647-647, 2007.)
- Kitagawa T., Kato Y., Kimura S.: Standard names for three *Thunnus* species *T. orientalis*, *T. thynnus*, and *T. atlanticus*. *Japanese Journal of Ichthyology* **54**: 245-246, 2007. (北川貴士・木村伸吾・加藤慶樹: マグロ属3種*Thunnus orientalis*, *T. thynnus*, *T. atlanticus*の標準和名.魚類学雑誌. **54**: 245-246, 2007.)
- Kouketsu S., Yasuda I. and Hiroe Y. : Three-dimensional structure of frontal waves and associated salinity minimum formation along the Kuroshio Extension. *Journal of Physical Oceanography*, **37**, 644-656. 2007.
- Nishi G., Saruwatari T., eds : *Work at aquariums. An in-depth, behind the scene tour of aquarium exhibits*. Tokai University Press, Hadano, vi+252pp. 2007. (西源二郎・猿渡敏郎: 水族館の仕事, 西源二郎・猿渡敏郎, 東海大学出版会, 秦野, 252pp., 2007.)

- Okamoto M., Sato N., Asahida T. and Watanabe Y. : Pelagic juveniles of two morids (Teleostei: Gadiformes: Moridae), *Antimora microlepis* and *Physiculus japonicus*, from the western North Pacific. *Species Diversity*, **12**, 17-27, 2007.
- Onitsuka T., Kawamura T., Ohashi S., Horii T. and Watanabe Y. : Dietary value of benthic diatoms and feeding transitions of post-larval abalone *Haliotis diversicolor*. *Fisheries Science*, **73**, 295-302, 2007.
- Onitsuka T., Kawamura T., Horii T., Hamaguchi M., Ohashi S., Takiguchi N. and Watanabe Y. : Identification of juvenile abalone *Haliotis diversicolor* based on the number of open and sealed respiratory pores. *Fisheries Science*, **73**, 995-1000, 2007.
- Onitsuka T., Kawamura T., Horii T., Takiguchi N., Takami H. and Watanabe Y. : Synchronized spawning of an abalone *Haliotis diversicolor*, triggered by typhoon events in Sagami Bay, Japan. *Marine Ecology Progress Series*, **351**, 129-138, 2007.
- Oohara, I., Murata Y., Kobayashi T., Takashima Y., Saruwatari T. and Hoshino K. : Comprehensive determination of the partial base sequences of mitochondrial DNA cytochrome b based on the "fish species name guideline". *DNA polymorphism*, **15**, 189-194. 2007. (大原一郎・村田裕子・小林敬典・高嶋康晴・猿渡敏郎・星野浩一：魚種名称ガイドラインに基づくmtDNAチクロームb部分塩基配列の網羅的決定 DNA多型 Vol.15, 189-194, 2007.)
- Roberts RD., Kawamura T. and Handley C.M. : Factors affecting settlement of abalone larvae (*Haliotis iris*) on benthic diatom films. *Journal of Shellfish Research*, **26**, 323-334, 2007.
- Saruwatari, T.: Parental analysis of Teleosts using DNA. *DNA polymorphism*, **15**, 360. 2007. (猿渡敏郎：DNAを用いた魚の親子鑑定. DNA多型, 15, 360 , 2007)
- Saruwatari T.: Exploring the secrets of their fragile body. Phylogeny of Salangid fishes revealed by DNA analysis. pp133-156, in, Saruwatari T. ed., *DNA swimming in the water. Ontogeny, phylogeny, ecology and application of aquatic organisms revealed from DNA*. Tokai University Press, Hadano, vi+296pp., 2007 (猿渡敏郎: か細い体の秘密を探るシラウオ科魚類の分子系統解析, pp133-156, 猿渡敏郎編著, 『泳ぐDNA』、東海大学出版会, 秦野, vi+296pp., 2007.)
- Saruwatari T.: The story of the two sexes in the dark cold abyss. A case of Ceratioid Anglerfishes, whose males adhere to the female's body surface. pp175-178, in, Saruwatari T. ed., *DNA swimming in the water. Ontogeny, phylogeny, ecology and application of aquatic organisms revealed from DNA*. Tokai University Press, Hadano, vi+296pp., 2007 (猿渡敏郎: 暗くて冷たい深海の男女関係—雄が雌の体表に寄生するチョウチンアンコウの場合—, pp175-178, 猿渡敏郎編著, 『泳ぐDNA』、東海大学出版会, 秦野, vi+296pp., 2007.)
- Shirafuji N., Watanabe Y., Takeda Y. and Kawamura T. : Maturation and spawning of *Spratelloides gracilis* (Clupeidae) in the temperate waters off Cape Shionomisaki, southern Japan. *Fisheries Science*, **73**, 623-632, 2007.
- Shirakihara K., Shirakihara M. and Yamamoto T. : Distribution and abundance of finless porpoise in the Inland Sea of Japan. *Marine Biology*, **150**, 1025-1032, 2007.
- Watanabe Y. : Latitudinal variation in recruitment dynamics of small pelagic fishes in the western North Pacific. *Journal of Sea Research*, **58**, 46-58, 2007.
- Watanabe Y. and Takahashi M. : Regime shift and ecology of clupeoids, in *Regime Shift -Climate Changes and Fishery Resource Managements*, edited by Kawasaki T., Taniguchi A., Hanawa K. and Nihira A., Seizando, Tokyo, pp. 141-155, 2007. (渡邊良朗・高橋素光. イワシ類の生態とレジーム・シフト :「レジーム・シフト—気候変動と生物資源管理—」(川崎健、谷口 旭、花輪公雄、仁平 章 編). 成山堂書店, 東京, 141-155, 2007.)
- Watanabe Y. : Current status of fishery productions and coastal fisheries resources. *Kaiyo Monthly*, **39**, 225-228, 2007. (渡邊良朗 : 日本の漁業生産の現状と浅海資源. 月刊海洋 39, 225-228, 2007)
- Watanabe Y. : Recruitment of Pacific saury and global warming. *Kaiyo Monthly*, **39**, 309-313, 2007. (渡邊良朗 : 温暖化とサンマの新規加入量. 月刊海洋 39, 309-313, 2007.)
- Watanabe Y. : Early growth and recruitment of jack mackerel in the Tsushima Warm Current area. *Kaiyo Monthly*, **39**, 506-509, 2007. (渡邊良朗 : 対馬暖流系マジの初期成長と新規加入. 月刊海洋 39, 506-509, 2007.)
- Watanabe Y. : Two phases of the sardine population decline. *Fisheries Science*, **73**, 754-757, 2007. (渡邊良朗 : マイワシ資源減少過程の2つの局面. 日水誌 73, 754-757, 2007.)
- Won N-I., Kawamura T., Onitsuka T., Hayakawa J., Watanabe S., Horii T., Takami H. and Watanabe Y. : Trophic structure of benthic community of abalone (*Haliotis diversicolor*) habitat in Sagami Bay, Japan. *Fisheries Science*, **73**, 1123-1136, 2007.
- Xie S. and Watanabe Y. : Hatch date and early growth and development of *Trachurus japonicus* immigrating into Sagami Bay, Japan. *Marine & Freshwater Research*, **58**, 1-8, 2007.
- Yasuda I. and Watanabe T. : Chlorophyll a variation in the Kuroshio Extension revealed with a mixed layer tracking float: implication on long-term change of Pacific saury. *Fisheries Oceanography*, **16(5)**, 482-488, 2007.
- Yasuda I.: Numerical studies on water-mass formation and transport. Annual report of Cooperative Seserach of Center for Climate System Research in 2006, 79-82, 2007. (安田一郎 : 海洋における水塊形成・輸送に関する数値的研究. 平成18年度東京大学気候システム研究センター共同研究報告書, 79-82, 2007.)

Multiple Field Marine Science

- Aoki K., Amano M., Yoshioka M., Mori K., Tokuda D. and Miyazaki N. : Diel diving behavior of sperm whales off Japan. *Marine Ecology Progress Series*, **349**, 277-287. 2007.
- Fujiwara Y., Kawato M., Yamamoto T., Yamanaka T., Sato-Okoshi W., Noda C., Tsuchida S., Komai T., Cubelio S. S., Sasaki T., Jacobsen K., Kubokawa K., Fujikura K., Maruyama T., Furushima Y., Okosi K., Miyake H., Miyazaki M., Nogi Y., Yatabe A. and Okutani T. : Three-year investigations into sperm whale-fall ecosystems in Japan. *Marine Ecology*, **28**, 1-14, 2007.

- Harino H., Ohji M., Wattayakorn G., Adulyanukosol K., Arai T. and Miyazaki N. : Accumulation of organotin compounds in tissues and organs of stranded whales in East Coast of Thailand. *Archives of Environmental Contamination and Toxicology*, **53**, 119-125. 2007.
- Harino H., Ohji M., Wattayakorn G., Adulyanukosol K., Arai T. and Miyazaki N. : Concentrations of organotin compounds in tissues and organs of Dugong from East Coast of Thailand. *Archives of Environmental Contamination and Toxicology*, **53**, 495-502. 2007.
- Harino H., Yamamoto Y., Eguchi S., Kawai S., Kurokawa Y., Arai T., Ohji M., Okamura H. and Miyazaki N. : Occurrences of antifouling biocides in sediment and biological samples collected from Otsuchi Bay, Japan. *Archives of Environmental Contamination and Toxicology*, **52**, 179-188. 2007.
- Hirakawa S., Iwata H., Takeshita Y., Kim E.-Y., Sakamoto T., Okajima Y., Amano M., Miyazaki N., Petrov E.A. and Tanabe S. : Molecular characterization of cytochrome P450 1A1, 1A2, and 1B1, and effects of polychlorinated dibenzo-p-dioxin, dibenzofuran, and biphenyl congeners on their hepatic expression in Baikal seal (*Pusa sibirica*). *Toxicological Science*, **97**, 318-335. 2007.
- Kohzu A., Miyajima T., Tateishi T., Watanabe T., Takahashi M. and Wada E.: Dynamics of ¹⁵N natural abundance in wood decomposing fungi and their ecophysiological implications. *Isotopes in Environmental and Health Studies*, **43**, 83-94. 2007.
- Komatsu T., Mikami A., Matsunaga D., Sagawa T., Tadokoro H., Boisnier E., Suzue M., Kusaka T., Ishida K., Michida Y.: Influence of global warming on seaweed beds and drifting seaweeds, *Kaiyo Monthly*, **39**, 336-341, 2007.(小松輝久・三上温子・松永大輔・佐川龍之・田上英明・Boisnier Etienne・鈴江真由子・日下 崇・石田健一・道田 豊：温暖化が及ぼす藻場と流れ藻への影響. 月刊海洋, 39, 336-341, 2007.)
- Kudo T., Naito Y., Watanabe Y. and Miyazaki N. : First use of fish borne camera for homing chum salmon revealed fish eye's view in Otsuchi Bay area, Iwate, Japan. *Aquatic Biology*, **1**, 85-90. 2007.
- Miyazaki N. : Marine pollution by harmful chemicals and its biological influences-II Organic chlorine compounds (the first part). Japan Fisheries Resource Conservation Association. Tokyo, 502, pp. 3-7, 2007.(宮崎信之：有害化学物質による海洋汚染と生物影響—II有機塩素系化合物(前編). 水産資源保護協会, 東京, 502, pp.3-7, 2007.)
- Miyazaki N. : Marine pollution by harmful chemicals and its biological influences-II Organic chlorine compounds (the second part). Japan Fisheries Resource Conservation Association. Tokyo, 453, pp. 3-7, 2007. (宮崎信之：「有害化学物質による海洋汚染と生物影響—II有機塩素系化合物(後編).」水産資源保護協会, 東京, 453, pp.3-7, 2007.)
- Miyazaki, N. : Message from marine mammals: The Sea of Japan in connection: To construct a new cultural area surrounding The Sea of Japan. Muto, M., Kitagawa, F. ed. Gendaikikakushitsu, Tokyo, pp. 305, 2007 .(宮崎信之：「海のは乳動物の伝言 つながる日本海 新しい環日本海文明圏を築くために.」武藤誠・北川フラン編, 現代企画室, 東京, pp.305, 2007.)
- Miyazaki, N.: Collaborative research on between Japan and China, Chinese sturgeon at Yangtze River. *Ecology Café*, Jan. 9, 2007. pp.1-4. 2007. (宮崎信之：「長江におけるカラチョウザメの日本と中国の共同研究.」エコロジーカフェ. (2007年1月9日) 1-4, 2007.)
- Nagata T. and Miyajima T. : Stable Isotopes in Environmental Assessment of Watersheds - Progress towards an Integrated Approach, Kyoto University Press. pp. 476, 2007.(永田 俊・宮島利宏：「流域環境評価と安定同位体.」京都大学学術出版会, 京都, 476pp., 2007.)
- Nagata T. and Motegi C. : Sea of Microbes - Role of microbial community in marine ecosystems" in "Biological Diversity in Nature" edited by The Kyoto University Museum and Center for Ecological Research, Kyoto University, pp. 273-295, 2007.
- Obata H.: Analytical chemistry of platinum in the aquatic environments. p.123-130. In: Bookers (ed.) *Integrated techniques for the recycle of novel and rare metals*. NTN, 2007.(小畠 元：貴金属・レアメタルのリサイクル技術集成.「水圈環境における白金の分析化学」, 有限会社ブッカーズ, エヌ・ティー・エス, 東京, pp.123-130,2007.)
- Ohji M., Arai T. and Miyazaki N. : Comparison of organotin accumulation in the masu salmon *Oncorhynchus masou* accompanying migratory histories. *Estuarine, Coastal and Shelf Science*, **72**, 721-731. 2007.
- Ohji M., Arai T., Midorikawa S., Harino H., Masuda R., Miyazaki N.: Distribution and fate of organotin compounds in the Japanese coastal water. *Water, Air, & Soil Pollution*, **178**, 255-265. 2007.
- Oka M., Arai T. and Miyazaki N.: Differences in organochlorine accumulation in masu salmon *Oncorhynchus masou masou* between fluvial and sea-run forms. *Water, Air, & Soil Pollution*, **178**, 309-313. 2007.
- Watanuki Y., Takahashi A., Daunt F., Sato K., Miyazaki N. and Wanless S. : Underwater images from bird-borne cameras provide clue to poor breeding success of European Shags in 2005. *British Birds*, **100**, 466-470, 2007.
- Yang J., Harino H. and Miyazaki N. : Transplacental transfer of phenyltins to fetus of Dall's porpoises (*Phocoenoides dalli*) to her fetus. *Chemosphere*, **67**, 244-249, 2007.
- Yang J., Kunito T., Tanabe S. and Miyazaki N. : Mercury and its relation with selenium in the liver of Dall's porpoises (*Phocoenoides dalli*) off the Sanriku coast of Japan. *Environmental Pollution*, **148**, 669-673. 2007.