

2011

Climate Science	100
Physical Oceanography	102
Chemical Oceanography	102
Ocean Floor Geoscience	103
Marine Ecosystems Dynamics	105
Marine Bioscience	106
Living Marine Resources	109
Multiple Field Marine Science	110

研究業績 | PUBLICATION LIST 2011

Climate Science

- Abe Y., Abe-Ouchi A., Sleep N.H., and Zahnle K. J. 2011, Habitable zone limits for dry planets. *Astrobiology*, **11**, 443-460.
- Ackerley D., Lorrey A., Renwick J.A., Phipps S.J., Wagner S., Dean S., Singarayer J., Valdes P., Abe-Ouchi A., Ohgaito R., and Jones J.M. (2011): Using synoptic type analysis to understand New Zealand climate during the Mid-Holocene. *Climate of the Past*, **7**, 1189-1207.
- Berkehammer M., Stott L., Yoshimura K., Johnson K., and Sinha A. (2012, published online 2011): Synoptic and mesoscale controls on the isotopic composition of precipitation in the southwestern United States. *Climate Dynamics*, **38**, 433-454.
- Blatter H., Greve R., and Abe-Ouchi A. (2011): Present state and prospects of ice sheet and glacier modeling. *Surveys in Geophysics*, **32**, 555-583.
- Branstator G., Teng H., Meehl G.A., Kimoto M., Knight J.R., Latif M., and Rosati A. (2012, published online 2011): Systematic estimates of initial value decadal predictability for six AOGCMs. *Journal of Climate*, **25**, 1827-1846.
- Chan W.L., Abe-Ouchi A., and Ohgaito R. (2011): Simulating the mid-Pliocene climate with the MIROC general circulation model: experimental design and initial results. *Geoscientific Model Development*, **4**, 1-15.
- Fudeyasu H., Ichianagi K., Yoshimura K., Mori S., Sakurai N., Hamada J.-I., Yamanaka M.D., Matsumoto J., and Syamsudin F. (2011): Effects of large-scale moisture transport and mesoscale processes on precipitation isotope ratios observed at Sumatera, Indonesia. *Journal of Meteorological Society of Japan*, **89A**, 49-59.
- Fujita, M., Yoneyama, K., Mori, S., Nasuno, T., Satoh, M. (2011): Diurnal convection peaks over the eastern Indian Ocean off Sumatra during different MJO phases. *Journal of Meteorological Society of Japan*, **89A**, 317-330.
- Greve R., Saito F., and Abe-Ouchi A. (2011): Initial results of the SeaRISE numerical experiments with the models SICOPOLIS and IclES for the Greenland Ice Sheet. *Annals of Glaciology*, **52**, 23-30.
- Gribanov K.G., Zakharov V.I., Beresnev S.A., Rokotyan N.V., Poddubny V.A., Imasu R., Chistyakov P.A., Skorik G.G., and Vasin V.V. (2011): Sensing HDO/H₂O in the Ural's atmosphere using ground-based measurements of IR solar radiation with a high spectral resolution. *Atmospheric and Oceanic Optics*, **24**, 369-372.
- Hargreaves J.C., Paul A., Ohgaito R., Abe-Ouchi A., and Annan J.D. (2011): Are paleoclimate model ensembles consistent with the MARGO data synthesis? *Climate of the Past*, **7**, 917-933.
- Hiraoka A., Kawamura R., Ichianagi K., Tanoue M., and Yoshimura K. (2011): Water origins over central and southern Japan during the early summer rainy season as simulated with an isotope circulation model. *Scientific Online Letters on the Atmosphere*, **7**, 141-144.
- Hirota N., Takayabu Y.N., Watanabe M., Kimoto M. (2011): Precipitation reproducibility over tropical oceans and its relationship to the double ITCZ problem in CMIP3 and MIROC5 climate models. *Journal of Climate*, **24**, 4859-4873.
- Huang D., Takahashi M., and Zhang Y. (2011): Analysis of the Baiu precipitation and associated circulations simulated by the MIROC coupled climate system model. *Journal of Meteorological Society of Japan*, **89**, 625-636.
- Iga S., Tomita H., Tsushima Y., and Satoh M. (2011): Sensitivity of upper tropospheric ice clouds and their impacts on the Hadley circulation using a global cloud-system resolving model. *Journal of Climate*, **24**, 2666-2679.
- Imasu R. (2011): Recent progress and prospects of global observation technology of greenhouse gases from space. *Environmental Conservation Engineering*, **40**, 200-205. (今須良一 (2011): 人工衛星による温室効果気体の全球分布観測技術とその展望. *環境技術*, **40**, 200-205.)
- Inoue M. Takahashi M., and Naoe H. (2011): Relationship between the stratospheric quasi-biennial oscillation and tropospheric circulation in northern autumn. *Journal of Geophysical Research*, **116**, D24115.
- The Remote Sensing Society of Japan (Tateishi R., Imasu R., and 54 authors) (2011): *The basis of remote sensing*, edited by The Remote Sensing Society of Japan, Rikoh Tosho, Tokyo, 22-25. (日本リモートセンシング学会 (建石隆太郎・今須良一・他 54名) (2011): 熱赤外域リモートセンシングによる大気サウンディング. [基礎からわかるリモートセンシング] (日本リモートセンシング学会編), 理工図書, 東京, 22-25.)
- Jiang C.-L., Gille S.T., Sprintall J., Yoshimura K., and Kanamitsu M. (2011): Spatial variation in turbulent heat fluxes in Drake Passage. *Journal of Climate*, **25**, 1470-1488.
- Kim H.-J., Takata K., Wang B., Watanabe M., Kimoto M., Yokohata T., Shiogama Y., Awaji T., Sugiura N., Toyoda T., Yasunaka S., Tatebe H., and Mori M. (2011): Global monsoon, El Niño, and their interannual linkage simulated by MIROC5 and the CMIP3 CGCMs. *Journal of Climate*, **24**, 5604-5618.
- Kusahara K., Hasumi H., and Williams G.D. (2011): Dense shelf water formation and brine-driven circulation in the Adelie and George V Land region. *Ocean Modelling*, **37**, 122-138.
- Kusahara K., Hasumi H., and Williams G.D. (2011): Impact of the Mertz Glacier Tongue calving on dense water formation and export. *Nature Communications*, **2**, 159.
- Matsumura Y. and Hasumi H. (2011): Dynamics of cross-isobath dense water transport induced by slope topography. *Journal of Physical Oceanography*, **41**, 2402-2416.
- Matsuno T., Satoh M., Tomita H., Nasuno T., Iga S., Miura H., Noda A T., Oouchi K., Sato T., Fudeyasu H., and Yanase W. (2011): Cloud-cluster-resolving global atmosphere modeling - A challenge for the new age of tropical meteorology. In: *The Global Monsoon System, Research and Forecast*, 2nd Edition, edited by Chang C.-P., Ding Y., Lau N.-C., Johnson R.H., Wang B., and Yasunari T., World Scientific Pub Co Inc, 455-473.
- Murakami S., Ohgaito R., and Abe-Ouchi A. (2011): Atmospheric local energetics and energy interactions between mean and eddy fields. Part II: An example for the last glacial maximum. *Journal of the Atmospheric Sciences*, **68**, 533-552.

- Nasuno T. and Satoh M. (2011): Properties of precipitation and in-cloud vertical motion in a global nonhydrostatic aquaplanet experiment. *Journal of the Meteorological Society of Japan*, **89**, 413-439.
- Nasuno T. and Satoh M. (2011): Statistical relation between maximum vertical velocity and surface precipitation of convective clouds in a global nonhydrostatic aquaplanet experiment. *Journal of the Meteorological Society of Japan*, **89**, 553-561.
- Niwa Y., Patra P.K., Sawa Y., Machida T., Matsueda H., Belikov D., Ikegami M., Maki T., Oda T., Maksyutov S., Imasu R., and Satoh M. (2011): Three-dimensional variations of atmospheric CO₂: aircraft measurements and multi-transport model simulations. *Atmospheric Chemistry and Physics*, **11**, 13359-13375.
- Niwa Y., Tomita H., Satoh M., and Imasu R. (2011): A three-dimensional icosahedral grid advection scheme preserving monotonicity and consistency with continuity for atmospheric tracer transport. *Journal of the Meteorological Society of Japan*, **89**, 255-268.
- O'ishi R., and Abe-Ouchi A. (2011): Polar amplification in the mid-Holocene derived from dynamical vegetation change with a GCM. *Geophysical Research Letters*, **38**, L14702.
- Oka A., Abe-Ouchi A., Chikamoto M., and Ide T. (2011): Mechanisms controlling export production at the LGM: effects of changes in oceanic physical fields and atmospheric dust deposition. *Global Biogeochemical Cycles*, **25**, GB2009.
- Oka A., Tajika E., Abe-Ouchi A., and Kubota K. (2011): Role of ocean in controlling atmospheric CO₂ concentration in the course of global glaciations. *Climate Dynamics*, **37**, 1755-1770.
- Sapra R., Dhaka S.K., Panwar V., Bhatnagar R., Kumar K.P., Shibagaki Y., Ratnam V., and Takahashi M. (2011): Long-term variations in outgoing long-wave radiation (OLR), convective available potential energy (CAPE) and temperature in the tropopause region over India. *Journal of Earth System Science*, **120**, 807-823.
- Sato T., Juri A., Masuyama K., Imakita E., and Kimoto M. (2011): Verification of downscaling framework for interannual variation of tropical cyclone in western North Pacific. *Scientific Online Letters on the Atmosphere*, **7**, 169-172.
- Satoh M. (2011): Toward numerical weather forecasting in the tropics using the global cloud resolving model, *Journal of the Japan Society for Computational Engineering and Science*, **16**, 2594-2597. (佐藤正樹 (2011): 全球雲解像大気モデルの熱帯気象予測への実用化に関する研究. *計算工学*, **16**, 2594-2597.)
- Satoh M., Oouchi K., Nasuno T., Taniguchi H., Yamada Y., Tomita H., Kodama C., Kinter J., Achuthavariar D., Manganello J., Cash B., Jung T., Palmer T., and Wedi N. (2011 published online): The Intra-Seasonal Oscillation and its control of tropical cyclones simulated by high-resolution global atmospheric models. *Climate Dynamics*, doi:10.1007/s00382-011-1235-6.
- Seiki A., Takayabu Y.N., Yasuda T., Sato N., Takahashi C., Yoneyama K., and Shirooka R. (2011): Westerly wind bursts and their relationship with ENSO in CMIP3 models. *Journal of Geophysical Research*, **116**, D03303
- Tamura T., Ohshima K.I., Nihashi S., and Hasumi H. (2011): Estimation of surface heat/salt fluxes associated with sea ice growth/melt in the Southern Ocean, *SOLA*, **7**, 17-20.
- Tsuchiya C., Sato K., Nasuno T., Noda A.T., and Satoh M. (2011): Universal frequency spectra of surface meteorological fluctuations. *Journal of Climate*, **24**, 4718-4732.
- Watanabe M., Chikira M., Imada Y., and Kimoto M. (2011): Convective control of ENSO simulated in MIROC. *Journal of Climate*, **24**, 543-562.
- Watanabe M., Shiogama H., Yokohata T., Ogura T., Yoshimori M., Emori S., and Kimoto M. (2011): Constraints to the tropical low-cloud trends in historical climate simulations. *Atmospheric Science Letters*, **12**, 288-293.
- Watanabe M., Shiogama H., Yoshimori M., Ogura T., Yokohata T., Okamoto H., Emori S., and Kimoto M. (2011): Fast and slow timescales in the tropical low-cloud response to increasing CO₂ in two climate models. *Climate Dynamics*, **38**, doi:10.1007/s00382-011-1178-y.
- Welp L., Keeling R.F., Meijer H.A.J., Bollenbacher A.F., Piper S.C., Yoshimura K., Francey R.J., Allison C.E., and Wahlen M. (2011): Interannual variability in the oxygen isotopes of atmospheric CO₂ driven by El Niño. *Nature*, **477**, 579-582.
- Xianan J., Waliser D.E., Olson W.S., Tao W.-K., L'Ecuyer T.S., Li K.-F., Yung Y.L., Shige S., Lang S., and Takayabu Y.N. (2011): Vertical Diabatic Heating Structure of the MJO: Intercomparison between Recent Reanalyses and TRMM Estimates. *Monthly Weather Review*, **139**, 3208-3223.
- Yamashita Y., Akiyoshi H., and Takahashi M. (2011): Dynamical response in the Northern Hemisphere midlatitude and high-latitude winter to the QBO simulated by CCSR/NIES CCM. *Journal of Geophysical Research*, **116**, D06118.
- Yokoi S., Takayabu Y.N., Nishii K., Nakamura H., Endo H., Ichikawa H., Inoue T., Kimoto M., Kosaka Y., Miyasaka T., Oshima K., Sato N., Tsushima Y., and Watanabe M. (2011): Application of cluster analysis to climate model performance metrics. *Journal of Applied Meteorology and Climatology*, **50**, 1666-1675.
- Yoshimura K., Frankenberg C., Lee J., Kanamitsu M., Worden J., and Rockmann T. (2011): Comparison of an isotopic AGCM with new quasi global satellite measurements of water vapor isotopologues. *Journal of Geophysical Research*, **116**, D19118.
- Yoshimori M., Hargreaves J.C., Annan J.D., Yokohata T., and Abe-Ouchi A. (2011): Dependency of feedbacks on forcing and climate state in physics parameter ensembles. *Journal of Climate*, **24**, 6440-6455.
- Zhao N., Shen X.Y., Ding Y.H., and Takahashi M. (2011): A possible theory for the interaction between convective activities and vortical flows. *Nonlinear Processes in Geophysics*, **18**, 779-789.

Physical Oceanography

- Ito J., Niino H., and Nakanishi M. (2011): Effects of ambient rotation on dust devils. *SOLA*, **7**, 165-168.
- Itoh S., Shimizu Y., Ito S.-i., and Yasuda I. (2011): Evolution and decay of a warm-core ring within the western subarctic gyre of the North Pacific, as observed by profiling floats. *Journal of Oceanography*, **67**, 281-293.
- Itoh S., Yasuda I., and Yagi M. (2011): Observations of current, water mass, and turbulence in and across Amukta Pass. *Kaiyo Monthly*, **43**, 688-695. (伊藤幸彦・安田一郎・八木雅宏 (2011): アムクタ海峡における流動・水塊・乱流鉛直混合観測. 月刊海洋, **43**, 688-695.)
- Itoh S., Yasuda I., Yagi M., Osafune S., Kaneko H., Nishioka J., Nakatsuka T., and Volkov Y.N. (2011): Strong vertical mixing in the Urup Strait. *Geophysical Research Letters*, **38**, L16607.
- Maejima Y. and Iga K. (2011): The time evolution of meso-scale disturbances in the atmosphere caused by frontal instability. *Theoretical and Applied Mechanics Japan*, **60**, 183-191.
- Oka E., Kouketsu S., Toyama K., Uehara K., Kobayashi T., Hosoda S., and Suga T. (2011): Formation and subduction of Central Mode Water based on profiling float data, 2003-08. *Journal of Physical Oceanography*, **41**, 113-129.
- Oka E., Suga T., Sukigara C., Toyama K., Shimada K., and Yoshida J. (2011): Eddy resolving observation of the North Pacific Subtropical Mode Water. *Journal of Physical Oceanography*, **41**, 666-681.
- Suzuki S., Niino H., and Kimura R. (2011): The mechanism of upper-oceanic vertical motions forced by a moving typhoon. *Fluid Dynamics Research*, **43**, 025504.
- Tomita H., Kouketsu S., Oka E., and Kubota M. (2011): Locally enhanced wintertime air-sea interaction and deep oceanic mixed layer formation associated with the subarctic front in the North Pacific. *Geophysical Research Letters*, **38**, L24607.
- Ueno H., Yasuda I., Itoh S., Onishi H., Hiroe Y., Suga T., and Oka E. (2011): Modification of a Kenai eddy. *Kaiyo monthly*, **43**, 756-762. (上野洋路・安田一郎・伊藤幸彦・大西広二・廣江 豊・須賀利雄・岡 英太郎 (2011): Kenai渦の変質過程. 月刊海洋, **43**, 756-762.)
- Watanabe S., Iga K., Yokota S., Niino H., and Misawa N. (2011): Oscillation and hysteresis of water rotating in a cylindrical tank. *Nagare*, **30**, 455-458. (渡邊俊一・伊賀啓太・横田 祥・新野 宏・三澤信彦 (2011): 円筒容器内で回転する水の振動現象と履歴現象. *ながれ*, **30**, 455-458.)
- Yagi M. and Yasuda I. (2011): Deep intense vertical mixing in the Bussol' Strait. *Geophysical Research Letters*, **39**, L01602.

Chemical Oceanography

- Fujiya W., Sugiura N., Hotta H., Ichimura K., and Sano Y. (2011): Evidence for the late formation of hydrous asteroids from young meteoritic carbonates. *Nature Communications*, **3**, doi:10.1038/ncomms1635.
- Fujiya W., Sugiura N., Takahata N., and Hiyagon H. (2011): In-situ chromium isotope measurement of chromium-rich fine grains in Murchison CM2 chondrite. *Geochemical Journal*, **45**, 275-281.
- Gamo T. (2011): Dissolved oxygen in the bottom water of the Sea of Japan as a sensitive alarm for the global climate change. *TrAC Trends in Analytical Chemistry*, **30**, 1308-1319.
- Gamo T. (2011): Geochemical studies on submarine hydrothermal activity and marine environmental change based on field observations. *Transactions of The Research Institute of Oceanography*, **24**, 39-53. (蒲生俊敬 (2011): 観測にもとづく海底熱水活動および海洋環境変化の地球化学的研究. 海洋化学研究, **24**, 39-53.)
- Kawagucci S., Chiba H., Ishibashi J., Yamanaka T., Toki T., Muramatsu Y., Ueno Y., Makabe A., Inoue K., Yoshida N., Nakagawa S., Nunoura T., Takai K., Takahata N., Sano Y., Narita T., Teranishi G., Obata H., and Gamo T. (2011): Hydrothermal fluid geochemistry at the Iheya north field in the mid-Okinawa Trough: Implication for origin of methane in subseafloor fluid circulation systems. *Geochemical Journal*, **45**, 109-124.
- Kawasaki N., Sohrin R., Ogawa H., Nagata T., and Benner R. (2011): Bacterial carbon content and the living and detrital bacterial contributions to 4 suspended particulate organic carbon in the North Pacific Ocean. *Aquatic Microbial Ecology*, **62**, 165-176.
- Kohzu A., Imai A., Miyajima T., Fukushima T., Matsushige K., Komatsu K., Kawasaki N., Miura S., and Sato T. (2011): Direct evidence for nitrogen isotope discrimination during sedimentation and early diagenesis in Lake Kasumigaura, Japan. *Organic Geochemistry*, **42**, 173-183.
- Morono Y., Terada T., Nishizawa M., Ito M., Hillion F., Takahata N., Sano Y., and Inagaki F. (2011): Carbon and nitrogen assimilation in deep subseafloor microbial cells. *Proceedings of the National Academy of Sciences of the United States of America*, **108**, 18295-18300.
- Ogawa H. (2011): Dynamics of dissolved organic matter in the ocean. *Journal of Japan Society on Water Environment*, **34**, 130-133. (小川浩史 (2011): 海洋における溶存有機物の動態. 水環境学会誌, **34**, 130-133.)
- Saito T., Stein O., Tsunogai U., Kawamura K., Nakatsuka T., Gamo T., and Yoshida N. (2011): Stable carbon isotope ratios of ethane over the north Pacific: shipboard measurements and global chemical transport modeling. *Journal of Geophysical Research*, **116**, D02308.
- Sano Y., Kobayashi S., Shirai K., Takahata N., Matsumoto K., Watanabe T., Sowa K., and Iwai K. (2011): Past daily light cycle recorded in strontium/calcium ratios of giant clam shell. *Nature Communications*, **3**, doi:10.1038/ncomms1763.

- Shozugawa K., Matsuo M., Sano Y., Toh Y., Murakami Y., Furutaka K., Koizumi M., Kimura A., Hara K., Kin T., Oshima M., Nakamura S., and Harada H. (2011): Chemical composition of sediments from marine shallow-water hydrothermal mounds in Wakamiko submarine crater revealed by multiple prompt gamma-ray analysis. *Journal of Radioanalytical and Nuclear Chemistry*, **291**, 341-346.
- Tanaka Y., Miyajima T., Watanabe A., Nadaoka K., Yamamoto T., and Ogawa H. (2011): Distribution of dissolved organic carbon and nitrogen in a coral reef. *Coral Reefs*, **30**, 533-541.
- Tanaka Y., Ogawa H., and Miyajima T. (2011): Bacterial decomposition of coral mucus as evaluated by long-term and quantitative observation. *Coral Reefs*, **30**, 443-449.
- Tanaka Y., Ogawa H., and Miyajima T. (2011): Production and bacterial decomposition of dissolved organic matter in a fringing coral reef. *Journal of Oceanography*, **67**, 427-473.
- Tazoe H., Obata H., and Gamo T. (2011): Coupled isotopic systematics of surface cerium and neodymium in the Pacific Ocean. *Geochemistry, Geophysics, Geosystems*, **12**, Q04004.
- Toki T., Maegawa K., Tsunogai U., Kawagucci A., Takahata N., Sano Y., Ashi J., Kinoshita M., and Gamo T. (2011): Gas chemistry of pore fluids from Oomine Ridge on the Nankai accretionary prism. In *Accretionary Prisms and Convergent Margin Tectonics in the Northwest Pacific Basin*, edited by Ogawa Y. et al., Springer, New York, 247-262.
- Uchimiya M., Fukuda H., Nishino S., Kikuchi T., Ogawa H., and Nagata T. (2011): Does freshening of surface water enhance heterotrophic prokaryote production in the western Arctic? Empirical evidence from the Canada Basin during September 2009. *Journal of Oceanography*, **67**, 589-599.
- Wang P.-L., Lo C.-H., Lan C.-Y., Chung S.-L., Lee T.-Y., Nam T.N., and Sano Y. (2011): Thermochronology of the PoSen complex, northern Vietnam: Implications for tectonic evolution in SE Asia. *Journal of Asian Earth Sciences*, **40**, 1044-1055.
- Yamashita N., Young L.W.Y., Taniyasu S., Kwok K.Y., Petrick G., Gamo T., Guruge K.S., Lam P.K.S., and Loganathan B.G. (2011): Global distribution of PFOS and related chemicals. In *Global Contamination Trends of Persistent Organic Chemicals*, edited by Loganathan B.G. and Lam P.K.S., CRC Press, Boca Raton, 593-628.
- Yamazaki A., Watanabe T., Ogawa N.O., Ohkouchi N., Shirai K., Toratani M., and Uematsu M. (2011): Seasonal variations in the nitrogen isotope composition of Okinotori coral in the tropical Western Pacific: A new proxy for marine nitrate dynamics. *Journal of Geophysical Research*, **116**, G04005.

Ocean Floor Geoscience

- Araoka D., Inoue M., Suzuki A., Yokoyama Y., Edwards R.L., Cheng H., Matsuzaki H., Kan H., Shikazono N., and Kawahata H. (2011): Historic 1771 Meiwa tsunami confirmed by high-resolution U/Th dating of massive *Porites* coral boulders at Ishigaki Island in Ryukyus, Japan. *Geochemistry, Geophysics, Geosystems*, **11**, Q06014.
- Deschamps P., Durand N., Bard E., Hamelin B., Camoin G., Thomas A.L., Henderson G.M., Okuno J., and Yokoyama Y. (2011): Ice-sheet collapse and sea-level rise at the Bolling warming 14,600 years ago. *Nature*, **483**, 559-564.
- Fujita K., Hikami M., Suzuki A., Kuroyanagi A., Sakai K., Kawahata H., and Nojiri Y. (2011): Effects of ocean acidification on calcification of symbiont-bearing reef foraminifers. *Biogeosciences*, **8**, 2089-2098.
- Garcia Y.C., Martinez J.I., Velez M.I., Yokoyama Y., Battarbee R.W., and Suter F.D. (2011): Palynofacies analysis of the late Holocene San Nicolas terrace of the Cauca paleolake, and paleohydrology of northern South America. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **299**, 298-308.
- Hanebuth T.J.J., Voris H.K., Yokoyama Y., Okuno J., and Saito Y. (2011): Formation and fate of sedimentary depocentres on Southeast Asia's Sunda Shelf over the past sea-level cycle and biogeographic implications. *Earth Science Reviews*, **104**, 92-110.
- Hikami M., Fujita K., Kuroyanagi A., Irie T., Ushie H., Nojiri Y., Suzuki A., and Kawahata H. (2011): Contrasting ocean acidification responses of calcification between two coral reef benthic foraminiferal species *Marginopora kudakajimensis* and *Calcarina gaudichaudii*. *Geophysical Research Letters*, **38**, L19601.
- Hong P.K., Miyahara H., Yokoyama Y., Takahashi Y., and Sato M. (2011): Implications for the low latitude cloud formations from solar activity and the Quasi-Biennial Oscillation. *Journal of Atmospheric and Solar-Terrestrial Physics*, **73**, 587-591.
- Iguchi A., Ozaki S., Nakamura T., Inoue M., Tanaka Y., Suzuki A., Kawahata H., and Sakai K. (2011): The effect of acidified seawater on coral calcification and symbiotic algae of a massive coral *Porites australiensis*. *Marine Environmental Research*, **73**, 32-36.
- Ikehara K., Ashi J., Machiyama H., and Shirai M. (2011): Submarine slope response to earthquake shaking within western Sagami Bay, Central Japan. *Advances in Natural and Technological Hazards Research*, **13**, 539-547.
- Inoue M., Suwa R., Suzuki A., Sakai K., and Kawahata H. (2011): Effects of seawater pH on growth and skeletal U/Ca ratios 2 of *Acropora digitifera* coral polyps. *Geophysical Research Letters*, **38**, L12809.
- Isozaki Y., Aljinovic D., and Kawahata H. (2011): The Guadalupian (Permian) Kamura event in European Tethys. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **308**, 12-21.
- Kawahata H. (2011): Crisis of coral reefs and coastal environments. In *Progress of the Natural Environmental Study 1*, edited by Division of Environmental Studies, The Graduate School of Frontier Sciences, Asakurashoten, Tokyo, 49-63. (川幡穂高 (2011): サンゴ礁の危機と沿岸環境. 「自然環境学の創る世界 -1」, 東京大学大学院新領域創成科学研究科編, 朝倉書店, 東京, 49-63.)

- Kawahata H. (2011): Environmental Chemistry 1 – Use of atomic energy and radioactive nuclides. *Chishitsu News*, **678**, 50-57.
(川幡穂高 (2011): 環境化学1 放射性核種と原子力の利用 (その1) — ウランとプルトニウム —. 地質ニュース, **678**, 50-57.)
- Kawahata H. (2011): *Evolution of the Earth's surface environments – from Precambrian to near future*. University of Tokyo Press, Tokyo, 288p. (川幡穂高 (2011): 地球表層環境の進化: 先カンブリア時代から近未来まで. 東京大学出版会, 東京, 288pp.)
- Kawahata H., Minoshima K., Ohshima H., and Kuroyanagi, A. (2011): Terrestrial - ocean environmental change in the northwestern Pacific from the glacial times to Holocene. *Journal of Asian Earth Science*, **40**, 1189-1202.
- Kossler A., Tarasov P., Schlolaut G., Nakagawa T., Marshall M., Brauer A., Staff R., Bronk Ramsey C., Bryant C., Lamb H., Demske D., Gotanda K., Haraguchi T., Yokoyama Y., Yonenobu H., Tada R., and Suigetsu 2006 project members (2011): Onset and termination of the late-glacial climate reversal in the high-resolution diatom and sedimentary records from the annually laminated SG06 core from Lake Suigetsu, Japan. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **306**, 103-115.
- Kuroyanagi A., Kawahata H., and Nishi H. (2011): Seasonal variation in the oxygen isotopic composition of different-sized planktonic foraminifer *Neogloboquadrina pachyderma* (sinistral) in the northwestern North Pacific and implications for reconstruction of the paleoenvironment. *Paleoceanography*, **26**, PA4215.
- Liu Z., Zheng J., Yamada M., Pan S., and Kawahata H. (2011): Plutonium characteristics in sediments of Hiroshima Bay in the Seto Inland Sea in Japan. *Journal of Radioanalytical and Nuclear Chemistry*, **288**, 911-917.
- Nakazawa T., Ueno K., Kawahata H., and Fujikawa M. (2011): Gzhelian-Asselian Palaeoaplysina-microencruster reef community in the Taishaku and Akiyoshi limestones, SW Japan: Implications for the Late Paleozoic reef evolution on mid-Panthalassan atolls. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **310**, 378-392.
- Otsuka H., Morita S., Tanahashi M., Nagakubo S., and Ashi J. (2011): Possible migration front of gas-related fluid inferred from 3D reflection seismic survey in the eastern Nankai Trough. *Journal of the Japanese Association for Petroleum Technology*, **76**, 39-42. (大塚宏徳・森田澄人・棚橋 学・長久保定雄・芦 寿一郎 (2011): 東部南海トラフ三次元反射法地震探査断面に見られる地層流体の分布を示唆する音響反射面. 石油技術協会誌, **76**, 39-42.)
- Sagawa T., Yokoyama Y., Ikehara M., and Kuwae M. (2011): Vertical thermal structure history in the western subtropical Pacific since the Last Glacial Maximum. *Geophysical Research Letters*, **38**, L00F02.
- Searid C., Camoin G., Yokoyama Y., Matsuzaki H., Durand N., Bard E., Sepulcre S., and Deschamps P. (2011): Microbialite development patterns in the last deglacial reefs from Tahiti (French Polynesia; IODP Expedition #310): Implications on reef framework architecture. *Marine Geology*, **279**, 63-86.
- Shiau L.-J., Chen M.-T., Clemens S., Huh C.-A., Yamamoto M., and Yokoyama Y. (2011): Warm Pool hydrological and terrestrial variability near southern Papua New Guinea Over the past 50k. *Geophysical Research Letters*, **38**, L00F01.
- Staff R.A., Ramsey C.B., Bryant C.L., Brock F., Payne R.L., Schlolaut G., Marshall M.H., Brauer A., Lamb H.F., Tarasov P., Yokoyama Y., Haraguchi T., Gotanda K., Yonenobu H., Nakagawa T., and Suigetsu 2006 Project Members (2011): New ¹⁴C Determinations from Lake Suigetsu, Japan: 12,000 to 0 cal BP. *Radiocarbon*, **53**, 511-528.
- Suganuma Y., Okuno J., Heslop D., Roberts A.P., Yamazaki T., and Yokoyama Y. (2011): Post-depositional remanent magnetization lock-in for marine sediments deduced from ¹⁰Be and paleomagnetic records through the Matuyama-Brunhes boundary. *Earth and Planetary Science Letters*, **311**, 39-52.
- Switzer A., Saito Y., Yokoyama Y., and Catto N. (2011): Sediment source-to-sink, human influences and paleoenvironmental reconstruction in the coastal zone of East and Southeast Asia. *Quaternary International*, **230**, 1-2.
- Toki T., Maegawa K., Tsunogai U., Kawagucci S., Takahata N., Sano Y., Ashi J., Kinoshita M., and Gamo T. (2011): Gas chemistry of pore fluids from Oomine Ridge on the Nankai accretionary prism. *Modern Approaches in Solid Earth Sciences*, **8**, 247-262.
- Tonai S., Suganuma Y., Ashi J., Itaya T., Oiwan H., and Kiyokawa S. (2011): Differential timing of vertical-axis block rotations in the northern Ryukyu Arc: Paleomagnetic evidence from the Koshikijima Islands, Japan. *Tectonophysics*, **497**, 71-84.
- Toyofuku T., Suzuki M., Suga H., Sakai S., Suzuki A., Ishikawa T., Nooijer L.J., Schiebel R., Kawahata H., and Kitazato H. (2011): Mg/Ca and d¹⁸O in the brackish shallow-water benthic foraminifer *Ammonia beccarii*. *Marine Micropaleontology*, **78**, 113-120.
- Troiani B.T., Simms A.R., Dellapenna T., Piper E., and Yokoyama Y. (2011): The importance of sea-level and climate change, including changing wind energy, on the evolution of a coastal estuary: Copano Bay, Texas. *Marine Geology*, **280**, 1-19.
- Tsuji T., Hino R., Sanada Y., Yamamoto K., Park J.-O., No T., Araki E., Bangs N., von Huene R., Moore G.F., and Kinoshita M. (2011): In situ stress state from walkaround VSP anisotropy in the Kumano basin southeast of the Kii Peninsula, Japan. *Geochemistry Geophysics Geosystems*, **12**, Q0AD19.
- Tsuji T., Ito Y., Kido M., Osada Y., Fujimoto H., Ashi J., Kinoshita M., and Matsuoka T. (2011): Potential tsunamigenic faults of the 2011 off the Pacific coast of Tohoku Earthquake. *Earth, Planets and Space*, **63**, 831-834.
- Webster J.M., Yokoyama Y., Cotterill C., and the Expedition 325 Scientists (2011): IODP Expedition 325. *Proceedings of the Integrated Ocean Drilling Program*, **325**.
- Yamane M., Yokoyama Y., Miura H., Maemoku H., Iwasaki S., and Matsuzaki H. (2011): The last deglacial history of Lutzow-Holm Bay, East Antarctica. *Journal of Quaternary Science*, **26**, 3-6.
- Yasuhara M., Hunt G., Cronin T.M., Hokanishi N., Kawahata H., Tsujimoto A., and Ishitake M. (2011): Climatic forcing of Quaternary deep-sea benthic communities in the North Pacific 4 Ocean. *Paleobiology*, **38**, 162-179.
- Yokoyama Y. (2011): Last glacial interstadials. In *Encyclopedia of Modern Coral Reefs*, edited by Hopley, D, Springer-Verlag, New York, 618-620.

- Yokoyama. Y. (2011): Last glacial lowstand and shelf exposure. In *Encyclopedia of Modern Coral Reefs*, edited by Hopley. D., Springer-Verlag, New York, 620-621.
- Yokoyama. Y. (2011): Quaternary climate and Earth surface system changes. *Geology and Surveying*, **128**, 39-44. (横山祐典 (2011): 第四紀気候変動と地球表層システム. 地質と調査, **128**, 39-44.)
- Yokoyama Y., and Esat T.M. (2011): Global climate and sea level: Enduring variability and rapid fluctuations over the past 150,000 years. *Oceanography*, **24**, 54-69.
- Yokoyama Y., Suzuki A., Siringan F., Maeda Y., Abe-Ouchi A., Ohgaito R., Kawahata H., and Matsuzaki H. (2011): Mid-Holocene palaeoceanography of the northern South China Sea using coupled fossil-modern coral and Atmosphere-Ocean GCM model. *Geophysical Research Letters*, **38**, L00F03.
- Yokoyama Y., Webster J.M., Cotterill C., Braga J.C., Jovane L., Mills H., Morgan S., Suzuki A., and the IODP 325 Scientists (2011): IODP Expedition 325: The Great Barrier Reef reveals past sea-level, climate and environmental changes since the last ice age. *Scientific Drilling*, **12**, 32-45.
- Yoshimura T., Tanimizu M., Inoue M., Suzuki A., Iwasaki N., and Kawahata H. (2011): Mg isotope composition of hermatypic and deep-sea corals. *Analytical and Bioanalytical Chemistry*, **401**, 2755-2769.
- Watanabe T., Suzuki A., Kawashima T., Minobe S., Kameo K., Minoshima K., Aguilar Y.M., Wani R., Kawahata H., and Kase T. (2011): Pliocene El Niño: Coral evidence of robust interannual variabilities during warm period. *Nature*, **471**, 209-211.

Marine Ecosystems Dynamics

- Beaulieu S.E., Mills S., Mullineaux L., Pradillon F., Watanabe H and Kojima S. (2011): International study of larval dispersal and population connectivity at hydrothermal vents in the southern Marianas Trough. *InterRidge News*, **20**, 50-54.
- Chiura H.X., Kogure K., Hagemann S., Ellinger A., and Velimirov B. (2011): Evidence for particle-induced horizontal gene transfer and serial transduction between bacteria. *FEMS Microbiology Ecology*, **76**, 576-591.
- Idichi M. and Hamasaki K. (2011): Community structure of ammonia-oxidizing marine archaea differs by depth of collection and temperature of cultivation. *Journal of Oceanography*, **67**, 739-745.
- Imamura Y., Ozeki S., Miyajima T., Furota T., and Kojima S. (2011): Change of feeding habits of three decapod species dominating the Tamagawa estuary in central Japan corresponding to habitats. *Japanese Journal of Benthology*, **66**, 40-47. (今村陽一郎・小関祥子・宮島利宏・風呂田利夫・小島茂明 (2011): 多摩川河口干潟に優占する十脚甲殻類3種の生息場所による食性の変化. 日本ベントス学会誌, **66**, 40-47.)
- Inoue K., Itoh T., Ohkuma M., and Kogure K. (2011): *Halomarina oriensis* gen. nov., sp. nov., a halophilic archaeon isolated from a seawater aquarium. *International Journal of Systematic and Evolutionary Microbiology*, **61**, 942-946.
- Itoh M., Kawamura K., Kitahashi T., Kojima S., Katagiri H., and Shimanaga M. (2011): Bathymetric patterns of meiofaunal abundance and biomass associated with the Kuril and Ryukyu trenches, western North Pacific Ocean. *Deep-Sea Research I*, **58**, 86-97.
- Kano Y. (2011): Rivers and other freshwater habitats: Freshwater nerites. In *The Natural History of Santo*, edited by Bouchet P., Le Guyader H., and Pascal O., Muséum national d'Histoire Naturelle, Paris, 257-261.
- Kano Y. and Haga T. (2011): Marine ecosystems: Sulfide rich environments. In *The Natural History of Santo*, edited by Bouchet P., Le Guyader H., and Pascal O., Muséum national d'Histoire Naturelle, Paris, 373-375.
- Kogure K. (2011): Biodiversity of marine microorganisms. *Iden*, **65**, 30-35. (木暮一啓 (2011): 海洋微生物の多様性. 遺産, **65**, 30-35.)
- Kogure K. (2011): Environmental genomic approach in marine ecosystems. In: *Global Environmental Research, Special issue "New approach in Research on Marine Environments"*, **16**, 71-79. (木暮一啓 (2011): 海洋における環境ゲノミクス. 地球環境特集号「海洋環境問題の新たな展開」, **16**, 71-79.)
- Kojima S., Maeda R., Sakuma K. Kokubu Y., Hagihara S., and Itoh M. (2011): Genetic characterization of the northwestern Pacific population of a deep-sea demersal fish, *Bothrocara hollandi*. *Plankton and Benthos Research*, **6**, 108-114.
- Kunihiro T., Takasu H., Miyazaki T., Uramoto Y., Kinoshita K., Yodnarasri S., Hama D., Wada M., Kogure K., Ohwada K., Tsutsumi H. (2011): Increase in *Alphaproteobacteria* in association with a polychaete, *Capitella* sp. I, in the organically enriched sediment. *The ISME Journal*, **5**, 1-14.
- Neusser T.P., Fukuda H., Jörger K.M. Kano Y., and Schrödl M. (2011): Sacoglossa or Acochlidia? 3D-reconstruction, molecular phylogeny and evolution of Aitengidae (Gastropoda, Heterobranchia). *Journal of Molluscan Studies*, **77**, 332-350.
- Nishida S. (2011): Biodiversity of zooplankton: Capacity building in Project-3. In *Coastal Marine Science in Southeast Asia*, edited by Nishida S., Miyazaki N., and Fortes M.D., Terrapub, Tokyo, 117-123.
- Nishida S. and Nishikawa J. (2011): Biodiversity of marine zooplankton in Southeast Asia (Project-3: Plankton Group). In *Coastal Marine Science in Southeast Asia*, edited by Nishida S., Miyazaki N., and Fortes M.D., Terrapub, Tokyo, 59-71.
- Nishida S. and Nonomura T. (2011): Structure of novel exocrine glands in *Calanus* species with notes on their possible function. *Journal of the Marine Biological Association of the United Kingdom*, **91**, 801-805.
- Nishikawa J., Fitzpatrick R., Reimer J.D., Beaman R.J., Yamamoto H., and Lindsay D.J. (2011): *In situ* observation of Denise's pygmy seahorse *Hippocampus denise* associated with a gorgonian coral *Annella reticulata* at Osprey Reef, Australia. *Galaxea, Journal of Coral Reef Studies*, **13**, 25-26.

- No A-R., Okada K., Kogure K., and Park K.-S. (2011): Rapid detection of *Vibrio parahaemolyticus* by PCR targeted to the histone-like nucleoid structure (H-NS) gene and its genetic characterization. *Letters in Applied Microbiology*, **53**, 127-133.
- Nonomura T., Nishida S., Tsuda A., and Yasuda I. (2011): Morphological characters for practical identification of the copepodite stages of three sympatric *Calanus* species in the western North Pacific. *Journal of Plankton Research*, **33**, 1496-1509.
- Okutani T., Kojima S., Kawata M., Seo E., and Fujikura K. (2011): Another addition of vesicomid clam from deep-sea seeps off Sanriku Coast and in Sagami Bay, Japan (Mollusca: Bivalvia). *Venus*, **69**, 135-144.
- Park S., Yoshizawa S., Kogure K., and Yokota A. (2011): *Rubricoccus marinus* gen. nov., sp. nov., of the family 'Rhodothermaceae', isolated from seawater. *International Journal of Systematic and Evolutionary Microbiology*, **61**, 2069-2072.
- Park S., Yoshizawa S., Kogure K., and Yokota A. (2011): *Oceanicoccus sagamiensis* gen. nov., sp. nov., a gamma-proteobacterium isolated from sea water of Sagami Bay in Japan. *The Journal of Microbiology*, **49**, 233-237.
- Tada Y., Taniguchi A., Nagao I., Miki T., Uematsu M., Tsuda A., and Hamasaki K. (2011): Differing growth responses of major phylogenetic groups of marine bacteria to natural phytoplankton blooms in the western North Pacific Ocean. *Applied and Environmental Microbiology*, **77**, 4055-4065.
- Taniguchi A., Kaneko R., and Hamasaki K. (2011): Microbial diversity revealed by metagenomics, *Iden*, **65**, 61-67. (谷口亮人・金子亮・浜崎恒二 (2011): メタゲノミクスで見る微生物多様性. 遺伝, **65**, 61-67.)
- Taniguchi A., Tada Y., and Hamasaki K. (2011): Seasonal variations in the community structure of actively growing bacteria in neritic waters of Hiroshima Bay, western Japan. *Microbes and Environments*, **26**, 339-346.

Marine Bioscience

- Alabsi M.N., Tanoue H., Komatsu T., Charef A., Mitani I., Kato M., Horii T., Aoki I., and Miyazaki N. (2011): Measurement of the swimming behavior of a deep-water fish, the splendid alfonsino (*Beryx splendens*), in captivity using micro data loggers. *Journal of Fisheries and Aquatic Sciences*, **6**, 309-321.
- Aschliman N.C., Nishida M., Miya M., Inoue J.G., Rosana K.M., and Naylor G.J.P. (2011): Body plan convergence and diversity shaped by mass extinction in the evolution of skates and rays (Chondrichthyes: Batoidea). *Molecular Phylogenetics and Evolution*, **63**, 28-42.
- Fuse Y.K., Sakamoto K.Q., Sato K., and Habara Y. (2012, published online 2011): Cardiorespiratory pattern of rest-associated apnea in a Weddell seal: a case study at an ice hole in Antarctica. *Polar Biology*, **35**, 969-972.
- Hayashi R., Narazaki T., Takuma S., and Sato K. (2011): *Chelonia mydas agassizii* (Black [Pacific] Seaturtle), Epibiont barnacles. *Herpetological Review*, **42**, 264-265.
- Hu G.B., Kusakabe M., and Takei Y. (2011): Localization of diversified relaxin gene transcripts in the brain of eels. *General and Comparative Endocrinology*, **172**, 430-439.
- Hu Z.-M., Uwai S., Yu S.-H., Komatsu T., Ajisaka T., and Duan D.-L. (2011): Phylogeographic heterogeneity of the brown macroalga *Sargassum horneri* (Fucaleae) in the northwestern Pacific in relation to late Pleistocene glaciation and tectonic configurations. *Molecular Ecology*, **20**, 3894-3909.
- Iida M., Watanabe S., and Tsukamoto K. (2011): Reproductive biology of the amphidromous goby *Sicyopterus japonicus* (Gobiidae: Sicydiinae). *Cybium*, **35**, 329-336.
- Ijiri S., Tsukamoto K., Chow S., Kurogi H., Adachi S., and Tanaka H. (2011): Controlled reproduction in the Japanese eel (*Anguilla japonica*), past and present. *Aquaculture Europe*, **36**, 13-17.
- Inoue K. and Miyazaki N. (2011): Pollution of hazardous chemicals in the coastal marine environment and their ecological effect (Project-4). In *Coastal Marine Science in Southeast Asia*, edited by Nishida S., Miyazaki N., and Fortes M.D., Terrapub, Tokyo, 87-101.
- Inoue K. and Miyazaki N. (2011): Marine pollution: Capacity building in Project-4. In *Coastal Marine Science in Southeast Asia*, edited by Nishida S., Miyazaki N., and Fortes M.D., Terrapub, Tokyo, 135-141.
- Inoue K., Miyanishi H., Nobata S., and Takei Y. (2012, published online 2011): Evolutionary implication of the absence of atrial natriuretic peptide (ANP) in euryhaline *Oryzias* fishes. *Environmental Biology of Fishes*, **94**, 559-566.
- Kaneko G., Furukawa S., Kurosu Y., Yamada T., Takeshima H., Nishida M., Mitsuboshi T., Otaka T., Shirasu K., Koda T., Takemasa Y., Aki S., Mochizuki T., Fukushima H., Fukuda Y., Kinoshita S., Asakawa S., and Watabe S. (2011): Correlation of accumulated mRNA levels of growth hormone, growth hormone receptor I and insulin-like growth factor I with the larval body size of F2 offspring derived from a fast-growing strain and wild fish of torafugu *Takifugu rubripes*. *Journal of Fish Biology*, **79**, 854-874.
- Kawaguchi M., Lavoué S., Hiroi J., Hayano H., Iuchi I., Yasumasu S., and Nishida M. (2012, published online 2011): Remarkable consistency of exon-intron structure of hatching enzyme genes and molecular phylogenetic relationships of teleostean fishes. *Environmental Biology of Fishes*, **94**, 567-576.
- Kawakami T., Okouchi H., Aritaki M., Aoyama J., and Tsukamoto K. (2011): Embryonic development and morphology of eggs and newly hatched larvae of Pacific herring. *Fisheries Science*, **77**, 183-190.
- Keith P., Lord C., Lorion J., Watanabe S., Tsukamoto K., Couloux A., and Dettai A. (2011): Phylogeny and biogeography of Sicydiinae (Teleostei: Gobiidae) inferred from mitochondrial and nuclear genes. *Marine Biology*, **158**, 311-326.

- Kitano J., Kawagishi Y., Mori S., Peichel C.L., Makino T., Kawata M., and Kusakabe M. (2011): Divergence in sex steroid hormone signaling between sympatric species of Japanese threespine stickleback. *PLoS ONE*, **6**, e29253.
- Komatsu T., Tanoue H., Mohammad N., Watariguchi K., Osswald T., Hill T., and Miyazaki N. (2011): Relation between body tilt angle and tail beat acceleration of a small fish, *Parapristipoma trilineatum* (threeline grunt), during mobile and immobile periods measured with a micro data logger. In *Global Change: Mankind-Marine Environment Interactions*, edited by Ceccaldi H.-J., Dekeyser I., Giraut M., and Stora G., Springer, Berlin, 261-264.
- Kurogi H., Okazaki M., Mochioka N., Jinbo T., Hashimoto H., Takahashi M., Tawa A., Aoyama J., Shinoda A., Tsukamoto K., Tanaka H., Gen K., Kazeto Y., and Cho S. (2011): First capture of post-spawning female of the Japanese eel *Anguilla japonica* at the southern West Mariana Ridge. *Fisheries Science*, **77**, 199-205.
- Kuroki M. and Tsukamoto K. (2011): *EELS ON THE MOVE Mysterious Creatures over Millions of Years*. Tokai University Press, Kanagawa, 278pp. (黒木真理・塚本勝巳 (2011): 旅するウナギ 1億年の時空をこえて. 東海大学出版会, 神奈川, 278pp.)
- Kuwasako K., Kitamura K., Nagata S., Hikosaka T., Takei Y., and Kato J. (2011): Shared and separate functions of the RAMP-based adrenomedullin receptors. *Peptides*, **32**, 1540-1550.
- Lavoué S., Miya M., Moritz T., and Nishida M. (2011): A molecular timescale for the evolution of the African freshwater fish family Kneriidae (Gonorynchiformes). *Ichthyological Research*, **59**, 104-112.
- Manabe R., Aoyama J., Watanabe K., Kawai M., Miller M.J., and Tsukamoto K. (2011): First observation of the oceanic migration of Japanese eel, from pop-up archival transmitting tags. *Marine Ecology Progress Series*, **437**, 229-240.
- Maruyama S., Yabuki T., Sato T., Tsubaki K., Komiya A., Watanabe M., Kawamura H., and Tsukamoto K. (2011): Evidences of increasing primary production in the ocean by Stommel's perpetual salt fountain. *Deep-Sea Research I*, **58**, 567-574.
- McQuillan H.J., Kusakabe M., and Young G. (2011): Effects of chronic manipulation of adrenocorticotrophic hormone levels in Chinook salmon on expression of interrenal steroidogenic acute regulatory protein and steroidogenic enzymes. *General and Comparative Endocrinology*, **174**, 156-165.
- Miller M.J., Wouthuyzen S., Ma T., Aoyama J., Suharti S.R., Minegishi Y., and Tsukamoto K. (2011): Distribution, diversity and abundance of garden eel leptocephali off west Sumatra, Indonesia. *Zoological Studies*, **50**, 177-191.
- Miller M.J., Yoshinaga T., Aoyama J., Otake T., Mochioka N., Kurogi H., and Tsukamoto K. (2011): Offshore spawning of *Conger myriaster* in the western North Pacific: evidence for convergent migration strategies of anguilliform eels in the Atlantic and Pacific. *Naturwissenschaften*, **98**, 537-543.
- Miyamoto H. and Nishida S. (2011): A new deep-sea benthopelagic chaetognath of the genus *Bathyspadella* (Chaetognatha) with ecological and molecular phylogenetic remarks. *Journal of Natural History*, **45**, 2785-2794.
- Miyamishi H., Nobata S., and Takei Y. (2011): Relative antidiuretic potencies of six natriuretic peptides in eels. *Zoological Science*, **28**, 719-726.
- Nakamura I., Watanabe Y.Y., Papastamatiou Y.P., Sato K., and Meyer C.G. (2011): Yo-yo vertical movements suggest a foraging strategy for tiger sharks *Galeocerdo cuvier*. *Marine Ecology Progress Series*, **424**, 237-246.
- Nakatani M., Miya M., Mabuchi K., Saitoh K., and Nishida M. (2011): Evolutionary history of Otophysi (Teleostei), a major clade of the modern freshwater fishes: Pangaeian origin and Mesozoic radiation. *BMC Evolutionary Biology*, **11**, 177.
- Nobata S., Donald J.A., Balment R.J., and Takei Y. (2011): Potent cardiovascular effects of homologous urotensin II (UII) and UII-related peptide in conscious eels after peripheral and central injections. *American Journal of Physiology*, **300**, R437-R446.
- Nobata S. and Takei Y. (2011): The area postrema in hindbrain is a central player for regulation of drinking behavior in eels, *Anguilla japonica*. *American Journal of Physiology*, **300**, R1569-R1577.
- Okuyama J., Kitagawa T., Zenimoto K., Kimura S., Arai N., Sasai Y., Sasaki H. (2011): Trans-Pacific dispersal of loggerhead turtle hatchlings inferred from numerical simulation modeling. *Marine Biology*, **158**, 2055-2063.
- Sakai M., Aoki K., Sato K., Amano M., Baird R.W., Webster D.L., Schorr G.S., and Miyazaki N. (2011): Swim speed and acceleration measurements of short-finned pilot whales (*Globicephala macrorhynchus*) in Hawai'i. *Mammal Study*, **36**, 55-59.
- Sato K. (2011): Bio-Logging Science. *Zenjin*, **85**, 4-8. (佐藤克文 (2011): バイオロギングサイエンス: 動物目線の動物行動学. 全人, **85**, 4-8.)
- Sato K. (2011): *Could pterosaur fly?* Heibonsha, Tokyo, 279pp. (佐藤克文 (2011): 巨大翼竜は飛べたのか—スケールと行動の動物学. 平凡社新書, 東京, 279pp.)
- Sato K., Shiomi K., Marshall G., Kooyman G.L., and Ponganis P.J. (2011): Stroke rates and diving air volumes of emperor penguins: implications for dive performance. *Journal of Experimental Biology*, **214**, 2854-2863.
- Sawayama S. and Komatsu T. (2011): Collection of ecological data from coral reef habitat mapping of Sekisei Lagoon using satellite imagery. *La Mer*, **49**, 17-29. (澤山周平・小松輝久 (2011): 衛星画像を用いた石西礁湖の底質環境マッピングからの生態情報の抽出. *うみ*, **49**, 17-29.)
- Shinoda A., Aoyama J., Miller M.J., Otake T., Mochioka N., Watanabe S., Minegishi Y., Kuroki M., Yoshinaga T., Yokouchi K., Fukuda N., Sudo R., Hagihara S., Zenimoto K., Suzuki Y., Oya M., Inagaki T., Kimura S., Fukui A., Lee T.W., and Tsukamoto K. (2011): Evaluation of the larval distribution and migration of the Japanese eel in the western North Pacific. *Review of Fish Biology and Fisheries*, **21**, 591-611.
- Shioya I., Inoue K., Abe A., Takeshita A., and Yamaguchi T. (2011): Beneficial effects on meat quality of yellowtail *Seriola quinqueradiata* induced by diets containing red pepper. *Fisheries Science*, **77**, 883-889.

- Sudo R., Suetake H., Suzuki Y., Utoh T., Tanaka S., Aoyama J., and Tsukamoto K. (2011): Dynamics of reproductive hormones during downstream migration in Japanese eel, *Anguilla japonica*. *Zoological Science*, **28**, 180-188.
- Sudo R., Tosaka R., Ijiri S., Adachi S., Suetake H., Suzuki Y., Horie N., Tanaka S., Aoyama J., and Tsukamoto K. (2011): Effect of temperature decrease on oocyte development, sex steroids, and gonadotropin mRNA expression levels in female Japanese eels, *Anguilla japonica*. *Fisheries Science*, **77**, 575-582.
- Suzuki K., Yoshitomi T., Kawaguchi Y., Ichimura M., Edo K., and Otake T. (2011): Migration history of Sakhakin taimen *Hucho perryi* captured in the Sea of Okhotsk, northern Japan, using otolith Sr:Ca ratios. *Fisheries Science*, **77**, 313-320.
- Takei Y. (2011): From aquatic to terrestrial life: Natriuretic peptide family in evolution. *Modern Physician*, **31**, 679-683. (竹井祥郎 (2011): 水生から陸生へ: 生命進化とナトリウム利尿ペプチド. *Modern Physician*, **31**, 679-683.)
- Takei Y., Inoue K., Trajanovska S., and Donald J.A. (2011): B-type natriuretic peptide (BNP), but not ANP, is the basic cardiac natriuretic peptide in vertebrates. *General and Comparative Endocrinology*, **171**, 258-266.
- Takeshima H., Hatanaka A., Yamada S., Yamazaki Y., Kimura I., and Nishida M. (2011): Low genetic differentiation between two geographically separated populations of demersal gadiform fishes in the Southern Hemisphere. *Genes and Genetic Systems*, **86**, 339-349.
- Tomiyama M. and Komatsu T. (2011): Importance of fishers' knowledge in innovating adaptive co-management in sandeel fisheries. *La Mer*, **49**, 133-141.
- Tse K.F.W., Lai K.P., and Takei Y. (2011): Medaka Osmotic stress transcription factor 1b (Ostf1b/TSC22D3-2) triggers hyperosmotic responses of different ion transporters in medaka gill and human embryonic kidney cells via the JNK signaling pathway. *International Journal of Biochemistry and Cell Biology*, **43**, 1764-1775.
- Tsukamoto K., Chow S., Otake T., Kurogi H., Mochioka N., Miller M.J., Aoyama J., Kimura S., Watanabe S., Yoshinaga T., Shinoda A., Kuroki M., Oya M., Watanabe T., Hata K., Ijiri S., Kazeto Y., Nomura K., and Tanaka H. (2011): Oceanic spawning ecology of freshwater eels in the western North Pacific. *Nature Communications*, doi:10.1038/ncomms1174.
- Ventura A., Kusakabe M., and Takei Y. (2011): Salinity-dependent in vitro effects of homologous natriuretic peptides on the pituitary-interrenal axis in eels. *General and Comparative Endocrinology*, **173**, 129-138.
- Watanabe K.K., Hatase H., Kinoshita M., Omuta K., Bando T., Kamezaki N., Sato K., Matsuzawa Y., Goto K., Nakashima Y., Takeshita H., Aoyama J., and Tsukamoto K. (2011): Population structure of the loggerhead turtle *Caretta caretta*, a large marine carnivore that exhibits alternative foraging behaviors. *Marine Ecology Progress Series*, **424**, 273-283.
- Watanabe S., Miller M.J., Aoyama J., and Tsukamoto K. (2011): Analysis of vertebral counts of the tropical anguillids, *Anguilla megastoma*, *A. obscura*, and *A. reinhardtii*, in the western South Pacific in relation to their possible population structure and phylogeny. *Environmental Biology of Fishes*, **91**, 353-360.
- Watanabe S., Iida M., Hagihara S., Endo H., Matsuura K. and Tsukamoto K. (2011) First collection of amphidromous goby post-larvae of *Sicyopterus japonicus* in the ocean off Shikoku, Japan. *Cybium*, **35**, 371-379.
- Watanabe T. and Takei Y. (2011): Environmental factors responsible for switching of the SO₄²⁻ excretory system in the kidney of seawater eels. *American Journal of Physiology*, **301**, R402-R411.
- Watanabe T. and Takei Y. (2011): Molecular physiology and functional morphology of sulfate excretion by the kidney of seawater-adapted eels. *Journal of Experimental Biology*, **214**, 1783-1790.
- Watanabe Y.Y., Sato K., Watanuki Y., Takahashi A., Mitani Y., Amano M., Aoki K., Narazaki T., Iwata T., Minamikawa S., and Miyazaki N. (2011): Scaling of swim speed in breath-hold divers. *Journal of Animal Ecology*, **80**, 57-68.
- Watanabe Y.Y., Takahashi A., Sato K., Viviant M., and Bost C.-A. (2011): Poor flight performance in deep-diving cormorants. *Journal of Experimental Biology*, **214**, 412-421.
- Wong M.K.S. and Takei Y. (2011): Characterization of a native angiotensin from an anciently diverged serine-protease inhibitor in lamprey. *Journal of Endocrinology*, **209**, 127-137.
- Yamamoto T., Takahashi A., Oka N., Iida T., Katsumata N., Sato K., and Trathan P.N. (2011): Foraging areas of streaked shearwaters in relation to seasonal changes in the marine environment of the Northwestern Pacific: inter-colony and sexual differences. *Marine Ecology Progress Series*, **424**, 191-204.
- Yamanoue Y., Miya M., Doi H., Mabuchi K., Sakai H., and Nishida M. (2011): Multiple invasions into freshwater by pufferfishes (Teleostei: Tetraodontidae): a mitogenomic perspective. *PLoS ONE*, **6**, e17410.
- Yokouchi K., Fukuda N., Shirai K., Aoyama J., Daverat F., and Tsukamoto K. (2011): Time lag of the response on the otolith strontium/calcium ratios of Japanese eel, *Anguilla japonica* to changes in strontium/calcium ratios of ambient water. *Environmental Biology of Fishes*, **92**, 469-478.
- Yoshinaga T., Miller M.J., Yokouchi K., Otake T., Kimura S., Aoyama J., Watanabe S., Shinoda A., Oya M., Miyazaki S., Zenimoto K., Sudo R., Takahashi T., Ahn H., Manabe R., Hagihara S., Morioka H., Itakura H., Machida M., Ban K., Shiozaki M., Ai B., and Tsukamoto K. (2011): Genetic identification and morphology of naturally spawned eggs of the Japanese eel *Anguilla japonica* collected in the western North Pacific. *Fisheries Science*, **77**, 983-992.
- Yusof S., Ismail A., Koito T., Kinoshita M., and Inoue K. (2012, published online 2011): Occurrence of two closely related ricefishes, Javanese medaka (*Oryzias javanicus*) and Indian medaka (*O. dancena*) at sites with different salinity in Peninsular Malaysia. *Environmental Biology of Fishes*, **93**, 43-49.

Yuyama I., Watanabe T., and Takei Y. (2011): Profiling differential gene expression of symbiotic and aposymbiotic corals using a high coverage gene expression profiling (HiCEP) analysis. *Marine Biotechnology*, **13**, 32-40.

Living Marine Resources

- Chiba S. and Kawamura T. (2011): Ecosystem services supplied by invertebrate resources.. In *Ecosystem Services of Coastal Waters –Benefits of the Sea and its Sustainable Use*, edited by Shoji J., Hori M., and Yamashita Y., Kouseisyakoukouseikaku, Tokyo, 38-52. (千葉 晋・河村知彦 (2011): 無脊椎動物資源から見た生態系サービス. [浅海域の生態系サービス] (小路 淳・堀 正和・山下 洋 編), 恒星社厚生閣, 東京, 38-52.)
- Hasegawa M. and Saruwatari T. (2011): So different are male and female appearances. Exploring the evolution of sex from male and female differences. *Newton*, **2011**, 125-129. (長谷川眞理子・猿渡敏郎 (2011): こんなに違う雌雄の姿 オスとメスの差から性の進化を探る. *Newton*, **2011**, 125-129.)
- Ikeya T. (2011): A study of phytoplankton dynamics and in situ potential nitrate assimilation in relation to the fine-scale vertical resolution of nitrate concentrations against density profiles of surface waters around the Aleutian Straits in summer. *Kaiyo monthly*, **43**, 742-748. (池谷 透 (2011): アリューシャン海峡付近の夏季の植物プランクトン群集維持と硝酸塩消費見込み. 月刊海洋, **43**, 742-748.)
- Itoh S., Saruwatari T., Nishikawa H., Yasuda I., Komatsu K., Tsuda A., Setou T., and Shimizu M. (2011): Environmental variability and growth histories of larval Japanese sardine (*Sardinops melanostictus*) and Japanese anchovy (*Engraulis japonicus*) near the frontal area of the Kuroshio. *Fisheries Oceanography*, **20**, 114-124.
- Kimura S. (2011): Approach from fisheries oceanography. In *Progresses of the Natural Environmental Studies*, edited by Division of Environmental Studies, The Graduate School of Frontier Sciences, The University of Tokyo, Asakurashoten, Tokyo, 134-143. (木村伸吾 (2011): 水産海洋学のアプローチ. [自然環境学の創る世界] (東京大学大学院新領域創成科学研究科環境学研究系 編), 朝倉書店, 東京, 134-143.)
- Kishida M., Kanaji Y., Xie S., Watanabe Y., Kawamura T., Masuda R., and Yamashita Y. (2011): Ecomorphological dimorphism of juvenile *Trachurus japonicus* in Wakasa Bay, Japan. *Environmental Biology of Fishes*, **90**, 301-315.
- Kitagawa T. (2011): From the view point from studies on living marine resource environments. In *Progresses of the Natural Environmental Studies*, edited by Division of Environmental Studies, The Graduate School of Frontier Sciences, The University of Tokyo, Asakurashoten, Tokyo, 143-151. (北川貴士 (2011): 資源環境研究の視座から. [自然環境学の創る世界] (東京大学大学院新領域創成科学研究科環境学研究系 編), 朝倉書店, 東京, 143-151.)
- Kitagawa T., Nakagawa T., Kimura R., Niino H., and Kimura S. (2011): Vortex flow produced by schooling behavior of arabesque greenling *Pleurogrammus azonus*. *Fisheries Science*, **77**, 217-222.
- Komatsu K., (2011) Introduction to the natural environmental studies. In *Progresses of the Natural Environmental Studies*, edited by Division of Environmental Studies, The Graduate School of Frontier Sciences, The University of Tokyo. Asakura Shoten, Tokyo, 1-18. (小松幸生 (2011): 自然環境学とは何か. [自然環境学の創る世界] (東京大学大学院新領域創成科学研究科環境学研究系編), 朝倉書店, 東京, 1-18.)
- Matsuda N., Shirakihara M., and Shirakihara K. (2011): Effects of dolphin-watching boats on the behavior of Indo-Pacific bottlenose dolphins off Amakusa-Shimoshima Island, Japan. *Nippon Suisan Gakkaishi*, **77**, 8-14. (松田紀子・白木原美紀・白木原国雄 (2011): 天草下島周辺海域に生息するミナミハンドウイルカの行動に及ぼすイルカウォッチング船の影響. 日本水産学会誌, **77**, 8-14.)
- Miyake Y., Kimura S., Kawamura T., Kitagawa T., Takami H., and Takahashi T. (2011): Population connectivity of Ezo abalone on the northern Pacific coast of Japan in relation to harvest refugia establishment: a modeling approach to larval dispersal processes. *Marine Ecology Progress Series*, **440**, 137-150.
- Miyazaki S. Kim H.Y., Zenimoto K., Kitagawa T., Miller M.J., and Kimura S. (2011): Stable isotope analysis of two species of anguilliform leptocephali (*Anguilla japonica* and *Ariosoma major*) relative to their feeding depth in the North Equatorial Current region. *Marine Biology*, **158**, 2555-2564.
- Nishikawa H. and Yasuda I. (2011): Long-term variability of winter mixed layer depth and temperature along the Kuroshio jet in a high-resolution ocean general circulation model. *Journal of Oceanography*, **67**, 503-518.
- Nishikawa H., Yasuda I., and Itoh S. (2011): Impact of winter-to-spring environmental variability along the Kuroshio jet on the recruitment of Japanese sardine (*Sardinops melanostictus*). *Fisheries Oceanography*, **20**, 570-582.
- Okunishi T., Ambe D., Ito S., Kameda T., Setou T., Komatsu K., Kawabata A., Takasuka A., and Kuroda H. (2011): A Numerical modeling study of Japanese sardine (*Sardinops melanostictus*) migration in the western North Pacific. In *Modeling and Analysis of Marine Environmental Problems*, edited by Omori K. et al., Terrapub, Tokyo, 51-56.
- Oohara I., Hoshino K., Takashima Y., Kobayashi T., Saitoh K., Shigenobu Y., Saruwatari T., and Yonezawa J. (2011): Identification of 6 fish species in genus *Cypselurus* by using Site-Specific PCR. *DNA Polymorphism*, **19**, 110-114. (大原一郎・星野浩一・高嶋康晴・小林敬典・斉藤憲治・重信裕弥・猿渡敏郎・米沢純爾 (2011): Site-Specific PCRを用いたハマトビウオ属6種の種判別. DNA多型, **19**, 110-114.)
- Onitsuka T., Kawamura T., Ohashi S. Iwanaga S., and Horii T. (2011): Growth and survival of juvenile abalone *Haliotis diversicolor* fed on brown macroalgal gametophytes, a potential alternative initial diet. *Aquaculture*, **313**, 79-83.

- Saito R., Yamaguchi A., Imai I., Tsuda A., and Yasuda I. (2011): Horizontal distribution of zooplankton community around the Aleutian Islands during the summer of 2009. *Kaiyo monthly*, **43**, 749-755. (齋藤 類・山口 篤・今井一郎・津田 敦・安田一郎 (2011): 2009年夏季のアリューシャン列島周辺海域における動物プランクトン群集の水平分布. 月刊海洋, **43**, 749-755.)
- Shirakihara K. (2011): Management of living marine resources. In *Progresses of the Natural Environmental Studies*, edited by Division of Natural Environmental Studies, edited by Division of Environmental Studies, The Graduate School of Frontier Sciences, The University of Tokyo, Asakurashoten, Tokyo, 124-134. (白木原国雄 (2011): 生物資源管理: 海洋生物資源を対象として. 「自然環境学の創る世界」(東京大学大学院新領域創成科学研究科環境学研究系 編), 朝倉書店, 東京, 124-134.)
- Tanaka Y., Yasuda I., and Kuma K. (2011): Observational Study on water mass structure and mixing to sustain summertime biological productivity along the shelf edge of the south eastern Bering Sea. *Kaiyo monthly*, **43**, 711-717. (田中雄大・安田一郎・久万健志 (2011): ベーリング海陸棚斜面域の高生物生産を支える水塊構造・混合に関する観測的研究. 月刊海洋, **43**, 711-717.)
- Watanabe Y. (2011): Sustainable use of naturally fluctuating living marine resources. *Iden*, **65**, 16-22. (渡邊良朗 (2011): 自然変動する海洋生物資源の持続的利用. 遺産, **65**, 16-22.)
- Watanabe Y. (2011): Global warming and the sea. *Nippon Suisan Gakkaishi*, **77**, 275-276. (渡邊良朗 (2011): 地球温暖化と海. 日本水産学会誌, **77**, 275-276.)
- Won N.-I., Kawamura T., Takami H., Hoshikawa H., and Watanabe Y. (2011): Comparison of abalone (*Haliotis discus hannai*) catches in natural habitats affected by different current systems: implication of climate effects on abalone fishery. *Fisheries Research*, **110**, 84-91.
- Yasuda I. (2011): Review of the symposium "Tidal mixing and physical, chemical and biological processes in the Okhotsk Sea and the Bering Sea". *Kaiyo monthly*, **43**, 756-762. (安田一郎 (2011): 総論: 潮汐混合とオホーツク海・ベーリング海の物理・化学・生物過程. 月刊海洋, **43**, 629-640.)
- Yasue N., Takasuka A., and Shirakihara K. (2011): Interspecific comparisons of growth and diet among late larvae of three co-occurring clupeoid species in the Kii Channel, Japan. *Marine Biology*, **158**, 1709-1720.
- Zenimoto K., Sasai Y., Sasaki H., and Kimura S. (2011): Larval duration of the European eel (*Anguilla anguilla*) and the Japanese eel (*Anguilla japonica*): ambient temperature estimation based on numerical particle-tracking experiments. *Marine Ecology Progress Series*, **438**, 219-228.

Multiple Field Marine Science

- Amemiya M., Terada T., Yokohari M., Otake T., and Yamamoto K. (2011): Enhancing resilience of regional landscape based on the watershed based planning approach. *Visions of our Landscape for Reconstruction*, edited by JILA committee of restoration support for the east Japan earthquake disaster, Marumo Publishing, Tokyo, 110-113. (雨宮 護・寺田 徹・横張 真・大竹二雄・山本幸一(2011): 流域を単位とした地域環境像. 「復興の風景像」(東日本大震災復興支援調査委員会編), マルモ出版, 東京, 110-113.)
- Badarinath K.V.S., Goto D., Shailesh Kumar Kharol, Mahalakshmi D.V., Anu Rani Sharma, Nakajima T., Hashimoto M., and Takemura T. (2011): Influence of natural and anthropogenic emissions on aerosol optical properties over tropical urban site - A study using sky radiometer and satellite data. *Atmospheric Research*, **100**, 111-120.
- Eguchi K., Uno I., Yumimoto K., Takemura T., Nakajima T.Y., Uematsu M., and Liu Z. (2011): Modulation of Cloud Droplets and Radiation over the North Pacific by Sulfate Aerosol Erupted from Mount Kilauea. *SOLA*, **7**, 077-080.
- Endo H. and Michida Y. (2011): Ocean information for safety management at open water swimming events. *Ship & Ocean Newsletter*, **256**, 2-3. (遠藤大哉・道田 豊 (2011): オープンウォータースイミングイベントにおける安全確認のための海洋情報. *Ship & Ocean Newsletter*, **256**, 2-3.)
- Fujita M., Yoneyama K., Mori S., Nasuno T., Satoh M. (2011): Diurnal convection peaks over the eastern Indian Ocean off Sumatra during different MJO phases. *Journal of the Meteorological Society of Japan*, **89A**: MAHASRI special issue, 317-330.
- Furutani H., Jung J., Miura K., Takami A., Kato S., Kajii Y., and Uematsu M. (2011): Single-particle chemical characterization and source apportionment of iron-containing atmospheric aerosols in Asian outflow. *Journal of Geophysical Research*, **116**, D18204.
- Goto D., Nakajima T., Takemura T., and Sudo K. (2011): A study of uncertainties in the sulfate distribution and its radiative forcing associated with sulfur chemistry in a global aerosol model. *Atmospheric Chemistry and Physics*, **11**, 10889-10910.
- Goto D., Schutgens N.A.J., Nakajima T., and Takemura T. (2011): Sensitivity of aerosol to assumed optical properties over Asia using a global aerosol model and AERONET. *Geophysical Research Letters*, **38**, L17810.
- Goto D., Takemura T., Nakajima T., and Badarinath K.V.S. (2011): Global aerosol model-derived black carbon concentration and single scattering albedo over Indian region and its comparison with ground observations. *Atmos Environ*, **45**, 3277-3285.
- Hamada M., Kiryu H., Iwasaki W., and Asai K. (2011): Generalized centroid estimators in bioinformatics. *PLoS ONE*, **6**, e16450.
- Hashizume K., Takahata N., Naraoka H., and Sano Y. (2011): Extreme oxygen isotope anomaly with a solar origin detected in meteoritic organics. *Nature Geoscience*, **4**, 165-168.
- Hosono T., Wang C.-H., Umezawa Y., Nakano T., Onodera S., Nagata T., Yoshimizu C., Tayasu I., and Taniguchi M. (2011): Multiple isotope (H, O, N, S and Sr) approach elucidates complex pollution causes in the shallow groundwaters of the Taipei urban area. *Journal of Hydrology*, **397**, 23-36.

- Hunter K.A., Liss P.S., Surapipith V., Dentener F., Duce R., Kanakidou M., Kubilay N., Mahowald N., Okin G., Sarin M., Uematsu M., and Zhu T. (2011): Impacts of anthropogenic SO_x, NO_x and NH₃ on acidification of coastal waters and shipping lanes. *Geophysical Research Letters*, **38**, L13602.
- Itoh M., Takemon Y., Makabe T., Yoshimizu C., Kohzu A., Ohte N., Tumurskh D., Tayasu I., Yoshida N., and Nagata T. (2011): Evaluation of wastewater nitrogen transformation in a natural wetland (Ulaanbaatar, Mongolia) using dual-isotope analysis of nitrate. *Science of the Total Environment*, **409**, 1530-1538.
- Itoh S. (2011): Studies on water mass variability related to dynamics of ecosystems in the Oyashio/Kuroshio region. *Oceanography in Japan*, **21**, 33-50. (伊藤幸彦 (2011): 海洋生態系に関わる親潮・黒潮海域の水塊と変動に関する研究. 海の研究, **21**, 33-50.)
- Iwamoto Y., Yumimoto K., Toratani M., Tsuda A., Miura K., Uno I., and Uematsu M. (2011): Biogeochemical implications of increased mineral particle concentrations in surface waters of the northwestern North Pacific during an Asian dust event. *Geophysical Research Letters*, **38**, L01604.
- Jung J., Furutani H., and Uematsu M. (2011): Atmospheric inorganic nitrogen in marine aerosol and precipitation and its deposition to the North and South Pacific Oceans. *Journal of Atmospheric Chemistry*, **68**, 157-181.
- Kojima K., Murakami M., Yoshimizu C., Tayasu I., Nagata T., and Furumai H. (2011): Evaluation of surface runoff and road dust as sources of nitrogen using nitrate isotopic composition. *Chemosphere*, **84**, 1716-1722.
- Maki T., Niino H., Nomura T., Hayashi Y., and Yamakawa S. (2011): Encyclopedia of Wind. Maruzen, Tokyo, 276pp. (真木太一・新野 宏・野村卓史・林 陽生・山川修治 (2011): 風の事典, 丸善, 東京, 276pp.)
- Maruo M. and Obata H. (2011): Unique elution behavior of bromide and nitrate in anion-exchange chromatography using aqueous potassium chloride eluent containing cadmium or zinc ion. *Analytical Sciences*, **27**, 949-951.
- Menviel L., Timmermann A., Timm O., Mouchet A., Abe-Ouchi A., Chikamoto M.O., Harada N., Ohgaito R., and Okazaki Y. (2011): Removing the North Pacific halocline: effects on global climate, ocean circulation and the carbon cycle. *Deep-Sea Research II*, **61-64**, 106-113.
- Michida Y. (2011): Future direction of marine information and data management –based on international discussions-. *New Technology in Hydrographic Surveys*, **25**, 53-57. (道田 豊 (2011): 海洋管理の目指すもの ~国際的動向をふまえて~. 水路新技術講演集, **25**, 53-57.)
- Miyazaki Y., Kawamura K., Jung J., Furutani H., and Uematsu M. (2011): Latitudinal distributions of organic nitrogen and organic carbon in marine aerosols over the western North Pacific. *Atmospheric Chemistry and Physics*, **11**, 3037-3049.
- Mochida M., Nishita-Hara C., Furutani H., Miyazaki Y., Jung J., Kawamura K., and Uematsu M. (2011): Hygroscopicity and cloud condensation nucleus activity of marine aerosol particles over the western North Pacific. *Journal of Geophysical Research*, **116**, D06204.
- Nakajima T. (2011): The current status of the World Climate Research Programme (WCRP) and direction of the climate research. *Tenki*, **58**, 810-812. (中島映至 (2011): 世界気候研究計画 (WCRP) の現状と気候研究の方向性. 天気, **58**, 810-812.)
- Nakajima T. (2011): Report on the Open Science Conference of the World Climate Research Programme (WCRP) and some comments on it. *Tenki*, **58**, 1087-1089. (中島映至 (2011): 世界気候研究計画 (WCRP) 公開科学会議の報告と所感. 天気, **58**, 1087-1089.)
- Nakajima T. (2011): Observation of aerosols. In *Introduction to the remote sensing*, edited by The Remote Sensing Society of Japan, Rikoh Tosho, Tokyo, 13-16. (中島映至 (2011): エアロゾルの観測. [基礎からわかるリモートセンシング] (日本リモートセンシング学会編), 理工図書, 東京, 13-16.)
- Nakajima T. (2011): Nuclear power plant accident: Cooperation and the role of scientists in emergent situation. *Kagaku*, **81**, 934-943. (中島映至 (2011): 原発事故: 危機における連携と科学者の役割. 科学, **81**, 934-937.)
- Nishida S., Fortes M.D., and Miyazaki N. (2011): Coastal Marine Science in Southeast Asia, Terrapub, Tokyo, 315pp.
- Nishida S., Miyazaki N., and Fortes M.D. (2011): Background and overview of the JSPS Coastal Marine Science Program. In *Coastal Marine Science in Southeast Asia*, edited by Nishida S., Fortes M.D., and Miyazaki N., Terrapub, Tokyo, 3-10.
- Okin G.S., Baker A.R., Tegen I., Mahowald N.M., Dentener F.J., Duce R.A., Galloway J.N., Hunter K., Kanakidou M., Kubilay N., Prospero J.M., Sarin M., Surapipith V., Uematsu M., and Zhu T. (2011): Impacts of atmospheric nutrient deposition on marine productivity: Roles of nitrogen, phosphorus, and iron. *Global Biogeochemical Cycles*, **25**, GB2022.
- Onitsuka G., Takikawa T., Kobari T., Moku M., Morimoto A., Watanabe A., Yoshikawa Y., and Yanagi T. (2011): Distributions of nutrients and planktons around the cyclonic eddy observed in the eastern area of the Tsushima Islands in November 2007. *Journal of the Marine Meteorological Society*, **87**, 11-19. (鬼塚 剛・滝川哲太郎・小針 統・李 雅利・森本昭彦・渡邊 敦・吉川 裕・柳 哲雄 (2011): 2007年11月に対馬東部海域で観測された低気圧性渦周辺の栄養塩・プランクトン分布. 海と空, **87**, 11-19.)
- Osada K., Ura S., Kagawa M., Mikami M., Tanaka T.Y., Matoba S., Aoki K., Shinoda M., Kurosaki Y., Hayashi M., Shimizu A., and Uematsu M. (2011): Temporal and Spatial Variations of Wet Deposition Flux of Mineral Dust in Japan. *SOLA*, **7**, 049-052.
- Praneenararat T., Takagi T., and Iwasaki W. (2011): Interactive, multiscale navigation of large and complicated biological networks. *Bioinformatics*, **27**, 1121-1127.
- Rupakheti M. and Nakajima T. (2011): Satellite view of particulate pollution in the Hindu. *Sustainable Mountain Development*, **60**, 13-15.

- Sato Y., Hachiya T., and Iwasaki W. (2011): Next-generation sequencing in aquatic biology: the current status and future directions. *Fish Genetics and Breeding Science*, **41**, 17-32. (佐藤行人・八谷剛史・岩崎 渉 (2011): 水圏生物学における次世代シーケンサー活用の現状と応用可能性への展望. *水産育種*, **41**, 17-32.)
- Sato Y., Suzuki K., Iguchi T., Choi I.-J., Kadowaki H., and Nakajima T. (2011): Characteristics of correlation statistics between droplet radius and optical thickness of warm clouds simulated by a three-dimensional regional-scale spectral bin microphysics cloud model. *Journal of the Atmospheric Sciences*, **69**, 484-503.
- Shibano R., Yamanaka Y., Okada N., Chuda T., Suzuki S., Niino H., and Toratani M. (2011): Response of marine ecosystem to typhoon passage in the western subtropical North Pacific. *Geophysical Research Letters*, **38**, L18608.
- Sukigara C., Suga T., Saino T., Toyama K., Yanagimoto D., Hanawa K., and Shikama N. (2011): Biogeochemical evidence of large diapycnal diffusivity associated with the subtropical mode water of the North Pacific. *Journal of Oceanography*, **67**, 77-85.
- Takemura T., Nakamura H., and Nakajima T. (2011): Tracing airborne particles after Japan's nuclear plant explosion. *Eos*, **92**, 45.
- Takemura T., Nakamura H., Takigawa M., Kondo H., Satomura T., Miyasaka T., and Nakajima T. (2011): A numerical simulation of global transport of atmospheric particles emitted from the Fukushima Daiichi Nuclear Power Plant. *SOLA*, **7**, 101-104.
- Takenaka H., Nakajima T.Y., Higurashi A., Higuchi A., Takamura T., Pinker R.T., and Nakajima T. (2011): Estimation of solar radiation using a neural network based on radiative transfer. *Journal of Geophysical Research*, **116**, D08215.
- Takikawa T., Onitsuka G., Fukudome K., Yoon J. H., Morimoto A., Moku M., and Watanabe A. (2011): Spatial and temporal variation of a cyclonic eddy detected downstream of the Tsushima Islands in November 2007. *Estuaries and Coasts*, **34**, 775-784.
- Tanaka K., Komatsu T. Michida Y., and Saitoh S. (2011): A numerical study on the transport of eggs and larvae of *Sergia lucens* in Suruga Bay, Japan. *Fisheries Oceanography*, **20**, 206-218.
- Uematsu M. (2011): Ocean contamination caused by Fukushima Nuclear Power Plant accident. *Kagaku*, **81**, 943-944. (植松光夫 (2011): 「福島原発」による海洋汚染. *科学*, **81**, 943-944.)
- Ura S., Osada K., Kagawa M., Mikami M., Matoba S., Aoki K., Shinoda M., Kurosaki Y., Hayashi M., Shimizu A., and Uematsu M. (2011): Estimation of mineral dust amount using Fe content in water-insoluble residue of atmospheric deposition samples. *Eurozoaru Kenkyu*, **26**, 234-241. (浦 幸帆・長田和雄・香川雅子・三上正男・的場澄人・青木一真・篠田雅人・黒崎泰典・林 政彦・清水 厚・植松光夫 (2011):非水溶性大気沈着物中のFe含有量を用いた 鉱物質ダスト量の推定. *エアロゾル研究*, **26**, 234-241.)