

2014

Climate Science	111
Physical Oceanography	114
Chemical Oceanography	115
Ocean Floor Geoscience	116
Marine Ecosystems Dynamics	118
Marine Bioscience	120
Living Marine Resources	122
Multiple Field Marine Science	122

研究業績 | PUBLICATION LIST 2014

気候システム科学 Climate Science

- Arakane S., Satoh M., and Yanase W. (2014): Excitation of the deep convection to the north of tropical storm Bebinca (2006). *Journal of the Meteorological Society of Japan*, **92**, 141-161.
- Arakawa T., Inoue T., and Satoh M. (2014): Performance Evaluation and Case Study of a Coupling Software ppOpen-MATH/MP. *Procedia Computer Science*, **29**, 924-935.
- Ba J., Keenlyside N., Latif M., Park W., Ding H., Lohmann K., Mignot J., Menary M., Otterå O.H., Wouters B., Salas-Melia D., Oka A., Bellucci A., and Volodin E. (2014): A multi-model comparison for Atlantic multidecadal variability. *Climate Dynamics*, **43**, 2333-2348.
- Berkelhammer M., Sinha A., Mudelsee M., Cheng H., Yoshimura K., and Biswas J. (2014): On the low-frequency component of the ENSO-Indian monsoon relationship: a paired proxy perspective. *Climate of the Past*, **10**, 733-744.
- Campanelli M., Nakajima T., Khatri P., Takamura T., Uchiyama A., Estelles V., Liberti G.L., and Malvestuto V. (2014): Retrieval of characteristic parameters for water vapour transmittance in the development of ground based Sun-Sky radiometric measurements of columnar water vapour. *Atmospheric Measurement Techniques*, **7**, 1075-1087.
- Chang E.-C., Yeh S.-W., Hong S.-Y., Kim J.-E., Wu R., and Yoshimura K. (2014): Study on the changes in the East Asian precipitation in the mid-1990s using a high-resolution global downscaled atmospheric dataset. *Journal Geophysical Research Atmosphere*, **119**, doi:10.1002/2013JD020903.
- Chen G.-H., Takayabu Y.N., and Yokoyama C. (2014): Synoptic-scale dual structure of precipitable water along the eastern Pacific ITCZ. *Journal of Climate*, **27**, 6288-6304.
- Choi I.-J., Iguchi T., Kim S.-W., Nakajima T., and Yoon S.-C. (2014): The Effect of Aerosol Representation on Cloud Microphysical Properties in Northeast Asia. *Meteorology and Atmospheric Physics*, **123**, 181-194.
- Dai T., Goto D., Schutgens N.A.J., Dong X., Shi G., and Nakajima T. (2014): Simulated aerosol key optical properties over global scale using an aerosol transport model coupled with a new type of dynamic core. *Atmospheric Environment*, **82**, 71-82.
- Dai T., Schutgens N.A.J., Goto D., Shi G.-Y., and Nakajima T. (2014): Improvement of aerosol optical properties modeling over Eastern Asia with MODIS AOD assimilation in a global non-hydrostatic icosahedral aerosol transport model. *Environmental Pollution*, **195**, 319-329.
- de Boer B., Dolan A.M., Bernales J., Gasson E., Goelzer H., Golledge N.R., Sutter J., Huybrechts P., Lohmann G., Rogozhina I., Abe-Ouchi A., Saito F., and van de Wal R.S.W. (2014): Simulating the Antarctic ice sheet in the Late-Pliocene warm period: PLISMIP-ANT, an ice-sheet model intercomparison project. *The Cryosphere Discussions*, **8**, 5539-5588.
- Dhaka S.K., Malik V., Shibagaki Y., Hashiguchi H., Fukao S., Shimomai T., Chun H.-Y., and Takahashi M. (2014): Comparison of vertical wavelengths of gravity waves emitted by convection in the UTLS region at Koto Tabang (0.20° S, 100.32° E) and Gadanki (13.5° N, 79.2° E) using radars. *Indian Journal of Radio and Space Physics*, **43**, 24-40.
- Goto D., Dai T., Satoh M., Tomita H., Uchida J., Misawa S., Inoue T., Tsuruta H., Ueda K., Ng C.F.S., Takami A., Sugimoto N., Shimizu A., Ohara T., and Nakajima T. (2014): Application of a global nonhydrostatic model with a stretched-grid system to regional aerosol simulations around Japan. *Geoscientific Model Development Discussion*, **7**, 131-179.
- Hamada A. and Takayabu Y.N. (2014): A removal filter for suspicious extreme rainfall profiles in TRMM PR 2A25 version 7 data. *Journal of Applied Metrology and Climatology*, **53**, 1252-1271.
- Hamada A., Murayama Y., and Takayabu Y.N. (2014): Regional characteristics of extreme rainfall extracted from TRMM PR measurements. *Journal of Climate*, **27**, 8151-8169.
- Hasumi H. (2014): A review on ocean resolution dependence of climate biases in AOGCMs. *CLIVAR Exchanges*, **65**, 7-9.
- Hatono M., Noda K., Kim H.-J., Baimoung S., Yoshimura K., Oki K., and Oki T. (2014): Conversion of surface water coverage to water volume using satellite data. *Hydrological Research Letters*, **8**, 15-19.
- He X., Kim H., Kirstetter P.-E., Yoshimura K., Chang E.-C., Ferguson C.R., Erlingis J.M., Hong Y., and Oki T. (2014): The diurnal cycle of precipitation in regional spectral model simulations over West Africa: sensitivities to resolution and cumulus schemes. *Weather and Forecasting*, **30**, doi:10.1175/WAF-D-14-00013.1.
- Heinemann M., Timmermann A., Elison Timm O., Saito F., and Abe-Ouchi A. (2014): Deglacial ice sheet meltdown: orbital pacing and CO₂ effects. *Climate of the Past*, **10**, 1567-1579.
- Hill D.J., Haywood A.M., Lunt D.J., Hunter S.J., Bragg F.J., Contoux C., Stepanek C., Sohl L., Rosenbloom N.A., Chan W.L., Kamae Y., Zhang Z., Abe-Ouchi A., Chandler M.A., Jost A., Lohmann G., Otto-Bliesner B.L., Ramstein G., and Ueda H. (2014): Evaluating the dominant components of warming in Pliocene climate simulations. *Climate of the Past*, **10**, 79-90.
- Hirota N., Takayabu Y.N., Watanabe M., Kimoto M., and Chikira M. (2014): Role of convective entrainment in spatial distributions of and temporal variations in precipitation over tropical oceans. *Journal of Climate*, **27**, 8707-8723.
- Illingworth A., Barker H., Beljaars A., Ceccaldi M., Chepfer H., Delanoë J., Domenech C., Donovan D., Fukuda S., Hirakata M., Hogan R., Huenerbein A., Kollias P., Kubota T., Nakajima T., Nakajima T., Nishizawa T., Ohno Y., Okamoto H., Oki R., Sato K., Satoh M., Wandinger U., and Wehr T. (2014): The EARTHCARE satellite: the next step forward in global measurements of clouds, aerosols, precipitation and radiation. *Bulletin of the American Meteorological Society*, doi:10.1175/BAMS-D-12-00227.1.
- Imada Y., Shiogama H., Watanabe M., Mori M., Ishii M., and Kimoto M. (2014): The contribution of anthropogenic forcing to the Japanese heat waves of 2013. *Bulletin of the American Meteorological Society*, **95**, S52-S54.
- Kamae Y., Shiogama H., Watanabe M., and Kimoto M. (2014): Attributing the increase in Northern Hemisphere hot summers since the late 20th century. *Geophysical Research Letters*, **41**, 5192-5199.

- Kamae Y., Watanabe M., Shiogama H., and Kimoto M. (2014): Summertime land-sea thermal contrast and atmospheric circulation over East Asia in a warming climate—Part I: Past changes and future projections. *Climate Dynamics*, **43**, 2553-2568.
- Kawasaki T. and Hasumi H. (2014): Effect of freshwater from the West Greenland Current on the winter deep convection in the Labrador Sea. *Ocean Modelling*, **75**, 51-64.
- Kodama C., Iga S., and Satoh M. (2014): Impact of the sea surface temperature rise on storm-track clouds in global non-hydrostatic aqua-planet simulations. *Geophysical Research Letters*, **41**, 3545-3552.
- Kodama C., Terai M., Noda A.T., Yamada Y., Satoh M., Seiki T., Iga S., Yashiro H., Tomita H., and Minami K. (2014): Scalable rank-mapping algorithm for an icosahedral grid system on the massive parallel computer with a 3-D torus network. *Parallel Computing*, **40**, 362-373.
- Kuba N., Hashino T., Satoh M., and Suzuki K. (2014): Relationships between layer-mean radar reflectivity and columnar effective radius of warm cloud: Numerical study using a cloud microphysical bin model. *Journal of Geophysical Research: Atmospheres*, **119**, 3281-3294.
- Kubokawa H., Inoue T., and Satoh M. (2014): Evaluation of the tourism climate index over Japan in a future climate using a statistical downscaling method. *Journal of the Meteorological Society of Japan*, **92**, 37-54.
- Kudo T., Kawamura R., Hirata H., Ichiyanagi K., Tanoue M., and Yoshimura K. (2014): Large-scale vapor transport of remotely evaporated seawater by a Rossby wave response to typhoon forcing during the Baiu/Meiyu season as revealed by the JRA-55 reanalysis. *Journal Geophysical Research Atmosphere*, **119**, doi:10.1002/2014JD021999.
- Kumar V., Dhaka S.K., Reddy K.K., Gupta A., Surendra Prasad S.B., Panwar V., Narendra Singh, Shu-Peng Ho., and Takahashi M. (2014): Impact of quasi-biennial oscillation on the inter-annual variability of the tropopause height and temperature in the tropics: A study using COSMIC/FORMOSAT-3 observations. *Atmospheric Research*, **139**, 62-70.
- Kusahara K. and Hasumi H. (2014): Pathways of basal meltwater from Antarctic ice shelves: a model study. *Journal of Geophysical Research*, **119**, 5690-5704.
- Lee J.-W., Ham S., Hong S.-Y., Yoshimura K., and Joh M. (2014): Future changes in surface runoff over Korea projected by a regional climate model under A1B scenario. *Advances in Meteorology*, **2014**, doi:10.1155/2014/753790.
- Lestari R.K., Watanabe M., Imada Y., Shiogama H., Field R.D., Takemura T., and Kimoto M. (2014): Increasing potential of biomass burning over Sumatra, Indonesia induced by anthropogenic tropical warming. *Environmental Research Letters*, **9**, doi:10.1088/1748-9326/9/10/104010.
- Liu G., Kojima K., Yoshimura K., and Oka A. (2014): Proxy interpretation of coral-recorded seawater $\delta^{18}\text{O}$ using 1D model forced by isotope-incorporated GCM in tropical oceanic regions. *Journal of Geophysical Research Atmosphere*, **119**, doi:10.1002/2014JD021583.
- Liu Z., Yoshimura K., Bowen G.J., Buening N.H., Risi C., Welker J.M., and Yuan F. (2014): Paired oxygen isotope records reveal modern North American atmospheric dynamics during the Holocene. *Nature Communications*, **5**, doi:10.1038/ncomms4701.
- Liu Z., Yoshimura K., Buening N.H., and He X. (2014): Solar cycle modulation of the Pacific North American teleconnection influence on North American winter climate. *Environmental Research Letters*, **9**, doi:10.1088/1748-9326/9/2/024004.
- Ma H.-Y., Xie S., Williams K., Boyle J.S., Bony S., Douville H., Fermepin S., Klein S.A., Medeiros B., Watanabe M., and Williamson D.L. (2014): On the correspondence between mean forecast errors and climate errors in CMIP5 models. *Journal of Climate*, **27**, 1781-1798.
- Minamide M. and Yoshimura K. (2014): Orographic effect on the precipitation with Typhoon Washi in the Mindanao Island of the Philippines. *Scientific Online Letters on the Atmosphere*, **10**, doi:10.2151/sola.2014-014.
- Miyakawa T., Satoh M., Miura H., Tomita H., Yashiro H., Noda A.T., Yamada Y., Kodama C., Kimoto M., Yoneyama K. (2014): Madden-Julian Oscillation prediction skill of a new-generation global model. *Nature Communications*, **5**, doi:10.1038/ncomms4769.
- Miyamoto Y., Satoh M., Tomita H., Oouchi K., Yamada Y., Kodama C., and Kinter J., III (2014): Gradient wind balance in tropical cyclones in high-resolution-global experiments. *Monthly Weather Review*, **142**, 1908-1926.
- Mochizuki T., Kimoto M., Chikamoto Y., Mori M., Watanabe M., and Ishii M. (2014): Error sensitivity to initial climate states in Pacific decadal hindcasts. *SOLA*, **10**, 39-44.
- Mori M., Watanabe M., Shiogama H., Inoue J., and Kimoto M. (2014): Robust Arctic sea-ice influence on the frequent Eurasian cold winters in past decades. *Nature Geoscience*, **7**, 869-873.
- Nakamura K., Aoki S., Yoshimura K., and Kurita N. (2014): Distribution of oxygen isotope ratio of precipitation in the Atlantic? Indian sectors of the Southern Ocean. *Scientific Online Letters on the Atmosphere*, **10**, doi:10.2151/sola.2014-032.
- Nakayama Y., Ohshima K.I., Matsumura Y., Fukamachi Y., and Hasumi H. (2014): A numerical investigation of formation and variability of Antarctic Bottom Water off Cape Darnley, East Antarctica. *Journal of Physical Oceanography*, **44**, 2921-2937.
- Nitta T., Yoshimura K., Takata K., O'ishi R., Sueyoshi T., Kanae S., Oki T., Abe-Ouchi A., and Liston G.E. (2014): Representing variability in subgrid snow cover and snow depth in a global land model: Offline validation. *Journal of Climate*, **27**, 3318-3330.
- Noda A.T. and Satoh M. (2014): Intermodel variances of subtropical stratocumulus environments simulated in CMIP5 models. *Geophysical Research Letters*, **41**, 7754-7761.

- Noda A.T., Nakamura K., Iwasaki T., and Satoh M. (2014): Responses of subtropical marine stratocumulus cloud to perturbed lower atmospheres. *SOLA*, **10**, 34-38.
- Noda A.T., Yamada Y., Kodama C., Seiki T., and Satoh M. (2014): Responses of tropical and subtropical high-cloud statistics to a warmer atmospheric condition. *Journal of Climate*, **27**, 7753-7768.
- Ogura T., Webb M., Watanabe M., Lambert H., Tsushima Y., and Sekiguchi M. (2014): Importance of instantaneous radiative forcing to tropospheric adjustment. *Climate Dynamics*, **43**, 1409-1421.
- Okazaki A., Satoh Y., Tremoy G., Viemux F., Scheepmaker R.A., and Yoshimura K. (2014): Interannual variability of isotopic composition in water vapor over West Africa and its relationship to ENSO. *Atmospheric Chemistry and Physics*, **15**, 3193-3204.
- Oouchi K., Satoh M., Yamada Y., Tomita H., and Sugi M. (2014): A hypothesis and a case-study projection of an influence of MJO modulation on boreal-summer tropical cyclogenesis in a warmer climate with a global non-hydrostatic model: a transition toward the central Pacific? *Frontiers of Earth Science*, **2**, doi:10.3389/feart.2014.00001.
- Ortega P., Swingedouw D., Masson-Delmotte V., Risi C., Vinther B., Yiou P., Vautard R., and Yoshimura K. (2014): Characterizing atmospheric circulation signals in Greenland ice cores: insights from a weather regime approach. *Climate Dynamics*, **43**, 2585-2605.
- Ricaud P., Sić B., El Amraoui L., Attié J.-L., Zbinden R., Huszar P., Szopa S., Parmentier J., Jaidan N., Michou M., Abida R., Carminati F., Hauglustaine D., August T., Warner J., Imasu R., Saitoh N., and Peuch V.-H. (2014): Impact of the Asian monsoon anticyclone on the variability of mid-to-upper tropospheric methane above the Mediterranean Basin. *Atmospheric Chemistry and Physics*, **14**, 11427-11446.
- Roh W. and Satoh M. (2014): Evaluation of precipitating hydrometeor parameterizations in a single-moment bulk microphysics scheme for deep convective systems over tropical central Pacific. *Journal of the Atmospheric Sciences*, **71**, 2654-2673.
- Sato K., Inoue J., and Watanabe M. (2014): Influence of the Gulf Stream on the Barents Sea ice retreat and Eurasian coldness during early winter. *Environmental Research Letters*, **9**, doi:10.1088/1748-9326/9/8/084009.
- Satoh M. (2014): *Atmospheric Circulation Dynamics and General Circulation Models*. 2nd edition. Springer-PRAXIS, Japan, 757pp.
- Satoh M., Tomita H., Yashiro H., Miura H., Kodama C., Seiki T., Noda A.T., Yamada Y., Goto D., Sawada M., Miyoshi T., Niwa Y., Hara M., Ohno Y., Iga S., Arakawa T., Inoue T., and Kubokawa H. (2014): The Non-hydrostatic Icosahedral Atmospheric Model: description and development. *Progress in Earth and Planetary Science*, **1**, doi:10.1186/s40645-014-0018-1.
- Seiki T. and Nakajima T. (2014): Aerosol Effects of the Condensation Process on a Convective Cloud Simulation. *Journal of the Atmospheric Sciences*, **71**, 833-853.
- Seiki T., Satoh M., Tomita H., and Nakajima T. (2014): Simultaneous evaluation of ice cloud microphysics and non-sphericity of the cloud optical properties using hydrometeor video sonde and radiometer sonde in-situ observations. *Journal of Geophysical Research: Atmospheres*, **119**, 6681-6701.
- Shiogama H., Watanabe M., Imada Y., Mori M., Kamae Y., Ishii M., and Kimoto M. (2014): Attribution of the June-July 2013 heat wave in the southwestern United States. *SOLA*, **10**, 122-126.
- Sutanto S.J., Hoffmann G., Scheepmaker R.A., Worden J., Houweling S., Yoshimura K., Aben I., and Röckmann T. (2014): Global-scale remote sensing of water isotopologues in the troposphere: representation of first-order isotope effects. *Atmospheric Measurement Techniques*, **8**, doi:10.5194/amt-8-999-2015.
- Tatebe H., Kurogi M., and Hasumi H. (2014): MIROC5 with a nested ocean component focused on the western North Pacific. *CLIVAR Exchanges*, **65**, 49-52.
- Timmermann A., Friedrich T., Timm O.E., Chikamoto M.O., Abe-Ouchi A., and Ganopolski A. (2014): Modeling obliquity and CO₂ effects on Southern Hemisphere climate during the past 408 ka. *Journal of Climate*, **27**, 1863-1875.
- Tsuruta H., Oura Y., Ebihara M., Ohara T., and Nakajima T. (2014): First retrieval of hourly atmospheric radionuclides just after the Fukushima accident by analyzing filter-tapes of operational air pollution monitoring stations. *Scientific Reports*, **4**, doi:10.1038/srep06717.
- Tsushima Y., Iga S., Tomita H., Satoh M., Noda A.T., and Webb M. (2014): High cloud increase in a perturbed SST experiment with a global nonhydrostatic model including explicit convective processes. *Journal of Advances in Modeling Earth Systems*, **6**, 571-585.
- Urakawa L.S. and Hasumi H. (2014): Effect of numerical diffusion on the water mass transformation in eddy-resolving models. *Ocean Modelling*, **74**, 22-35.
- Watanabe M., Kamae Y., and Kimoto M. (2014): Robust increase of the equatorial Pacific rainfall and its variability in a warmed climate. *Geophysical Research Letters*, **41**, 3227-3232.
- Watanabe M., Shiogama H., Tatebe H., Hayashi M., Ishii M., and Kimoto M. (2014): Contribution of natural decadal variability to global-warming acceleration and hiatus. *Nature Climate Change*, **4**, 893-897.
- Wei Z., Okazaki A., Maeda H., Satoh Y., Kiguchi M., Noda K., Koike M., Kim W., Liu Z., and Yoshimura K. (2014): Investigating vegetation-atmosphere water exchange by using high frequency spectroscopy vapor isotope observations. *Journal of Japan Society of Civil Engineers, Ser. B1 (Hydraulic Engineering)*, **58**, 181-186.
- Xu C., Sano M., Yoshimura K., and Nakatsuka T. (2014): Oxygen isotopes as a valuable tool for measuring annual growth in tropical trees that lack distinct annual rings. *Geochemical Journal*, **48**, 371-378.

- Yamamoto A., Yamanaka Y., Oka A., and Abe-Ouchi A. (2014): Ocean oxygen depletion due to decomposition of submarine methane hydrate. *Geophysical Research Letter*, **41**, 5075-5083.
- Yasunaka S. and Kimoto M. (2014): Upper ocean temperature warming pattern in the past 50 years. *Journal of Oceanography*, **69**, 87-95.
- Yokohata T., Annan J.D., Collins M., Jackson C.S., Shiogama H., Watanabe M., Emori S., Yoshimori M., Abe M., Webb J., and Hargreaves J.C. (2014): Reliability and importance of structural diversity of climate model ensembles. *Climate Dynamics*, **41**, 2745-2763.
- Yokoyama C., Takayabu Y.N., and Kanada S. (2014): A contrast in precipitation characteristics across the Baiu front near Japan: Part I. TRMM PR observation. *Journal of Climate*, **27**, 5872-5890.
- Yoshimori M., Abe-Ouchi A., Watanabe M., Oka A., and Ogura T. (2014): Robust seasonality of Arctic warming processes in two different versions of the MIROC GCM. *Journal of Climate*, **27**, 6358-6375.
- Yoshimori M., Watanabe M., Abe-Ouchi A., Shiogama H., and Ogura T. (2014): Relative contribution of feedback processes to Arctic amplification of temperature change in MIROC GCM. *Climate Dynamics*, **42**, 1613-1630.
- Yoshimura K., Miyoshi T., and Kanamitsu M. (2014): Observation system simulation experiments using water vapor isotope information. *Journal Geophysical Research Atmosphere*, **119**, doi:10.1002/2014JD021662.
- 阿部彩子・他複数名 (2014): 長い時間スケールの気候変化。「地球温暖化—そのメカニズムと不確実性—」(日本気象学会地球環境問題委員会 編), 朝倉書店, 東京, 132-149.
- 木本昌秀 (2014): 温暖化は止まった?。「地球温暖化—そのメカニズムと不確実性—」(日本気象学会地球環境問題委員会 編), 朝倉書店, 東京, 60-61
- 齋藤尚子・今須良一 (2014): 温室効果気体の衛星観測からわかること。「気候変動研究の最前線」(地球気候環境研究の連携に関する大学附置研究センター協議会 編), 東京大学大気海洋研究所, 柏, 104-114.
- 佐藤正樹 (2014): 「地球の未来」を探る研究。「気候変動研究の最前線」(地球気候環境研究の連携に関する大学附置研究センター協議会 編), 東京大学大気海洋研究所, 柏, 244-250.
- 佐藤正樹 (2014): 高解像度雲モデリング。「地球温暖化—そのメカニズムと不確実性—」(日本気象学会地球環境問題委員会 編), 朝倉書店, 東京, 79-80.
- 染谷 有・今須良一・太田芳文・齋藤尚子 (2014): TANSO-FTS/GOSAT による熱赤外スペクトルデータを用いた南極域における極成層圏雲の観測。日本リモートセンシング学会誌, **34**, 293-305.
- 高藪緑・他複数名 (2014): 日本周辺の気候の変化。「地球温暖化—そのメカニズムと不確実性—」(日本気象学会地球環境問題委員会 編), 朝倉書店, 東京, 82-94
- 中島映至・他複数名 (2014): 温室効果と放射強制力。「地球温暖化—そのメカニズムと不確実性—」(日本気象学会地球環境問題委員会 編), 朝倉書店, 東京, 18-36
- 渡部雅浩・江守正多 (2014): 予測とその不確実性。「地球温暖化—そのメカニズムと不確実性—」(日本気象学会地球環境問題委員会 編), 朝倉書店, 東京, 49-61.

海洋物理 Physical Oceanography

- Iga K., Yokota S., Watanabe S., Ikeda T., Niino H., and Misawa N. (2014): Various phenomena on a water vortex in a cylindrical tank over a rotating bottom. *Fluid Dynamics Research*, **46**, doi:10.1088/0169-5983/46/3/031409.
- Ito J., and Niino H. (2014): Particle image velocimetry of a dust devil observed in a desert. *SOLA*, **10**, 108-111.
- Ito J., Niino H., and Nakanishi M. (2014): Horizontal turbulent diffusion in a convective mixed layer. *Journal of Fluid Mechanics*, **758**, 553-564.
- Itoh S., Tanaka Y., Osafune S., Yasuda I., Yagi M., Kaneko H., Konda S., Nishioka J., and Volkov Y.N. (2014): Direct breaking of large-amplitude internal waves in the Urup Strait. *Progress in Oceanography*, **126**, 109-120.
- Itoh S., Yasuda I., Ueno H., Suga T., and Kakehi S. (2014): Regeneration of a warm anticyclonic ring by cold water masses within the western subarctic gyre of the North Pacific. *Journal of Oceanography*, **70**, 211-223.
- Iwasaka N., Kobashi F., Uehara K., Oka E., Konda M., Murayama T., Tanimoto Y., Kutsuwada K., Kubota M., and Suzuki K. (2014): A comprehensive, simultaneous ocean and atmosphere observation north of the Kuroshio Extension in autumn 2009. *Umi to Sora*, **89**, 99-114.
- Michida Y. (2014): Sea level measurements in polar regions -a review of studies by the late professor Nagata and his colleagues-. *Proceedings of the 29th International Symposium on Okhotsk Sea & Sea Ice*, 171-173.
- Nakanishi M., Shibuya R., Ito J., and Niino H. (2014): Large-eddy simulation of a residual layer: Low-level jet, convective rolls, and Kelvin-Helmholtz instability. *Journal of the Atmospheric Science*, **71**, 4473-4491.
- Nishioka J., Mitsudera H., Yasuda I., Liu H., Nakatsuka T., and Volkov Y.N. (2014): Biogeochemical and physical processes in the Sea of Okhotsk and the linkage to the Pacific Ocean. *Progress in Oceanography*, **126**, 1-7.
- Oka E., Uehara K., Nakano T., Suga T., Yanagimoto D., Kouketsu S., Itoh S., Katsura S., and Talley L.D. (2014): Synoptic observation of Central Mode Water in its formation region in spring 2003. *Journal of Oceanography*, **70**, 521-534.
- Saito R., Yamaguchi A., Yasuda I., Ishiyama H., Ueno H., Onishi H., and Imai I. (2014): Influence of mesoscale anticyclonic eddies on the zooplankton community south of western Aleutian Islands during the summer of 2010. *Journal of Plankton Research*, **36**, 117-128.
- Sohrin R., Imanishi K., Suzuki Y., Kuma K., Yasuda I., Suzuki K., and Nakatsuka T. (2014): Distributions of dissolved organic carbon and nitrogen in the western Okhotsk Sea and their effluxes to the North Pacific. *Progress in Oceanography*, **126**, 168-179.

- Tanaka K. (2014): Formation of bottom water and its variability in the northwestern part of the Sea of Japan. *Journal of Geophysical Research*, **119**, 2081-2094.
- Tanaka Y., Yasuda I., Osafune S., Tanaka T., Nishioka J., and Volkov Y.N. (2014): Internal tides and turbulent mixing observed in the Bussol Strait. *Progress in Oceanography*, **126**, 98-108.
- Turnewitsch R., Falahat S., Stehlikova J., Oguri K., Glud R.N., Middleboe M., Kitazato H., Wenzhöfer F., Ando K., Fujio S., and Yanagimoto D. (2014): Recent sediment dynamics in hadal trenches: Evidence for the influence of higher-frequency (tidal, near-inertial) fluid dynamics. *Deep-Sea Research I*, **90**, 125-138.
- Watanabe S.I. and Niino H. (2014): Genesis and development mechanisms of a polar mesocyclone over the Japan Sea. *Monthly Weather Review*, **142**, 2248-2270.
- Yagi M., Yasuda I., Tanaka T., Tanaka Y., Ono K., Ohshima K.I., and Katsumata K. (2014): Re-evaluation of turbulent mixing vertical structure in the Bussol' Strait and its impact on water-masses in the Okhotsk Sea and the North Pacific. *Progress in Oceanography*, **126**, 121-134.
- Yanase W., Niino H., Hodges K., and Kitabatake N. (2014): Parameter spaces of environmental fields responsible for cyclone development from tropics to extratropics. *Journal of Climate*, **27**, 652-671.
- 筧 茂穂・伊藤進一・和川 拓 (2014): 仙台湾におけるセイシュの特性および発生機構に関する研究. 土木学会論文集B2(海岸工学), **70**, I_456-I_460.
- 小松幸生・田中 潔 (2014): 大稲湾における風・波浪のリアルタイムモニタリング. 九州大学応用力学研究所所報, **146**, 87-97.
- 長船哲史・安田一郎 (2014): 潮汐18.6年周期変動・黒潮流路変動と関連する日本南岸域の栄養塩変動. 沿岸海洋研究, **52**, 67-73.
- 安田一郎(2014): 黒潮とマイワシの変動. 「水産海洋学入門」(水産海洋学会 編), 講談社, 東京, 103-108.
- 安田一郎・友定彰(2014): 日本周辺海域の温暖化の特徴. 第37回相模湾の環境保全と水産振興シンポジウム—日本周辺海域の温暖化と相模湾における生物相の変動との関わり—, 水産海洋研究, **78**, 205-208.

海洋化学 Chemical Oceanography

- Boyle E.A., Lee J-M., Echevoyen Y., Noble A., Moos S., Carrasco G., Zhao N., Kayser R., Zhang J., Gamo T., Obata H., and Norisue K. (2014): Anthropogenic lead emissions in the ocean: the evolving global experiment. *Oceanography*, **27**, 69-75.
- Echevoyen Y., Boyle E.A., Lee J.M., Gamo T., Obata H., and Norisue K. (2014): Recent distribution of lead in the Indian Ocean reflects the impact of regional emissions. *Proceedings of the National Academy of Sciences of the United States of America*, **111**, 15328-15331.
- Gamo T. (2014): Excess ²²²Rn in the bottom layer of the Japan Sea and their implication for bottom water dynamics. *Progress in Oceanography*, **121**, 94-97.
- Gamo T., Nakayama N., Takahata N., Sano Y., Zhang J., Yamazaki E., Taniyasu S., and Yamashita N. (2014): The Sea of Japan and its unique chemistry revealed by time-series observations over the last 30 years. *Monographs on Environment, Earth and Planets*, **2**, 1-22.
- Hashihama F., Kanda J., Maeda Y., Ogawa H., and Furuya K. (2014): Selective depressions of surface silicic acid within cyclonic mesoscale eddies in the oligotrophic western North Pacific. *Deep-Sea Research I*, **90**, 115-124.
- Hasumi Y. and Nagata T. (2014): Modelling the global cycle of marine dissolved organic matter and its influence on marine productivity. *Ecological Modelling*, **288**, 9-24.
- Kawagucci S., Narita T., Obata H., Ogawa H., and Gamo T. (2014): Molecular hydrogen and carbon monoxide in seawater in an area adjacent to Kuroshio and Honshu Island in Japan. *Marine Chemistry*, **164**, 75-83.
- Koike M., Ota Y., Sano Y., Takahata N., and Sugiura N. (2014): High-spatial resolution U-Pb dating of phosphate minerals in Martian meteorite Allan Hills 84001. *Geochemical Journal*, **48**, 423-431.
- Kwon B.G., Saido K., Koizumi K., Sato H., Ogawa N., Chung S-Y., Kusui T., Koderia Y., and Kogure K. (2014): Regional distribution of styrene analogues generated from polystyrene degradation along the coastlines of the North-East Pacific Ocean and Hawaii. *Environmental Pollution*, **188**, 45-49.
- Maki K., Ohkouchi N., Chikaraishi Y., Fukuda H., Miyajima T., and Nagata T. (2014): Influence of nitrogen substrates and substrate C:N ratios on the nitrogen isotopic composition of amino acids from the marine bacterium *Vibrio harveyi*. *Geochimica et Cosmochimica Acta*, **140**, 521-530.
- Okada Y., Sawaki Y., Komiya T., Hirata T., Takahata N., Sano Y., Han J., and Maruyama S. (2014): New chronological constraints for Cryogenian to Cambrian rocks in the Three Gorges, Weng'an and Chengjiang areas, South China. *Gondwana Research*, **25**, 1027-1044.
- Sano Y., Hara T., Takahata N., Kawagucci S., Honda M., Nishio Y., Tanikawa W., Hasegawa A., and Hattori K. (2014): Helium anomalies suggest a fluid pathway from mantle to trench during the 2011 Tohoku-Oki earthquake. *Nature Communications*, **5**, doi:10.1038/ncomms4084.
- Sano Y., Takada M., Takahata N., Fujiya W., and Sugiura N. (2014): Ion microprobe Al-Mg dating of single plagioclase grains in an Efremovka chondrule. *Geochemical Journal*, **48**, 133-144.
- Sano Y., Toyoshima K., Ishida A., Shirai K., Takahata N., Sato T., and Komiya T. (2014): Ion microprobe U-Pb dating and Sr isotope measurement of a protoconodont. *Journal of Asian Earth Sciences*, **92**, 10-17.
- Suzuki A., Obata H., Okubo A., and Gamo T. (2014): Precise determination of dissolved platinum in seawater of the Japan Sea, the Sea of Okhotsk and the western North Pacific. *Marine Chemistry*, **166**, 114-121.

- Tanaka K., Kuma K., Hamasaki K., and Yamashita Y. (2014): Accumulation of humic-like fluorescent dissolved organic matter in the Japan Sea. *Scientific Reports*, **4**, doi:10.1038/srep05292.
- Tazoe H., Yamagata T., Sakuma Y., Watanabe R., Matsumura T., Obata H., and Nagai H. (2014): Determination of picomolar beryllium levels in seawater with inductively coupled plasma mass spectrometry following silica-gel preconcentration. *Analytica Chimica Acta*, **852**, 74-81.
- Yang Y., Yokokawa T., Motegi C., and Nagata T. (2014): Large-scale distribution of viruses in deep waters of the Pacific and Southern Oceans. *Aquatic Microbial Ecology*, **71**, 193-202.
- Yoshimura T., Nishioka J., Ogawa H., Kuma K., Saito H., and Tsuda A. (2014): Dissolved organic phosphorus production and decomposition during open ocean diatom blooms in the subarctic Pacific. *Marine Chemistry*, **165**, 46-54.
- Yui T.-F., Usuki T., Chen C.-Y., Ishida A., Sano Y., Suga K., Iizuka Y., and Che C.-T. (2014): Dating thin zircon rims by NanoSIMS: the Fengtien nephrite (Taiwan) is the youngest jade on Earth. *International Geological Reviews*, **56**, 1932-1944.
- 蒲生俊敬 (2014): 総論: GEOTRACES計画の進捗と新たな展開. 月刊海洋号外, **55**, 5-11.
- 蒲生俊敬 (編・著) (2014): 海洋地球化学. 講談社, 東京, 262pp.
- 中山典子 (2014): 海水中の酸化的環境下における微量硫化水素とナノ粒子態金属硫化物. 月刊海洋号外, **?**, 169-182.
- 小畑 元 (2014): 海水とその化学組成. 「海洋地球化学」(蒲生俊敬 編), 講談社, 東京, 31-52.
- 高畑直人・川口慎介・ルーローエミリ・佐野有司 (2014): 海底熱水活動とヘリウム同位体. 月刊海洋号外, **55**, 34-44.

海洋底科学 Ocean Floor Geoscience

- Ashi J., Sawada R., Omura A., and Ikehara K. (2014): Accumulation of an earthquake-induced extremely turbid layer in a terminal basin of the Nankai accretionary prism. *Earth, Planets and Space*, **66**, doi:10.1186/1880-5981-66-51.
- Driscoll R., Elliot M., Russon T., Welsh K., Yokoyama Y., and Tudhope A. (2014): ENSO reconstructions over the past 60 ka using giant clams (*Tridacna* sp.) from Papua New Guinea. *Geophysical Research Letters*, **41**, 6819-6825.
- Felis T., McGregor H.V., Linsley B.K., Tudhope A.W., Gagan M.K., Suzuki A., Inoue M., Thomas A.L., Esat T.M., Thompson W.G., Tiwari M., Potts D.D., Mudelsee M., Yokoyama Y., and Webster J.M. (2014): Intensification of the meridional temperature gradient in the Great Barrier Reef following the Last Glacial Maximum. *Nature Communications*, **5**, doi:10.1038/ncomms5102.
- Fukuchi R., Fujimoto K., Kameda J., Hamahashi M., Yamaguchi A., Kimura G., Hamada Y., Hashimoto Y., Kitamura Y., and Saito S. (2014): Changes in illite crystallinity within an ancient tectonic boundary thrust caused by thermal, mechanical, and hydrothermal effects: an example from the Nobeoka Thrust, southwest Japan. *Earth, Planets and Space*, **66**, doi:10.1186/1880-5981-66-116.
- Ijiri A., Yamane M., Ikehara M., Yokoyama Y., and Okazaki Y. (2014): Online oxygen isotope analysis of sub-milligram quantities of biogenic opal using the iHTR method coupled with continuous-flow IRMS. *Journal of Quaternary Science*, **29**, 455-462.
- Ikehara K., Irino T., Usami K., Jenkins R., Omura A., and Ashi J. (2014): Possible submarine tsunami deposits on the outer shelf of Sendai Bay, Japan resulting from the 2011 earthquake and tsunami off the Pacific coast of Tohoku. *Marine Geology*, **358**, 120-127.
- Inoue M., Ishikawa D., Miyaji T., Yamazaki A., Suzuki A., Yamano H., Kawahata H., and Watanabe T. (2014): Evaluation of Mn and Fe in coral skeletons (*Porites* spp.) as proxies for sediment loading and reconstruction of 50 yrs of land use on Ishigaki Island, Japan. *Coral Reefs*, **33**, 363-373.
- Jaraula C.M.B., Siringan F.P., Klingel R., Sato H., and Yokoyama Y. (2014): Records and causes of Holocene salinity shifts in Laguna de Bay, Philippines. *Quaternary International*, **349**, 207-220.
- Kameda J., Kawabata K., Hamada Y., Yamaguchi A., and Kimura G. (2014): Quartz deposition and its influence on the deformation process of megathrusts in subduction zones. *Earth, Planets and Space*, **66**, doi:10.1186/1880-5981-66-13.
- Kameda J., Kouketsu Y., Shimizu M., Yamaguchi A., Hamada Y., Hamahashi M., Koge H., Fukuchi R., Ikeda M., Kogure T., and Kimura G. (2014): The influence of organic-rich shear zones on pelagic sediment deformation and seismogenesis in a subduction zone. *Journal of Mineralogical and Petrological Sciences*, **109**, 228-238.
- Kawahata H., Yamashita S., Yamaoka K., Okai T., Shimoda G., and Imai N. (2014): Heavy metal pollution in Ancient Nara, Japan, during the eighth century. *Progress in Earth and Planetary Science*, **1**, 1-15.
- Kawakubo Y., Yokoyama Y., Suzuki A., Okai T., Alibert C., Kinsley L., and Eggins S. (2014): Precise determination of Sr/Ca by laser ablation ICP-MS compared to ICP-AES and application to multi-century temperate corals. *Geochemical Journal*, **48**, 145-152.
- Kimura G., Hashimoto Y., Kitamura Y., Yamaguchi A., and Koge H. (2014): Middle Miocene swift migration of the TTT triple junction and rapid crustal growth in southwest Japan: A review. *Tectonics*, **33**, 1219-1238.
- Kitamura A., Tamaki C., Miyairi Y., and Yokoyama Y. (2014): Paleoenvironmental studies of fossils of marine sessile organisms in the brackish water mass of a submarine cave. *Journal of Cave and Karst Studies*, **76**, 164-172.
- Koge H., Fujiwara T., Kodaira S., Sasaki T., Kameda J., Kitamura Y., Hamahashi M., Fukuchi R., Yamaguchi A., Hamada Y., Ashi J., and Kimura G. (2014): Friction properties of the plate boundary megathrust beneath the frontal wedge near the Japan Trench: an inference from topographic variation. *Earth, Planets and Space*, **66**, doi:10.1186/s40623-014-0153-3.

- Kubota K., Yokoyama Y., Ishikawa T., Obrochta S.P., Suzuki A. (2014): Larger CO₂ source at the equatorial Pacific during the last deglaciation. *Nature Scientific Reports*, **4**, 5261.
- Lin D.-C., Chen M.-T., Yamamoto M., and Yokoyama Y. (2014): Millennial-scale alkenone sea surface temperature changes in the northern South China Sea during the past 45,000 years (MD972146). *Quaternary International*, **333**, 207-215.
- Nakamura A., Yokoyama Y., Sekine Y., Goto K., Komatsu G., Kumar P.S., Matsuzaki H., Kaneoka I., Matsui T. (2014): Formation and geomorphologic history of the Lonar impact crater deduced from in situ cosmogenic ¹⁰Be and ²⁶Al. *Geochemistry, Geophysics, Geosystems*, **15**, 3190-3197.
- Nakamura A., Yokoyama Y., Shiroya K., Miyairi Y., Matsuzaki H. (2014): Direct comparison of site-specific and basin-scale erosion rate estimation by in-situ cosmogenic nuclides: an example from the Abukuma Mountains, Japan. *Progress in Earth and Planetary Science*, **1**, 1-9.
- Obrochta S.P., Crowley T.J., Channell J.E.T., Hodell D.A., Baker P.A., Seki A., and Yokoyama Y. (2014): Climate variability and ice-sheet dynamics during the last three glaciations. *Earth and Planetary Science Letters*, **406**, 198-212.
- Obrochta S.P., Yokoyama Y., Morén J., and Crowley T.J. (2014): Conversion of GISP2-based sediment core age models to the GICC05 extended chronology. *Quaternary Geochronology*, **20**, 1-7.
- Ohki S., Irie T., Inoue M., Shinmen K., Kawahata H., Nakamura T., Kato A., Nojiri Y., Suzuki A., Sakai K., and van Woesik R. (2014): Calcification responses of symbiotic and aposymbiotic corals to near-future levels of ocean acidification. *Biogeosciences*, **10**, 1-8.
- Oiwane H., Ikehara M., Suganuma Y., Miura H., Nakamura Y., Sato T., Nogi Y., Yamane M., and Yokoyama Y. (2014): Sediment waves on the Conrad Rise, Southern Indian Ocean: implications for the migration history of the Antarctic Circumpolar Current. *Marine Geology*, **348**, 27-36.
- Park J.-O., Naruse H., and Bangs N.L. (2014): Along-strike variations in the Nankai shallow décollement properties and their implications for tsunami earthquake generation. *Geophysical Research Letters*, **41**, 7057-7064.
- Raimbourg H., Augier R., Famin V., Gadenne L., Palazzin G., Yamaguchi A., and Kimura G. (2014): Long-term evolution of an accretionary prism: the case study of the Shimanto Belt, Kyushu, Japan. *Tectonics*, **33**, 936-959.
- Sasaki T., Yamazaki T., and Ishizuka O. (2014): A revised spreading model of the West Philippine Basin. *Earth, Planets and Space*, **66**, doi:10.1186/1880-5981-66-83.
- Schlolaut G., Brauer A., Marshall M.H., Nakagawa T., Staff R.A., Bronk Ramsey C., Lamb H.F., Bryant C.L., Naumann R., Dulski P., Brock F., Yokoyama Y., Tada R., and Haraguchi T. (2014): Event layers in the Japanese Lake Suigetsu 'SG06' sediment core: description, interpretation and climatic implications. *Quaternary Science Review*, **83**, 157-170.
- Shimono T., Yamazaki T., and Inoue S. (2014): Influence of sampling on magnetic susceptibility anisotropy of soft sediments: comparison of gravity and piston cores. *Earth, Planets and Space*, **66**, doi:10.1186/1880-5981-66-3.
- Takeshita T., Yamaguchi A., and Shigematsu N. (2014): Stress reversal recorded in calcite vein cuttings from the Nankai accretionary prism, southwest Japan. *Earth, Planets and Space*, **66**, doi:10.1186/s40623-014-0144-4.
- Takeuchi N., Fujita K., Aizen V.B., Narama C., Yokoyama Y., Okamoto S., Naoki K., and Kubota J. (2014): The disappearance of glaciers in the Tien Shan Mountains in Central Asia at the end of Pleistocene. *Quaternary Science Reviews*, **103**, 26-33.
- Tamenori Y., Yoshimura T., Nguyen T.L., Hasegawa H., Suzuki A., Kawahata H., and Iwasaki N. (2014): Identification of the chemical form of sulfur compounds in the Japanese pink coral (*Corallium elatius*) skeleton using μ -XRF/XAS speciation mapping. *Journal of Structural Biology*, **186**, 214-223.
- Toki T., Higa R., Ijiri A., Tsunogai U., and Ashi J. (2014): Origin and transport of pore fluids in the Nankai accretionary prism inferred from chemical and isotopic compositions of pore water at cold seep sites off Kumano. *Earth, Planets and Space*, **66**, doi:10.1186/s40623-014-0137-3.
- Tsuji T., Ashi J., and Ikeda Y. (2014): Strike-slip motion of a mega-splay fault system in the Nankai oblique subduction zone. *Earth, Planets and Space*, **66**, doi:10.1186/1880-5981-66-120.
- Veloso E.E., Hayman N.W., Anma R., Tominaga M., González R.T., Yamazaki T., and Astudillo N. (2014): Magma flow directions in the sheeted dike complex at superfast spreading mid-ocean ridges: Insights from IODP Hole 1256D, Eastern Pacific. *Geochemistry, Geophysics, Geosystems*, **15**, 1283-1295.
- Yamaguchi A., Ishikawa T., Kato Y., Nozaki T., Meneghini F., Rowe C.D., Moore J.C., Tsutsumi A., and Kimura G. (2014): Fluid-rock interaction recorded in black fault rocks in the Kodiak accretionary complex, Alaska. *Earth, Planets and Space*, **66**, doi:10.1186/1880-5981-66-58.
- Yamane M., Yokoyama Y., Miyairi Y., Suga H., Matsuzaki H., Dunbar R.B., and Ohkouchi N. (2014): Compound-specific ¹⁴C dating of IODP Expedition 318 core U1357A obtained off the Wilkes Land coast, Antarctica. *Radiocarbon*, **56**, 1009-1017.
- Yamazaki T. and Yamamoto Y. (2014): Paleointensity of the geomagnetic field in the Late Cretaceous and earliest Paleogene obtained from drill cores of the Louisville seamount trail. *Geochemistry, Geophysics, Geosystems*, **15**, 2454-2466.
- Yoshimura T., Suzuki A., Tamenori Y., and Kawahata H. (2014): Micro-X-ray fluorescence-based comparison of skeletal structure and P, Mg, Sr, O and Fe in a fossil of the cold-water coral *Desmophyllum* sp., NW Pacific. *Geo-Marine Letters*, **34**, 1-9.
- Yoshimura T., Tamenori Y., Kawahata H., and Suzuki A. (2014): Fluctuations of sulfate, S-bearing amino acids and magnesium in a giant clam shell. *Biogeosciences*, **11**, 1613-1629.
- 内藤和也・朴 進午 (2014): サイズミックインバージョン法を用いた熊野沖南海トラフ海底堆積物の物性解析. *物理探査*, **67**, 181-194.
- 横山祐典 (2014): Expedition 325 - Great Barrier Reef environmental changes. *月刊地球* 号外, **64**, 148-153.

海洋生態系動態 Marine Ecosystems Dynamics

- Fukumori H. and Kano Y. (2014): Evolutionary ecology of settlement size in planktotrophic neritimorph gastropods. *Marine Biology*, **161**, 213-227.
- Fukunaga T., Ozaki H., Terai G., Asai K., Iwasaki W., and Kiryu H. (2014): CapR: revealing structural specificities of RNA-binding protein target recognition using CLIP-seq data. *Genome Biology*, **15**, doi:10.1186/gb-2014-15-1-r16.
- Goto R., Ishikawa H., Hamamura Y., Sato S., Kato M. (2014): Evolution of symbiosis with *Lingula* (Brachiopoda) in the bivalve superfamily Galeommatoidea (Heterodonta), with description of a new species of *Koreamya*. *Journal of Molluscan Studies*, **80**, 148-160.
- Goto R., Ohsuga K., and Kato M. (2014): Mode of life of *Anomiostrea coralliophila* (Ostreidae): a symbiotic oyster living in ghost-shrimp burrows. *Journal of Molluscan Studies*, **80**, 201-205.
- Hamasaki K., Sato-Takabe Y., Taniguchi A. and Tada Y. (2014): Photoheterotrophic process in surface seawater environments. In: *Western Pacific Air-Sea Interaction Study*, edited by Uematsu M. et al., Terrapub, Tokyo, 199-202.
- Hamasaki K., Kaneko R., Mouri A., Tada Y., Kasamatsu-Takasawa N. and Nagao I. (2014): Ecological study of bacterial populations related to biogenic gas transformation in marine environments. In: *Western Pacific Air-Sea Interaction Study*, edited by Uematsu M. et al., Terrapub, Tokyo, 203-209.
- Hidaka H. and Kano Y. (2014): Morphological and genetic variation between the Japanese populations of the amphidromous snail *Stenomelania crenulata* (Cerithioidea: Thiaridae). *Zoological Science*, **31**, 593-602.
- Hirase S., Ozaki H., and Iwasaki W. (2014): Parallel selection on gene copy number variations through evolution of three-spined stickleback genomes. *BMC Genomics*, **15**, doi:10.1186/1471-2164-15-735.
- Hirose K., Yorisue T., Itoh H., Yamamoto T., and Kojima S. (2014): Multiplex PCR-based genotyping of mitochondrial DNA from two species of the genus *Batillaria* (*B. multiformis* and *B. flectosiphonata*) from Amami-Oshima, Japan. *Plankton and Benthos Research*, **9**, 67-70.
- Itoh H., Kamimura S., Hirose K., and Kojima S. (2014): Isolation and characterization of microsatellite loci in the intertidal snail *Batillaria multiformis* (Mollusca Gastropoda). *Conservation and Genetic Resources*, **6**, 193-195.
- Itoh H., Nishioka J., and Tsuda A. (2014): Community structure of mesozooplankton and population structure of *Limacina helicina* and *Clione limacina limacina* in the western part of the Okhotsk Sea in summer. *Progress in Oceanography*, **126**, 224-232.
- Katayama T., Wilkinson M.D., Aoki-Kinoshita K.F., Kawashima S., Yamamoto Y., Yamaguchi A., Okamoto S., Kawano S., Kim J.-D., Wang Y., Wu H., Kano Y., Ono H., Bono H., Kocbek S., Aerts J., Akune Y., Antezana E., Arakawa K., Aranda B., Baran J., Bolleman J., Bonnal R.J.P., Luigi Buttigieg P., Campbell M.P., Chen Y.-a., Chiba H., Cock P.J.A., Cohen K.B., Constantin A., Duck G., Dumontier M., Fujisawa T., Fujiwara T., Goto N., Hoehndorf R., Igarashi Y., Itaya H., Ito M., Iwasaki W., Kalaš M., Katoda T., Kim T., Kokubu A., Komiyama Y., Kotera M., Laibe C., Lapp H., Lütteke T., Marshall M.S., Mori T., Mori H., Morita M., Murakami K., Nakao M., Narimatsu H., Nishide H., Nishimura Y., Nystrom-Persson J., Ogishima S., Okamura Y., Okuda S., Oshita K., Packer N.H., Prins P., Ranzinger R., Rocca-Serra P., Sansone S., Sawaki H., Shin S.-H., Splendiani A., Strozzi F., Tadaka S., Toukach P., Uchiyama I., Umezaki M., Vos R., Whetzel P.L., Yamada I., Yamasaki C., Yamashita R., York W.S., Zmasek C.M., Kawamoto S., and Takagi T. (2014): BioHackathon series in 2011 and 2012: penetration of ontology and linked data in life science domains. *Journal of Biomedical Semantics*, **5**, doi:10.1186/2041-1480-5-5.
- Kitahashi T., Jenkins R.G., Nomaki H., Shimanaga M., Fujikura K., and Kojima S. (2014): Effect of the 2011 Tohoku Earthquake on deep-sea meiofaunal assemblages inhabiting the landward slope of the Japan Trench. *Marine Geology*, **358**, 128-137.
- Kitahashi T., Kawamura K., Kojima S., and Shimanaga M. (2014): Bathymetric patterns of α and β diversity of harpacticoid copepods at the genus level around the Ryukyu Trench, and turnover diversity between trenches around Japan. *Progress in Oceanography*, **123**, 54-63.
- Kojima S., Sakuma K., and Yanagimoto T. (2014): Contrasting genetic population structures between congeneric flounder species, *Hippoglossoides dubius* and *H. pinetorum*. *Plankton and Benthos Research*, **9**, 99-104.
- Kondo Y., Ohtsuka S., Nishikawa J., Metillo R., Pagliawan H., Sawamoto S., Moriya M., Nishida S., and Urata M. (2014): Associations of fish juveniles with rhizostome jellyfishes in the Philippines, with taxonomic remarks on a commercially harvested species in Carigara Bay, Leyte Island. *Plankton and Benthos Research*, **9**, 1-6.
- Kuhara T., Kano Y., Yoshikoshi K., and Hashimoto J. (2014): Shell morphology, anatomy and gill histology of the deep-sea bivalve *Elliptiolucina ingens* and molecular phylogenetic reconstruction of the chemosynthetic family Lucinidae. *Venus*, **72**, 13-27.
- Kumagai Y., Yoshizawa S., Oshima K., Hattori M., Iwasaki W., and Kogure K. (2014): Complete genome sequence of *Winogradskyella* sp. PG-2, a proteorhodopsin-containing marine Flavobacterium. *Genome Announcements*, **2**, doi:10.1128/genomeA.00490-14.
- Lee H., Yoshizawa S., Kogure K., Kim H.S., and Yoon J. (2014): *Pelagitalea pacifica* gen. nov., sp. nov., a new marine bacterium isolated from seawater. *Current Microbiology*, **70**, 514-519.
- Metillo E.B., Acabado C.S., Campos W.L., and Nishida S. (2014): Distribution of *Rhincalanus nasutus* Giesbrecht 1888 (Calanoida, Copepoda) during the eastern Sulu Sea coastal upwelling season. *Philippine Journal of Sciences*, **143**, 9-19.

- Miyamoto H., Kotori M., Itoh H., and Nishida S. (2014): Species diversity of pelagic chaetognaths in the Indo-Pacific region. *Journal of Plankton Research*, **36**, 816-830.
- Nosaka Y., Isada T., Kudo I., Saito H., Hattori H., Tsuda A., and Suzuki K. (2014): Light utilization efficiency of phytoplankton in the Western Subarctic Gyre of the North Pacific during summer. *Journal of Oceanography*, **70**, 91-103.
- Orui-Sakaguchi S., Takishita K., Goto T., Shibata H., Kojima S., Tsuchida S., Kitazato H., and Fujikura K. (2014): Analyses of age and population genetic structure of the broadbanded thornyhead *Sebastolobus macrochir* in North Japan suggest its broad dispersion and migration before settlement. *Journal of Oceanography*, **70**, 457-462.
- Park S., Yokota A. and Kogure K (2014): The Family Rhodothermaceae. In: *The Prokaryotes*, edited by Rosenberg E. et al., Springer, Berlin, 849-856.
- Rodríguez-Tovar F.J., Seike K., and Curran H.A. (2014): Characteristics, distribution patterns, and implications for ichnology of modern burrows of *Uca (Leptuca) speciosa*, San Salvador Island, Bahamas. *Journal of Crustacean Biology*, **34**, 565-572.
- Saido K., Koizumi K., Sato H., Ogawa N., Kwon B.G., Chung S-Y., Kusui T., Nishimura M., and Kodera Y. (2014): New analytical method for the determination of styrene oligomers formed from polystyrene decomposition and its application at the coastlines of the North-West Pacific Ocean. *Science of the Total Environment*, **473-474**, 490-495.
- Sakuma K., Ueda Y., Hamatsu T., and Kojima S. (2014): Contrasting population history of deep-sea demersal fish, *Lycodes matsubarae*, in the Sea of Japan and the Sea of Okhotsk. *Zoological Science*, **31**, 375-382.
- Sano M., Nishibe Y., Tanaka Y., and Nishida S. (2014): Temporally sustained dietary niche partitioning in two mesopelagic copepod species and their mouthpart morphology. *Marine Ecology Progress Series*, **518**, 51-67.
- Sato-Takabe Y., Hamasaki K., and Suzuki K. (2014): Photosynthetic competence of the marine aerobic anoxygenic phototrophic bacterium *Roseobacter* sp. under organic substrate limitation. *Microbes and Environment*, **29**, 100-103.
- Schultheiss S.J., Yang J.S., Iwasaki W., Lin S.-H., Jean A., and Michaut M. (2014): Crossing Borders for Science. *PLOS Computational Biology*, **10**, doi:10.1371/journal.pcbi.1003519.
- Seike K. and Curran H.A. (2014): Burrow morphology of the land crab *Gecarcinus lateralis* and the ghost crab *Ocypode quadrata* on San Salvador Island, The Bahamas: comparisons and palaeoenvironmental implications. *Spanish Journal of Palaeontology*, **29**, 61-70.
- Seike K., Shiino Y., and Suzuki Y. (2014): *Crininicaminus giberti* isp. Nov.: tubular trace fossil armored with crinoid stem plates from the Upper Permian Kamiyasse Formation, Northeastern Japan. *Spanish Journal of Palaeontology*, **29**, 45-50.
- Seo, E., Ohishi K., Maruyama T., Imaizumi-Ohashi Y., Murakami M., and Seo Y. (2014): Testing the constant-volume hypothesis by magnetic resonance imaging of the mussel heart in the *Mytilus galloprovincialis*. *Journal of Experimental Biology*, **217**, 964-973.
- Seo, E., Ohishi K., Maruyama T., Imaizumi-Ohashi Y., Murakami M., and Seo Y. (2014): Magnetic resonance imaging analysis of water flow in the mantle cavity of live *Mytilus galloprovincialis*. *Journal of Experimental Biology*, **217**, 2277-2287.
- Setoguchi, Y., Nomaki, H., Kitahashi, T., Watanabe, H., Inoue K., Ogawa, O.N., and Shimanaga, M. (2014): Nematode community composition in hydrothermal vent and adjacent non-vent fields around Myojin Knoll, a seamount on the Izu-Ogasawara Arc in the western North Pacific Ocean. *Marine Biology*, **161**, 1775-1785.
- Shinohara G., Nakae M., Ueda Y., Kojima S. and Matsuura K. (2014): Annotated checklist of deep-sea fishes of the sea of Japan. *National Museum of Nature and Science Monographs*, **44**, 225-291.
- Takano T. and Kano Y. (2014): Molecular phylogenetic investigations of the relationships of the echinoderm-parasite family Eulimidae within Hypsogastropoda (Mollusca). *Molecular Phylogenetics and Evolution*, **79**, 258-269.
- Takeuchi M., Kamagata Y., Oshima K., Hanada S., Tamaki H., Marumo K., Maeda H., Nedachi M., Hattori M., Iwasaki W., and Sakata S. (2014): *Methylocaldum marinum* sp. nov., a novel thermotolerant methane oxidizing bacterium isolated from marine sediments. *International Journal of Systematic and Evolutionary Microbiology*, **64**, 3240-3246.
- Tomaru A., Sasaki R., Miyahara H., Okino A., and Hamasaki K. (2014): Settlement of planulae of the Moon jellyfish *Aurelia aurita* onto hydrophilic polycarbonate plates modified by atmospheric plasma treatment. *PLoS ONE*, **9**, doi:10.1371/journal.pone.0085569.
- Tsuda A., Saito H., and Kasai H. (2014): Vertical distributions of large ontogenetically migrating copepods in the Oyashio region during their growing season. *Journal of Oceanography*, **70**, 123-132.
- Yahagi T., Watanabe H., Kojima S., Beedessee G., and Komai T. (2014): First record and a new species of *Alvinocaris* Williams & Chace, 1982 (Crustacea: Decapoda: Caridea: Alvinocarididae) from the Indian Ocean. *Zootaxa*, **3893**, 101-113.
- Yang C.-c. and Iwasaki W. (2014): MetaMetaDB: A database and analytic system for investigating microbial habitability. *PLoS ONE*, **9**, doi:10.1371/journal.pone.0087126.
- Yoshitane H., Ozaki H., Terajima H., Du N.-H., Suzuki Y., Fujimori T., Kosaka N., Shimba S., Sugano S., Takagi T., Iwasaki W., and Fukada Y. (2014): CLOCK-controlled polyphonic regulations of circadian rhythms through canonical and non-canonical E-boxes. *Molecular and Cellular Biology*, **34**, 1776-1787.
- Yoshizawa S., Kumagai Y., Kim H., Ogura Y., Hayashi T., Iwasaki W., DeLong E.F., and Kogure K. (2014): Functional characterization of flavobacteria rhodopsins reveals a unique class of light-driven chloride pump in bacteria. *Proceedings of the National Academy of Sciences of the United States of America*, **111**, 6732-6737.
- 阿部博和・近藤智彦・小林元樹・大越和加 (2014): 河口域, 干潟, 湾内の海洋環境とマクロベントス群集の変化—蒲生干潟と女川湾を例として—. *月刊海洋*, **46**, 48-55.

- 新井谷梨鈴・伊藤富子・東城幸治 (2014) カメノコヒメトビケラ類の分子系統地理学的研究. 昆虫DNA研究会ニュースレター, **20**, 34-36.
- 岩崎 渉・尾崎 遼 (2014): NGSデータ解析. 実験医学, **32**, 3197-3202.
- 齊藤宏明 (2014): 海洋におけるケイ素の生物地球化学的循環. 水環境学会誌, **37**, 368-373.
- 齊藤宏明 (2014): 浮魚類大変動のメカニズムとその予測手法～安定的な水産経営を目指して～. 月刊アクアネット, **17**, 22-26.
- 清家弘治・白井厚太郎・小暮ゆきひさ (2014): 大津波が三陸沿岸の砂泥底生態系にもたらした影響—岩手県大槌湾および船越湾を潜水調査した結果から. 生物の科学: 遺伝, **68**, 2-6.

海洋生命科学 Marine Bioscience

- Alabsi N. and Komatsu T. (2014): Characterization of fisheries management in Yemen: a case study of a developing country's management regime. *Marine Policy*, **50**, 89-95.
- Ando M., Wong M.K.S., and Takei Y. (2014): Mechanisms of guanylin action on water and ion absorption at different regions of seawater eel intestine. *American Journal of Physiology*, **307**, R653-R663.
- Aoyama J., Watanabe S., Miller M.J., Mochioka N., Otake T., Yoshinaga T., and Tsukamoto K. (2014): Spawning site of the Japanese eel in relation to oceanographic structure and the West Mariana Ridge. *PLOS ONE*, **9**, doi:10.1371/journal.pone.0088759.
- Bogdanova M.I., Wanless S., Harris M.P., Lindström I., Butler A., Newell M.A., Sato K., Watanuki Y., Parsons M., and Daunt F. (2014): Among-year and within-population variation in foraging distribution of European shags *Phalacrocorax aristotelis* over two decades: implications for marine spatial planning. *Biological Conservation*, **170**, 292-299.
- Falcón J., Coon S.L., Besseau L., Cazaméa-Catalan D., Fuentès M., Magnanou E., Paulin C.H., Boeuf G., Sauzet S., Jørgensen E.H., Mazan S., Wolf Y., Koonin E.V., Steinbach P.J., Hyodo S., and Klein D.C. (2014): Drastic neofunctionalization associated with evolution of the "timezyme" AANAT 500 million years ago. *Proceedings of the National Academy of Sciences USA*, **111**, 314-319.
- Hashim, M., Misbari, S., Yahya, N. N., Ahmad, S., Reba, N. and Komatsu, T. (2014): An approach for quantification of submerged seagrass biomass in shallow turbid coastal waters, *Proceedings IEEE International Geoscience and Remote Sensing Symposium*, 4439-4442.
- Hashim, M., Yahaya, N. N., Ahmad, S., Komatsu, T., Misbari, S. and Reba, N. (2014): Determination of seagrass biomass at Merambong Shoal in Straits of Johor using satellite remote sensing technique, *Malayan Nature Journal*, **66** (1 and 2), 20-37.
- Hirose M., Fukiage R., Katoh T., and Kajihara H. (2014): Description and molecular phylogeny of a new species of *Phoronis* (Phoronida) from Japan, with a redescription of topotypes of *P. ijimai* Oka, 1897. *ZooKeys*, **398**, 1-31.
- Hyodo S., Kakumura K., Takagi W., Hasegawa K., and Yamaguchi Y. (2014): Morphological and functional characteristics of the kidney of cartilaginous fishes: with special reference to urea reabsorption. *American Journal of Physiology*, **307**, R1381-R1395.
- Inoue K., Andriani I., and Arifin Z. (2014): *Oryzias* fishes: important scientific resources in Sulawesi. In: *Proceedings of the First International Conference on Science (ICOS-1) 2014*, edited by Litaay M., Sunusi N. and Fachruddin, Hasanuddin University, Makassar, Indonesia, 21-27.
- Kaifu K., Maeda H., Yokouchi K., Sudo R., Miller M.J., Aoyama J., Yoshida T., Tsukamoto K., and Washitani I. (2014): Do Japanese eels recruit into the Japan Sea coast?: a case study in the Hayase River system, Fukui Japan. *Environmental Biology of Fishes*, **97**, 921-928.
- Kantachumpoo A., Uwai S., Noiraksar T., and Komatsu T. (2014): Levels and distribution patterns of mitochondrial *cox3* gene variation in brown seaweed, *Sargassum polycystum* C. Agardh (Fucales, Phaeophyceae) from Southeast Asia. *Journal of Applied Phycology*, **26**, 1301-1308.
- Komatsu N., Ogawa N., Imura K., Ura K., and Takagi Y. (2014): Identification, cDNA cloning, and expression analysis of dermatopontin in the goldfish *Carassius auratus*. *Fisheries Sciences*, **80**, 1249-1256.
- Komatsu T., Mizuno S., Alabsi N., Kantachumpoo A., Tanaka K., Morimoto A., Hsiao S.-T., Rothäusler E.A., Shishidou H., Aoki M., and Ajisaka T. (2014): Unusual distribution of floating seaweeds in the East China Sea in the early spring of 2012. *Journal of Applied Phycology*, **26**, 1169-1179.
- Kusakabe M., Ishikawa A., and Kitano J. (2014): Relaxin-related gene expression differs between anadromous and stream-resident stickleback (*Gasterosteus aculeatus*) following seawater transfer. *General and Comparative Endocrinology*, **205**, 197-206.
- Mabuchi K., Fraser T.H., Song H., Azuma Y., and Nishida M. (2014): Revision of the systematics of the cardinalfishes (Percomorpha: Apogonidae) based on molecular analyses and comparative reevaluation of morphological characters. *Zootaxa*, **3846**, 151-203.
- Mabuchi K. and Kuriwa K. (2014): Molecular phylogenetic affinities of *Scarus obishime* Randall & Earle, 1993, endemic to the Pacific Ocean archipelago of Ogasawara (Japan). *Pacific Science*, **68**, 321-331.
- Mabuchi K. and Song H. (2014): The complete mitochondrial genome of the Japanese ornamental koi carp (*Cyprinus carpio*) and its implication for the history of koi. *Mitochondrial DNA*, **25**, 35-36.
- Marshall C.D., Wang J., Rocha-Olivares A., Godines-Reyes C., Fislser S., Narazaki T., Sato K., and Sterba-Boatwright B.D. (2014): Scaling of bite performance with head and carapace morphometrics in green turtles (*Chelonia mydas*). *Journal of Experimental Marine Biology and Ecology*, **451**, 91-97.

- Miller M.J., Koyama S., Mochioka N., Aoyama J., Watanabe S., and Tsukamoto K. (2014): Vertical body orientation by a snipe eel (Nemichthyidae, Anguilliformes) in the deep mesopelagic zone along the West Mariana Ridge. *Marine and Freshwater Behaviour and Physiology*, **47**, 265-272.
- Mizuno S., Ajitasa T., Lhabib S., Kokubu Y., Alabsi N.M., and Komatsu T. (2014): Spatial distributions of floating seaweeds in the East China Sea from late winter to early spring. *Journal of Applied Phycology*, **26**, 1159-1167.
- Nakamura I. and Sato K. (2014): Ontogenetic shift in foraging habit of ocean sunfish *Mola mola* from dietary and behavioral studies. *Marine Biology*, **161**, 1263-1273.
- Nishizawa H., Narazaki T., Fukuoka T., Sato K., Hamabata T., Kinoshita M., and Arai N. (2014): Genetic composition of loggerhead turtle feeding aggregations: migration patterns in the North Pacific. *Endangered Species Research*, **24**, 85-93.
- Nishizawa H., Narazaki T., Fukuoka T., Sato K., Kinoshita M., and Arai N. (2014): Juvenile green turtles in the northern edge: mtDNA evidence of long-distance westward dispersals in the Northern Pacific Ocean. *Endangered Species Research*, **24**, 171-179.
- Noiraksar T., Sawayama S., Phauk S., and Komatsu T. (2014): Mapping *Sargassum* beds off the coast of Chon Buri Province, Thailand, using ALOS AVNIR-2 satellite imagery. *Botanica Marina*, **57**, 367-377.
- Ruhr I.M., Bodinier C., Mager E.M., Esbaugh A.J., Williams C., Takei Y., and Grosell M. (2014): Guanylin peptides regulate electrolyte and fluid transport in the Gulf toadfish (*Opsanus beta*) posterior intestine. *American Journal of Physiology*, **307**, R1167-R1179.
- Sato K. (2014): Body temperature stability achieved by the large body mass of sea turtles. *Journal of Experimental Biology*, **217**, 3607-3614.
- Setoguchi Y., Nomaki H., Kitahashi T., Watanabe H., Inoue K., Ogawa N.O., and Shimanaga M. (2014): Nematode community composition in hydrothermal vent and adjacent non-vent fields around Myojin Knoll, a seamount on the Izu-Ogasawara Arc in the western North Pacific Ocean. *Marine Biology*, **161**, 1775-1785.
- Shinzato C., Inoue M., and Kusakabe M. (2014): A snapshot of a coral "holobiont": a transcriptome assembly of the scleractinian coral, porites, captures a wide variety of genes from both the host and symbiotic zooxanthellae. *PLoS ONE*, **9**, doi:10.1371/journal.pone.0085182.
- Song H. and Mabuchi K. (2014): Complete mitochondrial genome sequence of the thorny seahorse *Hippocampus histrix* (Gasterosteiformes: Syngnathidae). *Mitochondrial DNA*, **25**, 7-8.
- Song H.Y., Mabuchi K., Sato T.P., Moore J.A., Yamanoue Y., Miya M., and Nishida M. (2014): Mitogenomic circumscription of a novel percomorph fish clade mainly comprising "Syngnathoidei" (Teleostei). *Gene*, **542**, 146-155.
- Suzuki I., Sato K., Fahlman A., Naito Y., Miyazaki N., and Trites A.W. (2014): Drag, but not buoyancy, affects swim speed in captive Steller sea lions. *Biology Open*, **3**, 379-386.
- Takagi W., Kajimura M., Tanaka H., Hasegawa K., Bell J.D., Toop T., Donald J.A., and Hyodo S. (2014): Urea-based osmoregulation in the developing embryo of oviparous cartilaginous fish (*Callorhynchus milii*): contribution of the extraembryonic yolk sac during the early developmental period. *Journal of Experimental Biology*, **217**, 1353-1362.
- Takei Y., Hiroi J., Takahashi T., and Sakamoto T. (2014): Diverse mechanisms of body fluid regulation in teleost fishes. *American Journal of Physiology*, **307**, R778-R792.
- Takei Y. and Tsukada T. (2014): Evolution of the natriuretic peptide system. In: *Reference Module in Biomedical Science*, edited by Caplan M., Elsevier, Amsterdam, doi:10.169/B978-0-12-801238-3.03804-6.
- Tanaka C., Shirotori F., Sato M., Ishikawa M., Shinoda A., Aoyama J., and Yoshinaga T. (2014): Genetic identification method for two subspecies of the Indonesian short-finned eel *Anguilla bicolor* using an allelic discrimination technique. *Zoological Studies*, **53**, doi:10.1186/s40555-014-0057-8.
- Tawa A., Aoyama J., Yoshimura T., Wouthuyzen S., and Mochioka N. (2014): Leptocephalus larvae of two moray eels (Anguilliformes; Muraenidae), *Gymnothorax sagmacephalus* and *Gymnothorax albimarginatus*, identified from morphometric and genetic evidence. *Ichthyological Research*, **61**, 32-41.
- Tsukamoto K., Watanabe S., Kuroki M., Aoyama J., and Miller M.J. (2014): Freshwater habitat use by a moray eel species, *Gymnothorax polyuranodon*, in Fiji shown by otolith microchemistry. *Environmental Biology of Fishes*, **97**, 1377-1385.
- Uchiyama M., Maejima S., Wong M.K., Preyavichyapugdee N., Wanichanon C., Hyodo S., Takei Y., and Matsuda K. (2014): Changes in plasma angiotensin II, aldosterone, arginine vasotocin, corticosterone, and electrolyte concentrations during acclimation to dry condition and seawater in the crab-eating frog. *General and Comparative Endocrinology*, **195**, 40-46.
- Watanabe S., Aoyama J., and Tsukamoto K. (2014): On the identities of *Anguilla borneensis*, *A. malgumora*, and *Muraena malgumora*. *Copeia*, **2014**, 568-576.
- Watanabe S., Miller M.J., Aoyama J., and Tsukamoto K. (2014): Evaluation of the population structure of *Anguilla bicolor* and *A. bengalensis* using total number of vertebrae and consideration of the subspecies concept for the genus *Anguilla*. *Ecology of Freshwater Fishes*, **23**, 77-85.
- Wong M.K.S., Ozaki H., Suzuki Y., Iwasaki W., and Takei Y. (2014): Discovery of osmotic sensitive transcription factors in fish intestine via a transcriptomic approach. *BMC Genomics*, **15**, 1134.
- Yamamoto T., Takahashi A., Sato K., Oka N., Yamamoto M., and Trathan P.N. (2014): Individual consistency in migratory behaviour of a pelagic seabird. *Behaviour*, **151**, 683-701.
- Yoda K., Shiomi K., and Sato K. (2014): Foraging spots of streaked shearwaters in relation to ocean surface currents as identified using their drift movements. *Progress in Oceanography*, **122**, 54-64.

- Yoshinaga T., Aoyama J., Shinoda A., Watanabe S., Azanza R.V., and Tsukamoto K. (2014): Occurrence and biological characteristics of glass eels of the Japanese eel *Anguilla japonica* at the Cagayan River of Luzon Island, Philippines in 2009. *Zoological Studies*, **53**, doi:10.1186/1810-522X-53-13.
- 広瀬雅人 (2014): 触手冠動物の分類学—コケムシの多様な形態と生物学を記載する—。タクサ 日本動物分類学会誌, **37**, 1-13.
- 小松輝久・水野紫津葉・三上温子・佐川龍之・石田 健一・田中 潔・道田 豊 (2014): 固着期から浮遊期へと変化する海藻・海草のダイナミックな生態系。沿岸海洋研究, **51**, 191-202.
- 日下部 誠 (2014): 真骨魚類リラキシンの生理作用の探索。比較内分泌学, **40**, 116-120.
- 馬淵浩司 (2014): 御代ヶ池のコイ: DNA解析からの知見。Mikurensis -みくらしまの科学-, **3**, 17-26.
- 小木曾正造・又多政博・幸塚久典・広瀬雅人 (2014): 石川県における腕足動物スゲガサチョウチンの初記録。のと海洋ふれあいセンター研究報告, **20**, 11-16.

海洋生物資源 Living Marine Resources

- Belkin I.M., Hunt G.L., Hazen E.L., Zamon J.E., Schick R.S., Prieto R., Brodziak J., Teo S.L., Thorne L., Bailey H., Itoh S., Munk P., Musyl M.K., Willis J.K., and Zhang W. (2014): Fronts, fish, and predators. *Deep-sea Research Part II*, **107**, 1-2.
- Furukawa S., Tsuda Y., Nishihara G.N., Fujioka K., Ohshimo S., Tomoe S., Nakatsuka N., Kimura H., Aoshima T., Kanehara H., Kitagawa T., Chiang W.C., Nakata H., Kawabe R. (2014): Vertical movements of Pacific bluefin tuna (*Thunnus orientalis*) and dolphinfish (*Coryphaena hippurus*) relative to the thermocline in the northern East China Sea. *Fisheries Research*, **149**, 86-91.
- Hirohashi N., Iwata Y., Sauer W.H.H. and Kakiuchi Y (2014): Respiratory CO₂ mediates sperm chemotaxis in squids. In: *Sexual Reproduction in Animals and Plants*, edited by Sawada H. et al., Springer, Japan, 13-21.
- Kanai T., Nanjo K., Yamane K., Amano Y., Kohno H., Watanabe Y., and Sano M. (2014): Utilization patterns of estuarine and marine habitats by the halfbeak *Zenarchopterus dunckeri* at Iriomote Island, southern Japan, evaluated from otolith microchemistry. *Fisheries Science*, **80**, 1231-1239.
- Kawamura T., Takami H., Hayakawa J., Won N.-I., Muraoka D., and Kurita Y. (2014): Changes in abalone and sea urchin populations in rocky reef ecosystems on the Sanriku Coast damaged by the massive tsunami and other environmental changes associated with the Great East Japan Earthquake in 2011. *Global Environmental Research*, **18**, 47-56.
- Ohtsuchi N., Kawamura T., and Takeda M. (2014): Redescription of a poorly known epialtid crab *Pugettia pellucens* Rathbun, 1932 (Crustacea: Decapoda: Brachyura: Majoidea) and description of a new species from Sagami Bay, Japan. *Zootaxa*, **3765**, 557-570.
- Onitsuka T., Unuma T., and Kawamura T. (2014): Effects of diet and temperature on post-settlement growth and survival of the short-spined sea urchin *Strongylocentrotus intermedius*. *Aquaculture Research*, **45**, 1-15.
- Takasuka A., Kuroda H., Okunishi T., Shimizu Y., Hirota Y., Kubota H., Kimura T., Ito S., and Oozeki Y. (2014): Occurrence and density of Pacific saury *Cololabis saira* larvae and juveniles in relation to environmental factors during the winter spawning season in the Kuroshio Current system. *Fisheries Oceanography*, **23**, 304-321.
- Watanabe Y., Ochiai S., and Fukamichi K. (2014): Larval growth rates differ in response to seasonal temperature variations among clupeoid species inhabiting the Pacific coastal waters of Japan. *Fisheries Science*, **80**, 43-51.
- Yoshida M., Yamada L., Ochi H., Iwata Y., Tamura-Nakano M., Sawada H., Sauer W.H., Ogura A., and Hirohashi N. (2014): Integrative omics analysis reveals differentially distributed proteins in dimorphic eupermatozoa of the squid, *Loligo bleekeri*. *Biochemical and Biophysical Research Communications*, **450**, 1218-1224.
- 出口竜作・岩田容子・広橋教貴 (2014): 軟体動物の受精。『生物の受精 —単細胞生物から植物・動物まで』(澤田均 編), 化学同人, 日本, 185-202.
- 北川貴士 (2014): 漁場形成。『水産海洋学入門』(水産海洋学会 編), 講談社, 東京, 24-31.
- 小松幸生 (2014): 東シナ海とマアジ資源。『水産海洋学入門』(水産海洋学会 編), 講談社, 東京, 116-123.
- 牧口祐也・青木良徳・北川貴士 (2014): 小型記録計・発信機を用いた魚類の行動・生理解析。比較生理生化学, **31**, 113-118.
- 高見秀輝・河村知彦 (2014): 宮城県牡鹿半島沿岸のエゾアワビ・キタムラサキウニ二個体群が受けた東日本大震災の影響。月刊地球, **412**, 47-52.
- 渡邊良郎・渡邊千夏子・高須賀明典・高橋素光 (2014): 海洋生物資源の変動と管理。『水産海洋学入門』(水産海洋学会 編), 講談社, 東京, 136-164.
- 柳本 卓・酒井 猛・猿渡敏郎 (2014): 東シナ海と駿河湾で採集したサギフエの外部形態と遺伝的な地理的変異。DNA多型, **22**, 94-97.

複合領域 Multiple Field Marine Science

- Boldt J., Martone R., Samhoury J., Perry R.I., Itoh S., Chung I-K., Takahashi M., and Yoshie N. (2014): Developing ecosystem indicators for responses to multiple stressors. *Oceanography*, **27**, 116-133.
- Bureekul S., Murashima Y., Furutani H., and Uematsu M. (2014): Enrichment of particulate phosphorus in a Sea-Surface Microlayer over the Eastern Equatorial Pacific Ocean. *Geochemical Journal*, **48**, e1-e7.
- Fukuda H. (2014): Application of in line-holography for underwater particle imaging system (LISST-HOLO). *Bulletin of Plankton Society of Japan*, **61**, 1-5.
- Furutani H., Jinyoung J. and Uematsu M. (2014): Atmosphere-Ocean Interaction through Atmospheric Aerosol Particles Observed in a Single Nanoparticle Aspect. In: *Western Pacific Air-Sea Interaction Study*, edited by Uematsu. M. Yokouchi. Y., Watanabe. Y.W., Takeda. S. and Yamanaka. Y., Terrapub, Tokyo, pp. 61-69.

- Hioki N., Kuma K., Morita Y., Sasayama R., Ooki A., Kondo Y., Obata H., Nishioka J., Yamashita Y., Nishino S., Kikuchi T., and Aoyama M. (2014): Laterally spreading iron, humic-like dissolved organic matter and nutrients in cold, dense subsurface water of the Arctic Ocean. *Scientific Reports*, **4**, doi:10.1038/srep06775.
- Itakura H., Kitagawa T., Miller M., and Kimura S. (2014): Declines in catches of Japanese eels in rivers and lakes across Japan: Have river and lake modifications reduced fishery catches?. *Landscape and Ecological Engineering*, **11**, 147-160.
- Iwamoto Y. and Uematsu M. (2014): Spatial variation of biogenic and crustal elements in suspended particulate matter from surface waters of the North Pacific and its marginal seas. *Progress in Oceanography*, **126**, 211-223.
- Jung J., Furutani H., Uematsu M., and Park J. (2014): Distributions of atmospheric non-sea-salt sulfate and methanesulfonic acid over the Pacific Ocean between 48° N and 55° S during summer. *Atmospheric Environment*, **99**, 374-384.
- Komatsu T., Fukuda M., Mikami A., Mizuno S., Kantachumpoo A., Tanoue H., and Kawamiya M. (2014): Possible change in distribution of seaweed, *Sargassum horneri*, in northeast Asia under A2 scenario of global warming and consequent effect on some fish. *Marine Pollution Bulletin*, **85**, 317-324.
- Miura K., Furutani H., Iwamoto Y., Nagano K., Kobayashi H., Mochida M., Mukai H., Hashimoto S., Takami M. and Uematsu M. (2014): New Particle Formation of Marine Aerosols. In: *Western Pacific Air-Sea Interaction Study*, edited by Uematsu. M. Yokouchi. Y., Watanabe. Y.W., Takeda. S. and Yamanaka. Y., Terrapub, Tokyo, pp. 37-41.
- Motozuka S., Tagaya M., Ogawa N., Fukui K., Nishikawa M., Shiba K., Uehara T., and Kobayashi T. (2014): Effective preparation of graphite nanoparticles using mechanochemical solid-state reactions Solid State Communications. *Solid State Communications*, **190**, 28-32.
- Ogawa H., Kogure K., Kanda J., Hashihama F. and Suzumura M. (2014): Detailed variations in bioactive elements in the surface ocean and their interaction with microbiological processes. In: *Western Pacific Air-Sea Interaction Study*, edited by Uematsu M. et al., Terrapub, Tokyo, pp.177-197.
- Ohhora K., Kamogawa M., Ueda S., Miura K., Yajima K., Hashimoto S., Nakamura M., Kakinami Y., Furutani H., and Uematsu M. (2014): Simultaneous observations of atmospheric electric field, aerosols, and clouds on the R/V Hakuho Maru over the Pacific Ocean. *Journal of Atmospheric Electricity*, **34**, 21-26.
- Ohmori K., Watanabe T., Tanimizu M., and Shirai K. (2014): Lead concentration and isotopic composition in the Pacific sclerosponge (*Acanthochaetetes wellsi*) reflects environmental lead pollution. *Geology*, **42**, 287-290.
- Osada K., Ura S., Kagawa M., Mikami M., Tanaka T.Y., Matoba S., Aoki K., Shinoda M., Kurosaki Y., Hayashi M., Shimizu A., and Uematsu M. (2014): Wet and dry deposition of mineral dust particles in Japan: Factors related to temporal variation and spatial distribution. *Atmospheric Chemistry and Physics*, **4**, 1107-1121.
- Sano Y., Toyoshima K., Ishida A., Shirai K., Takahata N., Sato T., and Komiya T. (2014): Ion microprobe U-Pb dating and Sr isotope measurement of a protoconodont. *Journal of Asian Earth Sciences*, **92**, 10-17.
- Shiozaki T., Ito S., Takahashi K., Saito H., Nagata T., and Furuya K. (2014): Regional variability of factors controlling the onset timing and magnitude of spring algal blooms in the northwestern North Pacific. *Journal of Geophysical Research: Oceans*, **119**, 253-265.
- Shirai K., Schone B.R., Miyaji T., Radarmacher P., Krause Jr. R.A., and Tanabe K. (2014): Assessment of the mechanism of elemental incorporation into bivalve shells (*Arctica islandica*) based on elemental distribution at the microstructural scale. *Geochimica et Cosmochimica Acta*, **126**, 307-320.
- Sukigara C., Suga T., Toyama K., and Oka E. (2014): Biogeochemical responses associated with the passage of a cyclonic eddy based on shipboard observations in the western North Pacific. *Journal of Oceanography*, **70**, 435-445.
- Takahashi Y., Higashi M., Furukawa T., Miyoshi T., Fujiwara M. and Uematsu M. (2014): A Study of the Chemical Processes in Aerosols and Their Impacts on the Environment Using X-ray Absorption Fine Structure Spectroscopy. In: *Western Pacific Air-Sea Interaction Study*, edited by Uematsu. M. Yokouchi. Y., Watanabe. Y.W., Takeda. S. and Yamanaka. Y., Terrapub, Tokyo, pp. 43-50.
- Tanaka Y., Go G.A., Watanabe A., Miyajima T., Nakaoka M., Uy W.H., Nadaoka K., Watanabe S., and Fortes M.D. (2014): 17-year change in species composition of mixed seagrass beds around Santiago Island, Bolinao, the northwestern Philippines. *Marine Pollution Bulletin*, **88**, 81-85.
- Uematsu M. Yokouchi Y., Watanabe Y.W., Takeda S. and Yamanaka Y. (edit.) (2014): *Western Pacific Air-Sea Interaction Study*. Terrapub, Tokyo, pp. 269.
- Watai M., Nakamura Y., Honda K., Bolisay K.O., Miyajima T., Nakaoka M., and Fortes M.D. (2015, published online 2014): Diet, growth, and abundance of two seagrass bed fishes along a pollution gradient caused by milkfish farming in Bolinao, northwestern Philippines. *Fisheries Science*, **81**, 43-51.
- Yamakita T., Yamamoto H., Nakaoka M., Yamano H., Fujikura K., Hidaka K., Hirota Y., Ichikawa T., Kakehi S., Kameda T., Kitajima S., Kogure K., Komatsu T., Kumagai N.H., Miyamoto H., Miyashita K., Morimoto H., Nakajima R., Nishida S., Nishiuchi K., Sakamoto S., Sano M., Sudo K., Sugisaki H., Tadokoro K., Tanaka K., Jinstu-Uchifune Y., Watanabe K., Watanabe H., Yara Y., Yotsukura N., and Shirayama Y. (2014): Identification of important marine areas around the Japanese Archipelago: Establishment of a protocol for evaluating a broad area using ecologically and biologically significant areas selection criteria. *Marine Policy*, **51**, 136-147.
- Yamano H., Hata H., Miyajima T., Nozaki K., Kato K., Negishi A., Tamura M., and Kayanne H. (2014): Water circulation in a fringing reef and implications for coral distribution and resilience. In: *The biodiversity observation network in the Asia-Pacific region: Integrative observations and assessments of Asian biodiversity*, edited by Nakano S., Yahara T., and Nakashizuka T., Springer, Tokyo, 275-293.

- Zhou S., Gonzalez L., Leithead A., Finewax Z., Thalman R., Vlasenko A., Vagle S., Miller L., Li S.M., Burekul S., Furutani H., Uematsu M., Volkamer R., and Abbatt J. (2014): Formation of gas-phase carbonyls from heterogeneous oxidation of polyunsaturated fatty acids at the air-water interface and of the sea surface microlayer. *Atmospheric Chemistry and Physics*, **14**, 1371-1384.
- 伊藤進一・大野創介・岸 道郎・伊 錫鎮・巢山 哲・中神正康・箕 茂穂・亀田卓彦・安倍大介 (2014): サンマ産卵回遊時の能動的遊泳と海洋環境. サンマ等小型浮魚資源研究会議報告, **63**, 264-269.
- 伊藤進一・田所和明 (2014): 温暖化による海洋生物への影響. 生物と科学: 遺伝, **68**, 368-372.
- 道田 豊 (2014): 沿岸海洋研究の国際的動向と課題. 沿岸海洋研究, **51**, 139-144.
- 三木裕介・上田紗也子・三浦和彦・古谷浩志・植松光夫 (2014): 北太平洋における海洋大気中の鉄含有粒子: 水溶性物質との混合状態. エアロゾル研究, **29**, 104-111.
- 劉 丹・山本光夫 (2014): 製鋼スラグと腐植物質を利用した藻場再生技術における鉄溶出の温度依存性と有機物の添加効果. 鉄と銅, **100**, 1043-1047.
- 白井厚太郎 (2014): 微小領域分析法を用いた生物起源炭酸塩骨格の微量元素変動メカニズムに関する研究. 地球化学, **48**, 147-167.
- 植松光夫(2014): 大気-海洋間の物質循環. 「海洋地球化学」(蒲生俊敬 編), 講談社, 東京, pp. 145-167.