

2017

Climate Science	109
Physical Oceanography	112
Chemical Oceanography	113
Ocean Floor Geoscience	114
Marine Ecosystems Dynamics	116
Marine Bioscience	118
Living Marine Resources	119
Multiple Field Marine Science	120

# 研究業績 | PUBLICATION LIST 2017

## Climate Science (気候システム科学)

- Baron P., Ishii S., Okamoto K., Gamo K., Mizutani K., Takahashi C., Itabe T., Iwasaki T., Kubota T., Oki R., Ochiai S., Sakaizawa D., Satoh M., Satoh Y., Tanaka T.Y., Maki T. and Yasui M. (2017) Feasibility study for future spaceborne coherent Doppler Wind Lidar. Part 2: Measurement simulation algorithms and retrieval error characterization. *Journal of the Meteorological Society of Japan*, **95**, 319-342.
- Kawamura K., Abe-Ouchi A., Oka A. and Dome Fuji Ice Core Project Members (2017) State dependence of climatic instability over the past 720,000 years from Antarctic ice cores and climate modeling. *Science Advances*, **3**, doi:10.1126/sciadv.1600446.
- Furukawa R., Uemura R., Fujita K., Sjolte J., Yoshimura K., Matoba S. and Iizuka Y. (2017) Seasonal scale dating of a shallow ice core from Greenland using oxygen isotope matching between data and simulation. *Journal of Geophysical Research: Atmosphere*, **122**, 10,873-10,887.
- Ham Y.-G., Kug J.-S., Chikamoto Y., Kimoto M. and Mochizuki T. (2017) Tropical Atlantic-Korea teleconnection pattern during boreal summer season. *Climate Dynamics*, **49**, 2649-2664.
- Hayashi M. and Watanabe M. (2016) Importance of background seasonality over the eastern equatorial Pacific in a coupled atmosphere-ocean response to westerly wind events. *Climate Dynamics*, doi: 10.1007/s00382-016-3481-0.
- Hayashi M., and M. Watanabe (2017) ENSO complexity induced by state dependence of westerly wind events. *Journal of Climate*, **30**, 3401-3420.
- Hirose M., Takayabu Y.N., Hamada A., Shige S. and Yamamoto M.K. (2017) Impact of long-term observation on the sampling characteristics of TRMM PR precipitation. *Journal of Applied Meteorology and Climatology*, **56**, 713-723.
- Hirose M., Takayabu Y.N., Hamada A., Shige S. and Yamamoto M.K. (2017) Spatial contrast of geographically induced rainfall observed by TRMM PR. *Journal of Climate*, **30**, 4165-4184.
- Imada Y., Maeda S., Watanabe M., Shiogama H., Mizuta R., Ishii M. and Kimoto M. (2017) Recent enhanced seasonal temperature contrast in Japan from large ensemble high-resolution climate simulations. *Atmosphere*, **8**, doi:10.3390/atmos8030057.
- Ishii S., Baron P., Aoki M., Sato A., Okamoto K., Ishibashi T., Tanaka T.Y., Sekiyama T.T., Maki T., Yamashita K., Nishizawa T., Satoh M., Iwasaki T., Yasui M., Mizutani K., Ochiai S., Satoh Y., Sakaizawa D., Oki R. and Kubota T. (2017) Feasibility study for future space-borne coherent Doppler wind Lidar. Part 1: Instrumental overview for global wind profile observation. *Journal of the Meteorological Society of Japan*, **95**, 301-317.
- Iwasaki C., Imasu R., Bril A., Yokota T., Yoshida Y., Morino I., Oshchepkov S., Wunch D., Griffith D.W.T., Deutscher N.M., Kivi R., Pollard D., Roehl C.M., Velazco V.A., Sussmann R., Warneke T. and Notholt J. (2017) Validation of GOSAT SWIR XCO<sub>2</sub> and XCH<sub>4</sub> retrieved by PPDF-S method and comparison with full physics method. *SOLA*, **13**, 168-173.
- Jing X., Suzuki K., Guo H., Goto D., Ogura T., Koshiro T. and Mülmenstädt J. (2017) A multi-model study on warm precipitation biases in global models compared to satellite observations. *Journal of Geophysical Research: Atmosphere*, **122**, 7066-7081.
- Kageyama M., Albani S., Braconnot P., Harrison S.P., Hopcroft P.O., Ivanovic R.F., Lambert F., Marti O., Peltier W.R., Peterschmitt J.-Y., Roche D.M., Tarasov L., Zhang X., Brady E.C., Haywood A.M., LeGrande A.N., Lunt D.J., Mahowald N.M., Mikolajewicz U., Nisancioglu K.H., Otto-Bliesner B.L., Renssen H., Tomas R.A., Zhang Q., Abe-Ouchi A., Bartlein P.J., Cao J., Li Q., Lohmann G., Ohgaito R., Shi X., Volodin E., Yoshida K., Zhang X. and Zheng W. (2017) The PMIP4 contribution to CMIP6 - Part 4: Scientific objectives and experimental design of the PMIP4-CMIP6 Last Glacial Maximum experiments and PMIP4 sensitivity experiments. *Geoscientific Model Development*, **10**, 4035-4055.
- Kahn B., Matheou G., Yue Q., Fauchez T., Fetzer E., Lebsock M., Martins J., Schreier M., Suzuki K. and Teixeira J. (2017) A satellite and reanalysis view of cloud organization, thermodynamics, and dynamic variability within the subtropical marine boundary layer. *Atmospheric Chemistry and Physics*, **17**, 9451-9468.
- Kamae Y., Shiogama H., Imada Y., Mori M., Arakawa O., Mizuta R., Yoshida K., Takahashi C., Arai M., Ishii M., Watanabe M., Kimoto M., Xie S.-P., and Ueda H. (2017) Forced response and internal variability of summer climate over western North America. *Climate Dynamics*, **49**, 403-417.
- Kanemaru K., Kubota T., Iguchi T., Takayabu Y. N., and Oki R. (2017) Development of a precipitation climate record from spaceborne precipitation radar data. Part I: Mitigation of the effects of switching to redundancy electronics in the TRMM precipitation radar. *Journal of Atmospheric and Oceanic Technology*, **34**, 2043-2057.
- Kasai Y., Sato T.O., Sato T.M., Sagawa H., Noguchi K., Saitoh N., Irie H., Kita K., Mahani M.E., Zettsu K., Imasu R. and Hayashida S. (2017) Vertical profile of tropospheric ozone derived from synergetic retrieval using three different wavelength ranges, UV, IR, and Microwave: sensitivity study for satellite observation. *Atmospheric Measurement Techniques*, **10**, doi:10.5194/amt-2017-98.
- Kikuchi M., Okamoto H., Sato K., Suzuki K., Cesana G., Hagihara Y., Takahashi N., Hayasaka T. and Oki R. (2017) Development of algorithm for discriminating hydrometeor particle types with a synergistic use of CloudSat and CALIPSO. *Journal of Geophysical Research: Atmosphere*, **122**, 11,022-11,044.
- Kusahara K., Hasumi H., Fraser A.D., Aoki S., Shimada K., Williams G.D., Massom R. and Tamura T. (2017) Modeling ocean-cryosphere interactions off the Adélie and George V Land coast. *Journal of Climate*, **30**, 163-188.
- Kusahara K., Williams G.D., Massom R., Reid P. and Hasumi H. (2017) Roles of wind stress and thermodynamic forcing in recent trends in Antarctic sea ice and Southern Ocean SST: An ocean-sea ice model study. *Global and Planetary Change*, **158**, 103-118.

- Kusahara K., Williams G.D., Tamura T., Massom R. and Hasumi H. (2017) Dense shelf water spreading from Antarctic coastal polynyas to the deep Southern Ocean: A regional circumpolar model study. *Journal of Geophysical Research: Oceans*, **122**, 6238-6253.
- Miyakawa T. and Sato T. (2017) Global cloud/cloud-system resolving models and the Madden-Julian Oscillation. In *The Global Monsoon System: Research and Forecast, 3rd edition*, edited by Chang C.-P. et al., World Scientific, Singapore, 173-184.
- Miyakawa T., Yashiro H., Suzuki T., Tatebe H., and Satoh M. (2017) A Madden-Julian Oscillation event remotely accelerates ocean upwelling to abruptly terminate the 1997/1998 super El Niño. *Geophysical Research Letters*, **44**, 9489-9495.
- Mizuta R., Murata A., Ishii M., Shiogama H., Hibino K., Mori N., Arakawa O., Imada Y., Yoshida K., Aoyagi T., Kawase H., Mori M., Okada Y., Shimura T., Nagatomo T., Ikeda M., Endo H., Nosaka M., Arai M., Takahashi C., Tanaka K., Takemi T., Tachikawa Y., Temur K., Kamae Y., Watanabe M., Sasaki H., Kitoh A., Takayabu I., Nakakita E., and Kimoto M. (2017) Over 5000 years of ensemble future climate simulations by 60 km global and 20 km regional atmospheric models. *Bulletin of the American Meteorological Society*, **98**, 1383-1398.
- Nakajima T., Misawa S., Morino Y., Tsuruta H., Goto D., Uchida J., Takemura T., Ohara T., Oura Y., Ebihara M. and Satoh M. (2017) Model depiction of the atmospheric flows of radioactive cesium emitted from the Fukushima Daiichi Nuclear Power Station accident. *Progress in Earth and Planetary Science*, **4**, doi:10.1186/s40645-017-0117-x.
- Nakano M., Kubota H., Miyakawa T., Nasuno T. and Satoh M. (2017) Genesis of super cyclone Pam (2015): Modulation of low-frequency large-scale circulations and the Madden-Julian oscillation by sea surface temperature anomalies. *Monthly Weather Review*, **145**, 3143-3159.
- Ngoc Trieu T.T., Goto D., Yashiro H., Murata R., Sudo K., Tomita H., Satoh M. and Nakajima T. (2017) Evaluation of summertime surface ozone in Kanto area of Japan using a semi-regional model and observation. *Atmospheric Environment*, **153**, 163-181.
- Nishi N., Hamada A. and Hirose H. (2017) Improvement of cirrus cloud-top height estimation using geostationary satellite split-window measurements trained with CALIPSO data. *SOLA*, **13**, 240-245.
- Nitta T., Yoshimura K. and Abe-Ouchi A. (2017) Impact of arctic wetlands on the climate system: Model sensitivity simulations with the MIROC5 AGCM and a snow-fed wetland scheme. *Journal of Hydrometeorology*, **18**, 2923-2936.
- Niwa Y., Fujii Y., Sawa Y., Iida Y., Ito A., Satoh M., Imasu R., Tsuboi K., Matsueda H. and Saigusa N. (2017) A 4D-Var inversion system based on the icosahedral grid model (NICAM-TM 4D-Var v1.0): 2. Optimization scheme and identical twin experiment of atmospheric CO<sub>2</sub> inversion. *Geoscientific Model Development*, **10**, 2201-2219.
- Niwa Y., Tomita H., Satoh M., Imasu R., Sawa Y., Tsuboi K., Matsueda H., Machida T., Sasakawa M., Belan B., and Saigusa N. (2017) A 4D-Var inversion system based on the icosahedral grid model (NICAM-TM 4D-Var v1.0): 1. Off-line forward and adjoint transport models. *Geoscientific Model Development*, **10**, 1157-1174.
- Obase T., Abe-Ouchi A., Kusahara K., Hasumi H. and Ohgaito R. (2017) Responses of basal melting of Antarctic ice shelves to the climatic forcing of the Last Glacial Maximum and CO<sub>2</sub> doubling. *Journal of Climate*, **30**, 3473-3497.
- Ogura T., Shiogama H., Watanabe M., Yoshimori M., Yokohata T., Annan J.D., Hargreaves J.C., Ushigami N., Hirota K., Someya Y., Kamae Y., Tatebe H. and Kimoto M. (2017) Effectiveness and limitations of parameter tuning in reducing biases of top-of-atmosphere radiation and clouds in MIROC version 5. *Geoscience Model Development*, **10**, 4647-4664.
- Oka A. and Watanabe M. (2017) The post-2002 global surface warming slowdown caused by the subtropical Southern Ocean heating acceleration. *Geophysical Research Letters*, **44**, 3319-3327.
- Okata M., Nakajima T., Suzuki K., Inoue T., Nakajima T.Y. and Okamoto H. (2017) A study on radiative transfer effects in 3D cloudy atmosphere using satellite data. *Journal of Geophysical Research: Atmosphere*, **122**, 443-468.
- Okazaki A. and Yoshimura K. (2017) Development and evaluation of a system of proxy data assimilation for paleoclimate reconstruction. *Climate of the Past*, **13**, 379-393.
- Otto-Bliessner B.L., Braconnot P., Harrison S.P., Lunt D.J., Abe-Ouchi A., Albani S., Bartlein P.J., Capron E., Carlson A.E., Dutton A., Fischer H., Goelzer H., Govin A., Haywood A., Joos F., Legrande A.N., Lipscomb W.H., Lohmann G., Mahowald N., Nehrbass-Ahles C., Pausata F.S.R., Peterschmitt J.-Y., Phipps S.J., Renssen H. and Zhang Q. (2017) The PMIP4 contribution to CMIP6 - Part 2: Two interglacials, scientific objective and experimental design for Holocene and Last Interglacial simulations. *Geoscientific Model Development*, **10**, 3979-4003.
- Park K.J., Yoshimura K., Kim H. and Oki T. (2017) Chronological development of terrestrial mean precipitation. *Bulletin of the American Meteorological Society*, **98**, 2411-2427.
- Qin X.C., Nakayama T., Matsumi Y., Kawasaki M., Ono A., Hayashida S., Imasu R., Lei L.P., Murata I., Kuroki T. and Ohashi M. (2017) Ground-based measurement of column-averaged mixing ratios of methane and carbon dioxide in the Sichuan Basin of China by a desktop optical spectrum analyzer. *Journal of Applied Remote Sensing*, **12**, doi:10.1117/1.JRS.12.012002.
- Quaas J., Rosenfeld D., Andreae M., Feingold G., Fridlind A., Kahn R., Stier P., Suzuki K., van den Heever S. and Wood R. (2017) First results from ACPC case studies on aerosol effects on shallow and deep clouds. *GEWEX News*, **27**, 7-8.
- Ramzan M., Ham S., Amjad M., Chang E.-C. and Yoshimura K. (2017) Sensitivity evaluation of spectral nudging schemes in historical dynamical downscaling for South Asia. *Advances in Meteorology*, **2017**, doi:10.1155/2017/7560818.
- Roh W., Satoh M. and Nasuno T. (2017) Improvement of a cloud microphysics scheme for a global nonhydrostatic model using TRMM and a satellite simulator. *Journal of the Atmospheric Sciences*, **74**, 167-184.

- Rokotyan N., Imasu R., Griбанov K. and Zakharov V. (2017) Bottlenecks in the remote sensing of the  $^{13}\text{CO}_2/^{12}\text{CO}_2$  isotopic ratio from GOSAT measurements. *SPIE Proceedings Article*, doi:10.1117/12.2287960.
- Saitoh N., Kimoto S., Sugimura R., Imasu R., Shiomi K., Kuze A., Niwa Y., Machida T., Sawa Y. and Matsueda H. (2017) Bias assessment of lower and middle tropospheric  $\text{CO}_2$  concentrations of GOSAT/TANSO-FTS TIR Version 1 product. *Atmospheric Measurement Techniques*, **10**, doi:10.5194/amt-10-3877-2017.
- Sakamoto T.T., Urakawa L.S., Hasumi H., Ishizu M., Itoh S., Komatsu T. and Tanaka K. (2017) Numerical simulation of Pacific water intrusions into Otsuchi Bay, northeast of Japan, with a nested-grid OGCM. *Journal of Oceanography*, **73**, 39-54.
- Satoh M., Tomita H., Yashiro H., Kajikawa Y., Miyamoto Y., Yamaura T., Miyakawa T., Nakano M., Kodama C., Noda A.T., Nasuno T., Yamada Y. and Fukutomi Y. (2017) Outcomes and challenges of global high-resolution non-hydrostatic atmospheric simulations using the K computer. *Progress in Earth and Planetary Science*, **4**, doi:10.1186/s40645-017-0127-8.
- Schmidt G.A., Severinghaus J., Abe-Ouchi A., Alley R.B., Broecker W., Brook E., Etheridge D., Kawamura K., Keeling R.F., Leinen M., Marvel K. and Stocker T.F. (2017) Overestimate of committed warming. *Nature*, **547**, E16-E17.
- Sherriff-Tadano S., Abe-Ouchi A., Yoshimori M., Oka A. and Chan W.-L. (2017) Influence of glacial ice sheets on the Atlantic meridional overturning circulation through surface wind change. *Climate Dynamics*, doi:10.1007/s00382-017-3780-0.
- Shin Y., Kang S. and Watanabe M. (2017) Dependence of Arctic climate on the latitudinal position of stationary waves and to high-latitudes surface warming. *Climate Dynamics*, **49**, 3753-3763.
- Skofronick-Jackson G., Petersen W.A., Berg W., Kidd C., Stocker E.F., Kirschbaum D.B., Kakar R., Braun S.A., Huffman G.J., Iguchi T., Kirstetter P.E., Kummerow C., Meneghini R., Oki R., Olson W.S., Takayabu Y.N., Furukawa K. and Wilhelm T. (2017) The Global Precipitation Measurement (GPM) mission for science and society. *Bulletin of the American Meteorological Society*, **98**, 1679-1695.
- Someya Y. and Imasu R. (2017) Cloud screening and property retrieval for hyper-spectral thermal infrared sounders. In *Remote Sensing of Aerosols, Clouds, and Precipitation* edited by Islam T., Hu Y., Kokhanovsky A. and Wang J., Elsevier, Amsterdam, 175-187.
- Steen-Larsen H.C., Risi C., Werner M., Yoshimura K. and Masson-Delmotte V. (2017) Evaluating the skills of isotope-enabled general circulation models against in situ atmospheric water vapor isotope observations. *Journal of Geophysical Research: Atmosphere*, **122**, 246-263.
- Suwarman R., Ichianagi K., Tanoue M., Yoshimura K., Mori S., Yamanaka D. and Syamsudin F. (2017) El Niño Southern Oscillation signature in atmospheric water isotopes over Maritime Continent during wet season. *Journal of the Meteorological Society of Japan*, **95**, 49-66.
- Suzuki K., Stephens G. L. and Golaz J.-C. (2017) Significance of aerosol radiative effect in energy balance control on global precipitation change. *Atmospheric Science Letters*, **18**, 389-395.
- Takahashi C., Mori M. and Watanabe M. (2017) Significant aerosol influence on the recent decadal decrease in tropical cyclone activity over the western North Pacific. *Geophysical Research Letters*, **44**, 9496-9504.
- Takahashi H., Lebsock M., Suzuki K., Stephens G. and Wang M. (2017) An investigation of microphysics and sub-grid scale variability in warm rain clouds using the A-Train observations and a multi-scale modeling framework. *Journal of Geophysical Research: Atmosphere*, **122**, 7493-7504.
- Takahashi H., Suzuki K. and Stephens G. (2017) Land-ocean differences in the warm rain formation process in satellite observations, ground-based observations, and model simulations. *Quarterly Journal of Royal Meteorological Society*, **143**, 1804-1815.
- Tanoue M., Ichianagi K., Yoshimura K., Shimada J., and Hirabayashi Y. (2017) Estimation of the isotopic composition and origins of winter precipitation over Japan using a regional isotope circulation model. *Journal of Geophysical Research: Atmosphere*, **122**, 11,621-11,637.
- Tatebe T., Kurogi M. and Hasumi H. (2017) Atmospheric responses and feedback to the meridional ocean heat transport in the North Pacific. *Journal of Climate*, **30**, 5715-5728.
- Toride K., Neluwala P., Kim H.J. and Yoshimura K. (2017) Feasibility study of the reconstruction of historical weather with data assimilation. *Monthly Weather Review*, **145**, 3563-3580.
- Tsushima Y., Briant F., Klein S.A., Konsta D., Nam C., Qu X., Williams K.D., Sherwood S.C., Suzuki K. and Zelinka M.D. (2017) The Cloud Feedback Model Intercomparison Project (CFMIP) Diagnostics Code Catalogue - metrics, diagnostics and methodologies to evaluate, understand and improve the representation of clouds and cloud feedbacks in climate models. *Geoscience Model Development*, **10**, 4285-4305.
- Uchida J., Mori M., Hara M., Satoh M., Goto D., Kataoka T., Suzuki K. and Nakajima T. (2017) Impact of lateral boundary errors on the simulation of clouds with a nonhydrostatic regional climate model. *Monthly Weather Review*, **145**, 5059-5082.
- Webb M., Andrews T., Bodas-Salcedo A., Bony S., Bretherton C., Chadwick R., Chepfer H., Douville H., Good P., Kay J., Klein S., Marchand R., Medeiros B., Siebesma P., Skinner C., Stevens B., Tselioudis G., Tsushima Y. and Watanabe M. (2017) The Cloud Feedback Model Intercomparison Project (CFMIP) contribution to CMIP6. *Geoscience Model Development*, **10**, 359-384.
- Wei Z., Yoshimura K., Wang L., Miralles D., Jasechko S. and Lee X. (2017) Revisiting the contribution of transpiration to global terrestrial evapotranspiration. *Geophysical Research Letters*, **44**, 2792-2801.

- Yamada Y., Satoh M., Sugi M., Kodama C., Noda A.T., Nakano M. and Nasuno T. (2017) Response of tropical cyclone activity and structure to global warming in a high-resolution global nonhydrostatic model. *Journal of Climate*, **30**, 9703-9724.
- Yamashita Y., Takigawa M., Ishijima K., Akiyoshi H., Kodama C., Yashiro H. and Satoh M. (2017) Resolution dependency of numerically simulated stratosphere-to-troposphere transport associated with mid-latitude closed cyclones in early spring around Japan. *SOLA*, **13**, 186-191.
- Yokoyama C., Takayabu Y.N. and Horinouchi T. (2017) Precipitation characteristics over East Asia in early summer: effects of the subtropical jet and lower-tropospheric convective instability. *Journal of Climate*, **30**, 8127-8147.
- Yoshida R., Yashiro H., Satoh M. and Tomita H. (2017) Modification of a baroclinic test case to a height-based coordinate system without topography implementation. *AICS Technical Report*, Jan-17, 16pp.
- Yoshimori M., Abe-Ouchi A. and Lainé A. (2017) The role of atmospheric heat transport and regional feedbacks in the Arctic warming at equilibrium. *Climate Dynamics*, **49**, 3457-3472.
- 木本昌秀 (2017) 気象災害予測のリードタイムを確保するために. 地域防災, **12**, 4-7.
- 木本昌秀 (2017) 「異常気象」の考え方, 朝倉書店, 東京, 232pp.
- 高橋暢宏・岡本 創・高藪 緑・鈴木健太郎・大野裕一・可知美佐子・久保田拓志・沖 理子 (2017) 降雨・雲レーダ. 「気象研究ノート 地球観測の将来構想に関わる世界動向の分析」(TF 地球科学研究高度化ワーキンググループ 編), 日本気象学会, 日本, 25-32.
- 野本大輔・芳村 圭 (2017) 平成 27 年関東・東北豪雨時のつくば市真瀬における水蒸気同位体比時間変動の決定要因に関する研究. 土木学会論文集 G (環境), **73**, I\_275-I\_281.
- 羽角博康 (2017) 海洋大循環モデルにおける鉛直混合パラメタリゼーションと太平洋深層循環に関する研究. 海の研究, **26**, 203-208.
- 藪優太郎・芳村 圭・Hyungjun KIM・新田友子・鳩野美佐子・石塚悠太・向田清峻・可知美佐子・沖 大幹 (2017) 1km 解像度陸面モデルによる河川流量の検証. 土木学会論文集 G (環境), **73**, I\_71-I\_79.

### Physical Oceanography (海洋物理)

- Iga K. (2017) Axisymmetric flow in a cylindrical tank over a rotating bottom. Part I. Analysis of boundary layers and vertical circulation. *Fluid Dynamics Research*, **49**, doi:10.1088/1873-7005/aa8bef.
- Iga K., Yokota S., Watanabe S., Ikeda T., Niino H. and Misawa N. (2017) Axisymmetric flow in a cylindrical tank over a rotating bottom. Part II. Deformation of the water surface and experimental verification of the theory. *Fluid Dynamics Research*, **49**, doi:10.1088/1873-7005/aa8bf0.
- Ishizu M., Itoh S., Tanaka K. and Komatsu K. (2017) Influence of the Oyashio Current and Tsugaru Warm Current on the circulation and water properties of Otsuchi Bay, Japan. *Journal of Oceanography*, **73**, 115-131.
- Ito J., Oizumi T. and Niino H (2017) Near-surface coherent structures explored by large eddy simulation of entire tropical cyclones. *Scientific Reports*, **7**, doi:10.1038/s41598-017-03848-w .
- Itoh S. and Rudnick D.L. (2017) Fine-scale variability of isopycnal salinity in the California Current System. *Journal of Geophysical Research: Oceans*, **122**, 7066-7081.
- Komatsu K. and Tanaka K. (2017) Swell-dominant surface waves observed by a moored buoy with a GPS wave sensor in Otsuchi Bay, a ria in Sanriku, Japan. *Journal of Oceanography*, **73**, 87-101.
- Mashiko W. and Niino H. (2017) Super high-resolution simulation of the 6 May 2012 Tsukuba supercell tornado: Near-surface structure and its dynamics. *SOLA*, **13**, 135-139.
- Miyamoto M., Oka E., Yanagimoto D., Fujio S., Mizuta G., Imawaki S., Kurogi M. and Hasumi H. (2017) Characteristics and mechanism of deep mesoscale variability south of the Kuroshio Extension. *Deep Sea Research Part I: Oceanographic Research*, **123**, 110-117.
- Oka E., Katsura S., Inoue H., Kojima A., Kitamoto M., Nakano T. and Suga T. (2017) Long-term change and variation of salinity in the western North Pacific subtropical gyre revealed by 50-year long observations along 137E. *Journal of Oceanography*, **73**, 479-490.
- Takahashi D., Kaneko K., Gomi Y., Minegishi Y., Shoji M., Endo H. and Kijima A. (2017) Short-term flow fluctuations in Onagawa Bay, Japan, as revealed by long-term mooring observation. *Journal of Oceanography*, **73**, 67-86.
- Tanaka K., Komatsu K., Itoh S., Yanagimoto D., Ishizu M., Hasumi H., Sakamoto T.T., Urakawa L.S., Michida Y. and Saito K. (2017) Baroclinic circulation and its high frequency variability in Otsuchi Bay on the Sanriku ria coast, Japan. *Journal of Oceanography*, **73**, 25-38.
- Tanaka T., Yasuda I., Kuma K. and Nishioka J. (2017) Evaluation of the biogeochemical impact of iron-rich shelf water to the Green Belt in the southeastern Bering Sea. *Continental Shelf Research*, **143**, 130-138.
- Tochimoto E. and Niino H. (2017) Structural and environmental characteristics of extratropical cyclones associated with tornado outbreaks in the warm sector: An idealized numerical study. *Monthly Weather Review*, **145**, 117-136.
- Watanabe. S.I., Niino. H. and Yanase W. (2017) Structure and environment of polar mesocyclones over the northeastern part of the Sea of Japan. *Monthly Weather Review*, **145**, 2217-2233.
- 田中 潔・羽角博康・小松幸生・伊藤幸彦・柳本大吾・坂本 天・石津美穂・浦川昇吾・道田 豊 (2017) 三陸沿岸の流況. 沿岸海洋研究, **54**, 97-104.
- 田中 潔・羽角博康・小松幸生・伊藤幸彦・柳本大吾・坂本 天・仁科 慧・道田 豊 (2017) 三陸沿岸の海洋物理学研究について. 日本水産学会誌, **83**, 644-647.

## Chemical Oceanography (海洋化学)

- Aoyama M., Hamajima Y., Inomata Y. and Oka E. (2017) Recirculation of FNPP1-derived radiocaesium observed in winter 2015/2016 in coastal regions of Japan. *Applied Radiation and Isotopes*, **126**, 83-87.
- Chen C.-H., Liu Y.-H., Lee C.-Y., Sano Y., Zhou H.-W., Xiang H. and Takahata N. (2017) The Triassic reworking of the Yunkai massif (South China): EMP monazite and U-Pb zircon geochronologic evidence. *Tectonophysics*, **694**, 1-22.
- Firdaus M.L., Fitriani I., Wyantuti S., Hartati Y.W., Khaydarov R., McAlister J. A., Obata H. and Gamo T. (2017) Colorimetric detection of mercury (II) ion in aqueous solution using silver nanoparticles. *Analytical Sciences*, **33**, 831-837.
- Füllenbach C. S., Schöne B.R., Shirai K., Takahata N., Ishida A. and Sano Y. (2017) Minute co-variations of Sr/Ca ratios and microstructures in the aragonitic shell of *Cerastoderma edule* (Bivalvia) - Are geochemical variations at the ultra-scale masking potential environmental signals? *Geochimica et Cosmochimica Acta*, **205**, 256-271.
- Kim T., Obata H., Nishioka J. and Gamo T. (2017) Distribution of dissolved zinc in the western and central subarctic North Pacific. *Global Biogeochemical Cycles*, **31**, 1454-1468.
- Kubota K., Shirai K., Murakami-Sugihara N., Seike K., Hori M. and Tanabe K. (2017) Annual shell growth pattern of the Stimpson's hard clam *Mercenaria stimpsoni* as revealed by sclerochronological and oxygen stable isotope measurements. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **465**, 307-315.
- Kumamoto Y., Aoyama M., Hamajima Y., Nagai H., Yamagata T., Kawai Y., Oka E., Yamaguchi A., Imai K. and Murata A. (2017) Fukushima-derived radiocaesium in the western North Pacific in 2014. *Journal of Radioanalytical and Nuclear Chemistry*, **311**, 1209-1217.
- Le Q.D., Haron N.A., Tanaka K., Ishida A., Sano Y., Dung L.V. and Shirai K. (2017) Quantitative contribution of primary food sources for a mangrove food web in Setiu lagoon from East coast of Peninsular Malaysia, stable isotopic ( $d^{13}C$  and  $d^{15}N$ ) approach. *Regional Studies in Marine Science*, **9**, 174-179.
- Mashio A.S., Obata H. and Gamo T. (2017) Dissolved platinum concentrations in coastal seawater: Boso to Sanriku, Japan. *Archives of Environmental Contamination and Toxicology*, **73**, 240-246.
- Mizukawa K., Hirai Y., Sakakibara H., Endo S., Okuda K., Takada H., Murakami-Sugihara N., Shirai K. and Ogawa H. (2017) Spatial distribution and temporal trend of anthropogenic organic compounds derived from the 2011 East Japan Earthquake. *Archives of Environmental Contamination and Toxicology*, **73**, 185-195.
- Nishioka J. and Obata H. (2017) Dissolved iron distribution in the western and central subarctic Pacific: HNLC water formation and biogeochemical processes. *Limnology and Oceanography*, **62**, 2004-2022.
- Obata H., Nishioka J., Kim T., Norisuye K., Takeda S., Wakuta Y. and Gamo T. (2017) Dissolved iron and zinc in Sagami Bay and the Izu-Ogasawara Trench. *Journal of Oceanography*, **73**, 333-344.
- Ohkouchi N., Chikaraishi Y., Close H.G., Fry B., Larsen T., Madigan D.J., McCarthy M.D., McMahon K.W., Nagata T., Naito Y.I., Ogawa N.O., Popp B.N., Steffan S., Takano Y., Tayasu I., Wyatt A.S.J., Yamaguchi Y.T. and Yokoyama Y. (2017) Advances in the application of amino acid nitrogen isotopic analysis in ecological and biogeochemical studies. *Organic Geochemistry*, **113**, 150-174.
- Omori Y., Tanimoto H., Inomata S., Ikeda K., Iwata T., Kameyama S., Uematsu M., Gamo T., Ogawa H. and Furuya K. (2017) Sea-to-air flux of dimethylsulfide in the South and North Pacific Ocean as measured by Proton Transfer Reaction-Mass Spectrometry coupled with the Gradient Flux (PTR-MS/GF) technique. *Journal of Geophysical Research: Atmosphere*, **122**, 7216-7231.
- Rouilleau E., Bravo F., Pinti D.L., Barde-Cabusson S., Pizarro M., Tardani D., Muñoz C., Sanchez J., Sano Y., Takahata N., de la Cal F., Esteban C., Morata D. (2017) Structural controls on fluid circulation at the Cavihue-Copahue Volcanic Complex (CCVC) geothermal area (Chile-Argentina), revealed by soil  $CO_2$  and temperature, self-potential, and helium isotopes. *Journal of Volcanology and Geothermal Research*, **341**, 104-118.
- Tanabe K., Mimura T., Miyaji T., Shirai K., Kubota K., Murakami-Sugihara N. and Schöne B.R. (2017) Interannual to decadal variability of summer sea surface temperature in the Sea of Okhotsk recorded in the shell growth history of Stimpson's hard clams (*Mercenaria stimpsoni*). *Global and Planetary Change*, **157**, 35-47.
- Tazoe H., Obata H., Tomita M., Mamura S., Nishioka J., Yamagata T., Karube Z. and Yamada M. (2017) Novel method for low level Sr-90 activity detection in seawater by combining oxalate precipitation and chelating resin extraction. *Geochemical Journal*, **51**, 193-197.
- Toki T., Iwata D., Tsunogai U., Komatsu D., Sano Y., Takahata N., Hamasaki H. and Ishibashi J. (2017) Formation of gas discharging from Taketomi submarine hot spring off Ishigaki Island in the southern Ryukyu Islands, Japan. *Journal of Volcanology and Geothermal Research*, **330**, 24-35.
- Wakaki S., Obata H., Tazoe H. and Ishikawa T. (2017) Precise and accurate analysis of deep and surface seawater Sr stable isotopic composition by double-spike thermal ionization mass spectrometry. *Geochemical Journal*, **51**, 227-239.
- Yamada Y., Yokokawa T., Uchimiya M., Nishino S., Fukuda H., Ogawa H. and Nagata T. (2017) Transparent exopolymer particles (TEP) in the deep ocean: full-depth distribution patterns and contribution to the organic carbon pool. *Marine Ecology Progress Series*, **583**, 81-93.
- Yamashita Y., Hashihama F., Saito H., Fukuda H. and Ogawa H. (2017) Factors controlling the geographical distribution of fluorescent dissolved organic matter in the surface waters of the Pacific Ocean. *Limnology and Oceanography*, **62**, 2360-2374.
- 小川浩史・穴澤活郎・小畑元・白井厚太郎・杉原奈央子・高田秀重・真塩麻彩実・水川薫子・南秀樹 (2017) 大槌湾における陸域由来環境汚染物質の分布と変動. 日本水産学会誌, **83**, 648-651.

- 小畑 元・金 泰辰・西岡 純 (2017) 北太平洋亜寒帯における鉄の供給過程. 海の研究, **26**, 79-93.
- 中村篤博・成田祥・金澤啓三・植松光夫 (2017) 瀬戸内海沿岸部における大気エアロゾル中の有機窒素. エアロゾル研究, **32**, 4-13.
- 福田秀樹・楊 燕輝・高巢裕之・西部裕一郎・立花愛子・津田 敦・永田 俊 (2017) 2011 年東北地方太平洋沖地震以降 5 年間の三陸沿岸大槌湾における栄養塩環境の変化. 沿岸海洋研究, **54**, 105-116.

### Ocean Floor Geoscience (海洋底科学)

- Akizawa N., Miyake A., Ishikawa A., Tamura A., Terada Y., Uesugi K., Takeuchi A., Arai S., Tanaka C., Igami Y., Suzuki K. and Kogiso T. (2017) Metasomatic PGE mobilization by carbonatitic melt in the mantle: evidence from sub- $\mu\text{m}$ -scale sulfide-carbonaceous glass inclusion in Tahitian harzburgite xenolith. *Chemical Geology*, **475**, 87-104.
- Bell T., Nishida K., Ishikawa K., Suzuki A., Nakamura T., Sakai K., Ohno Y., Iguchi A. and Yokoyama Y. (2017) Temperature-controlled culture experiments with primary polyps of coral *Acropora digitifera*: Calcification rate variations and skeletal Sr/Ca, Mg/Ca, and Na/Ca ratios. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **484**, 129-135.
- Dutton A., Rubin K., McLean N., Bowring J., Bard E., Edwards R.L., Henderson G.M., Reid M.R., Richards D.A., Sims K.W.W., Walker J.D. and Yokoyama Y. (2017) Data reporting standards for publication of U-series data for geochronology and timescale assessment in the earth science. *Quaternary Geochronology*, **39**, 142-149.
- Fukuchi R., Yamaguchi A., Yamamoto Y. and Ashi J. (2017) Paleothermal structure of the Nankai inner accretionary wedge estimated from vitrinite reflectance of cuttings. *Geochemistry, Geophysics, Geosystems*, **18**, 3185-3196.
- García-Alix A., Jiménez-Espejo F.J., Toney J.L., Jiménez-Moreno G., Ramos-Román M.J., Anderson R.S., Ruano P., Queralt I., Huertas A.D. and Kuroda J. (2017) Alpine bogs of southern Spain show human-induced environmental change superimposed on long-term natural variations. *Scientific Reports*, **7**, doi:10.1038/s41598-017-07854-w.
- Hashimoto Y., Abe S., Tano H., Hamahashi M., Saito S., Kimura G., Yamaguchi A., Fukuchi R., Kameda J., Hamada Y., Kitamura Y., Fujimoto K., Hina S. and Eida M. (2017) Acoustic properties of deformed rocks at the Nobeoka thrust in the Shimanto Belt, Kyushu, Southwest Japan. *Island Arc*, **26**, doi:10.1111/iar.12198.
- Higuchi T., Shirai K., Mezaki T. and Yuyama I. (2017) Temperature dependence of aragonite and calcite skeleton formation by a scleractinian coral in low-Mg/Ca seawater. *Geology*, **45**, 1087-1090.
- Hirabayashi S., Yokoyama Y., Suzuki A., Miyairi Y. and Aze T. (2017) Multidecadal oceanographic changes in the western Pacific detected through high-resolution bomb-derived radiocarbon measurements on corals. *Geochemistry, Geophysics, Geosystems*, **18**, 1608-1617.
- Hirabayashi S., Yokoyama Y., Suzuki A., Miyairi Y. and Aze T. (2017) Short-term fluctuations in regional radiocarbon reservoir age recorded in coral skeletons from the Ryukyu Islands in the north-western Pacific. *Journal of Quaternary Science*, **32**, 1-6.
- Hirabayashi S., Yokoyama Y., Suzuki A., Miyairi Y., Aze T., Siringan F. and Maeda Y. (2017) Radiocarbon variability recorded in coral skeletons from the northwest of Luzon Island, Philippines. *Geoscience Letters*, **4**, doi:10.1186/s40562-017-0081-8.
- Hirase S., Yokoyama Y., Lee C.T. and Iwasaki W. (2017) The Pliocene-Pleistocene transition had dual effects on North American migratory bird speciation. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **462**, 85-91.
- Hong Y., Yasuhara M., Iwatani H., Seto K., Yokoyama Y., Yoshioka K. and Mamo B. (2017) Freshwater reservoir construction by damming a marine inlet in Hong Kong: Paleoecological evidence of local community change. *Marine Micropaleontology*, **132**, 53-59.
- Hossain H.M.Z., Kawahata H., Roser B.P., Sampei Y., Manaka T. and Otani S. (2017) Geochemical characteristics of major rivers sediments in Myanmar and Thailand: implications for source area weathering and provenance. *Erde-Geochemistry*, **77**, 443-458.
- Isaji Y., Kawahata H., Kuroda J., Yoshimura T., Ogawa N.O., Suzuki A., Shibuya T., Jiménez-Espejo F.J., Lugli S., Santulli A., Manzi V., Roveri M. and Ohkouchi N. (2017) Biological and physical modification of carbonate system parameters along the salinity gradient in shallow hypersaline solar salterns in Trapani, Italy. *Geochimica et Cosmochimica Acta*, **208**, 354-367.
- Ishizawa T., Goto K., Yokoyama Y., Miyairi Y., Sawada C., Nishimura Y. and Sugawara D. (2017) Sequential radiocarbon measurement of bulk peat for high-precision dating of tsunami deposits. *Quaternary Geochronology*, **41**, 202-210.
- Iwasaki S., Kimoto K., Kuroyanagi A. and Kawahata H. (2017) Horizontal and vertical distributions of planktic foraminifera in the subarctic Pacific. *Marine Micropaleontology*, **130**, 1-14.
- Kameda J., Inoue S., Tanikawa W., Yamaguchi A., Hamada Y., Hashimoto Y. and Kimura G. (2017) Alteration and dehydration of subducting oceanic crust within subduction zones: implications for décollement step-down and plate-boundary seismogenesis. *Earth and Planetary Science Letters*, **69**, doi:10.1186/s40623-017-0635-1.
- Kameda J., Okamoto A., Sato K., Fujimoto K., Yamaguchi A. and Kimura G. (2017) Opal-CT in chert beneath the toe of the Tohoku margin and its influence on the seismic aseismic transition in subduction zones. *Geophysical Research Letters*, **44**, 687-693.
- Kato M., Oji T. and Shirai K. (2017) Paleoecology of echinoderms in cold seep environments revealed by isotope analysis in the late Cretaceous Western Interior Seaway. *Palaaios*, **32**, 218-230.
- Kawahata H., Ishizaki Y., Kuroyanagi A., Suzuki A. and Ohkushi K. (2017) Quantitative reconstruction of temperature at Jomon site in the Incipient Jomon period in northern Japan and its implication for the production of early pottery and stone arrowheads. *Quaternary Science Reviews*, **157**, 66-79.

- Kawahata H., Matsuoka M., Togami A., Harada N., Murayama M., Yokoyama Y., Miyairi Y., Matsuzaki H. and Tanaka Y. (2017) Climatic change and its influence on human society in western Japan during the Holocene. *Quaternary International*, **440**, 102-117.
- Kawakubo Y., Alibert C. and Yokoyama Y. (2017) A reconstruction of subtropical western North Pacific SST variability back to 1578, based on a *Porites* coral Sr/Ca record from the northern Ryukyus, Japan. *Paleoceanography*, **32**, 1352-1370.
- Kawasaki R., Hamahashi M., Hashimoto Y., Otsubo M., Yamaguchi A., Kitamura Y., Kameda J., Hamada Y., Fukuchi R. and Kimura G. (2017) Temporal stress variations along a seismogenic megasplay fault in the subduction zone: an example from the Nobeoka Thrust, southwestern Japan. *Island Arc*, **26**, doi:10.1111/iar.12193.
- Kitamura A., Imai T., Mitsui Y., Ito M., Miyairi Y., Yokoyama Y. and Tokuda Y. (2017) Late Holocene uplift of the Izu Islands on the northern Zenisu Ridge off Central Japan. *Progress in Earth and Planetary Science*, **4**, doi:10.1186/s40645-017-0146-5.
- Kitamura A., Imai T., Miyairi Y., Yokoyama Y. and Iryu Y. (2017) Radiocarbon dating of coastal boulders from Kouzushima and Miyake islands off Tokyo Metropolitan Area, Japan: Implications for coastal hazard risk. *Quaternary International*, **456**, 28-38.
- Komori J., Shishikura M., Ando R., Yokoyama Y. and Miyairi Y. (2017) History of the great Kanto earthquakes inferred from the ages of Holocene marine terraces revealed by a comprehensive drilling survey. *Earth and Planetary Science Letters*, **471**, doi:10.1016/j.epsl.2017.04.044.
- Kubota K., Yokoyama Y., Ishikawa T., Suzuki A. and Ishii M. (2017) Rapid decline in pH of coral calcification fluid due to incorporation of anthropogenic CO<sub>2</sub>. *Scientific Reports*, **7**, doi:10.1038/s41598-017-07680-0.
- Kuroda J., Hara H., Ueno K., Charoentitirat T., Maruoka T., Miyazaki T., Miyahigashi T. and Lugli S. (2017) Characterization of sulfate mineral deposits in central Thailand. *Island Arc*, **26**, doi:10.1111/iar.12175.
- Kuwahara H., Gotou H., Shinmei T., Ogawa N., Yamaguchi A., Takahata N., Sano Y., Yagi T. and Sugita S. (2017) High Pressure experiments on metal-silicate partitioning of chlorine in a magma ocean: implications for terrestrial chlorine depletion. *Geochemistry, Geophysics, Geosystems*, **18**, 3929-3945.
- Larsen T., Yokoyama Y. and Fernandes R. (2017) Radiocarbon in ecology: Insights and perspectives from aquatic and terrestrial studies. *Methods in Ecology and Evolution*, **9**, doi:10.1111/2041-210X.12851.
- Lin D.C., Chen M.T., Yamamoto M. and Yokoyama Y. (2017) Hydrographic variability in the northern South China Sea over the past 45,000 years: New insights based on temperature reconstructions by U<sup>K</sup><sub>37</sub> and TEX<sup>H</sup><sub>86</sub> proxies from a marine sediment core (MD972146). *Quaternary International*, **459**, 1-16.
- Maeda A., Fujita K., Horikawa K., Suzuki A., Yoshimura T., Tamenori Y. and Kawahata H. (2017) Evaluation of oxygen isotope and Mg/Ca ratios in high-magnesium calcite from benthic foraminifera as a proxy for water temperature. *Journal of Geophysical Research: Biogeosciences*, **122**, 185-199.
- Manaka T., Araoka D., Yoshimura T., Hossain H.M.Z., Nishio Y., Suzuki A. and Kawahata H. (2017) Downstream and seasonal changes of lithium isotope ratios in the Ganges-Brahmaputra river system. *Geochemistry, Geophysics, Geosystems*, **18**, 3003-3015.
- Minzoni R.T., Majewski W., Anderson J.B., Yokoyama Y., Fernandez R. and Jakobsson M. (2017) Oceanographic influences on the stability of the Cosgrove Ice Shelf, Antarctica. *The Holocene*, **27**, doi:10.1177/0959683617702226.
- Miyazaki J., Kawagucci S., Makabe A., Takahashi A., Kitada K., Torimoto J., Matsui Y., Tasumi E., Shibuya T., Nakamura K., Horai S., Sato S., Ishibashi J., Kanzai H., Nakagawa S., Hirai M., Takaki Y., Okino K., Watanabe H., Kumagai H. and Chen C. (2017) Deepest and hottest hydrothermal activity in the Okinawa Trough: the Yokosuka site at Yaeyama Knoll. *Royal Society Open Science*, **4**, doi:10.1098/rsos.171570.
- Obrochta S.P., Andr n T., Fazekas S.Z., Lougheed B.C., Snowball I., Yokoyama Y., Miyairi Y., Kondo R., Kotilainen A.T., Hyttinen O. and Fehr A. (2017) The undatables: Quantifying uncertainty in a highly expanded Late Glacial-Holocene sediment sequence recovered from the deepest Baltic Sea basin-IODP Site M0063. *Geochemistry, Geophysics, Geosystems*, **18**, 858-871.
- Oohashi K., Lin W., Wu H.Y., Yamaguchi A. and Yamamoto Y. (2017) Stress state in the Kumano Basin and in slope sediment determined from anelastic strain recovery: results from IODP Expedition 338 to the Nankai Trough. *Geochemistry, Geophysics, Geosystems*, **18**, 3608-3616.
- Ota Y., Kawahata H., Murayama M., Inoue M., Yokoyama Y., Miyairi Y., Aung T., Hossain H.M.Z., Suzuki A., Kitamura A. and Moe K.T. (2017) Effects of intensification of the Indian Summer Monsoon on northern Andaman Sea sediments during the past 700 years. *Journal of Quaternary Science*, **32**, 528-539.
- Ota Y., Kawahata H., Sato T. and Seto K. (2017) Flooding history of Lake Nakaumi, western Japan, inferred from sediment records spanning the past 700 years. *Journal of Quaternary Science*, **32**, 1063-1074.
- Raimbourg H., Famin V., Palazzin G., Yamaguchi A. and Augier R. (2017) Tertiary evolution of the Shimanto belt (Japan): a large - scale collision in Early Miocene. *Tectonics*, **36**, 1317-1337.
- Raimbourg H., Thi ry R., Vacelet M., Famin V., Ramboz C., Boussafir M., Disnar J.-R. and Yamaguchi A. (2017) Organic matter cracking: A source of fluid overpressure in subducting sediments. *Tectonophysics*, **721**, 254-274.
- Rohling E.J., Hibbert F.D., Williams F.H., Grant K.M., Marino G., Foster G.L., Hennekam R., De Lange G.J., Roberts A.P., Yu J., Webster J.M. and Yokoyama Y. (2017) Differences between the last two glacial maxima and implications for ice-sheet,  $\delta^{18}\text{O}$ , and sea-level reconstructions. *Quaternary Science Reviews*, **176**, 1-28.
- Sakashita W., Miyahara H., Yokoyama Y., Aze T., Nakatsuka T., Hoshino Y., Ohyama M., Yonenobu H. and Takemura K. (2017) Hydroclimate reconstruction in central Japan over the past four centuries from tree-ring cellulose  $\delta^{18}\text{O}$ . *Quaternary International*, **455**, 1-7.



- Sakashita W., Miyahara H., Yokoyama Y., Aze T., Obrochta S.P. and Nakatsuka T. (2017) Relationship between the Northern Pacific Gyre Oscillation and tree-ring cellulose oxygen isotopes in northeastern Japan. *Geoscience Letters*, **4**, doi:10.1186/s40562-017-0095-2.
- Sakuramoto Y., Yamazaki T., Kimoto K., Miyairi Y., Kuroda J., Yokoyama Y. and Matsuzaki H. (2017) A geomagnetic paleointensity record of 0.6 to 3.2 Ma from sediments in the western equatorial Pacific and remanent magnetization lock-in depth. *Journal of Geophysical Research: Solid Earth*, **122**, 7525 – 7543.
- Sanborn K.L., Webster J.M., Yokoyama Y., Dutton A., Braga J.C., Clague D.A., Paduan J.B., Wagner D., Rooney J.J. and Hansen J.R. (2017) New evidence of Hawaiian coral reef drowning in response to meltwater pulse-1A. *Quaternary Science Reviews*, **175**, 60-72.
- Steel E., Simms A.R., Warrick J. and Yokoyama Y. (2017) Highstand shelf fans: The role of buoyancy reversal in the deposition of a new type of shelf sand body. *Geological Society of America Bulletin*, **128**, 1717-1724.
- Usami K., Ikehara K., Jenkins R.G. and Ashi J. (2017) Benthic foraminiferal evidence of deep-sea sediment transport by the 2011 Tohoku-oki earthquake and tsunami. *Marine Geology*, **384**, 214-224.
- Usui Y., Yamazaki T. and Saitoh M. (2017) Changing abundance of magnetofossil morphologies in pelagic red clay around Minamitorishima, western North Pacific. *Geochemistry, Geophysics, Geosystems*, **18**, 4558-4572.
- Wang Q., Kawahata H., Manaka T., Yamaoka K. and Suzuki A. (2017) Potential influence of ocean acidification on deep-sea Fe-Mn nodules: results from leaching experiments. *Aquatic Geochemistry*, **23**, 233-246.
- Yamaguchi Y.T., Chikaraishi Y., Takano Y., Ogawa N.O., Imachi H., Yokoyama Y. and Ohkouchi N. (2017) Fractionation of nitrogen isotopes during amino acid metabolism in heterotrophic and chemolithoautotrophic microbes across Eukarya, Bacteria, and Archaea: Effects of nitrogen sources and metabolic pathways. *Organic Geochemistry*, **111**, 101-112.
- Yoshimura T., Tamenori Y., Suzuki A., Kawahata H., Iwasaki N., Hasegawa H., Nguyen L.T., Kuroyanagi A., Yamazaki T., Kuroda J. and Ohkouchi N. (2017) Altrivalent substitution of sodium for calcium in biogenic calcite and aragonite. *Geochimica et Cosmochimica Acta*, **202**, 21-38.
- 川幡穂高 (2017) 日本人と日本社会が経験した気候・環境 - 気候・環境変動と日本人, 日本社会, 日本文化の成立 -. 科学, **87**, 149-153.
- 黒田潤一郎 (2017) 海洋堆積物の重元素の同位体組成が語る表層環境変動. 地球化学, **51**, 15-28.
- 山崎俊嗣・山本裕二・金松敏也 (2017) 深海掘削による古地磁気・岩石磁気学の最近の進歩. 地質学雑誌, **123**, 251-264.

### Marine Ecosystem Dynamics (海洋生態系動態)

- Niho A., Yoshizawa S., Tsukamoto T., Kurihara M., Tahara S., Nakajima Y., Mizuno M., Kuramochi H., Tahara T., Mizutani Y. and Sudo Y. (2017) Demonstration of a light-driven  $\text{SO}_4^{2-}$  transporter and its spectroscopic characteristics. *Journal of the American Chemical Society*, **139**, 4376-4389.
- Bouchet P., Rocroi J.-P., Hausdorf B., Kaim A., Kano Y., Nützel A., Parkhaev P., Schrödl M. and Strong E. (2017) Revised classification, nomenclator and typification of gastropod families. *Malacologia*, **61**, 1-526.
- Cheung S., Suzuki K., Saito H., Umezawa Y., Xia X., and Liu H. (2017) Highly heterogeneous diazotroph communities in the Kuroshio Current and the Tokara Strait, Japan. *PLOS ONE*, **12**, doi:10.1371/journal.pone.0186875.
- Criscione F., Ponder W.F., Köhler F., Takano T. and Kano Y. (2017) A molecular phylogeny of Rissoidae (Caenogastropoda: Rissoidae) allows testing the diagnostic utility of morphological traits. *Zoological Journal of the Linnean Society*, **179**, 23-40.
- Doi S., Tsukamoto T., Yoshizawa S. and Sudo Y. (2017) An inhibitory role of Arg-84 in anion channelrhodopsin-2 expressed in *Escherichia coli*. *Scientific Reports*, **7**, doi:10.1038/srep41879.
- Fukumori H., Itoh H. and Kano Y. (2017) Development and characterization of microsatellite markers for the stream snail *Clithon retropictus* (Neritimorpha: Neritidae) using next-generation sequencing. *Conservation Genetics Resources*, **9**, 165-171.
- Fukunaga T. and Iwasaki W. (2017) Inactivity periods and postural change speed can explain atypical postural change patterns of *Caenorhabditis elegans* mutants. *BMC Bioinformatics*, **18**, doi:10.1186/s12859-016-1408-8.
- Goto R., Sakamoto S., Hayakawa J. and Seike K. (2017) Underwater observation of the giant spoon worm *Ikeda taenioides* (Annelida: Echiura: Ikedidae) in a subtidal soft-bottom environment in northern Japan, which survived tsunamis of the 2011 off the Pacific Coast of Tohoku Earthquake. *Journal of Oceanography*, **73**, 103-113.
- Hirai J., Hidaka K., Nagai S. and Ichikawa T. (2017) Molecular-based diet analysis of the early post-larvae of Japanese sardine *Sardinops melanostictus* and Pacific round herring *Etrumeus teres*. *Marine Ecology Progress Series*, **564**, 99-113.
- Hirai J., Katakura S., Kasai H. and Nagai S. (2017) Cryptic zooplankton diversity revealed by a metagenetic approach to monitoring metazoan communities in the coastal waters of the Okhotsk Sea, northeastern Hokkaido. *Frontiers in Marine Science*, **4**, doi:10.3389/fmars.2017.00379.
- Hirai J., Nagai S. and Hidaka K. (2017) Evaluation of metagenetic community analysis of planktonic copepods using Illumina MiSeq: Comparisons with morphological classification and metagenetic analysis using Roche 454. *PLOS ONE*, **12**, doi:10.1371/journal.pone.0181452.
- Hiraoka S., Miyahara M., Fujii K., Machiyama A. and Iwasaki W. (2017) Seasonal analysis of microbial communities in precipitation in the Greater Tokyo Area, Japan. *Frontiers in Microbiology*, **8**, doi:10.3389/fmicb.2017.01506.
- Hirase S., Chambers S., Hassell K., Carew M., Pettigrove V., Soyano K., Nagae M. and Iwasaki W. (2017) Phylogeography of the yellowfin goby *Acanthogobius flavimanus* in native and non-native distributions. *Marine Biology*, **164**, doi:10.1007/s00227-017-3137-6.

- Ijichi M. and Hamasaki K. (2017) Distinctive physiological response of shallow and deep ecotypes of ammonia-oxidizing marine archaea in seawater cultures. *Plankton and Benthos Research*, **12**, 259-265.
- Kanaya G., Suzuki T., Kinoshita K., Matsumasa M., Yamada K., Seike K., Okoshi K., Miura O., Nakai S., Sato-Okoshi W. and Kikuchi E. (2017) Disaster-induced changes in coastal wetlands and soft-bottom habitats in eastern Japan - an overview on 2011 Great East Japan Earthquake. *Biology International*, **SI36**, 62-80.
- Kanehara K., Yoshizawa S., Tsukamoto T. and Sudo Y. (2017) A phylogenetically distinctive and extremely heat stable light-driven proton pump from the eubacterium *Rubrobacter xylanophilus* DSM 9941<sup>T</sup>. *Scientific Reports*, **7**, doi:10.1038/srep44427.
- Kobayashi G. and Kojima S. (2017) First record of *Protomystides hatsushimaensis* (Annelida: Phyllococidae) inhabiting vacant tubes of vestimentiferan tubeworms. *Marine Biodiversity Records*, **10**, doi:10.1186/s41200-017-0127-9.
- Kodama T., Hirai J., Tamura S., Takahashi T., Tanaka Y., Ishihara T., Tawa A., Morimoto H. and Ohshimo S. (2017) Diet composition and feeding habits of larval Pacific bluefin tuna, *Thunnus orientalis*, in the Sea of Japan: Integrated morphological and metagenetic analysis. *Marine Ecology Progress Series*, **583**, 211-226.
- Kumagai Y., Yoshizawa S., Nakamura K., Ogura Y., Hayashi T. and Kogure K. (2017) Complete and draft genome sequences of eight oceanic *Pseudomonas aeruginosa* strains. *Genome Announcements*, **5**, doi:10.1128/genomeA.01255-17.
- Mino S., Nakagawa S., Makita H., Toki T., Miyazaki J., Sievert S., Polz M., Inagaki F., Godfroy A., Kato S., Watanabe H., Nunoura T., Nakamura K., Imachi H., Watsuji T., Kojima S., Takai K. and Sawabe T. (2017) Endemicity of the cosmopolitan mesophilic chemolithoautotroph *Sulfurimonas* at deep-sea hydrothermal vents. *ISME Journal*, **11**, 909-919.
- Miura O., Kanaya G., Nakai S., Itoh H., Chiba S., Makino W., Nishimura T., Kojima S. and Urabe J. (2017) Ecological and genetic impact of the 2011 Tohoku Earthquake Tsunami on intertidal mud snails. *Scientific Reports*, **7**, doi:10.1038/srep44375.
- Nakajima Y., Yoshizawa S., Nakamura K., Ogura Y., Hayashi T. and Kogure K. (2017) Draft Genome Sequences of *Tersiccoccus phoenicis* DSM 30849<sup>T</sup>, isolated from a cleanroom for spacecraft assembly, and *Tersiccoccus* sp. strain Bi-70, isolated from a Freshwater Lake. *Genome Announcements*, **5**, doi:10.1128/genomeA.00079-17.
- Nakajima Y., Yoshizawa S., Park S., Kumagai Y., Wong S., Ogura Y., Hayashi T. and Kogure K. (2017) Draft Genome Sequence of *Rubricoccus marinus* SG-29T, a marine bacterium within the family Rhodothermaceae, which contains two different rhodopsin genes. *Genome Announcements*, **5**, doi:10.1128/genomeA.00990-17.
- Nishibe Y., Takahashi K., Sato M., Kodama T., Kakehi S., Saito H. and Furuya K. (2017) Phytoplankton community structure, as derived from pigment signatures, in the Kuroshio Extension and adjacent regions in winter and spring. *Journal of Oceanography*, **73**, 463-478.
- Seike K., Kobayashi G., Kogure K. (2017) Post-depositional alteration of shallow-marine tsunami-induced sand layers: A comparison of recent and ancient tsunami deposits, Onagawa Bay, northeastern Japan. *Island Arc*, **26**, doi:10.1111/iar.12174.
- Seike K., Shirai K. and Murakami-Sugihara N. (2017) Using tsunami deposits to determine the maximum depth of benthic burrowing. *PLOS ONE*, **12**, doi:10.1371/journal.pone.0182753.
- Shiozaki T., Bombar D., Riemann L., Hashihama F., Takeda S., Yamaguchi T., Ehama M., Hamasaki K. and Furuya K. (2017) Basin scale variability of active diazotrophs and nitrogen fixation in the North Pacific, from the tropics to the subarctic Bering Sea. *Global Biogeochemical Cycles*, **31**, 996-1009.
- Sriswasdi S., Yang C.C. and Iwasaki W. (2017) Generalist species drive microbial dispersion and evolution. *Nature Communications*, **8**, doi:10.1038/s41467-017-01265-1.
- Suzuki S., Kaneko R., Kodama T., Hashihama F., Suwa S., Tanita I., Furuya K. and Hamasaki K. (2017) Comparison of community structures between particle-associated and free-living prokaryotes in tropical and subtropical Pacific Ocean surface waters. *Journal of Oceanography*, **73**, 383-395.
- Tachibana A., Nishibe Y., Fukuda H., Kawanobe K., and Tsuda A. (2017) Phytoplankton community structure in Otsuchi Bay, northeastern Japan, after the 2011 off the Pacific coast of Tohoku Earthquake and tsunami. *Journal of Oceanography*, **73**, 55-65.
- Takano T., Waren A. and Kano Y. (2017) *Megadenus atrae* n. sp., an endoparasitic eulimid gastropod (Mollusca) from the black sea cucumber *Holothuria atra* Jaeger (Aspidochirotrida: Holothuriidae) in the Indo-West Pacific. *Systematic Parasitology*, **94**, 699-709.
- Terajima H., Yoshitane H., Ozaki H., Suzuki Y., Shimba S., Kuroda S., Iwasaki W. and Fukada Y. (2017) ADARB1 catalyzes circadian A-to-I editing and regulates RNA rhythm. *Nature Genetics*, **49**, 146-151.
- Tsukamoto T., Yoshizawa S., Kikukawa T., Demura M. and Sudo Y. (2017) Implications for the light-driven chloride ion transport mechanism of *Nonlabens marinus* Rhodopsin 3 by its photochemical characteristics. *The Journal of Physical Chemistry B*, **121**, 2027-2038.
- Ushio M., Fukuda H., Inoue T., Makoto K., Kishida O., Sato K., Murata K., Nikaido M., Sado T., Sato Y., Takeshita M., Iwasaki W., Yamanaka H., Kondoh M. and Miya M. (2017) Environmental DNA enables detection of terrestrial mammals from forest pond water. *Molecular Ecology Resources*, **17**, e63-e75.
- Wong S.-K., Park S., Lee J.-S., Lee K.C., Ogura Y., Hayashi T., Chiura H.X., Yoshizawa S. and Hamasaki K. (2017) *Algibacter aquaticus* sp. nov., a slightly alkaliphilic marine *Flavobacterium* isolated from coastal surface water. *International Journal of Systematic and Evolutionary Microbiology*, **67**, 2199-2204.
- Yahagi T., Watanabe H.K., Kojima S. and Kano Y. (2017) Do larvae from deep-sea hydrothermal vents disperse in surface waters? *Ecology*, **98**, 1524-1534.

- Yano K., Aoki S., Liu M., Umehara Y., Sugauma N., Iwasaki W., Sato S., Soyano T., Kouchi H. and Kawaguchi M. (2017) Function and evolution of a *Lotus japonicus* AP2/ERF family transcription factor that is required for development of infection threads. *DNA Research*, **24**, 193-203.
- 岩崎 渉 (2017) バイオインフォマティクスの全体像. 実験医学, **35**, 713-719.
- 西部裕一郎・福田秀樹・津田敦 (2017) 東北地方太平洋沖地震に伴う津波が大稲湾のプランクトン群集に及ぼした影響. 日本水産学会誌, **83**, 656-658.
- 清家弘治・白井厚太郎・窪田薫 (2017) 岩手県船越湾における底生生物の個体群動態: 2011 年大津波後の 6 年間の継続調査. 日本水産学会誌, **83**, 668-671.

### Marine Bioscience (海洋生命科学)

- Aoki K., Sato K., Isojunno S., Narazaki T. and Miller P.J.O. (2017) High diving metabolic rate indicated by high-speed transits to depth in negatively buoyant long-finned pilot whales. *Journal of Experimental Biology*, **220**, 3802-3811.
- Aoyama J (2017) Natural spawning of chum salmon *Oncorhynchus keta* within a hatchery stock enhancement program - a case in the Otsuchi River at the Sanriku coast-. *Coastal Marine Science*, **40**, 1-6.
- Atsumi K., Song H.Y., Senou H., Inoue K. and Mabuchi K. (2017) Morphological features of an endangered Japanese strain of *Cyprinus carpio*: reconstruction based on seven SNP markers. *Journal of Fish Biology*, **90**, 936-953.
- Campbell M.A., Nielsen J.G., Sado T., Shinzato C., Kanda M., Satoh T.P. and Miya M. (2017) Evolutionary affinities of the unfathomable Parabrotulidae: Molecular data indicate placement of Parabrotula within the family Bythitidae, Ophidiiformes. *Molecular Phylogenetics and Evolution*, **109**, 337-342.
- Goto Y., Yoda K. and Sato K. (2017) Asymmetry hidden in birds' tracks reveals wind, heading, and orientation ability over the ocean. *Science Advances*, **3**, doi:10.1126/sciadv.1700097.
- Hall M.R., Kocot K.M., Baughman K.W., Fernandez-Valverde S.L., Gauthier M.E.A., Hatleberg W.L., Krishnan A., McDougall C., Motti C.A., Shoguchi E., Wang T., Xiang X., Zhao M., Bose U., Shinzato C., Hisata K., Fujie M., Kanda M., Cummins S.F., Satoh N., Degnan S.M. and Degnan B.M. (2017) The crown-of-thorns starfish genome as a guide for biocontrol of this coral reef pest. *Nature*, **544**, 231-234.
- Iwata T., Akamatsu T., Thongsukdee S., Cherdasukjai P., Adulyanukosol K. and Sato K. (2017) Tread-water feeding of Bryde' s whales. *Current Biology*, **27**, R1141-R1155.
- Miller M. J. and Aoyama J (2017) A note about the great east Japan earthquake and tsunami in 2011 from a fisheries perspective five years later. *Fisheries*, **42**, 16-18.
- Minegishi Y., Ikeda M., Kurita Y., Togashi H., Nakaen Y. and Kijima A. (2017) Evaluation of the Tsunami impact on the genetic diversity of the marbled flounder *Pseudopleuronectes yokohamae* in Sendai Bay. *Bulletin of Japan Fisheries Research and Education Agency*, **45**, 69-73.
- Nakajima Y., Shinzato C., Khalturina M., Nakamura M., Kayama Watanabe H., Nakagawa S., Satoh N., and Mitarai S. (2017) Isolation and characterization of novel polymorphic microsatellite loci for the deep-sea hydrothermal vent limpet, *Lepetodrilus nux*, and the vent-associated squat lobster, *Shinkaia crosnieri*. *Marine Biodiversity*, doi:10.1007/s12526-017-0704-5.
- Nakajima Y., Wepfer P.H., Suzuki S., Zayasu Y., Shinzato C., Satoh N. and Mitarai S. (2017) Microsatellite markers for multiple *Pocillopora* genetic lineages offer new insights about coral populations. *Scientific Reports*, **7**, doi:10.1038/s41598-017-06776-x.
- Ohno Y., Iguchi A., Shinzato C., Inoue M., Suzuki A., Sakai K. and Nakamura T. (2017) An aposymbiotic primary coral polyp counteracts acidification by active pH regulation. *Scientific Reports*, **7**, doi:10.1038/srep40324.
- Ohno Y., Iguchi A., Shinzato C., Gushi M., Inoue M., Suzuki A., Sakai K. and Nakamura T. (2017) Calcification process dynamics in coral primary polyps as observed using a calcein incubation method. *Biochemistry and Biophysics Reports*, **9**, 289-294.
- Okamoto E., Kusakabe R., Kuraku S., Hyodo S., Robert-Moreno A., Onimaru K., Sharpe J., Kuratani S. and Tanaka M. (2017) Migratory appendicular muscles precursor cells in the common ancestor to all vertebrates. *Nature Ecology and Evolution*, **1**, 1731-1736.
- Sano K., Kawaguchi M., Katano K., Tomita K., Inokuchi M., Nagasawa T., Hiroi J., Kaneko T., Kitagawa T., Fujimoto T., Arai K., Tanaka M. and Yasumasu S. (2017) Comparison of egg envelope thickness in teleosts and its relationship to the sites of ZP protein synthesis. *Journal of Experimental Zoology Part B: Molecular and Developmental Evolution*, **328**, 240-258.
- Takagi W., Kajimura M., Tanaka H., Hasegawa K., Ogawa S. and Hyodo S. (2017) Distributional shift of urea production site from the extraembryonic yolk sac membrane to the embryonic liver during the development of cloudy catshark (*Scyliorhinus torazame*). *Comparative Biochemistry and Physiology Part A Molecular & Integrative Physiology*, 2117-16.
- Takei Y., Wong M.K.-S., Pipil S., Ozaki H., Suzuki Y., Iwasaki W., Kusakabe M. (2017) Molecular mechanisms underlying active desalination and low water permeability in the esophagus of eels acclimated to seawater. *American Journal of Physiology Regulatory, Integrative and Comparative Physiology*, **312**, R231-R244.
- Tajiri R., Ogawa N., Fujiwara H. and Kojima T. (2017) Mechanical control of whole body shape by a single cuticular protein Obstructor-E in *Drosophila melanogaster*. *PLOS Genet*, **13**, doi:10.1371/journal.pgen.1006548.
- Wada A., Kunii M., Yonehara Y. and Sato K. (2017) Impacts on local heavy rainfalls of surface winds measurement by seabirds. *CAS/JSC WGNE, Research Activities in Atmospheric and Oceanic Modelling*, **47**, 1-25.

- Wong M.K.S., Tsukada T., Ogawa N., Pipil S., Ozaki H., Suzuki Y., Iwasaki W. and Takei Y. (2017) A sodium binding system alleviates acute salt stress during seawater acclimation in eels. *Zoological Letters*, **3**, doi:10.1186/s40851-017-0081-8.
- Yoshida M.A., Yamamoto D. and Sato K. (2017) Physostomous channel catfish, *Ictalurus punctatus*, modify swimming mode and buoyancy based on flow conditions. *Journal of Experimental Biology*, **220**, 597-606.
- 井上広滋・角村(金城) 梓・長崎稔拓・小糸智子 (2017) タウリン蓄積機構を使いまわして深海熱水噴出域へ. 月刊海洋, **49**, 249-252.
- 北川貴士・川上達也・野畑重教・峰岸有紀・伊藤元裕・大竹二雄・青山 潤・兵藤 晋 (2017) 通し回遊魚に対する震災の影響. 日本水産学会誌, **83**, 681-684.
- 新里宙也 (2017) サンゴ礁の保全・再生へ. ゲノム科学からの新しい取り組み. 学術の動向, **3**, 92-95.
- 新里宙也 (2017) サンゴ礁の保全・再生へ. 遺伝子解析からのアプローチ. ていくおふ, **146**, 12-19.
- 横内一樹・天野洋典・石村豊穂・白井厚太郎 (2017) 耳石の元素・同位体比分析による回遊生態研究. 水産海洋研究, **81**, 189-202.

### Living Marine Resources (海洋生物資源)

- Aoki Y., Kitagawa T., Kiyofuji H., Okamoto S. and Kawamura T. (2017) Change in energy intake and cost of skipjack tuna (*Katsuwonus pelamis*) with northward migration in the western North Pacific. *Deep Sea Research Part II: Topical Studies in Oceanography*, **140**, 83-93.
- Arai K., Itakura H., Yoneta A., Yoshinaga T., Shirotori F., Kaifu K. and Kimura S. (2017) Discovering the dominance of the non-native European eel in the upper reaches of the Tone River system, Japan. *Fisheries Science*, **83**, 735-742.
- Hayakawa J., Kawamura T., Fukuda K., Fukuda M. and Sasaki S. (2017) Tsunami-induced changes in abalone and sea urchin populations in Otsuchi Bay, Japan. *Coastal Marine Science*, **40**, 44-54.
- Hirose M. and Kawamura T. (2017) Distribution and seasonality of sessile organisms on settlement panels in Otsuchi Bay. *Coastal Marine Science*, **40**, 66-81.
- Iida T., Iwata Y., Mori T., Baba S.A., Hirohashi N. (2017) A coordinated sequence of distinct flagellar waveforms enables a sharp flagellar turn mediated by squid sperm pH-taxis. *Scientific Reports*, **7**, doi:10.1038/s41598-017-13406-z.
- Inoue K., Terashima Y., Shirakihara M. and Shirakihara K. (2017) Habitat use by Indo-Pacific bottlenose dolphins (*Tursiops aduncus*) in Amakusa, Japan. *Aquatic Mammals*, **43**, 127-138.
- Itakura H., Miyake Y., Kitagawa T. and Kimura S. (2017) Site fidelity, diel and seasonal activities of yellow-phase Japanese eels (*Anguilla japonica*) in a freshwater habitat as inferred from acoustic telemetry. *Ecology of Freshwater Fish*, doi:10.1111/eff.12389.
- Takehi S., Ito S. and Wagawa T. (2017) Estimating surface water mixing ratios using salinity and potential alkalinity in the Kuroshio-Oyashio mixed water regions. *Journal of Geophysical Research: Oceans*, **122**, 1927-1942.
- Kitagawa T. and Aoki Y. (2017) Viewpoints of high migratory tuna species ecology: Comment on "Physics of metabolic organization" by M. Jusup et al. *Physics of Life Reviews*, **20**, 54-56.
- Kitagawa T. and Fujioka K. (2017) Rapid ontogenetic shift in juvenile Pacific bluefin tuna diet. *Marine Ecology Progress Series*, **571**, 253-257.
- Kodama M., Kawamura T., Nakamoto K., Ohtsuchi N., Hayakawa J., Kitagawa T. and Watanabe Y. (2017) A comparison of amphipod assemblages between canopy and understory strata in seaweed and seagrass beds off the coast of Otsuchi Bay, Japan. *Biodiversity Journal*, **8**, 471-473.
- Kuroda H., Wagawa T., Takehi S., Shimizu Y., Kusaka A., Okunishi T., Hasegawa D. and Ito S. (2017) Long-term mean and seasonal variation of altimetry-derived Oyashio transport across the A-line off the southeastern coast of Hokkaido, Japan. *Deep Sea Research Part I: Oceanographic Research*, **121**, 95-109.
- Miyake Y., Kimura S., Horii T. and Kawamura T. (2017) Larval dispersal of abalone and its three modes: a review. *Journal of Shellfish Research*, **36**, 157-167.
- Morioka H., Kasai A., Miyake Y., Kitagawa T. and Kimura S. (2017) Food composition for blue mussels (*Mytilus edulis*) in the Menai Strait, UK, based on physical and biochemical analyses. *Journal of Shellfish Research*, **36**, 659-668.
- Muraoka D., Tamaki H., Takami H., Kurita Y. and Kawamura T. (2017) Effects of the 2011 Great East Japan Earthquake and tsunami on two kelp bed communities on the Sanriku coast. *Fisheries Oceanography*, **26**, 128-140.
- Onda H., Miller M.J., Takeshige A., Miyake Y., Kuroki M., Aoyama J. and Kimura S. (2017) Vertical distribution and assemblage structure of leptocephali in the North Equatorial Current region of the western Pacific. *Marine Ecology Progress Series*, **575**, 119-136.
- Sakamoto A. and Shirakihara K. (2017) Ecosystem dynamics in Tokyo Bay with a focus on high trophic levels using Ecopath with Ecosim. *Journal of Marine Science and Technology*, **22**, 1-10.
- Sakamoto T., Komatsu K., Yoneda M., Ishimura T., Higuchi T., Shirai K., Kamimura Y., Watanabe C. and Kawabata A. (2017) Temperature dependence of  $\delta^{18}\text{O}$  in otolith of juvenile Japanese sardine: Laboratory rearing experiment with micro-scale analysis. *Fisheries Research*, **194**, 55-59.
- Takami H., Kawamura T., Won N.-I., Muraoka D., Hayakawa J. and Onitsuka T. (2017) Effects of macro algal expansion triggered by the 2011 earthquake and tsunami on recruitment density of juvenile abalone *Haliotis discus hannai* at Oshika Peninsula, northeastern Japan. *Fisheries Oceanography*, **26**, 141-156.
- Umezumi Y., Onitsuka T., Kawamura T. and Watanabe Y. (2017) Feeding of the short-spined sea urchin *Strongylocentrotus intermedius* on macroalgae and benthic animals. *Fisheries Science*, **81**, 221-233.

- Yu H., Yu H., Wang L., Kuang L., Wang H., Ding Y., Ito S. and Lawen J. (2017) Tidal propagation and dissipation in the Taiwan Strait. *Continental Shelf Research*, **136**, 57-73.
- 入江貴博 (2017) 生活史モデリングのための理論的基礎. 月刊海洋, **49**, 413-422.
- 河村知彦・高見秀輝・早川 淳・村岡大祐・玉置 仁 (2017) 三陸沿岸の岩礁藻場における地震と津波の影響およびその後の変化. 日本水産学会誌, **83**, 672-676.
- 清水勇吾・奥西 武・笈 茂穂・長谷川大介・和川 拓・井桁庸介・本多直人・瀬藤 聡・黒田 寛・渡邊達郎・中田 薫・伊藤進一 (2017) 水産総合研究センターにおける水中グライダーの運用記録と今後の活用法. 技術小史・技術論, **122**, 1927-1942.
- 半澤浩美・杉原奈央子・山崎幸夫・白井厚太郎 (2017) 茨城県鹿島灘産チョウセンハマグリ(アサリ)の年齢形質と年齢推定法. 日本水産学会誌, **83**, 191-198.
- 干川 裕・河村知彦 (2017) 北海道沿岸各海域におけるエゾアワビの資源量変動に及ぼす気候変動の影響. 日本水産学会誌, **83**, 373-384.
- 柳本 卓・猿渡敏郎 (2017) mtDNA 調節領域の塩基配列分析により推定されたシラウオの地域集団構造. DNA 鑑定, **9**, 35-44.
- 渡邊良郎 (2017) 自然変動する海洋生物資源の合理的利用. 「漁業科学とレジームシフト」(川崎健・片山知史・大海原宏・二平章・渡邊良郎 編), 東北大学出版会, 仙台, 395-412.
- 渡邊良郎 (2017) サンマ資源. 「海の温暖化」(日本海洋学会編), 朝倉書店, 東京, 87-89.

### Multiple Field Marine Science (複合領域)

- Agbaje O.B.A., Wirth R., Morales F.G.W., Shirai K., Kosnik M. Watanabe T., Jacob D.E. (2017) Architecture of crossed-lamellar bivalve shells: The Southern Giant Clam (*Tridacna derasa*, Röding, 1798). *Royal Society Open Science*, **4**, doi:10.1098/rsos.170622.
- Baker A.R. Kanakidou M., Altieri K.E., Daskalakis N., Okin G.S., Myriokefalitakis S., Dentener F., Uematsu M., Sarin M.M., Duce R.A., Galloway J.N., Keene W.C., Singh A., Zamora L., Lamarque J.-F., Hsu S.-C., Rohekar S. S. and Prospero J. M. (2017) Observation-and model-based estimates of particulate dry nitrogen deposition to the oceans. *Atmospheric Chemistry and Physics*, **17**, 8189-8210.
- Fu W., Murata K., Fukuyama S., Kawai Y., Oka E., Uematsu M. and Zhang, D. (2017) Concentration and viability of airborne bacteria over the Kuroshio Extension region in the northwestern Pacific Ocean: Data from three cruises. *Journal of Geophysical Research: Atmospheres*, **122**, 12,892-12,905.
- Honda M. C., Wakita M., Matsumoto K., Fujiki T., Siswanto E., Sasaoka K., Kawakami H., Mino Y., Sukigara C., Kitamura M., Sasaï. Y., Smith L. S., Hashioka T., Yoshikawa C., Kimoto K., Watanabe S., Kobari T., Nagata T., Hamasaki K., Kaneko R., Uchimiyama M., Fukuda H., Abe O. and Saino T. (2017) Comparison of carbon cycle between the western Pacific subarctic and subtropical time-series stations: highlights of the K2S1 project. *Journal of Oceanography*, **73**, 647-667.
- Hoque M., Kawamura K. and Uematsu. M. (2017) Spatio-temporal distributions of dicarboxylic acids,  $\omega$ -oxocarboxylic acids, pyruvic acid,  $\alpha$ -dicarbonyls and fatty acids in the marine aerosols from the North and South Pacific. *Atmospheric Research*, **185**, 158-168.
- Jickells T.D., Buitenhuis E., Altieri K., Baker A.R., Capone D., Duce R.A., Dentener F., Fennel K., Kanakidou M., LaRoche J., Lee K., Liss P., Middelburg J.J., Moore J.K., Okin G., Oschlies A., Sarin M., Seitzinger S., Sharples J., Singh A., Suntharalingam P., Uematsu M. and Zamora L.M. (2017) A reevaluation of the magnitude and impacts of anthropogenic atmospheric nitrogen inputs on the ocean. *Global Biogeochemical Cycles*, **31**, 289-305.
- Kaifu K., Itakura H., Amano Y., Shirai K., Yokouchi K., Wakiya R., Murakami-Sugihara N., Washitani I. and Yada T. (2017) Discrimination of wild and cultured Japanese eels based on otolith stable isotope ratios. *ICES Journal of Marine Science*, **75**, 719-726.
- Koike M., Sugiura N., Takahata N., Ishida A. and Sano Y. (2017) U-Pb and Hf-W dating of young zircon in mesosiderite Asuka 882023. *Geophysical Research Letters*, **44**, 1251-1259.
- Le Q.D., Tanaka K., Dung L.V., Fui S.Y., Lachs L., Kadir S.T.S.A., Sano Y. and Shirai K. (2017) Biomagnification of total mercury in the mangrove lagoon foodweb in east coast of Peninsula, Malaysia. *Regional Studies in marine Science*, **16**, 49-55.
- Lee H., Fischer T.P., de Moor J.M., Sharp Z.D., Takahata N. and Sano Y. (2017) Nitrogen recycling at the Costa Rican subduction zone: The role of incoming plate structure. *Scientific Reports*, **7**, doi:10.1038/s41598-017-14287-y.
- Lee H., Fischer T.P., Muirhead J.D., Ebinger C.J., Kattenhorn S.A., Sharp Z.D., Kianji G., Takahata N. and Sano Y. (2017) Incipient rifting accompanied by the release of subcontinental lithospheric mantle volatiles in the Magadi and Natron basin, East Africa. *Journal of Volcanology and Geothermal Research*, **346**, 118-133.
- Shigemitsu M., Yamamoto A., Oka A. and Yamanaka Y. (2017) One possible uncertainty in CMIP5 projections of low - oxygen water volume in the Eastern Tropical Pacific. *Global Biogeochemical Cycles*, **31**, 804-820.
- Sano Y., Kinoshita N., Kagoshima T., Takahata N., Sakata S., Toki T., Kawagucci S., Waseda A., Lan T., Wen H., Chen A.-T., Lee H., Yang T.F., Zheng G., Tomonaga Y., Rouleau E. and Pinti D.L. (2017) Origin of methane-rich natural gas at the West Pacific convergent plate boundary. *Scientific Reports*, **7**, doi:10.1038/s41598-017-15959-5.
- Tashiro T., Ishida A., Hori M., Igisu M., Koike M., Méjean P., Takahata N., Sano Y. and Komiya T. (2017) Early trace of life from 3.95 Ga sedimentary rocks in Labrador, Canada. *Nature*, **549**, 516-518.
- Yamamoto M., Kato T., Kanayama S., Nakase K. and Tsutsumi N. (2017) Effectiveness of Iron Fertilization for Seaweed Bed Restoration in Coastal Area. *Journal of Water and Environment Technology*, **15**, 186-197.

- Zhang L., Guo Z., Sano Y., Zhang M., Sun Y., Cheng Z. and Yang T.F. (2017) Flux and genesis of CO<sub>2</sub> degassing from volcanic-geothermal fields of Gulu-Yadong rift (GYR) in the Lhasa terrane, South Tibet: Constraints on characteristics of deep carbon cycle in the India-Asia continent subduction zone. *Journal of Asian Earth Sciences*, **149**, 110-123.
- 梅澤 有・福田秀樹・小針 統 (2017) 水産・海洋系学部・大学院の学生動向, 教育の現状と連携の必要性. 沿岸海洋研究, **55**, 3-10.
- 木村伸吾 (2017) 東京大学における海洋キャリアパス形成と人材育成のための研究科横断型教育プログラム. 沿岸海洋研究, **55**, 33-38.
- 日本海洋学会 編 (羽角博康・木村伸吾・伊藤進一・渡邊良朗・岩田容子・三宅陽一・川幡穂高・ほか 分担執筆) (2017) 「海の温暖化 — 変わりゆく海と人間活動の影響 —」 朝倉書店, 東京, 168pp.
- 山本光夫・南 克哉・劉 丹 (2017) 製銅スラグを利用した藻場再生技術における鉄溶出促進に寄与する有機物特性の検討. 化学工学論文集, **43**, 245-251.