

2010

Climate Science	90
Physical Oceanography	92
Chemical Oceanography	93
Ocean Floor Geoscience	94
Marine Ecosystems Dynamics	95
Marine Bioscience	96
Living Marine Resources	99
Multiple Field Marine Science	101

研究業績 | PUBLICATION LIST 2010

Climate Science

- Bellenger H., Takayabu Y.N., Ushiyama T. and Yoneyama K. (2010): Role of diurnal warm layers in the diurnal cycle of convection over the tropical Indian Ocean during MISMO. *Monthly Weather Review*, **138**, 2426-2433.
- Blatter H., Greve R. and Abe-Ouchi A. (2010): A short history of the thermomechanical theory and modelling of glaciers and ice sheets. *Journal of Glaciology*, **56**, 1087-1094.
- Calov R., Greve R., Abe-Ouchi A., Bueler E., Huybrechts P., Johnson J.V., Pattyn F., Pollard D., Ritz C., Saito F. and Tarasov L. (2010): Results from the Ice-Sheet Model Intercomparison Project-Heinrich Event INtercOmparison (ISMIP HEINO). *Journal of Glaciology*, **56**, 371-383.
- Chikamoto Y., Tanimoto Y., Mukougawa H. and Kimoto M. (2010): Subtropical Pacific SST variability related to the local Hadley circulation during the premature stage of ENSO. *Journal of the Meteorological Society of Japan*, **88**, 183-202.
- Choi I.-J., Iguchi T., Kim S.-W., Yoon S.-C. and Nakajima T. (2010): Simulation of the aerosol effect on the microphysical properties of shallow stratocumulus clouds over East Asia using a bin-based meso-scale cloud model. *Atmospheric Chemistry and Physics Discussions*, **10**, 23449-23495.
- Elsaesser G.S., Kummerow C.D., L'Ecuyer T.S., Takayabu Y.N. and Shige S. (2010): Observed self-similarity of precipitation regimes over the tropical oceans. *Journal of Climate*, **23**, 2686-2698.
- Emanuel K., Oouchi K., Satoh M., Tomita H. and Yamada Y. (2010): Comparison of explicitly simulated and downscaled tropical cyclone activity in a high-resolution global climate model. *Journal of Advances in Modeling Earth Systems*, **2**, Art. #9.
- Fudeyasu H., Wang Y., Satoh M., Nasuno T., Miura H. and Yanase W. (2010): Multiscale interactions in the lifecycle of a tropical cyclone simulated in a global cloud-system-resolving model. Part I: Large-scale and storm-scale evolutions. *Monthly Weather Review*, **138**, 4285-4304.
- Fudeyasu H., Wang Y., Satoh M., Nasuno T., Miura H. and Yanase W. (2010): Multiscale interactions in the lifecycle of a tropical cyclone simulated in a global cloud-system-resolving model. Part II: System-scale and mesoscale processes. *Monthly Weather Review*, **138**, 4305-4327.
- Hasumi H., Tatebe H., Kawasaki T., Kurogi M. and Sakamoto T.T. (2010): Progress of North Pacific modeling over the past decade. *Deep-Sea Research Part II*, **57**, 1188-1200.
- Imasu R. (2010) : Satellite Measurement of Greenhouse Gases with Fourier Transform Spectrometer (FTS). *Japanese Journal of Optics*, **39**, 25-30. (今須良一(2010) : フーリエ変換型赤外分光器による衛星からの温室効果ガス計測, 日本光学会(応用物理学)「光学」, **39**, 25-30.)
- Imasu R., Hayashi Y., Inagoya A., Satoh N. and Shiomi K. (2010): Retrieval of minor constituents from thermal infrared spectra observed by GOSAT TANSO-FTS sensor. *SPIE*, **7857**, 785708.
- Inoue T., Satoh M., Haghjira Y., Miura H. and Schmetz J. (2010): Comparison of high-level clouds represented in a global cloud system resolving model with CALIPSO/CloudSat and geostationary satellite observations. *Journal of Geophysical Research*, **115**, D00H14.
- Kanamitsu M., Yoshimura K., Yhang Y.-B. and Hong S.-Y. (2010): Errors of interannual variability and trend in dynamical downscaling of Reanalysis. *Journal of Geophysical Research Atmosphere*, **115**, D17115.
- Kawasaki T. and Hasumi H. (2010): Role of localized mixing around the Kuril Straits in the Pacific thermohaline circulation. *Journal of Geophysical Research*, **115**, C11002.
- Kawatani Y., Sato K., Dunkerton T.J., Watanabe S., Miyahara S. and Takahashi M. (2010): The roles of equatorial trapped waves and internal inertia-gravity waves in driving the quasi-biennial oscillation. Part I: Zonal mean wave forcing. *Journal of the Atmospheric Sciences*, **67**, 963-980.
- Kawatani Y., Sato K., Dunkerton T.J., Watanabe S., Miyahara S. and Takahashi M. (2010): The roles of equatorial trapped waves and internal inertia-gravity waves in driving the quasi-biennial oscillation. Part II: Three-dimensional distribution of wave forcing. *Journal of the Atmospheric Sciences*, **67**, 981-997.
- Kim W.-M., Jhun J.-G., Ha K.-J. and Kimoto M. (2010): Decadal changes in climatological intraseasonal fluctuation of subseasonal evolution of summer precipitation over the Korean Peninsula in the mid-1990s. *Advances in Atmospheric Sciences*, **28**, 591-600.
- Kimoto M. and Ishii M. (2010): Near-term climate prediction experiment: toward predicting decadal climate variability. *Kaiyo Monthly*, **42**, 271-282 (木本昌秀, 石井正好 (2010): 近未来気候予測実験—十年規模気候変動の予測に向けて—. 月刊海洋, **42**, 271-282)
- Kodama C., Mochizuki Y., Hasegawa S., Iwasaki T. and Watanabe M. (2010): Negative correlation between the interannual variability of the stationary and transient wave energy in the Northern Hemisphere. *SOLA*, **6**, 37-40.
- Koseki S. and Watanabe M. (2010): Atmospheric boundary layer response to the meso-scale SST anomalies in the Kuroshio extension. *Journal of Climate*, **23**, 2492-2507.
- Koyama H. and Watanabe M. (2010): Reducing forecast errors due to model imperfections using ensemble Kalman filtering. *Monthly Weather Review*, **138**, 3316-3332.
- Kubokawa H., Fujiwara M., Nasuno T. and Satoh M. (2010): Analysis of the tropical tropopause layer using the Nonhydrostatic ICosahedral Atmospheric Model (NICAM): Aqua-planet experiments. *Journal of Geophysical Research*, **115**, D08102.
- Kurashiki-Nakamura T., Abe-Ouchi A. and Yamanaka Y. (2010): Effects of physical changes in the ocean on the atmospheric pCO_2 : glacial-interglacial cycles. *Climate Dynamics*, **35**, 713-719.
- Kusahara K., Hasumi H. and Tamura T. (2010): Modeling sea ice production and dense shelf water formation at coastal polynyas around East Antarctica. *Journal of Geophysical Research*, **115**, C10006.
- Lü J.-M., Kim S.-J., Abe-Ouchi A., Yu Y. and Ohgaito R. (2010): Arctic Oscillation during the mid-Holocene and last glacial maximum from PMIP2 coupled model simulation. *Journal of Climate*, **23**, 3792-3813.
- Matsumura Y. and Hasumi H. (2010): Modeling ice shelf water overflow and bottom water formation in the southern Weddell Sea. *Journal of Geophysical Research*, **115**, C10033.

- Miyazaki K., Watanabe S., Kawatani Y., Sato K., Tomikawa Y. and Takahashi M. (2010): Transport and mixing in the extratropical tropopause region in a high vertical resolution GCM. Part II: Relative importance of large-scale and small-scale dynamics. *Journal of the Atmospheric Sciences*, **67**, 1315-1336.
- Miyazaki K., Watanabe S., Kawatani Y., Tomikawa Y., Takahashi M. and Sato K. (2010): Transport and mixing in the extratropical tropopause region in a high vertical resolution GCM. Part I: Potential vorticity and heat budget analysis. *Journal of the Atmospheric Sciences*, **67**, 1293-1314.
- Mochizuki T., Ishii M., Kimoto M., Chikamoto Y., Watanabe M., Nozawa T., Sakamoto T.T., Shiogama H., Awaji T., Sugiura N., Toyoda T., Yasunaka S., Tatebe H. and Mori M. (2010): Pacific Decadal Oscillation hindcasts relevant to near-term climate prediction. *Proceedings of the National Academy of Sciences of the USA*, **107**, 1833-1837.
- Murphy J., Kattsov V., Keenlyside N., Kimoto M., Meehl G., Mehta V., Pohlmann H., Scaife A. and Smith D. (2010): Towards prediction of decadal climate variability and change. *Procedia Environmental Sciences*, **1**, 287-304.
- Oka A. and Abe-Ouchi A. (2010): Simulation of the thermohaline circulation at the Last Glacial Maximum. *Kaiyo monthly*, **42**, 180-184. (岡 顕・阿部彩子 (2010): 氷期における熱塩循環のモデリング. 月刊海洋, **42**, 180-184.)
- Oka A. and Obata H. (2010): Study on vertical profiles of rare earth elements by using an ocean general circulation model. *Kaiyo monthly*, **42**, 31-38. (岡 顕・小畠 元 (2010): 海洋大循環モデルによる希土類元素鉛直濃度分布の再現. 月刊海洋, **42**, 31-38.)
- Okazaki Y., Timmermann A., Menzel L., Harada N., Abe-Ouchi A., Chikamoto M.O., Mouchet A. and Asahi H. (2010): Deepwater formation in the North Pacific during the Last Glacial Termination. *Science*, **329**, 200-204.
- Renold M., Raible C.C., Yoshimori M. and Stocker T.F. (2010): Simulated resumption of the North Atlantic meridional overturning circulation: Slow basin-wide advection and abrupt local convection. *Quaternary Science Reviews*, **29**, 101-112.
- Saito F. and Abe-Ouchi A. (2010): Modelled response of the volume and thickness of the Antarctic ice sheet to the advance of the grounded area. *Annals of Glaciology*, **51**(55), 41-48.
- Sasajima Y., Hasumi H. and Nakamura T. (2010): A sensitivity study on the Dense Shelf Water formation in the Okhotsk Sea. *Journal of Geophysical Research*, **115**, C11007.
- Sato N., Yoneyama K., Takayabu Y.N., Shirooka R. and Yoshizaki M. (2010): Variability of the oceanic surface and subsurface layers in the warm pool associated with the atmospheric northward-propagating intraseasonal variability. *Deep Sea Research II*, **57**, 1201-1211.
- Satoh M., Inoue T. and Miura H. (2010): Evaluations of cloud properties of global and local cloud system resolving models using CALIPSO/CloudSat simulators. *Journal of Geophysical Research*, **115**, D00H14.
- Satoh M. (2010): What are problems on cloud simulations? Multiscale structure of cloud systems and global cloud resolving model. *Kagaku*, **80**, 925-926. (佐藤正樹 (2010): 雲のシミュレーションの何が問題か—雲の階層構造シミュレーションと全球雲解析モデル. 科学, **80**, 925-926.)
- Satoh M. (2010): Climate study using a global cloud-resolving model: cloud microphysics and climate sensitivity. *Kaiyo monthly*, **42**, 305-314. (佐藤正樹 (2010): 全球雲解像モデルによる気候研究～雲微物理過程と気候感度の観点から. 月刊海洋, **42**, 305-314.)
- Satoh M. (2010): Climate Study Using a Global Cloud-resolving Model. *Chigaku Zasshi*, **119**, 427-440. (佐藤正樹 (2010): 全球雲解像モデルによる気候変動予測. 地学雑誌, **119**, 427-440.)
- Satoh M. (2010): Climate Study Using a Global Cloud-resolving Model. *Japan Geoscience Letters*, **6**, 1-3. (佐藤正樹 (2010): 全球雲解像モデルによる気候変動予測. Japan Geoscience Letters, **6**, 1-3.)
- Schneider M., Yoshimura K., Hase F. and Blumentrost T. (2010): The ground-based FTIR network's potential for investigating the atmospheric water cycle. *Atmospheric Chemistry and Physics*, **10**, 3427-3442.
- Seiki A., Takayabu Y.N., Yoneyama K. and Shirooka R. (2010): The impact of trade surges on the Madden-Julian Oscillation under different ENSO conditions. *SOLA*, **6**, 49-52.
- Sherwood S.C., Ingram W., Tsushima Y., Satoh M., Roberts M., Vidale P.L. and O'Gorman P.A. (2010): Relative humidity changes in a warmer climate. *Journal of Geophysical Research*, **115**, D09104.
- Shiogama H., Emori S., Mochizuki T., Yasunaka S., Yokohata T., Ishii M., Nozawa T. and Kimoto M. (2010): Possible influence of volcanic activity on the decadal potential predictability of the natural variability in near-term climate predictions. *Advances in Meteorology*, **2010**, 65718.
- Siddall M., Abe-Ouchi A., Andersen M., Antonioli F., Bamber J., Bard E., Clark J., Clark P., Deschamps P., Dutton A., Elliot M., Gallup C., Gomez N., Gregory Y., Huybers P., Kawamura K., Kelly M., Lambeck K., Lowell T., Mitrovica J., Otto-Btiesner B., Richards D., Stanford J., Stirling C., Stocker T., Thomas A., Thompson B., Törnqvist T., Vázquez Riveiros N., Waelbroeck C., Yokoyama Y. and Yu S. (2010): The sea-level conundrum: case studies from palaeo-archives. *Journal of Quaternary Science*, **25**, 19-25.
- Tachiiri K., Hargreaves J.C., Annan J.D., Oka A., Abe-Ouchi A. and Kawamiya M. (2010): Development of a system emulating the global carbon cycle in Earth system models. *Geoscience model development*, **3**, 365-376.
- Takayabu Y.N., Shige S., Tao W.-K. and N. Hirota (2010): Shallow and deep latent heating modes over tropical oceans observed with TRMM PR spectral latent heating data. *Journal of Climate*, **23**, 2030-2046.
- Tanaka H., Boku T. and Satoh M. (2010): Historical progress of the dynamical core of the general circulation model of the atmosphere. *Nagare*, **29**, 27-32. (田中 博・朴 泰祐・佐藤正樹 (2010): 大気大循環モデル力学コアの変遷について. ながれ, **29**, 27-32.)
- Taniguchi H., Yanase W. and Satoh M. (2010): Ensemble simulation of cyclone Nargis by a Global Cloud-system-resolving Model — modulation of cyclogenesis by the Madden-Julian Oscillation. *Journal of the Meteorological Society of Japan*, **88**, 571-591.
- Tao W.-K., Lang S., Zeng X., Shige S. and Takayabu Y.N., (2010): Relating convective and stratiform rain to latent heating. *Journal of Climate*, **23**, 1874-1893.
- Tatebe H. and Hasumi H. (2010): Formation mechanism of the Pacific equatorial thermocline revealed by a general circulation model with a high accuracy tracer advection scheme. *Ocean Modelling*, **35**, 245-252.
- Timmermann A., Kries J., Timm O.E., Abe-Ouchi A. and Friedrich T. (2010): Promotion of glacial ice sheet buildup 60-115 kyr B.P. by precessionally paced Northern Hemispheric meltwater pulses. *Paleoceanography*, **25**, PA4208.

- Tsugawa M. and Hasumi H. (2010): Generation and growth mechanism of the Natal Pulse. *Journal of Physical Oceanography*, **40**, 1597-1612.
- Urakawa L.S. and Hasumi H. (2010): Role of parameterized eddies in the energetics of the global thermohaline circulation: cabbeling versus restratification. *Journal of Physical Oceanography*, **40**, 1894-1901.
- Watanabe M., Suzuki T., Oishi R., Komuro Y., Watanabe S., Emori S., Takemura T., Chikira M., Ogura T., Sekiguchi M., Takata K., Yamazaki D., Yokohata T., Nozawa T., Hasumi H., Tatebe H. and Kimoto M. (2010): Improved climate simulation by MIROC5: Mean states, variability, and climate sensitivity. *Journal of Climate*, **23**, 6312-6335.
- Yamada Y., Oouchi K., Satoh M., Tomita H. and Yanase W. (2010): Projection of changes in tropical cyclone activity and cloud height due to greenhouse warming: Global cloud-system-resolving approach. *Geophysical Research Letters*, **37**, L07709.
- Yamashita Y., Sakamoto K., Akiyoshi H., Takahashi M., Nagashima T. and Zhou L.B. (2010): Ozone and temperature response of a chemistry climate model to the solar cycle and sea surface temperature. *Journal of Geophysical Research* **115**, D00M05.
- Yanase W. and Abe-Ouchi A. (2010): A numerical study on the atmospheric circulation over the mid-latitude North Pacific during the last glacial maximum. *Journal of Climate*, **23**, 135-151.
- Yasui S. and Watanabe M. (2010): Forcing mechanisms of the summertime circumglobal teleconnection in a dry AGCM. *Journal of Climate*, **23**, 2093-2114.
- Yasunaga K., Yoneyama K., Moteki Q., Fujita M., Takayabu Y.N., Suzuki J. and Mapes B.E. (2010): Characteristics of 3-4-day and 6-8-day period disturbances observed over the tropical Indian Ocean. *Monthly Weather Review*, **138**, 4158-4174.
- Yokohata T., Webb M.J., Collins M., Williams K.D., Yoshimori M., Hargreaves J.C. and Annan J.D. (2010): Structural similarities and differences in climate responses to CO₂ increase between two perturbed physics ensembles. *Journal of Climate*, **23**, 1392-1410.
- Yokoi S. and Takayabu Y.N. (2010): Environmental and external factors in the genesis of tropical cyclone Nargis in April 2008 over the Bay of Bengal. *Journal of the Meteorological Society of Japan*, **88**, 425-435.
- Yoshimori M., Raible C. C., Stocker T.F. and Renold M. (2010): Simulated decadal oscillations of the Atlantic meridional overturning circulation in a cold climate state. *Climate Dynamics*, **34**, 101-121.
- Yoshimura K., Kanamitsu M. and Dettinger M. (2010): Regional downscaling for stable water isotopes: A case study of an atmospheric river event. *Journal of Geophysical Research Atmosphere*, **115**, D18114.
- Zhang C., Jian L., Hagos S., Tao W.-K., Lang S., Takayabu Y.N., Shige S., Katsumata M., Olson W.S. and L'Ecuyer T.S. (2010): MJO Signals in latent heating: Results from TRMM retrievals. *Journal of the Atmospheric Sciences*, **67**, 3488-3508.

Physical Oceanography

- Iga K. (2010): Statistical theory applied to a vortex street generated from meander of a jet. *Theoretical and Computational Fluid Dynamics*, **24**, 283-289.
- Ito J., Niino H. and Nakanishi M. (2010): Large eddy simulation on dust suspension in a convective mixed layer. *SOLA*, **6**, 133-136.
- Ito J., Tanaka R., Niino H. and Nakanishi M. (2010): Large eddy simulation of dust devils in a diurnally-evolving convective mixed layer. *Journal of the Meteorological Society of Japan*, **88**, 63-77.
- Itoh S. and Yasuda I. (2010): Characteristics of mesoscale eddies in the Kuroshio-Oyashio Extension regions detected from the distribution of the sea surface height anomaly. *Journal of Physical Oceanography*, **40**, 1018-1034.
- Itoh S. and Yasuda I. (2010): Water mass structure of warm and cold anticyclonic eddies in the western boundary region of the subarctic North Pacific. *Journal of Physical Oceanography*, **40**, 2624-2642.
- Itoh S., Yasuda I., Nakatsuka T., Nishioka J. and Volkov Y.N. (2010): Fine- and microstructure observations in the Urum Strait, Kuril Islands, during August of 2006. *Journal of Geophysical Research*, **115**, C08004.
- Kawabe M. and Fujio S. (2010): Pacific Ocean circulation based on observation. *Journal of Oceanography*, **66**, 389-403.
- Nagano A., Michida Y., Odamaki M., Suzuki K. and Ogata J. (2010): Seiches in Lützow Holm Bay, Antactica. *Polar Science*, **4**, 34-41.
- Noda A.T. and Niino H. (2010): A numerical investigation of a supercell tornado: Its genesis and vorticity budget. *Journal of the Meteorological Society of Japan*, **88**, 135-159.
- Noguchi T. and Niino H. (2010): Multi-layered diffusive convection. Part 1. Spontaneous layer formation. *Journal of Fluid Mechanics*, **651**, 443-464.
- Noguchi T. and Niino H. (2010): Multi-layered diffusive convection. Part 2. Dynamics of layer evolution. *Journal of Fluid Mechanics*, **651**, 465-481.
- Oka E. (2010): Mode waters in the North Pacific Ocean. *Aquabiology*, **32**, 205-210. (岡 英太郎 (2010): 北太平洋のモード水. 海洋と生物, **32**, 205-210.)
- Oka E. (2010): New aspects on the circulation of Subtropical and Central Mode Waters in the North Pacific Ocean. *Kaiyo monthly*, **42**, 628-637. (岡 英太郎 (2010): 北太平洋亜熱帯モード水・中央モード水の新たな循環像. 月刊海洋, **42**, 628-637.)
- Yanagimoto D., Kawabe M. and Fujio S. (2010): Direct velocity measurements of deep circulation southwest of the Shatsky Rise in the western North Pacific. *Deep-Sea Research Part I*, **57**, 328-337.
- Yanase W., Satoh M., Yamada H., Yasunaga K. and Moteki Q. (2010): Continual influences of tropical waves on the genesis and rapid intensification of Typhoon Durian (2006). *Geophysical Research Letters*, **37**, L08809.
- Yanase W., Taniguchi H. and Satoh M. (2010): The genesis of tropical cyclone Nargis (2008): environmental modulation and numerical predictability. *Journal of the Meteorological Society of Japan*, **88**, 497-519.
- Yukimoto S., Niino H., Noguchi T., Kimura R. and Moulin F. (2010): Structure of a bathtub vortex: Importance of the bottom boundary layer. *Theoretical and Computational Fluid Dynamics*, **24**, 323-327.

Chemical Oceanography

- Adachi H., Yamano H., Miyajima T. and Nakaoka M. (2010): A simple and robust method for coring unconsolidated sediment in shallow water. *Journal of Oceanography*, **66**, 865-872.
- Aoki K., Kitajima K., Masago H., Nishizawa M., Terabayashi M., Omori S., Yokoyama T., Takahata N., Sano Y. and Maruyama S. (2010): Reply to "Comment on 'Metamorphic P-T-time history of the Sanbagawa belt in central Shikoku, Japan and implications for retrograde metamorphism during exhumation'" by S. R. Wallis and S. Endo. *Lithos*, **116**, 197-199.
- Burd A.B., Hansell D.A., Steinberg D.K., Anderson T.R., Aristegui J., Baltar F., Beaupré S.R., Buesseler K.O., DeHairs F., Jackson G.A., Kadko D.C., Koppelman R., Lampitt R.S., Nagata T., Reinthalter T., Robinson C., Robison B.H., Tamburini C. and Tanaka T. (2010): Assessing the apparent imbalance between geochemical and biochemical indicators of meso- and bathypelagic biological activity: What the @#! is wrong with present calculations of carbon budgets? *Deep-Sea Research Part II*, **57**, 1557-1571.
- Gamo T. (2010): Sampling at sea. In *A practical handbook for experiments in geochemistry*, edited by Tanaka T. and Yoshida N., Baifukan, Tokyo, 46-61. (蒲生俊敬 (2010): 海洋試料。「地球化学講座8(地球化学実験法)」(田中剛・吉田尚弘編), 培風館, 東京, 46-61.)
- Gamo T. (2010): A progress report and perspective on the GEOTRACES program: trace element oceanography initiative. *Kaiyo monthly*, **42**, 3-7. (蒲生俊敬 (2010): GEOTRACES計画の現状と展望:微量元素海洋学の展開に向けて. 月刊海洋, **42**, 3-7.)
- Gamo T., Tsunogai U., Hirota A., Kang D-J. and Kim K-R. (2010): Dissolved methane and its carbon isotope ratio in the Japan Sea (East Sea). *Proceedings of the 5th PEACE Workshop*, 137-143.
- Gamo T., Tsunogai U., Ichibayashi S., Chiba H., Obata H., Oomori T., Noguchi T., Baker E.T., Doi T., Maruo M. and Sano Y. (2010): Microbial carbon isotope fractionation to produce extraordinarily heavy methane in aging hydrothermal plumes over the southwestern Okinawa Trough. *Geochemical Journal*, **44**, 477-487.
- Horiguchi K., Ueki S., Sano Y., Takahata N., Hasegawa A. and Igarashi G. (2010): Geographical distribution of helium isotope ratios in northeastern Japan. *Island Arc*, **19**, 60-70.
- Kawagucci S., Shirai K., Lan T.F., Takahata N., Tsunogai U., Sano Y. and Gamo T. (2010): Gas geochemical characteristics of hydrothermal plumes at the HAKUREI and JADE vent sites, the Izena Cauldron, the Okinawa Trough. *Geochemical Journal*, **44**, 507-518.
- Kawagucci S., Toki T., Ishibashi J., Takai K., Ito M., Oomori T. and Gamo T. (2010): Isotopic variation of molecular hydrogen in 20° -375°C hydrothermal fluids as detected by a new analytical method. *Journal of Geophysical Research*, **115**, G03021.
- Lan T.F., Sano Y., Yang T.F., Takahata N., Shirai K. and Pinti D.L. (2010): Evaluating Earth degassing in subduction zones by measuring helium fluxes from the ocean floor. *Earth and Planetary Science Letters*, **298**, 317-322.
- Maki K., Kim C., Yoshimizu C., Tayasu I., Miyajima T. and Nagata T. (2010): Autochthonous origin of semi-labile dissolved organic carbon in a large monomictic lake (Lake Biwa): Carbon stable isotopic evidence. *Limnology*, **11**, 143-153.
- Miyajima T. and Umezawa Y. (2010): Stable isotope composition of nitrogen ($\delta^{15}\text{N}$) as a tool for investigating nitrogen cycling in coral reef ecosystems. In *Earth, Life, and Isotopes*, edited by Ohkouchi N., Tayasu I. and Koba K., Kyoto University Press, Kyoto, 197-222.
- Nagata T. (2010): Use of multiple stable isotopes in diagnosing the nitrogen loading in watersheds. *Global environmental research*, **15**, 189-194. (永田俊 (2010): 各種安定同位体を用いた流域窒素負荷の診断. 地球環境, **15**, 189-194.)
- Nagata T., Tamburini C., Aristegui J., Baltar F., Bochdansky A., Fonda-Umani S., Fukuda H., Gogou A., Hansell D.A., Hansman R.L., Herndl G.J., Panagiotopoulos C., Reinthalter J., Sohrin R., Verdugo P., Yamada N., Yamashita Y., Yokokawa T. and Bartlett D.H. (2010): Emerging concepts on microbial processes in the bathypelagic ocean – ecology, biogeochemistry, and genomics. *Deep-Sea Research Part II*, **57**, 1519-1536.
- Nakayama N., Ashi J., Tsunogai U., Gamo T. and Tanahashi M. (2010): Sources of pore water in a Tanegashima mud volcano inferred from chemical and stable isotopic studies. *Geochemical Journal*, **44**, 561-569.
- Nishizawa M., Maruyama S., Urabe T., Takahata N. and Sano Y. (2010): Micro-scale (1.5 μm) sulphur isotope analysis of contemporary and early Archean pyrite. *Rapid Communications in Mass Spectrometry*, **24**, 1397-1404.
- Ogawa H. (2010): Analyses of chemical components in marine environments. In *Guide book of environmental analyses*, edited by Japan Society for Analytical Chemistry, Maruzen, Tokyo, 559-563. (小川浩史 (2010): 海洋調査分析—有機炭素, 有機窒素, 「環境分析ガイドブック」(日本分析化学会編), 丸善, 東京, 559-563.)
- Ogawa N., Nagata T., Kitazato H. and Ohkouchi N. (2010): Ultra-sensitive elemental analyzer/isotope ratio mass spectrometer for stable nitrogen and carbon isotope analyses. In *Earth, Life, and Isotopes*, edited by Ohkouchi N., Tayasu I. and Koba K., Kyoto University Press, Kyoto, 339-353.
- Osawa Y., Fujita K., Umezawa Y., Kayanne H., Ide Y., Nagaoka T., Miyajima T. and Yamano H. (2010): Human impacts on large benthic foraminifers near a densely populated area of Majuro Atoll, Marshall Islands. *Marine Pollution Bulletin*, **60**, 1279-1287.
- Pradeep Ram A.S., Nishimura Y., Tomaru Y., Nagasaki K. and Nagata T. (2010): Seasonal variation in viral-induced mortality of bacterioplankton in the water column of a large mesotrophic lake (Lake Biwa, Japan). *Aquatic Microbial Ecology*, **58**, 249-259.
- Sano Y., Furukawa Y. and Takahata N. (2010): Atmospheric helium isotope ratio: Possible temporal and spatial variations. *Geochimica et Cosmochimica Acta*, **74**, 4893-4901.
- Sohrin R., Imazawa M., Fukuda H., and Suzuki Y. (2010): Full-depth profiles of prokaryotes, heterotrophic nanoflagellates, and ciliates along a transect from the equatorial to the subarctic central Pacific Ocean. *Deep-Sea Research II*, **57**, 1537-1550.
- Sugimoto R., Kasai A., Miyajima T. and Fujita K. (2010): Modeling phytoplankton production in Ise Bay, Japan: Use of nitrogen isotopes to identify dissolved inorganic nitrogen sources. *Estuarine, Coastal and Shelf Science*, **86**, 450-466.
- Sugiura N., Ichimura K., Fujiya W. and Takahata N. (2010): Mn/Cr relative sensitivity factors for synthetic calcium carbonate measured with a NanoSIMS ion microprobe. *Geochemical Journal*, **44**, e11-e16.
- Takahata N., Tokutake T., Shirai K., Fujio S., Tanaka K. and Sano Y. (2010): Helium isotopes of seawater in the Philippine Sea and the western North Pacific. *Geochemical Journal*, **44**, 451-460.

- Tanaka Y., Ogawa H. and Miyajima T. (2010): Effects of nutrient enrichment on the release of dissolved organic carbon and nitrogen by the scleractinian coral *Montipora digitata*. *Coral Reefs*, **29**, 675-682.
- Yang Y., Motegi C., Yokokawa T. and Nagata T. (2010): Large-scale distribution patterns of virioplankton in the upper ocean. *Aquatic Microbial Ecology*, **60**, 233-246.
- Yokokawa T. and Nagata T. (2010): Linking bacterial community structure to carbon fluxes in marine environments. *Journal of Oceanography*, **66**, 1-12.
- Yoshimizu C., Yoshiyama K., Tayasu I., Koitabashi T. and Nagata T. (2010): Vulnerability of a large monomictic lake (Lake Biwa) to warm winter event. *Limnology*, **11**, 233-239.

Ocean Floor Geoscience

- Ando A., Nakano T., Kawahata H., Yokoyama Y. and Khim B.-K. (2010): Testing seawater Sr isotope ratios on a glacial-interglacial timescale: An application of latest high-precision thermal ionization mass spectrometry. *Geochemical Journal*, **44**, 347-359.
- Araoka D., Inoue M., Suzuki A., Yokoyama Y., Edwards R.L., Cheng H., Matsuzaki H., Kan H., Shikazono N. and Kawahata H. (2010): Historic 1771 Meiya tsunami confirmed by high-resolution U/Th dating of massive *Porites* coral boulders at Ishigaki Island in the Ryukyus, Japan. *Geochemistry Geophysics Geosystems*, **11**, Q06014.
- Ashi J. (2010): Submarine landslide caused by methane hydrate dissociation. *Chikyu monthly*, **61**, 64-70. (芦 寿一郎 (2010): メタノハイドレート分解による海底地すべり. 月刊地球, **61**, 64-70.)
- Bangs N.L., Hornbach M.J., Moore G.F. and Park J.-O. (2010): Massive methane release triggered by seafloor erosion offshore southwestern Japan. *Geology*, **38**, 1019-1022.
- Chen M.-T., Lin X.P., Chang Y.-P., Chen Y.-C., Lo L., Shen C.-C., Yokoyama Y., Oppo D.W., Thompson W.G. and Zhang R. (2010): Dynamic millennial-scale climate changes in the Northwestern Pacific over the past 40,000 years. *Geophysical Research Letters*, **37**, L23603.
- Curewitz D., Okino K., Asada M., Baranov B., Gusev E. and Tamaki K. (2010): Structural analysis of fault populations along the oblique, ultra-slow spreading Knipovich Ridge, North Atlantic Ocean, 74° 30'N-77° 50'N. *Structural Geology*, **32**, 727-740.
- Esat T.M. and Yokoyama Y. (2010): Coupled uranium isotope and sea-level variations in the oceans. *Geochimica et Cosmochimica Acta*, **74**, 7008-8020.
- Expedition 325 Scientists (Webster J.M., Yokoyama Y., Inoue M., et.al.) (2010): Great Barrier Reef environmental changes: the last deglacial sea level rise in the South Pacific: offshore drilling northeast Australia. *IODP Preliminary Report*, **325**.
- Felis T., Suzuki A., Kuhnert H., Rimbu N. and Kawahata H. (2010): Pacific Decadal Oscillation documented in a coral record of North Pacific winter temperature since 1873. *Geophysical Research Letters*, **37**, L14605.
- Fujita.K., Omori A., Yokoyama Y., Sakai S. and Iryu Y. (2010): Sea-level rise during Termination II inferred from large benthic foraminifers: IODP Expedition 310, Tahiti Sea Level. *Marine Geology*, **271**, 149-155.
- González C., Urrego L.E., Martínez J.I., Polánia J. and Yokoyama Y. (2010): Mangrove dynamics in the southwestern Caribbean since the 'Little Ice Age': A history of human and natural disturbances. *The Holocene*, **20**, 849-861.
- Inoue M., Yokoyama Y., Harada M., Suzuki A., Kawahata H., Matsuzaki H. and Iryu Y. (2010): Trace element variations in fossil corals from Tahiti collected by IODP Expedition 310: Reconstruction of marine environments during the last deglaciation (15 to 9 ka). *Marine Geology*, **271**, 303-306.
- Iryu Y., Kawahata H., Kuroda J., Nishi H., Yokoyama Y. and Ohkouchi N. (2010): Survival in climate crisis. *Chikyu monthly*, **32**, 112-119. (井龍康文・川幡穂高・黒田潤一郎・西弘嗣・横山祐典・大河内直彦 (2010): 地球表層環境—古環境から未来環境へ、現状を生き抜くためにー. 月刊地球, **32**, 112-119.)
- Kandilarov A., Landa H., Mjelde R., Pedersen R.B., Okino K. and Murai Y. (2010): Crustal structure of the ultra-slow spreading Knipovich Ridge, North Atlantic, along a presumed ridge segment center. *Marine Geophysical Researches*, **31**, 173-195.
- Kawahata, H. and Yamamoto, H. (2010): Environments in Jomon era II: Environmental change around Sannai-maruyama site. *Chishitsu News*, **666**, 31-38. (川幡穂高・山本尚史 (2010): 繩文時代の古環境、その2 ー三内丸山遺跡周辺の環境変遷 ー. 地質ニュース, **666**, 31-38.)
- Kawahata H. and Domestic steering committee for INVEST (2010): Introduction for domestic white paper for INVEST, IODP. *Chikyu monthly*, **32**, 67-70. (川幡穂高・INVEST国内運営委員会委員 (2010): IODP, INVEST会議国内報告書. 月刊地球, **32**, 67-70.)
- Kawahata, H. and Yamazaki, T. (2010): Current status, problems and expectation in IODP implementation and research structure. *Kaiyo monthly*, **32**, 125-127. (川幡穂高・山崎俊嗣 (2010): IODP(統合国際深海掘削計画)実施・研究体制の現状・問題点・そして将来への期待. 月刊海洋, **32**, 125-127) 海洋 43(6), 353-355
- Kawahata, H. and Suzuki, A. (2010): Ocean acidification and future ocean environments. *Kaiyo monthly*, **42**, 2-7. (川幡穂高・鈴木淳 (2010): 海洋酸化と将来の海洋環境. 月刊海洋, **42**, 2-7.)
- Kubota Y., Kimoto K., Tada R., Oda H., Yokoyama Y. and Matsuzaki H. (2010): Variations of East Asian summer monsoon since the last deglaciation based on Mg/Ca and oxygen isotope of planktic foraminifera in the northern East China Sea. *Paleoceanography*, **25**, PA4205.
- Martin K.M., Gulick S.P.S., Bangs N.L.B., Moore G.F., Ashi J., Park J.-O., Kuramoto S. and Taira T. (2010): Possible strain partitioning structure between the Kumano fore-arc basin and the slope of the Nankai Trough accretionary prism. *Geochemistry, Geophysics, Geosystems*, **11**, Q0AD02.
- Martinez J.I., Yokoyama Y., Gomez A., Delgado A. and Matsuzaki H., (2010): Late Holocene marine terraces of the Cartagena region, southern Caribbean: The product of neotectonism or a former high stand in sea-level? *Journal of South American Earth Sciences*, **29**, 214-224.
- Mishima M., Suzuki A., Nagao M., Ishimura T., Inoue M. and Kawahata H. (2010): Abrupt shift toward cooler condition in the earliest 20th century detected in a 165 year coral record from Ishigaki Island, southwestern Japan. *Geophysical Research Letters*, **37**, L15609.

- Miyahara H., Kitazawa K., Nagaya K., Yokoyama Y., Matsuzaki H., Masuda K., Nakamura T. and Muraki Y. (2010): Is the Sun heading for another Maunder Minimum? -Precursors of the grand solar minima. *Journal of Cosmology*, **8**, 1970-1982.
- Miyaji T., Tanabe K., Matsushima Y., Sato S., Yokoyama Y. and Matsuzaki H. (2010): Response of daily and annual shell growth patterns of the intertidal bivalve *Phacosoma japonicum* to Holocene coastal climate change in Japan. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **286**, 107-120.
- Musashi M., Isozaki Y. and Kawahata H. (2010): An Early-Middle Guadalupian (Permian) isotopic record from a mid-oceanic Carbonate buildup: Akiyoshi Limestone, Japan. *Global Planetary Change*, **73**, 114-122.
- Okino K. (2010): Mountains and hotsprings in deep sea. In *Marine Professionals – introduction to oceanography*, edited by Kubokawa K., Tokai University Press, Kanagawa, 71-85. (沖野郷子 (2010): 海の底には山や温泉がある。「海のプロフェッショナル 海洋学への招待状」(窪川かおる編), 東海大学出版会, 神奈川, 71-85.)
- Otsuka H., Morita S., Tanahashi M., Nagakubo S. and Ashi J. (2010): Possible migration front of gas-related fluid inferred from 3D reflection seismic survey in the eastern Nankai Trough. *Journal of the Japanese Association for Petroleum Technology*, **76**, 39-42. (大塚宏徳・森田澄人・棚橋 学・長久保定雄・芦 寿一郎 (2010): 東部南海トラフ三次元反射法地震探査断面に見られる地層流体の分布を示唆する音響反射面。石油技術協会誌, **76**, 39-42.)
- Park J.-O., Fujie G., Wijerathne L., Hori T., Kodaira S., Fukao Y., Moore G.F., Bangs N.L., Kuramoto S. and Taira A. (2010): A low-velocity zone with weak reflectivity along the Nankai subduction zone. *Geology*, **38**, 283-286.
- Satoh T., Omata T., Suzuki A., Minoshima K., Nomaru E., Murakami A., Murayama S., Kawahata H. and Maruyama T. (2010): Long-term culture experiment of *Porites* under light-controlled conditions: Analyses of skeletal $\delta^{13}\text{C}$ and photosynthetic parameters. *JAMSTEC report of the research and development.*, **11**, 41-56, 331.
- Shiroya K., Yokoyama Y. and Matsuzaki H. (2010): Quantitative determination of long-term erosion rates of weathered granitic soil surfaces in western Abukuma, Japan using cosmogenic ^{10}Be and ^{26}Al depth profile. *Geochemical Journal*, **44**, e22-e27.
- Simms A.R., Aryal N., Miller L. and Yokoyama Y. (2010): The incised valley of Baffin Bay, Texas: a tale of two climates. *Sedimentology*, **57**, 642-669.
- Suganuma Y., Yokoyama Y., Yamazaki T., Kawamura K., Horng C.S. and Matsuzaki H. (2010): ^{10}Be evidence for delayed acquisition of remanent magnetization in marine sediments: Implication for a new age for the Matuyama-Brunhes boundary. *Earth and Planetary Science Letters*, **296**, 443-450.
- Tyler J., Kashiyama Y., Ohkouchi N., Ogawa N., Yokoyama Y., Chikaraishi Y., Staff R.A., Ikehara M., Bronk Ramsey C., Bryant C., Brock F., Gotanda K., Haraguchi T., Yonenobu H. and Nakagawa T. (2010): Chlorin specific carbon and nitrogen isotopes track aquatic change over the last deglaciation in Lake Suigetsu, Japan. *Geochemistry, Geophysics, Geosystems*, **11**, Q09010.
- Ushio H., Kawahata H., Suzuki A., Murayama S. and Inoue M. (2010): Enhanced riverine carbon flux from carbonate catchment to the ocean: A comparative hydrogeochemical study on Ishigaki and Iriomote islands, southwestern Japan. *Journal of Geophysical Research*, **115**, G02017.
- Watanabe M., Okino K., and Kodera T. (2010): Rifting to spreading in the southern Lau Basin: Variations within the transition zone. *Tectonophysics*, **494**, 226-234.
- Yamaguchi Y.T., Yokoyama Y., Miyahara H., Sho K. and Nakatsuka T. (2010): Synchronized Northern Hemisphere climate change and solar magnetic cycles during the Maunder Minimum. *Proceedings of the National Academy of Sciences of the USA*, **107**, 20697-20702.
- Yokoyama Y. (2010): Earth surface environmental changes during the last two terminations. *Quaternary Research*, **49**, 337-356. (横山祐典 (2010): ターミネーションの気候変動. 第四紀研究, **49**, 337-356.)
- Yokoyama Y., Koizumi M., Matsuzaki H., Miyairi Y. and Ohkouchi N. (2010): Developing ultra small-scale radiocarbon sample measurement at the University of Tokyo. *Radiocarbon*, **52**, 310-318.
- Yoshimura T., Kawahata H., Nakashima R., Suzuki A. and Tomioka N. (2010): Oxygen and carbon isotope records of cultured freshwater pearl mussel *Hyriopsis* sp. shell from Lake Kasumigaura, Japan. *Journal of Paleoclimatology*, **43**, 437-448.

Marine Ecosystems Dynamics

- Asante K.A., Agusa T., Kubota R., Mochizuki H., Ramu K., Nishida S., Ohta S., Yeh H., Subramanian A. and Tamabe S. (2010): Trace elements and stable isotope ratios ($\delta^{13}\text{C}$ and $\delta^{15}\text{N}$) in fish from deep-waters of the Sulu Sea and the Celebes Sea. *Marine Pollution Bulletin*, **60**, 1560-1570.
- Bucklin A., Nishida S., Schnack-Schiel S., Wiebe P.H., Lindsay D.J., Machida R.J. and Copley N.J. (2010): Chapter 13, A Census of Zooplankton of the Global Ocean. In *Life in the World's Oceans: Diversity, Distribution, and Abundance*, edited by McIntyre A.D., Blackwell, Oxford, 247-265.
- Fujikura K., Lindsay D.J., Kitazato H., Nishida S. and Shirayama Y. (2010): Marine biodiversity in Japanese waters. *PLoS ONE*, **5**, e11836.
- Haldar S., Neogi S.B., Kogure K., Chatterjee S., Chowdhury N., Hineno A., Asakura M. and Yamasaki S. (2010): Development of a hemolysin gene-based multiplex PCR for simultaneous detection of *Vibrio campbellii*, *Vibrio harveyi* and *Vibrio parahaemolyticus*. *Letters in Applied Microbiology*, **50**, 146-152.
- Hendry A.P., Lohmann L.G., Conti E., Cracraft J., Crandall K.A., Faith D.P., Häuser C., Joly C.A., Kogure K., Larigauderie A., Magallón S., Mortiz C., Tillier S., Zardoya R., Prieur-Richard A.-H., Walther B.A., Yahara T. and Donoghue M.J. (2010): Evolutionary biology in biodiversity science and conservation: A call to action. *Evolution*, **64**, 1517-1528.
- Johnson S.B., Warén A., Lee R., Kano Y., Kain A., Davis A., Strong E. and Vrijenhoek R.C. (2010): *Rubyspira*, new genus and two new species of bone-eating deep-sea snails with ancient habits. *Biological Bulletin*, **219**, 166-177.
- Jörger K.M., Stöger I., Kano Y., Fukuda H., Knebelsberger T. and Schrödl M. (2010): On the origin of Acochlidida and other enigmatic euthyneuran gastropods as inferred from multigene markers. *BMC Evolutionary Biology*, **10**, 323.
- Kamimura S., Itoh H., Ozeki S. and Kojima S. (2010): Molecular phylogeny of *Cerithidea* gastropods inhabiting Suncheon Bay, and the Japanese and Ryukyu Islands. *Plankton and Benthos Research*, **5** (Suppl.), 250-254.

- Kano Y. and Fukumori H. (2010): Predation on hardest molluscan eggs by confamilial snails (Neritidae) and its potential significance in egg-laying site selection. *Journal of Molluscan Studies*, **76**, 360-366.
- Kasai H., Nakano Y., Ono T. and Tsuda A. (2010): Seasonal change of oceanographic conditions and chlorophyll a vertical distribution in the southwestern Okhotsk Sea during the non-iced season. *Journal of Oceanography*, **66**, 13-26.
- Kojima S. (2010): Extensive mitochondrial genome rearrangements between Cerithioidea and Hypsogastropoda (Mollusca; Caenogastropoda) as determined from the partial nucleotide sequences of the mitochondrial DNA of *Cerithidea djadjariensis* and *Batillaria cumingi*. *Zoological Science*, **27**, 494-498.
- Konno U., Tsunogai U., Komatsu D., Daita S., Nakagawa F., Tsuda A., Matsui T., Eum Y.-J. and Suzuki K. (2010): Significance of N₂ fixation in dissolved fractions of organic nitrogen. *Biogeosciences*, **7**, 2369-2377.
- Kurihara M.K., Kimura M., Iwamoto Y., Narita Y., Ooki A., Eum Y.-J., Tsuda A., Suzuki K., Tani Y., Yokouchi Y., Uematsu M. and Hashimoto S. (2010): Distributions of short-lived iodocarbons and biogenic trace gases in the open ocean and atmosphere in the western North Pacific. *Marine Chemistry*, **118**, 156-170.
- Machida R.J. and Tsuda A. (2010): Dissimilarity of species and forms of planktonic *Neocalanus* copepods using mitochondrial COI, 12S, nuclear ITS, and 28S gene sequences. *PLoS One*, **5**, e10278.
- Machida R.J. and Nishida S. (2010): Amplified fragment length polymorphism analysis of the mesopelagic copepod *Disseta palumbii* in the equatorial western Pacific and adjacent waters: Role of marginal seas in the genetic isolation of mesopelagic animals. *Deep-Sea Research Part II*, **57**, 2130-2134.
- Matsuura H., Nishida S. and Nishikawa J. (2010): Species diversity and vertical distribution of the deep-sea copepods of the genus *Euaugaptilus* in the Sulu and Celebes Seas. *Deep-Sea Research Part II*, **57**, 2098-2109.
- Miyamoto H., Machida R.J. and Nishida S. (2010): Complete mitochondrial genome sequences of the three pelagic chaetognaths *Sagitta nagaiae*, *Sagitta decipiens* and *Sagitta enflata*. *Comparative Biochemistry and Physiology Part D*, **5**, 65-72.
- Miyamoto H., Machida R.J. and Nishida S. (2010): Genetic diversity and cryptic speciation of the deep sea chaetognath *Caecosagitta macrocephala* (Fowler, 1904). *Deep-Sea Research Part II*, **57**, 2211-2219.
- Neogi S.B., Chowdhury N., Asakura M., Hineno A., Haldar S., Saidi S.M., Kogure K., Lara R.J. and Yamasaki S. (2010): A highly sensitive and specific multiplex PCR assay for simultaneous detection of *Vibrio cholerae*, *Vibrio parahaemolyticus* and *Vibrio vulnificus*. *Letters in Applied Microbiology*, **51**, 293-300.
- Nishikawa J., Toczko S. and Hosie G.W. (2010): Distribution and community structure of euphausiids in the Southern Ocean along the 140° E meridian during the austral summer 2001/2002. *Deep-Sea Research Part II*, **57**, 559-564.
- Okada N., Matsuda S., Matsuyama J., Park K.-S., de los Reyes C., Kogure K., Honda T. and Iida T. (2010): Presence of genes for type III secretion system in *Vibrio mimicus* strains. *BMC Microbiology*, **10**: 302.
- Park S., Yoshizawa S., Hamasaki K., Kogure K. and Yokota A. (2010): *Psychrosphaera saromensis* gen. nov., sp. nov., within the family Pseudalteromonadaceae, isolated from Lake Saroma, Japan. *Journal of General and Applied Microbiology*, **56**, 475-480.
- Raynold K.C., Watanabe H., Strong E.E., Sasaki T., Uematsu K., Miyake H., Kojima S., Suzuki Y., Fujikura K., Kim S. and Young C.M. (2010): New molluscan larval form: brooding and development in a hydrothermal vent gastropod, *Ifremeria nautilis* (Provannidae). *Biological Bulletin*, **219**, 7-11.
- Sasaki T., Waren A., Kano Y., Okutani T. and Fujikura K. (2010): Gastropods from Recent hot vents and cold seeps: systematic, diversity and life strategies. In *The Vent and Seep Biota: Topics in Geobiology*, edited by Kiel S., Springer, Dordrecht, Netherlands, 169-254.
- Tada Y., Taniguchi A. and Hamasaki K. (2010): Phylotype-specific growth rates of marine bacteria measured by bromodeoxyuridine immunocytochemistry and fluorescence *in situ* hybridization. *Aquatic Microbial Ecology*, **59**, 229-238.
- Tsuda A., Fukami K., Kiyosawa H., Suzuki K., Takeda S., Nishioka J., Takahashi M., Johnson K.W. and Wong C.-S. (2010): Response of lower trophic organisms to nutrients input and effects on carbon budget: a mesocosm experiment. *Plankton and Benthos Research*, **5**, 144-155.
- Watanabe H., Fujikura K., Kojima S., Miyazaki J. and Fujiwara Y. (2010): Japan: Vents and seeps in close proximity. In *The Vent and Seep Biota: Topics in Geobiology*, edited by Kiel S., Springer, Dordrecht, Netherlands, 379-401.
- Watanabe H. and Kojima S. (2010): Connectivity between deep-sea hydrothermal vent and hydrocarbon seep fauna inferred from DNA. *Iden*, **64**, 60-64. (渡部裕美・小島茂明 (2010): DNA からみる熱水噴出域と湧水域の生物群集のつながり. 生物の科学 遺伝, **64**, 60-64.)
- Watanabe H., Kojima S. and Fujikura K. (2010): Estimation of population dynamics of deep-sea hydrothermal vent animal assemblages using genetic analyses. *Aquabiology*, **32**, 561-566. (渡部裕美・小島茂明・藤倉克則 (2010): 遺伝学的手法を用いた深海熱水噴出域生物群集の個体群動態の推定. 海洋と生物, **32**, 561-566.)
- Wiebe P.H., Schnack-Schiel S.B. and Nishida S. (2010): Introduction to species diversity of marine zooplankton. *Deep-Sea Research Part II*, **57**, 2061-2063.
- Yorisue T. and Watanabe H. (2010): Larval dispersal of hydrothermal vent animals. *Iden*, **64**, 55-59. (頬末武史・渡部裕美 (2010): 深海化学合成生物群集の幼生分散. 生物の科学 遺伝, **64**, 55-59.)
- Yoshizawa S., Wada M., Yokota A. and Kogure K. (2010): *Vibrio sagamensis* sp. nov., luminous marine bacteria isolated from sea water. *The Journal of General and Applied Microbiology*, **56**, 499-507.
- Yoshizawa S., Karatani H., Wada M. and Kogure K. (2010): *Allivibrio sifiae* sp. nov., luminous marine bacteria. *The Journal of General and Applied Microbiology*, **56**, 509-518.
- Yusoff F.M., Nishikawa J. and Kuppan P. (2010): Commercial jellyfish, a little known fishery industry in Malaysia. *Fishmail*, **18**, 8-12.

Marine Bioscience

- Aoyama J. (2010): Genetic analysis. In *Fundamentals of Fish Ecology*, edited by Tsukamoto K., Koseisya-Koseikaku, 87-99. (青山潤 (2010): 遺伝子解析. 「魚類生態学の基礎」 (塚本勝巳編), 恒星社厚生閣, 87-99.)
- Boisnier E., Sagawa T., Komatsu T. and Takagi N. (2010): Distinguishing resident from transient species along marine artificial reefs. *Journal of the Marine Biological Association of the United Kingdom*, **90**, 1297-1303.

- Breves J.P., Hasegawa S., Yoshioka M., Fox B.K., Davis L.K., Lerner D.T., Takei Y., Hirano T. and Grau E.G. (2010): Acute salinity challenges in Mozambique and Nile tilapia: Differential responses of plasma prolactin, growth hormone and branchial expression of ion transporters. *General and Comparative Endocrinology*, **167**, 135-142.
- Chow S., Kurogi H., Katayama S., Ambe D., Okazaki M., Watanabe T., Ichikawa T., Kodama M., Aoyama J., Shinoda A., Watanabe S., Tsukamoto K., Miyazaki S., Kimura S., Yamada Y., Nomura K., Tanaka H., Kazeto Y., Hata K., Handa T., Tawa A. and Mochioka N. (2010): Japanese eel *Anguilla japonica* do not assimilate nutrition during the oceanic spawning migration: evidence from stable isotope analysis. *Marine Ecology Progress Series*, **402**, 233-238.
- Hashimoto H., Otsubo H., Fujihara H., Suzuki H., Ohbuchi T., Yokoyama T., Takei Y. and Ueta Y. (2010): Centrally administered ghrelin potently inhibits water intake induced by angiotensin II and hypovolemia in rats. *Journal of Physiological Science*, **60**, 19-25.
- Hatase H., Omura K. and Tsukamoto K. (2010): Oceanic residents, neritic migrants: a possible mechanism underlying foraging dichotomy in adult female loggerhead turtles (*Caretta caretta*). *Marine Biology*, **157**, 1337-1342.
- Hirayama M., Mukai T., Miya M., Murata Y., Sekiya Y., Yamashita T., Nishida M., Watabe S., Oda S. and Mitani H. (2010): Intraspecific variation in the mitochondrial genome among local populations of Medaka *Oryzias latipes*. *Gene*, **457**, 13-24.
- Hyodo S. (2010): Physiological research in cartilaginous fishes: understanding life cycle with special focus on body fluid regulation. *Report of Japanese Society for Elasmobranch Studies*, **46**, 1-7. (兵藤 晋 (2010): 軟骨魚類の生理学研究: 体液調節を中心にライフサイクルを追う。板鰐類研究会報, **46**, 1-7.)
- Iida M., Watanabe S. and Tsukamoto K. (2010): Validation of otolith daily increments in the amphidromous goby *Sicyopterus japonicus*. *Coastal Marine Science*, **34**, 39-41.
- Iida M., Watanabe S., Yamada Y., Lord C., Keith P. and Tsukamoto K. (2010): Survival and behavioral characteristics of amphidromous goby larvae of *Sicyopterus japonicus* (Tanaka, 1909) during their downstream migration. *Journal of Experimental Marine Biology and Ecology*, **383**, 17-22.
- Iida M., Zenimoto K., Watanabe S., Kimura S. and Tsukamoto K. (2010): Larval transport of the amphidromous goby *Sicyopterus japonicus* by the Kuroshio Current. *Coastal Marine Science*, **34**, 42-46.
- Inoue K. and Koito T. (2010): Studies on mechanisms of adaptation to the sulfide-rich environments in hydrothermal vents through analyses of an amino acid transporter. *Aquabiology*, **32**, 123-128. (井上広滋・小糸智子 (2010): 热水噴出域への適応機構をアミノ酸輸送体から探る。海洋と生物, **32**, 123-128.)
- Inoue J.G., Miya M., Miller M.J., Sado T., Hanel R., Hatooka K., Aoyama J., Minegishi Y., Nishida M. and Tsukamoto K. (2010): Deep-ocean origin of the freshwater eels. *Biology Letters*, **6**, 363-366.
- Kaifu K., Tamura M., Aoyama J. and Tsukamoto K. (2010): Dispersal of yellow phase Japanese eels *Anguilla japonica* after recruitment in the Kojima Bay-Asahi River system, Japan. *Environmental Biology of Fishes*, **88**, 273-282.
- Kawaguchi M., Hiroi J., Miya M., Nishida M., Iuchi I. and Yasumasu S. (2010): Intron-loss evolution of hatching enzyme genes in Teleostei. *BMC Evolutionary Biology*, **10**, 260.
- Kawaguchi M., Yasumasu S., Shimizu A., Sano K., Iuchi I. and Nishida M. (2010): Conservation of the egg envelope digestion mechanism of hatching enzyme in euteleostean fishes. *FEBS Journal*, **277**, 4973-4987.
- Kawakami T., Aoyama J. and Tsukamoto K. (2010): Morphology of pelagic fish eggs identified using mitochondrial DNA and their distribution in waters west of the Mariana Islands. *Environmental Biology and Fishes*, **87**, 221-235.
- Kawatsu S., Sato K., Watanabe Y., Hyodo S., Breves J.P., Fox B.K., Grau E.G. and Miyazaki N. (2010): A new method to calibrate attachment angles of data loggers in swimming sharks. *EURASIP Journal on Advances in Signal Processing*, **2010**, 732586.
- Kikuchi M., Sakamoto K.Q. and Sato K. (2010): Acquisition of gliding skills by Weddell seal (*Leptonychotes weddellii*) pups during lactation. *Polar Biology*, **33**, 1429-1435.
- Kinoshita M., Zakaria M.P., Ismail A., Yusof S., Boonphakdee C., Boonphakdee T. and Inoue K. (2010): An attempt to detect contamination with estrogenic compounds in river water of urban area in Thailand and Malaysia using transgenic medaka. *Coastal Marine Science*, **34**, 216-222.
- Kitahashi T., Shimanaga M., Inoue K. and Watanabe H. (2010): Sampler bias in the quantitative study on meiofauna around hydrothermal vents: Comparisons of sediments collected using two types of handcores with different diameters. *JAMSTEC Report of Research and Development*, **10**, 33-39. (北橋倫・嶋永元裕・井上広滋・渡部裕美 (2010): 热水噴出域のメイオファウナの定量的研究におけるサンプラーバイアスについて: 内径の異なる2種類のハンドコアラーによる堆積物の比較。JAMSTEC Report of Research and Development, **10**, 33-39.)
- Kitano J., Lema S.C., Luckenbach J.A., Mori S., Kawagishi Y., Kusakabe M., Swanson P. and Peichel C.L. (2010): Adaptive divergence in the thyroid hormone signaling pathway in the stickleback radiation. *Current Biology*, **20**, 2124-2130.
- Koito T., Morimoto S., Toyohara H., Yoshida T., Jimbo M., Maruyama T., Miyazaki N. and Inoue K. (2010): Decline in taurine transporter mRNA and thioautotrophic bacterial 16S rDNA levels after transplantation of the hydrothermal-vent mussel *Bathymodiolus septemtierum* to a non-vent position. *Cahiers de Biologie Marine*, **51**, 429-433.
- Koito T., Nakamura-Kusakabe I., Yoshida T., Maruyama T., Omata T., Miyazaki N. and Inoue K. (2010): Effect of long-term exposure to sulfides on taurine transporter gene expression in the gill of the deep-sea mussel *Bathymodiolus platifrons*, which harbors a methanotrophic symbiont. *Fisheries Science*, **76**, 381-388.
- Komaru A., Hori H., Yanase Y., Onouchi K., Kato T., Ishibashi R., Kawamura K., Kobayashi M. and Nishida M. (2010): Mitochondrial 16S rDNA analysis used to distinguish *Corbicula japonica* from Japan and imported species from Korea and China. *Nippon Suisan Gakkaishi*, **76**, 621-629. (古丸明・堀寿子・柳瀬泰宏・尾之内健次・加藤武・石橋亮・河村功一・小林正裕・西田睦 (2010): 日本、韓国、中国産シジミ類のmtDNA16S rDNA塩基配列分析による判別。日本水産学会誌, **76**, 621-629.)
- Kon T., Yoshino T. and Nishida M. (2010): Cryptic species of the gobioid paedomorphic genus *Schindleria* from Palau, western Pacific Ocean. *Ichthyological Research*, **58**, 62-66.
- Konno N., Hyodo S., Yamaguchi Y., Matsuda K. and Uchiyama M. (2010): Vasotocin/V2-type receptor/aquaporin axis exists in African lungfish kidney but is functional only in terrestrial condition. *Endocrinology*, **151**, 1089-1096.
- Kuroki M., Fukuda N., Yamada Y., Okamura A. and Tsukamoto K. (2010): Morphological changes and otolith growth during metamorphosis of Japanese eel leptocephali in captivity. *Coastal Marine Science*, **34**, 31-38.

- Lavoué S., Miya M., Arnegard M.E., McIntyre P.B., Mamonekene V. and Nishida M. (2010): Remarkable morphological stasis in an extant vertebrate despite tens of millions of years of divergence. *Proceedings of the Royal Society B: Biological Sciences*, **278**, 1003-1008.
- Lavoué S., Miya M. and Nishida M. (2010): Mitochondrial phylogenomics of anchovies (family Engraulidae) and recurrent origins of pronounced miniaturization in the order Clupeiformes. *Molecular Phylogenetics and Evolution*, **56**, 480-485.
- Mabuchi K. (2010): Conservation genetic analysis and evaluation of alien fishes. In *Methods in Conservation Ecology*, edited by Washitani I., Miyashita T., Nishihiro J., and Kadoya T. University of Tokyo Press, Tokyo, 83-100. (馬渕浩司 (2010): 外来魚の保全遺伝学の解析・評価法. 「保全生態学の技法 調査・研究・実践マニュアル」(鷺谷いづみ・宮下直・西廣淳・角谷拓編), 東京大学出版会, 東京, 83-100.)
- Mabuchi K., Senou H., Takeshima H., Nakai K. and Nishida M. (2010): Distribution of native Japanese mtDNA haplotypes of the common carp (*Cyprinus carpio*) in Lake Biwa. *Japanese Journal of Ichthyology*, **57**, 1-12. (馬渕浩司・瀬能宏・武島弘彦・中井克樹・西田睦 (2010): 芦琶湖におけるコイの日本在来mtDNAハプロタイプの分布. 魚類学雑誌, **57**, 1-12.)
- Matsuzaki S.S., Mabuchi K., Takamura N., Hicks B.J., Nishida M. and Washitani I. (2010): Stable isotope and molecular analyses indicate that hybridization with non-native domesticated common carp influence habitat use of native carp. *Oikos*, **119**, 964-971.
- Miller M.J., D'Avella M.J. and Tsukamoto K. (2010): Enlarged chromatophores in an actively swimming ophichthid leptocephalus observed over deep-water off Kona, Hawaii. *Zoological Studies*, **49**, 324.
- Miller M.J., Nakamura Y., Shibuno T. and Tsukamoto K. (2010): Leptocephali collected in light traps near coral reef habitats of Ishigaki Island in the southern Ryuku Island chain. *Coastal Marine Science*, **34**, 47-54.
- Minegishi Y. and Tsukamoto K. (2010): Population structure and speciation. In *Fundamentals of Fish Ecology*, edited by Tsukamoto K., Koseisya-Koseikaku, 42-56. (峰岸有紀・塙本勝巳 (2010): 集団と種分化. 「魚類生態学の基礎」(塙本勝巳編), 恒星社厚生閣, 42-56.)
- Miya M., Pietsch T.W., Orr W.J., Arnold R.J., Satoh T.P., Shedlock A.M., Ho H.C., Shimazaki M., Yabe M. and Nishida M. (2010): Evolutionary history of anglerfishes (Teleostei: Lophiiformes): a mitogenomic perspective. *BMC Evolutionary Biology*, **10**, 58.
- Miyake H., Kitada M., Itoh H., Nemoto S., Okuyama Y., Watanabe H., Tsuchida S., Inoue K., Kado R., Ikeda S., Nakamura K. and Omata T. (2010): Larvae of deep-sea chemosynthetic ecosystem animals in captivity. *Cahiers de Biologie Marine*, **51**, 441-450.
- Nakada T., Westhoff C.M., Yamaguchi Y., Hyodo S., Li X., Muro T., Kato A., Nakamura N. and Hirose S. (2010): Rhesus glycoprotein p2 (Rhp2) is a novel member of the Rh family of ammonia transporters highly expressed in shark kidney. *Journal of Biological Chemistry*, **285**, 2653-2664.
- Nishida M. (2010): Molecular phylogenetic approach to the diversity of fishes. In *Marine Natural Resources in the 21st Century*, edited by Tanaka M., Kawai S., Taniguchi N. and Sakata T., Kyoto University Press, Kyoto, 388-410. (西田睦 (2010): 魚類の多様性を探る: 分子系統学からの挑戦. 「水産の21世紀—海から拓く食料自給」(田中克・川合真一郎・谷口順彦・坂田泰造編), 京都大学学術出版会, 京都, 388-410.)
- Nishida M. and Tachihara K. (2010): *Rivers in Okinawa*. In *Rivers in Japan*, edited by Ogura N., Shimatani, Y. and Tanida K., Asakura Shoten, Tokyo, 154-157. (西田睦・立原一憲 (2010): 沖縄の川. 「図説 日本の河川」(小倉紀雄・島谷幸宏・谷田一三編), 朝倉書店, 東京, 154-157.)
- Nobata S., Ventura A., Kaiya H. and Takei Y. (2010): Diversified cardiovascular actions of six homologous natriuretic peptides (ANP, BNP, VNP, CNP1, CNP3 and CNP4) in conscious eels. *American Journal of Physiology*, **298**, R1549-R1559.
- Otake T. (2010): Otolith analysis. In *Fundamentals of Fish Ecology*, edited by Tsukamoto K., Koseisya-Koseikaku, pp. 100-109. (大竹二雄 (2010): 耳石解析「魚類生態学の基礎」(塙本勝巳編), 恒星社厚生閣, 100-109.)
- Sagawa T., Boisnier E., Komatsu T., Mustapha K., Hattour A., Kosaka N. and Miyazaki S. (2010): Using bottom surface reflectance to map coastal marine areas: a new application method for Lyzenga's model. *International Journal of Remote Sensing*, **31**, 3051-3064.
- Saitoh K., Sado T., Doosey M.H., Bart H.L. Jr., Inoue J.G., Nishida M., Mayden R.L. and Miya M. (2010): Evidence from mitochondrial genomics supports the lower Mesozoic of South Asia as the time and place of basal divergence of cypriniform fishes (Actinopterygii: Ostariophysi). *Zoological Journal of the Linnean Society*, **161**, 633-662.
- Sakai Y., Ochi Y., Tsuboi M., Kadota T., Shimizu N., Shoji J., Matsumoto K., Mabuchi K., Kuniyoshi H., Ohtsuka S. and Hashimoto H. (2010): Fish fauna of shallow waters of Aki Nada, Seto Inland sea, Japan. *Journal of the Graduate School of Biosphere Science, Hiroshima University*, **49**, 7-20. (坂井陽一・越智雄一郎・坪井美由紀・門田立・清水則雄・小路淳・松本一範・馬渕浩司・国吉久人・大塚攻・橋本博明 (2010): 瀬戸内海安芸灘の浅海魚類相 ホシササノハベラとホシノハゼの分布に注目して. 広島大学大学院生物圈科学研究所紀要, **49**, 7-20.)
- Sakamoto K., Sato K., Kato A., Fukui D., Bando G., Naito Y., Habara Y., Ishizuka M. and Fujita S. (2010): Metabolic alkalosis due to feeding chicks in breeding Adélie penguins *Pygoscelis adeliae* under natural conditions. *Physiological and Biochemical Zoology*, **83**, 232-238.
- Sato K., Shiomi K., Watanabe Y., Watanuki Y., Takahashi A. and Ponganis P.J. (2010): Scaling of swim speed and stroke frequency in geometrically similar penguins: they swim optimally to minimize cost of transport. *Proceedings of the Royal Society London B*, **277**, 707-714.
- Sato K. (2010): Theoretical implication on swimming speed of aquatic animals. In *Aero-aqua-biomechanics*, edited by Society for Aero-aqua-biomechanics, Morikita Publishing, Tokyo, 43-49. (佐藤克文 (2010): 水棲動物の遊泳速度, 動物の遊泳についての理論的予測. 「エアロアクアバイオメカニクス」(エアロアクアバイオメカニクス研究会編), 森北出版, 東京, 43-49.)
- Sato K. (2010): Special issue "Bio-logging science: new method to observe hidden world". *Iden*, **64**, 2-5. (佐藤克文 (2010): 特集にあたって「バイオロギングサイエンス—見えない世界を観る科学」. 生物の科学 遺伝, **64**, 2-5.)
- Sato K. and Katsumata N. (2010): Flight behavior of streaked shearwater, tree-climbing bird. *Iden*, **64**, 42-46. (佐藤克文・勝又信博 (2010): 加速度波形から判別するオオミズナギドリの飛翔行動—樹に登らない“多”水薙ぎ鳥. 生物の科学 遺伝, **64**, 42-46.)
- Satoh T.P., Sato Y., Masumaya N., Miya M. and Nishida M. (2010): Transfer RNA gene arrangement and codon usage in vertebrate mitochondrial genomes: a new insight into gene order conservation. *BMC Genomics*, **11**, 479.

- Shabaka S. and Komatsu T. (2010): Phenology and morphology of the marine phanerogam *Zostera caulescens* Miki in Funakoshi Bay, northeast Honshu Island, Japan. *Coastal Marine Science*, **34**, 13-23.
- Shinoda A. and Tsukamoto K. (2010): Environments. In *Fundamentals of Fish Ecology*, edited by Tsukamoto K., Koseisya-Koseikaku, 1-11. (篠田 章・塚本勝巳 (2010): 環境。「魚類生態学の基礎」(塚本勝巳編), 恒星社厚生閣, 1-11.)
- Shiomii K., Narazaki T., Sato K., Shimatani K., Arai N., Ponganis P.J. and Miyazaki N. (2010): Data-processing artefacts in three-dimensional dive path reconstruction from geomagnetic and acceleration data. *Aquatic Biology*, **8**, 299-304.
- Takada M., Tachihara, K., Kon, T., Yamamoto, G., Iguchi, I., Miya, M. and Nishida, M. (2010): Biogeography and evolution of the *Carassius auratus*-complex in East Asia. *BMC Evolutionary Biology*, **10**, 7.
- Takada M., Tachihara K. and Nishida M. (2010): Simple and easy method using multiplex PCR for distinguishing between Ryukyu domestic and introduced *Carassius auratus*. *Fish Genetics and Breeding Science*, **39**, 109-114. (高田未来美・立原一憲・西田 瞳 (2010): Multiplex PCRを用いた琉球列島在来フナと移植フナの簡易判別法。水産育種, **39**, 109-114.)
- Takada M., Tachihara K. and Nishida M. (2010): Distribution and habitats of *Carassius auratus* in the Ryukyu Archipelago: comparisons between indigenous and introduced populations. *Japanese Journal of Ichthyology*, **57**, 113-123. (高田未来美・立原一憲・西田 瞳 (2010): 琉球列島におけるフナの分布と生息場所: 在来フナと移植フナの比較。魚類学雑誌, **57**, 113-123.)
- Takei Y. and Loretz C.A. (2010): The gastrointestinal tract as an endocrine, paracrine and autocrine organ. In *Fish Physiology*, Vol. 30, *The Multifunctional Gut of Fish*, edited by Grosell M., Farrell A.P. and Brauner C.J., Academic Press, San Diego, 261-317.
- Tsukamoto K. (2010): Migration. In *Fundamentals of Fish Ecology*, edited by Tsukamoto K., Koseisya-Koseikaku, 57-72. (塚本勝巳 (2010): 回遊。「魚類生態学の基礎」(塚本勝巳編), 恒星社厚生閣, 57-72.)
- Tsukamoto K. (ed.) (2010): *Fundamentals of Fish Ecology*. Kouseisya-Kouseikaku, Tokyo, 320pp. (塚本勝巳(編著) (2010): 魚類生態学の基礎。恒星社厚生閣, 東京, 320pp.)
- Watanabe S. (2010): Morphological observation. In *Fundamentals of Fish Ecology*, edited by Tsukamoto K., Koseisya-Koseikaku, 73-86. (渡邊 俊 (2010): 形態観察。「魚類生態学の基礎」(塚本勝巳編), 恒星社厚生閣, 73-86.)
- Watanabe S., Jang-Liaw N.-H., Chen C.-Y., Yeh H.-M., Ai B., Otake T., Iida M. and Tsukamoto K. (2010): An albino specimen of *Sicyopterus japonicus* (Tanaka) collected in Taiwan. *Nankiseibutu*, **52**, 33-36. (渡邊 俊・張慶年鴻・陳 静怡・葉 信明・阿井文瓶・大竹二雄・飯田 碧・塚本勝巳 (2010): 台湾から採集されたボウズハゼ (*Sicyopterus japonicus*) のアルビノ個体。南紀生物, **52**, 33-36.)
- Watanuki Y., Takahashi A. and Sato K. (2010): Individual variation of foraging behavior and food provisioning in Adélie penguins (*Pygoscelis adeliae*) in a fast-sea-ice area. *Auk*, **127**, 523-531.
- Watanuki Y., Takahashi A., Trathan P.N., Wanless S., Sakamoto K.Q. and Sato K. (2010): Regulation of wing or foot strokes in deep-diving seabirds: a comparison between South Georgian Shag, Common Murre and Macaroni Penguin. *Japanese Journal of Ornithology*, **59**, 20-30. (綿貫 豊・高橋晃周・Trathan P.N.・Wanless S.・坂本健太郎・佐藤克文 (2010): 深く潜水する海鳥のストローク調節: サウスジョージアムナジロヒメウ・ウミガラス・マカロニペンギンの比較。日本鳥学会誌, **59**, 20-30.)
- Yada T., Tsuruta T., Sakano H., Yamamoto S., Abe N., Takasawa T., Yogo S., Suzuki T., Iguchi K., Uchida K. and Hyodo S. (2010): Changes in prolactin mRNA levels during downstream migration of the amphidromous teleost, ayu *Plecoglossus altivelis*. *General and Comparative Endocrinology*, **167**, 261-267.
- Yamamoto G., Takada M., Iguchi K. and Nishida M. (2010): Genetic constitution and phylogenetic relationships among Japanese crucian carps (*Carassius*). *Ichthyological Research*, **57**, 215-222.
- Yamamoto T., Takahashi A., Katsumata N., Sato K. and Trathan P.N. (2010): At-sea distribution and behavior of streaked shearwaters (*Calonectris leucomelas*) during non-breeding period. *Auk*, **127**, 871-881.
- Yamane K., Shirai K., Nagakura Y., Yamaguchi M., Takita A., Horii T., Tanaka N., Yamane S., Arai T. and Otake T. (2010): Spatial variation in otolith elemental composition of the Pacific herring *Clupea pallasi* in northern Japan. *Aquatic Biology*, **10**, 283-290.
- Yamanoue Y., Mabuchi K., Sawai E., Sakai Y., Hashimoto H. and Nishida M. (2010): Multiplex PCR-based genotyping of mitochondrial DNA from two species of ocean sunfish from the genus *Mola* (Tetraodontiformes: Molidae) found in Japanese waters. *Japanese Journal of Ichthyology*, **57**, 27-34. (山野上祐介・馬渕浩司・澤井悦郎・坂井陽一・橋本博明・西田 瞳 (2010): マルチブレックスPCR法を用いた日本産マンボウ属2種のミトコンドリアDNA の簡易識別法。魚類学雑誌, **57**, 27-34.)

Living Marine Resources

- Hayakawa J., Kawamura T., Ohashi S., Horii T. and Watanabe Y. (2010): Importance of epiphytic diatoms and fronds of two species of red algae as diets for juvenile Japanese turban snail *Turbo cornutus*. *Journal of Shellfish Research*, **29**, 233-240.
- Hiramatsu K. (2010): Stock and recruitment relationships and their implications for fisheries stock management. *Kaiyo monthly*, **42**, 199-203. (平松一彦 (2010): 再生産関係と水産資源管理. 月刊海洋, **42**, 199-203.)
- Hiramatsu K. (2010): Statistical problems of estimating stock and recruitment relationship. *Kaiyo monthly*, **42**, 204-208. (平松一彦 (2010): 再生産関係推定の統計学的問題. 月刊海洋, **42**, 204-208.)
- Hoshino K., Okamoto M., Saruwatari T., Oohra I. and Yanagimoto T. (2010): Fish specimen collection of Fisheries Research Agency-its application to DNA research and tasks. *DNA Polymorphism*, **18**, 131-134. (星野浩一・岡本 誠・猿渡敏郎・大原一郎・柳本 卓 (2010): 水産総合研究センターの魚類標本コレクション-DNA研究への活用と課題. DNA多型, **18**, 131-134.)
- Hurtado-Ferro F., Hiramatsu K. and Shirakihara K. (2010): Allowing for environmental effects in a management strategy evaluation for Japanese sardine. *ICES Journal of Marine Science*, **67**, 2012-2017.
- Kanaji Y., Kishida M., Watanabe Y., Kawamura T., Xie S., Yamashita Y., Sassa C. and Tsukamoto Y. (2010): Variations in otolith patterns, sizes and body morphometrics of jack mackerel *Trachurus japonicus* juveniles. *Journal of Fish Biology*, **77**, 1325-1342.
- Katukawa Y. and Watanabe Y. (2010): Fisheries-induced life history evolution. *Bulletin of the Japanese Society of Fisheries Oceanography*, **74**, 84-89. (勝川木綿・渡邊良朗 (2010): 選択的漁獲による生活史の進化. 水産海洋研究, **74**, 84-89.)
- Katsumata K. and Yasuda I. (2010): Estimate of non-tidal exchange transport between the Sea of Okhotsk and the North Pacific. *Journal Oceanography*, **66**, 489-504.

- Kidokoro H., Hiramatsu K. and Sakai M. (2010): An overview of a symposium on the current states and problems of stock-recruitment relationships in fisheries stock assessment: from theoretical and application viewpoints. *Kaiyo monthly*, **42**, 193-198. (木所英昭・平松一彦・酒井光夫 (2010): 水産資源管理における再生産関係利用の現状と問題点—理論的・実用的立場から—. 月刊海洋, **42**, 193-198.)
- Kimura S., Kato Y., Kitagawa T. and Yamaoka N. (2010): Impacts of environmental variability and global warming scenario on Pacific bluefin tuna (*Thunnus orientalis*) spawning grounds and recruitment habitat. *Progress in Oceanography*, **86**, 39-44.
- Kishida M., Kanaji Y., Xie S., Watanabe Y., Kawamura T., Masuda R. and Yamashita Y. (2010): Ecomorphological dimorphism of juvenile *Trachurus japonicus* in Wakasa Bay, Japan. *Environmental Biology of Fishes*, **90**, 301-315.
- Kitagawa T., Kato Y., Miller M.J., Sasai Y., Sasaki H. and Kimura S. (2010): The restricted spawning area and season of Pacific bluefin tuna facilitate use of nursery areas: A modeling approach to larval and juvenile dispersal processes. *Journal of Experimental Marine Biology and Ecology*, **393**, 23-31.
- Kitagawa T. (2010): Trans-oceanic migration of the Pacific bluefin tuna. In *Fisheries in the 21st century*, edited by Tanaka M., Kawai S., Taniguchi N. and Sakata T., Kyoto University Press , 411-412. (北川貴士 (2010) : クロマグロの渡洋回遊。「水産の21世紀—海から拓く食料自給」(田中 克・川合真一郎・谷口順彦・坂田泰造編), 京都大学出版会, 411-412.)
- Kurota H., Hiramatsu K., Takahashi N., Shono H., Itoh T. and Tsuji S. (2010): Developing a management procedure robust to uncertainty for southern bluefin tuna: a somewhat frustrating struggle to bridge the gap between ideals and reality. *Population Ecology*, **52**, 359-372.
- Miyake Y., Kimura S., Kawamura T., Kitagawa T., Hara M. and Hoshikawa H. (2010): Estimating larval supply of ezo abalone *Haliotis discus hannai* in a small bay using a coupled particle-tracking and hydrodynamic model: insights into the establishment of harvest refugia. *Fisheries Science*, **76**, 561-570.
- Nakayama Y. and Hiramatsu K. (2010): Evaluation of the reliability of VPA used for stock assessment for TAC species. *Nippon Suisan Gakkaishi*, **76**, 1043-1047. (中山洋輔・平松一彦 (2010): TAC対象種の資源評価に用いられるVPAの信頼性の検討。日本水産学会誌, **76**, 1043-1047.)
- Okamoto M., Watanabe Y. and Asahida T. (2010): A larva of the skilfish, *Eriolepis zonifer* (Actinopterygii: Scorpaeniformes: Anoplopomatidae), from off Northeastern Japan. *Species Diversity*, **15**, 125-130.
- Oohara I., Hoshino K., Takahashi Y., Kobayashi K., Saito K., Shigenobu H. and Saruwatari T. (2010): Species identification of 6 *Decapterus* species using site-Specific PCR. *DNA Polymorphism*, **18**, 98-101. (大原一郎・星野浩一・高嶋康晴・小林敬典・斎藤憲治・重信裕弥・猿渡敏郎 (2010): Site-Specific PCRを用いたムロアジ属6種の種判別。DNA多型, **18**, 98-101.)
- Onitsuka T., Kawamura T. and Horii T. (2010): Reproduction and early life ecology of abalone *Haliotis diversicolor* in Sagami Bay, Japan. *Japan Agricultural Research Quarterly*, **44**, 375-382.
- Onitsuka T., Kawamura T., Ohashi S., Iwanaga S. and Horii T. (2010): Dietary value of gametophytes and juvenile sporophytes of the brown macroalgae *Eisenia bicyclis* for juvenile abalone *Haliotis diversicolor*. *Fisheries Science*, **76**, 619-623.
- Onitsuka T., Kawamura T., Ohashi S., Iwanaga S., Horii T. and Watanabe Y. (2010): Effects of delayed metamorphosis and delayed post-settlement feeding on post-larval survival and growth of the abalone *Haliotis diversicolor*. *Aquaculture*, **298**, 239-244.
- Osafune S. and Yasuda I. (2010): Bidecadal variability in the Bering Sea and the relation with 18.6year period nodal tidal cycle. *Journal Geophysical Research*, **115**, C02014.
- Saruwatari T. (2010): Debunking an urban legend of the Deep Sea: The Queen of the Abyss and her contribution to Ceratioid Anglerfish biology. *Proceedings of an International Symposium, Into the Unknown Researching Mysterious Deep-sea Animals, 2007, Okinawa, Japan*, 128-13.
- Saruwatari T. (2010): Salangids. In *A dictionary of wildlife conservation*, edited by Wildlife Conservation Society, Asakurashoten, 621-623. (猿渡敏郎 (2010): シラウオ類。「野生動物保全の事典」(野生生物保護学会編), 朝倉書店, 621-623.)
- Shirakihara K. (2010): Management of demersal fish resources in the East China Sea and Yellow Sea. Memoirs of a Conference for Forecasting Oceanic and Fishing Conditions in the East China Sea and the Western Japan Sea (Seikai Block), **18**, 1-7. (白木原国雄 (2010): 東シナ海・黄海の底魚管理を巡る諸問題。西海ブロック漁海況調査研究報告, **18**, 1-7.)
- Tanaka H., Saruwatari T. and Minami T. (2010): Larval development of two *Artegatis* species (Decapoda, Xanthidae) described from laboratory reared material. *Crustacean Research*, **39**, 11-35.
- Tanaka Y., Hibiya T. and Niwa Y. (2010): Assessment of the Effects of Tidal Mixing in the Kuril Straits on the Formation of the North Pacific Intermediate Water. *Journal of Physical Oceanography*, **40**, 2569-2574.
- Tanaka Y., Hibiya T., Niwa Y. and Iwamae N. (2010): Numerical study of K1 internal tides in the Kuril straits, *Journal of Geophysical Research*, **115**, C09016.
- Tatebe H., Yasuda I., Saito H. and Shimizu Y. (2010): Horizontal transport of the calanoid copepod *Neocalanus* in the North Pacific: The influences of the current system and the life history. *Deep-Sea Research Part I*, **57**, 409-419.
- Watanabe Y. (2010): Fluctuation in catches of small pelagic fishes. *Aquaneat*, **2010-12**, 16-22. (渡邊良朗 (2010): 多獲性浮魚類の漁獲量変動。アクアネット, **2010-12**, 16-22.)
- Watanabe Y. (2010): Regime shift around 1970. *Kaiyo Monthly*, **42**, 387-388. (渡邊良朗 (2010): 1970年前後のレジームシフト。月刊海洋, **42**, 387-388.)
- Watanabe Y. (2010): Stoch fluctuation of the Pacific saury around 1970. *Kaiyo Monthly*, **42**, 387-388. (渡邊良朗 (2010): 1970年前後のサンマ資源の変動。月刊海洋, **42**, 387-388.)
- Watanabe Y. (2010): Population fluctuations, In *Fundamental ecology of fishes*, edited by Tsukamoto K., Koseisha Koseikaku, Tokyo, 287-298. (渡邊良朗 (2010): 個体数変動。「魚類生態学の基礎」(塙本勝巳編), 厚生社恒星閣, 東京, 287-298.)
- Won N.-I., Kawamura T., Takami H. and Watanabe Y. (2010): Stable isotope analyses as a tool to examine post-larval diets of *Haliotis discus hannai*. *Journal of Shellfish Research*, **29**, 655-662.
- Won N.-I., Kawamura T., Takami H. and Watanabe Y. (2010): Ontogenetic changes in the feeding habits of an abalone *Haliotis discus hannai*: field verification by stable isotope analyses. *Canadian Journal of Fisheries and Aquatic Sciences*, **67**, 347-356.
- Yasuda I. (2010): Variability in the Kuroshio and the Oyashio around 1970. *Kaiyo monthly*, **42**, 389-394. (安田一郎 (2010): 1970年前後の黒潮・親潮変動。月刊海洋, **42**, 389-394.)

Yasuda I., Itoh S. and Nishikawa H. (2010): Japanese sardine *Sardinops melanostictus* around formation regions of North Pacific Subtropical Mode Water. *Aquabiology*, **32**, 226-231. (安田一郎・伊藤幸彦・西川 悠 (2010): 北太平洋亜熱帯モード水海域とマイワシ. 海洋と生物, **32**, 226-231.)

Multiple Field Marine Science

- Ariji T., Yagi T., Nadaoka K., Nakagawa Y., Ogawa H., Simosako K. and Kimura S. (2010): Temporal and spatial variations of bottom sediment the Tama River mouth in Tokyo Bay. *Journal of Japan Society of Civil Engineers*, Ser. B2, **66**, 1401-1405. (有路隆一・八木 宏・灘岡和夫・中川康之・小川浩史・下迫健一郎・木村俊介 (2010): 東京湾多摩川河口周辺域における底質環境の時空間変動特性. 土木学会論文集B2 (海岸工学), **66**, 446-450.)
- Dobrzhinetskaya L.F., Green II H.W., Takahata N., Sano Y. and Shirai K. (2010): Crustal signature of $\delta^{13}\text{C}$ and nitrogen content in microdiamonds from Erzgebirge, Germany: Ion microprobe studies. *Journal of Earth Science*, **21**, 623-634.
- Filippi J.-B., Komatsu T. and Tanaka K. (2010): Simulation of drifting seaweeds in East China Sea. *Ecological Informatics*, **5**, 67-72.
- Furutani H., Meguro A., Iguchi H. and Uematsu M. (2010): Geographical distribution and sources of phosphorus in atmospheric aerosol over the North Pacific Ocean. *Geophysical Research Letters*, **37**, L03805.
- Griessbaum, F., Moat, B. I., Narita, Y., Yelland, M. J., Klemm, O., and Uematsu, M. (2010): Uncertainties in wind speed dependent CO₂ transfer velocities due to airflow distortion at anemometer sites on ships. *Atmospheric Chemistry and Physics*, **10**, 5123-5133.
- Hasegawa T., Kasai H., Ono T., Tsuda A. and Ogawa H. (2010): Dynamics of dissolved and particulate organic matter during the spring bloom in the Oyashio region of the western subarctic Pacific Ocean. *Aquatic Microbial Ecology*, **60**, 127-138.
- Kameyama S., Tanimoto H., Inomata S., Tsunogai U., Ooki A., Takeda S., Obata H., Tsuda A. and Uematsu M. (2010): High-resolution measurement of multiple volatile organic compounds dissolved in seawater using equilibrator inlet-proton transfer reaction-mass spectrometry (EI-PTR-MS). *Marine Chemistry*, **122**, 59-73.
- Karube Z., Sakai Y., Takeyama T., Okuda N., Kohzu A., Yoshimizu C., Nagata T. and Tayasu I. (2010): Carbon and nitrogen stable isotope ratios of macroinvertebrates in the littoral zone of Lake Biwa as indicators of anthropogenic activities in the watershed. *Ecological Research*, **25**, 847-855.
- Kurihara M.K., Kimura M., Iwamoto Y., Narita Y., Ooki A., Young-Joon Eum Y.-J., Tsuda A., Suzuki K., Tani Y., Yokouchi Y., Uematsu M., and Hashimoto S. (2010): Linkage between ocean and air in short-lived iodocarbons and oceanic distributions of biogenic trace gases in the western North Pacific. *Marine Chemistry*, **118**, 156-170.
- Le D.Q., Chino N., Shirai K. and Arai T. (2010): Trace metals in Japanese eel *Anguilla japonica* in relation to ecological migratory types and growth stages. *Estuarine, Coastal and Shelf Science*, **87**, 405-410.
- Maruo M., Nagaoka K., Kobayashi I., Kozawa K. and Obata H. (2010): Reexamination of optimum pH condition for the determination of dissolved iron(II) in aquatic environments using colorimetric reagents. *Bunseki Kagaku*, **59**, 1143-1147. (丸尾雅啓・永岡一樹・小林一星・小沢佳那子・小畠 元 (2010): 水圈試料中微量溶存鉄(II)の比色定量における至適pH条件に関する再検討. 分析化学, **59**, 1143-1147.)
- Maruo M., Tate K., Ohta K., Hayakawa K. and Obata H. (2010): Vertical distribution of iron(II) and its relation to organic substances in Lake Biwa, Japan. *Verhandlungen Internationale Vereinigung für theoretische und angewandte Limnologie*, **30**, 1379-1383.
- Michida Y. (2010): Some issues toward future management of oceanographic data and information. *Kaiyo monthly Ex.*, **53**, 17-24. (道田 豊 (2010): 海洋データ・情報管理をめぐる課題を取り組み. 月刊海洋, 号外**53**, 17-24.)
- Ohte N., Tayasu I., Kohzu A., Yoshimizu C., Osaka K., Makabe A., Koba K., Yoshida N. and Nagata T. (2010): Spatial distribution of nitrate sources of rivers in the Lake Biwa watershed, Japan: Controlling factors revealed by nitrogen and oxygen isotope values. *Water Resources Research*, **46**, W07505.
- Okano T., Yagi H., Nakayama A., Adachi K., Takeda M., Matsumura S., Takagi T., Ito J. and Ogawa H. (2010): Field observation of particle organic matter around the artificial upwelling producing structure. *Journal of Japan Society of Civil Engineers*, Ser. B2, **66**, 1401-1405. (岡野崇裕・八木 宏・中山哲穎・足立久美子・武田真典・松村繁徳・高城隆昌・伊藤純一・小川浩史 (2010): 満昇マウンド礁周辺における懸濁態有機物に関する現地観測. 土木学会論文集B2 (海岸工学), **66**, 1401-1405.)
- Ooki A., Tsuda A., Kameyama S., Takeda S., Itoh S., Suga T., Tazoe H., Okubo A. and Yokouchi Y. (2010): Methyl halides in surface seawater and marine boundary layer of northwest Pacific. *Journal Geophysical Research Oceans*, **115**, C10013.
- Osaka K., Ohte N., Koba K., Yoshimizu C., Katsuyama M., Tani M., Tayasu I. and Nagata T. (2010): Hydrological influences on spatiotemporal variations of $d^{15}\text{N}$ and $d^{18}\text{O}$ of nitrate in a forested headwater catchment in central Japan: Denitrification plays a critical role in groundwater. *Journal of Geophysical Research - Biogeosciences*, **115**, G02021.
- Tanaka K., Michida Y. and Komatsu T. (2010): Impact of sporadically enhanced river discharge on the climatological distribution of river water in Suruga Bay. *Coastal Marine Science*, **34**, 1-6.
- Uematsu M., Hattori H., Nakamura T., Narita Y., Jung J., Matsumoto K., Nakaguchi, Y. and Kumar D. (2010): Atmospheric transport and deposition of anthropogenic substances from the Asia continent to the East China Sea. *Marine Chemistry*, **120**, 108-115.

その他 (教科書・事典・絵本)

- 竹井祥郎・津田 敦・兵藤 晋 (分担執筆) (2010) :石川 統ほか, 生物学辞典, 東京化学同人, 東京.
木村龍治・新野 宏・(分担執筆:伊賀啓太) (2010) :身近な気象学, 財団法人 放送大学教育振興会, 東京.
中島映至・関口美保 (分担執筆) (2010) :光と地球環境. 「からだと光の事典」(太陽紫外線防御研究委員会編), 朝倉書店.
佐藤克文・平子真理 (2010) べんざんべんざンドボンドボン, 月刊予約絵本 ちいさなかがくのとも, 福音館書店, 東京.