

### 2018

|                               |     |
|-------------------------------|-----|
| Climate Science               | 110 |
| Physical Oceanography         | 111 |
| Chemical Oceanography         | 112 |
| Ocean Floor Geoscience        | 113 |
| Marine Ecosystems Dynamics    | 115 |
| Marine Bioscience             | 117 |
| Living Marine Resources       | 119 |
| Multiple Field Marine Science | 120 |

# 研究業績 | PUBLICATION LIST 2018

## Climate Science (気候システム科学)

- Arai M. and Kimoto M. (2018) Correction to: Simulated interannual variation in summertime atmospheric circulation associated with the East Asian monsoon. *Climate Dynamics*, **51**, 1605-1608.
- Bril A., Maksyutov S., Oshchepkov S., Yoshida Y., Imasu R., Iwasaki C., Chaikovsky A. and Fedarenko A. (2018) Development of the empirical orthogonal functions-based algorithm for the retrievals of atmospheric CO<sub>2</sub> total column amount from space-borne observations of reflected sunlight. *Journal of Applied Remote Sensing*, **12**, doi:10.1117/1.JRS.12.046012.
- Dai T., Cheng Y., Zhang P., Shi G., Sekiguchi M., Suzuki K., Goto D. and Nakajima T. (2018) Impacts of meteorological nudging on the global dust cycle simulated by NICAM coupled with an aerosol model. *Atmospheric Environment*, **190**, 99-115.
- Goelzer H., Nowicki S., Edwards T., Beckley M., Abe-Ouchi A., Aschwanden A., Calov R., Gagliardini O., Gillet-Chaulet F., Golledge N.R., Gregory J., Greve R., Humbert A., Huybrechts P., Kennedy J.H., Larour E., Lipscomb WH., Le Clec'h S., Lee V., Morlighem M., Pattyn F., Payne A.J., Rodehacke C., Rueckamp M., Saito F., Schlegel N., Seroussi H., Shepherd A., Sun S., van de Wal R. and Ziemen F.A. (2018) Design and results of the ice sheet model initialisation initMIP-Greenland: an ISMIP6 intercomparison. *The Cryosphere*, **12**, 1433-1460.
- Hamada A. and Takayabu Y.N. (2018) Large-scale environmental conditions related to midsummer extreme rainfall events around Japan in the TRMM region. *Journal of Climate*, **31**, 6933-6945.
- Hirota N., Ogura T., Tatebe H., Shiogama H., Kimoto M. and Watanabe M. (2018) Roles of Shallow Convective Moistening in the Eastward Propagation of the MJO in MIROC6. *Journal of Climate*, **31**, 3033-3047.
- Hirota N., Shiogama H., Akiyoshi H., Ogura T., Takahashi M., Kawatani Y., Kimoto M. and Mori M. (2018) The influences of El Niño and Arctic sea-ice on the QBO disruption in February 2016. *npj Climate and Atmospheric Sciences*, **1**, doi:10.1038/s41612-018-0020-1.
- Imasu R. and Tanabe Y. (2018) Diurnal and seasonal variations of carbon dioxide (CO<sub>2</sub>) concentration in urban, suburban, and rural areas around Tokyo. *Atmosphere*, **9**, doi:10.3390/atmos9100367.
- Iriana W., Tonokura K., Inoue G., Kawasaki M., Kozan O., Fujimoto K., Ohashi M., Morino I., Someya Y., Imasu R., Arif Rahman M. and Gunawan D. (2018) Ground-based measurements of column-averaged carbon dioxide molar mixing ratios in a peatland fire-prone area of Central Kalimantan, Indonesia. *Nature Scientific Report*, **8**, doi:10.1038/s41598-018-26477-3.
- Jing X. and Suzuki K. (2018) The impact of process-based warm rain constraints on the aerosol indirect effect. *Geophysical Research Letters*, **45**, doi:10.1029/2018GL079956.
- Kageyama M., Braconnot P., Harrison S.P., Haywood A.M., Jungclaus J.H., Otto-Bliesner B.L., Peterschmitt J., Abe-Ouchi A., Albani S., Bartlein P.J., Brierley C., Crucifix M., Dolan A., Fernandez-Donado L., Fischer H., Hopcroft P.O., Ivanovic R.F., Lambert F., Lunt D.J., Mahowald N.M., Peltier W.R., Phipps S.J., Roche D.M., Schmidt G.A., Tarasov L., Valdes P.J., Zhang Q. and Zhou T. (2018) The PMIP4 contribution to CMIP6-Part 1: Overview and over-arching analysis plan. *Geoscientific Model Development*, **11**, 1033-1057.
- Kikuchi M., Murakami H., Suzuki K., Nagao T.M. and Higurashi A. (2018) Improved hourly estimates of aerosol optical thickness using spatiotemporal variability derived from Himawari-8 geostationary satellite. *IEEE Transactions on Geoscience and Remote Sensing*, **56**, doi:10.1109/TGRS.2018.2800060.
- Kobayashi H. and Oka A. (2018) Response of atmospheric pCO<sub>2</sub> to glacial changes in the Southern Ocean amplified by carbonate compensation. *Paleoceanography and Paleoclimatology*, **33**, 1206-1229.
- Kodama T., Nitta A., Genda H., Takao Y., Oishi R., Abe-Ouchi A. and Abe Y. (2018) Dependence of the onset of the runaway greenhouse effect on the latitudinal surface water distribution of Earth-like planets. *Journal of Geophysical Research-Planets*, **123**, 559-574.
- Kusahara K., Reid P., Williams G.D., Massom R. and Hasumi H. (2018) An ocean-sea ice model study of the unprecedented Antarctic sea ice minimum in 2016. *Environmental Research Letters*, **13**, doi:10.1088/1748-9326/aad624.
- Miyakawa T. and Kikuchi K. (2018) CINDY2011/DYNAMO Madden-Julian oscillation successfully reproduced in global cloud/cloud-system resolving simulations despite weak tropical wavelet power. *Scientific Reports*, **8**, doi:10.1038/s41598-018-29931-4.
- Miyakawa T., Noda A.T. and Kodama C. (2018) The impact of hybrid usage of a cumulus parameterization scheme on tropical convection and large-scale circulations in a global cloud-system resolving model. *Journal of Advances in Modeling Earth Systems*, **10**, 2952-2970.
- Ohgaito R., Abe-Ouchi A., Oishi R., Takemura T., Ito A., Hajima T., Watanabe S. and Kawamiya M. (2018) Effect of high dust amount on surface temperature during the Last Glacial Maximum: a modelling study using MIROC-ESM. *Climate of the Past*, **14**, 1565-1581.
- Sato Y., Goto D., Michibata T., Suzuki K., Takemura T., Tomita H. and Nakajima T. (2018) Aerosol effects on cloud water amounts were successfully simulated by a global cloud-system resolving model. *Nature Communications*, **9**, doi:10.1038/s41467-018-03379-6.
- Sherriff-Tadano S., Abe-Ouchi A., Yoshimori M., Oka A. and Chan W. (2018) Influence of glacial ice sheets on the Atlantic meridional overturning circulation through surface wind change. *Climate Dynamics*, **50**, 2881-2903.
- Smith D.M., Scaife A.A., Hawkins E., Bilbao R., Boer G.J., Caian M., Caron L.-P., Danabasoglu G., Delworth T., Doblas-Reyes F.J., Doescher R., Dunstone N.J., Eade R., Hermanson L., Ishii M., Kharin V., Kimoto M., Koenigk T., Kushner Y., Matei D., Meehl G.A., Menegoz M., Merryfield W.J., Mochizuki T., Müller W.A., Pohlmann H., Power S., Rixen M., Sospedra-Alfonso R., Tuma M., Wyser K., Yang X. and Yeager S. (2018) Predicted chance that global warming will temporarily exceed 1.5°C. *Geophysical Research Letters*, **45**, doi:10.1029/2018GL079362.

- Tatebe H., Tanaka Y., Komuro Y. and Hasumi H. (2018) Impact of deep ocean mixing on the climatic mean state in the Southern Ocean. *Scientific Reports*, **8**, doi:10.1038/s41598-018-32768-6.
- Uemura R., Motoyama H., Masson-Delmotte V., Jouzel J., Kawamura K., Goto-Azuma K., Fujita S., Kuramoto T., Hirabayashi M., Miyake T., Ohno H., Fujita K., Abe-Ouchi A., Iizuka Y., Horikawa S., Igarashi M., Suzuki K., Suzuki T. and Fujii Y. (2018) Asynchrony between Antarctic temperature and CO<sub>2</sub> associated with obliquity over the past 720,000 years. *Nature Communications*, **9**, doi:10.1038/s41467-018-03328-3.
- Watanabe M., Kamae Y., Shiogama H., DeAngelis A.M. and Suzuki K. (2018) Low clouds link equilibrium climate sensitivity to hydrological sensitivity. *Nature Climate Change*, **8**, 901–906.
- Yamamoto A., Abe-Ouchi A. and Yamanaka Y. (2018) Long-term response of oceanic carbon uptake to global warming via physical and biological pumps. *Biogeosciences*, **15**, 4163-4180.
- Yoshimori M., Abe-Ouchi A., Tatebe H., Nozawa T. and Oka A. (2018) The importance of ocean dynamical feedback for understanding the impact of mid-high-latitude warming on tropical precipitation change. *Journal of Climate*, **31**, 2417-2434.
- 川崎高雄 (2018) 太平洋深層循環のモデリング研究 . 月刊海洋 , **50**, 121-126.

### Physical Oceanography (海洋物理)

- Chen Y.-W., Seiki T., Kodama C., Satoh M. and Noda A.T. (2018) Impact of precipitating ice hydrometeors on longwave radiative effect estimated by a global cloud-system resolving model. *Journal of Advances in Modeling Earth Systems*, **10**, 284-296.
- Fjiwara Y and Yoshikawa Y. and Matsumura Y (2018) A wave-resolving simulation of Langmuir circulations with a nonhydrostatic free-surface model: Comparison with Craik-Leibovich theory and an alternative Eulerian view of the driving mechanism. *Journal of Physical Oceanography*, **48**, 1691-1708.
- Fjiwara A., Nishino S., Matsuno K., Onodera J., Kawaguchi Y., Hirawake T., Suzuki K., Inoue J. and Kikuchi T. (2018) Changes in phytoplankton community structure during wind-induced fall bloom on the central Chukchi shelf. *Polar Biology*, **41**, 1279-1295.
- Goto Y., Yasuda I. and Nagasawa M. (2018) Comparison of turbulence intensity from CTD-attached and free-fall microstructure profilers. *Journal of Atmosphere and Ocean Technology*, **35**, 147-162.
- Ishijima K., Takigawa M., Yamashita Y., Yashiro H., Kodama C., Satoh M., Tsuboi K., Matsueda H., Niwa Y. and Hiroa S. (2018) Analysis of high radon-222 concentration events using multi-horizontal-resolution NICAM simulations. *SOLA*, **14**, 111-115.
- Kotsuki S., Terasaki K., Yashiro H., Tomita H., Satoh M. and Miyoshi T. (2018) Online model parameter estimation with ensemble data assimilation in the real global atmosphere: A case with the Nonhydrostatic Icosahedral Atmospheric Model (NICAM) and the Global Satellite Mapping of Precipitation data. *Journal of Geophysical Research*, **123**, 7375-7392.
- Nishino S., Kawaguchi Y., Fujiwara A., Shiozaki T., Aoyama M., Harada N. and Kikuchi T. (2018) Biogeochemical anatomy of a cyclonic warm-core eddy in the Arctic Ocean. *Geophysical Research Letters*, **45**, doi:10.1029/2018GL079659.
- Ohno T. and Satoh M. (2018) Roles of cloud microphysics on cloud responses to sea surface temperatures in radiative-convective equilibrium experiments using a high-resolution global nonhydrostatic model. *Journal of Advances in Modeling Earth Systems*, **10**, 1970-1989.
- Oizumi T., Saito K., Ito J., Kuroda T. and Duc L. (2018) Ultra-high-resolution numerical weather prediction with a large domain using the K Computer: A case study of the Izu Oshima heavy rainfall event on October 15-16, 2013. *Journal of Meteorological Society of Japan*, **96**, 25-54.
- Roberts M.J., Vidale P.L., Senior C., Hewitt H., Bates C., Berthou S., Chang P., Christensen H.M., Danilov S., Demory M., Griffies S.M., Haarsma R., Jung T., Martin G., Minobe S., Ringler T., Satoh M., Schiemann R., Scoccimarro E., Stephens G. and Wehner M.F. (2018) The benefits of global high-resolution for climate simulation: process-understanding and the enabling of stakeholder decisions at the regional scale. *The Bulletin of the American Meteorological Society*, **99**, 2341-2359.
- Roh W. and Satoh M. (2018) Extension of a multisensor satellite radiance-based evaluation for cloud system resolving models. *Journal of the Meteorological Society of Japan*, **96**, 55-63.
- Satoh M., Noda A.T., Seiki T., Chen Y., Kodama C., Yamada Y., Kuba N. and Sato Y. (2018) Toward reduction of the uncertainties in climate sensitivity due to cloud processes using a global non-hydrostatic atmospheric model. *Progress in Earth and Planetary Science*, **5**, doi:10.1186/s40645-018-0226-1.
- Takahashi D., Endo H., Minegishi Y., Gomi Y. and Kaneko K. (2018) Wind- and density-driven circulation in a bay on the Sanriku coast. Japan: study of Shizugawa Bay facing the Pacific Ocean. *Journal of Oceanography*, **74**, 81-100.
- Takasuka D., Satoh M., Miyakawa T. and Miura H. (2018) Initiation processes of the tropical intraseasonal variability simulated in an aqua-planet experiment: What is the intrinsic mechanism for MJO onset? *Journal of Advances in Modeling Earth Systems*, **10**, 1047-1073.
- Tanaka T., Hasegawa D., Yasuda I., Tsuji H., Fujio S., Goto Y. and Nishioka J. (2018) Enhanced vertical turbulent nitrate flux in the Kuroshio across the Izu Ridge. *J. Oceanography*, **75**, 195-203.
- Tochimoto E. and Niino H. (2018) Structure and environment of tornado-spawning extratropical cyclones around Japan. *Journal of the Meteorological Society of Japan*, **96**, 355-380.
- Watanabe S.I., Niino H. and Yanase W. (2018) Composite analysis of polar mesocyclones over the western part of the Sea of Japan. *Monthly Weather Review*, **146**, 985-1004.
- Wing A.A., Reed K.A., Satoh M., Stevens B., Bony S. and Ohno T. (2018) Radiative-Convective Equilibrium Model Intercomparison Project. *Geoscientific Model Development*, **11**, 793-813.

- Yanase W. and Niino H. (2018) Environmental control of tropical, subtropical, and extratropical cyclone development on the North Atlantic Ocean: Idealized numerical experiments. *Quarterly Journal of the Royal Meteorological Society*, **144**, doi:10.1002/qj.3227.
- Yasuda I. (2018) Impact of the astronomical lunar 18.6-yr tidal cycle on El-Niño and Southern Oscillation. *Scientific Reports*, **8**, doi:10.1038/s41598-018-33526-4.
- Yokota S., Niino H., Seko H., Kunii M. and Yamauchi M. (2018) Important factors for tornadogenesis as revealed by high-resolution ensemble forecasts of the Tsukuba supercell tornado of 6 May 2012 in Japan. *Monthly Weather Review*, **146**, 1109-1132.

**Chemical Oceanography (海洋化学)**

- Aoyama M., Hamajima Y., Inomata Y., Kumamoto Y., Oka E., Tsubono T. and Tsumune D. (2018) Radiocaesium derived from TEPCO Fukushima accident in the North Pacific Ocean: surface transport processes until 2017. *Journal of Environmental Radioactivity*, **189**, 93-102.
- Endo H., Fukuda H., Takahashi D., Okumura Y., Inomata E., Ito K., Yoshimizu C., Tayasu I. and Nagata T. (2018) Influence of isotope fractionation on the nitrogen isotope composition of the brown macroalga *Undaria pinnatifida*. *Phycological Research*, **66**, 262-268.
- Hamaguchi M., Shimabukuro H., Hori M., Yoshida G., Terada T. and Miyajima T. (2018) Quantitative real-time polymerase chain reaction (PCR) and droplet digital PCR duplex assays for detecting *Zostera marina* DNA in coastal sediments. *Limnology and Oceanography: Methods*, **16**, 253-264.
- Hori M., Shirai K., Kimoto K., Kurasawa A., Takagi H., Ishida A., Takahata N. and Sano Y. (2018) Chamber formation and trace element distribution in the calcite walls of laboratory cultured planktonic foraminifera (*Globigerina bulloides* and *Globigerinoides ruber*). *Marine Micropaleontology*, **140**, 46-55.
- Inomata Y., Aoyama M., Tsubono T., Tsumune D., Kumamoto Y., Nagai H., Yamagata T., Kajino M., Tanaka T., Sekiyama T., Oka E. and Yamada M. (2018) Estimate of Fukushima-derived radiocaesium in the North Pacific Ocean in summer 2012. *Journal of Radioanalytical and Nuclear Chemistry*, **318**, 1587-1596.
- Ishikawa N.F., Chikaraishi Y., Takano Y., Sasaki Y., Takizawa Y., Tsuchiya M., Tayasu I., Nagata T. and Ohkouchi N. (2018) A new analytical method for determination of the nitrogen isotopic composition of methionine: Its application to aquatic ecosystems with mixed resources. *Limnology and Oceanography: Methods*, **16**, 607-620.
- Kato M., Tatsuji O. and Shirai K. (2018) Reply to comment on Kato et al. (2017) "Paleoecology of echinoderms in cold seep environments revealed by isotope analysis in the late cretaceous western interior seaway". *Palaeos*, **33**, 284-285.
- Kim T., Obata H., Takeda S., Wong K.H., Mashio A.S. and Gamo T. (2018) Organic complexation of zinc in a coastal hydrothermal area, Tachibana Bay, Nagasaki, Japan. *Geochemical Journal*, **52**, e29-e38.
- Komagoe T., Watanabe T., Shirai K., Yamazaki A. and Uematsu M. (2018) Geochemical and microstructural signals in giant clam *Tridacna maxima* recorded typhoon events at Okinotori Island, Japan. *Journal of Geophysical Research-Biogeosciences*, **123**, 1460-1474.
- Kubota K., Shirai K., Higuchi T. and Miyajima T. (2018) Oxygen and hydrogen isotope characteristics of seawater in Otsuchi Bay and meteoric water of inflowing rivers. *Coastal Marine Science*, **41**, 1-6.
- Kubota K., Shirai K., Murakami-Sugihara N., Seike K., Minami M., Nakamura T. and Tanabe K. (2018) Bomb-<sup>14</sup>C peak in the North Pacific recorded in long-lived bivalve shells (*Mercenaria stimpsoni*). *Journal of Geophysical Research-Ocean*, **123**, 2867-2881.
- Kumamoto Y., Aoyama M., Hamajima Y., Oka E. and Murata A. (2018) Time evolution of Fukushima-derived radiocaesium in the western subtropical area of the North Pacific Ocean by 2017. *Journal of Radioanalytical and Nuclear Chemistry*, **318**, 2181-2187.
- Kuwae T., Kanda J., Kubo A., Nakajima F., Ogawa H., Sohma A. and Suzumura M. (2018) CO<sub>2</sub> uptake in the shallow coastal ecosystems affected by anthropogenic impacts.. In *Blue Carbon in Shallow Coastal Ecosystems: Carbon Dynamics, Policy and Implementation*, edited by Kuwae T. and Hori M., Springer, Singapore, 295-319.
- Le D.Q., Tanaka K., Hii Y.S., Sano Y., Nanjo K., Shirai K. (2018) Importance of seagrass-mangrove continuum as feeding grounds for juvenile pink ear emperor *Lethrinus lentjan* in Setiu Lagoon, Malaysia: Stable isotope approach. *Journal of Sea Research*, **135**, 1-10.
- Le Q.D., Behara S., Fui S.Y. and Shirai K. (2018) Mercury bioaccumulation in tropical mangrove wetland fishes: evaluating potential risk to coastal wildlife. *Biological Trace Element*, **186**, 538-545.
- Lutfi Firdaus M., Mashio A.S., Kim T., Muhammad R., McAlister J.A., Obata H., Gamo T. and Khaydarov R. (2018) Simultaneous determination of picomolar zirconium, hafnium, niobium and tantalum in seawater using commercially available chelating resin and subsequent ICP-MS determination. *Geochemical Journal*, **52**, 427-431.
- Lutfi Firdaus M., Mashio A.S., Obata H., McAlister J.A. and Orians, K.J. (2018) Distribution of zirconium, hafnium, niobium and tantalum in the North Atlantic Ocean, northeastern Indian Ocean and its adjacent seas. *Deep-Sea Research-I*, **140**, 128-135.
- Miyajima T. and Hamaguchi M. (2018) Carbon sequestration in sediment as an ecosystem function of seagrass meadows. In *Blue Carbon in Shallow Coastal Ecosystems*, edited by Kuwae T. and Hori M., Springer Nature Singapore, Singapore, 33-71.
- Otosaka S., Satoh Y., Suzuki T., Kuwabara J. and Nakanishi T. (2018) Distribution and fate of <sup>129</sup>I in the seabed sediment off Fukushima. *Journal of Environmental Radioactivity*, **192**, 208-218.
- Schlitzer R. and GEOTRACES group (2018) The GEOTRACES Intermediate Data Product 2017. *Chemical Geology*, **493**, 210-223.

- Shiao J.-C., Shirai K., Tanaka K., Takahata N., Sano Y., Hsiao S.-Y., Lee D.-C. and Tseng Y.-C. (2018) Assimilation of nitrogen and carbon isotopes from fish diets to otoliths as measured by nanoscale secondary ion mass spectrometry. *Rapid Communication in Mass Spectrometry*, **32**, 1250-1256.
- Shirai K., Koyama F., Murakami-Sugihara N., Nanjo K., Higuchi T., Kohno H., Watanabe Y., Okamoto K. and Sano M. (2018) Reconstruction of the salinity history associated with migration of mangrove fishes using otolith oxygen isotopic analysis. *Marine Ecology Progress Series*, **593**, 127-139.
- Shirai K., Kubota K., Murakami-Sugihara N., Seike K., Hakozaki M. and Tanabe K. (2018) Stimpson's hard clam Mercenaria stimpsoni; A multi-decadal climate recorder for the northwest Pacific coast. *Marine Environmental Research*, **133**, 49-56.
- Shirai K., Otake T., Amano Y., Kuroki M., Ushikubo T., Kita N.T., Murayama M., Tsukamoto K. and Valley J.W. (2018) Temperature and depth distribution of Japanese eel eggs estimated using otolith oxygen stable isotopes. *Geochimica et Cosmochimica Acta*, **236**, 373-383.
- Takahata N., Shirai K., Ohmori K., Obata H., Gamo T. and Sano Y. (2018) Distribution of helium-3 plumes and deep-sea circulation in the central Indian Ocean. *Terrestrial, Atmospheric and Oceanic Sciences*, **29**, 331-340.
- Takahata N., Tomonaga Y., Kumamoto Y., Yamada M. and Sano Y. (2018) Direct tritium emissions to the ocean from the Fukushima Dai-ichi nuclear accident. *Geochemical Journal*, **52**, 211-217.
- Uchimiya M., Fukuda H., Wakita M., Kitamura M., Kawakami H., Honda M.C., Ogawa H. and Nagata T. (2018) Balancing organic carbon supply and consumption in the ocean's interior: Evidence from repeated biogeochemical observations conducted in the subarctic and subtropical western North Pacific. *Limnology and Oceanography*, **63**, 2015-2027.
- Wong K.H., Obata H., Kim T., Suzuki Mashio A., Fukuda H. and Ogawa H. (2018) Organic complexation of copper in estuarine waters: An assessment of the multi-detection window approach. *Marine Chemistry*, **204**, 144-151
- Yamada Y., Tomaru Y., Fukuda H. and Nagata T. (2018) Aggregate formation during the viral lysis of a marine diatom. *Frontiers in Marine Science*, **5**, doi:10.3389/fmars.2018.00167
- Yamamoto J., Kawano T., Takahata N. and Sano Y. (2018) Noble gas and carbon isotopic compositions of petit-spot lavas from southeast of Marcus Island. *Earth and Planetary Science Letters*, **497**, 139-148.
- Yamamoto T., Malingin MACL., Pepino M.M., Yoshikai M., Campos W., Miyajima T., Watanabe A., Tanaka Y., Morimoto N., Ramos R., Pagkalinawan H., and Nadaoka K. (2018) Assessment of coastal turbidity improvement potential by terrigenous sediment load reduction and its implications on seagrass inhabitable area in Banate Bay, central Philippines. *Science of the Total Environment*, **656**, 1386-1400.
- Yoshimura T., Nishioka J., Ogawa H. and Tsuda A. (2018) Dynamics of particulate and dissolved organic and inorganic phosphorus during the peak and declining phase of an iron-induced phytoplankton bloom in the eastern subarctic Pacific. *Journal of Marine Systems*, **177**, 1-7.
- 高畠直人・佐野有司 (2018) インド洋における深層海水中ヘリウムの分布と海洋循環. 月刊海洋, 号外 No.61, 68-75.

### Ocean Floor Geoscience (海洋底科学)

- Ando A., Kuroda J., Werner R., Hoernle K. and Huber B.T. (2018) Post-Eocene intensification of deep-water circulation in the central South Pacific: Micropalaeontological clues from dredged sites along the eastern Manihiki Plateau margin. *Terra Nova*, **31**, 28-38.
- Ando M., Kitamura A., Tu Y., Ohashi Y., Imai T., Nakamura M., Ikuta R., Miyairi Y., Yokoyama Y. and Shishikura M. (2018) Source of high tsunamis along the southernmost Ryukyu trench inferred from tsunami stratigraphy. *Tectonophysics*, **722**, 265-276.
- Bell T., Iguchi A., Suzuki A., Seki A. and Yokoyama Y. (2018) Testing possible relationships between *Acropora digitifera* genes, seawater chemistry and skeletal elements. *Geochemical Journal*, **52**, 263-272.
- Camuera J., Jiménez-Moreno G., Ramos-Román M.J., García-Alix A., Toney J.L., Anderson R.S., Jiménez-Espejo F., Kaufman D., Bright J., Webster C., Yanes Y., Carrión J.S., Ohkouchi N., Suga H., Yamane M., Yokoyama Y. and Martínez-Ruiz F. (2018) Orbital-scale environmental and climatic changes recorded in a new ~ 200,000-year-long multiproxy sedimentary record from Padul, southern Iberian Peninsula. *Quaternary Science Reviews*, **198**, 91-114.
- Dijkstra N., Quintana Krupinski N.B., Yamane M., Obrocta S.P., Miyairi Y., Yokoyama Y. and Slomp C.P. (2018) Holocene refreshening and reoxygenation of a Bothnian Sea estuary led to enhanced phosphorus burial. *Estuaries and Coasts*, **41**, 139-157.
- Früh-Green G.L., Orcutt B.N., Rouméon S., Lilley M.D., Morono Y., Cotterill C., Green S., Escartin J., John B.E., McCaig A.M., Cannat M., Ménez B., Schwarzenbach E.M., Williams M.J., Morgan S., Lang S.Q., Schrenk M.O., Brazelton W.J., Akizawa N., Bosch C., Dunkel K.G., Quéméneur M., Whattam S.A., Mayhew L., Harris M., Bayrakci G., Behrmann J.-H., Herrero-Bervera E., Hesse K., Liu H.-Q., Sandaruwan Ratnayake A., Twing K., Weis D., Zhao R. and Bilenker L. (2018) Magmatism, serpentinization and life: insights through drilling the Atlantis Massif (IODP Expedition 357). *Lithos*, **323**, 137-155.
- Garrett E., Fujiwara O., Riedesel S., Wapstra J., Deforce K., Yokoyama Y., Schmidt S., Brückner H., De Batist M., Heyvaert V.M.A. and the QuakeRecNankai Team (2018) Historical Nankai-Suruga megathrust earthquakes recorded by tsunami and terrestrial mass movement deposits on the Shirasuka coastal lowlands, Shizuoka Prefecture, Japan. *The Holocene*, **28**, 968-983.
- Hamada Y., Kimura G., Kameda J., Yamaguchi A., Hamahashi M., Fukuchi R., Kitamura Y. and Okamoto S (2018) Three-dimensional texture of natural pseudotachylite: Pseudotachylite formation mechanism in hydrous accretionary complex. *Island Arc*, **27**, doi:10.1111/iar.12241.

- Ijiri A., Iijima K., Tsunogai U., Ashi J. and Inagaki F. (2018) Clay mineral suites in submarine mud volcanoes in the Kumano forearc basin, Nankai Trough: Constraints on the origin of mud volcano sediments. *Geosciences*, **8**, doi:10.3390/geosciences8060220.
- Ijiri A., Inagaki F., Kubo Y., Ashi J. and 37 others (2018) Deep-biosphere methane production stimulated by geofluids in the Nankai accretionary complex. *Science Advances*, **4**, doi:10.1126/sciadv.aaq4631.
- Ikehara K., Usami K., Kanamatsu T., Arai K., Yamaguchi A. and Fukuchi R. (2018) Spatial variability in sediment lithology and sedimentary processes along the Japan Trench: Use of deep-sea turbidite records to reconstruct past large earthquakes. *Geological Society Special Publication*, **456**, 75-89.
- Inoue M., Nakamura T., Tanaka Y., Suzuki A., Yokoyama Y., Kawahata H., Sakai K. and Gussone N. (2018) A simple role of coral-algal symbiosis in coral calcification based on multiple geochemical tracers. *Geochimica et Cosmochimica Acta*, **235**, 76-88.
- Isaji Y., Kawahata H., Ogawa N.O., Kuroda J., Yoshimura T., Jimenez-Espejo F.J., Makabe A., Shibuya T., Lugli S., Santulli A., Manzi V., Roveri M. and Ohkouchi N. (2018) Efficient recycling of nutrients in modern and past hypersaline environments. *Scientific Reports*, **9**, doi:10.1038/s41598-019-40174-9
- Ishizawa T., Goto K., Yokoyama Y., Miyairi Y., Sawada C. and Takada K. (2018) Reducing the age range of tsunami deposits by  $^{14}\text{C}$  dating of rip-up clasts. *Sedimentary Geology*, **364**, 334-341.
- Kajita H., Kawahata H., Wang K., Zheng H., Yang S., Ohkouchi N., Utsunomiya M., Zhou B. and Zheng B. (2018) Extraordinary cold episodes during the mid-Holocene in the Yangtze delta: Interruption of the earliest rice cultivating civilization. *Quaternary Science Reviews*, **201**, 418-428.
- Kessarkar P.M., Naqvi S.W.A., Thamban M., Fernandes L.L., Siebert C., Rao V.P., Kawahata H., Ittekkot V. and Frank M. (2018) Variations in denitrification and ventilation within the Arabian Sea oxygen minimum zone during the Holocene. *Geochemistry, Geophysics, Geosystems*, **19**, 2179-2193.
- Kimura G., Yamaguchi A. and Kinoshita M. (2018) Upper-plate tectonic hysteresis and segmentation of the rupture area during seismogenesis in subduction zones: A case study of the Nankai Trough. *Geological Society of America Special Paper*, **534**, 87-99.
- Kioka A., Tsuji T., Otsuka H. and Ashi J. (2018) Methane concentration in mud conduits of submarine mud volcanoes: A coupled geochemical and geophysical approach. *Geochemistry, Geophysics, Geosystems*, **20**, 792-813.
- Kitamura A., Ito M., Sakai S., Yokoyama Y. and Miyairi Y. (2018) Identification of tsunami deposits using a combination of radiometric dating and oxygen-isotope profiles of articulated bivalves. *Marine Geology*, **403**, 57-61.
- Koge H., Yamada Y., Ohde A., Bauville A., Yamaguchi A. and Ashi J. (2018) Dynamic formation process of thick deformation zone on the shallow plate boundary fault of the Japan Trench: insight from analog experiments of half-graben subduction. *Progress in Earth and Planetary Science*, **5**, doi:10.1186/s40645-018-0230-5.
- Lamair L., Hubert-Ferrari A., Yamamoto S., El Ouahabi M., Auwera J.V., Obrochta S., Boes E., Nakamura A., Fujiwara O., Shishikura M., Schmidt S., Siani G., Miyairi Y., Yokoyama Y., De Batist M., Heyvaert V. and QuakeRecNankai Team (2018) Volcanic influence of Mt. Fuji on the watershed of Lake Motosu and its impact on the lacustrine sedimentary record. *Sedimentary Geology*, **363**, 200-220.
- Li Z., Chen M.-T., Lin D.-C., Shi X., Liu S., Wang H., Yokoyama Y., Shen C.-C., Mii H.-S., Troa R.A., Zuraida R., Triasro E. and Hendrizan M. (2018) Evidence of solar insolation and internal forcing of sea surface temperature changes in the eastern tropical Indian Ocean during the Holocene. *Quaternary International*, **490**, 1-9.
- Li Z., Chen M.-T., Lin D.-C., Wang H., Shi X., Liu S., Yokoyama Y., Yamamoto M., Shen C.-C., Mii H.-S., Troa R.A., Zuraida R., Triasro E. and Hendrizan M. (2018) Holocene surface hydroclimate changes in the Indo-Pacific warm pool. *Quaternary International*, **482**, 1-12.
- Maeda A., Fujita K., Horikawa K., Suzuki A., Yoshikazu O. and Kawahata H. (2018) Calibration between temperature and Mg/Ca and oxygen isotope ratios in high-magnesium calcite of asexually reproduced juveniles of large benthic foraminifera. *Marine Micropaleontology*, **143**, 63-69.
- Matsuzaki K.M. and Suzuki N. (2018) Quaternary radiolarian biostratigraphy in the subarctic northeastern Pacific (IODP Expedition 341 Site U1417) and synchronicity of bioevents across the North Pacific. *Journal of Micropalaeontology*, **37**, doi:10.5194/jm-37-1-2018.
- Matsuzaki K.M., Itaki T., Tada R. and Kamikuri S. (2018) Paleoceanographic history of the Japan Sea over the last 9.5 million years inferred from radiolarian assemblages (IODP Expedition 346 Sites U1425 and U1430). *Progress in Earth and Planetary Science*, **5**, doi:10.1186/s40645-018-0204-7.
- Miklavic B., Yokoyama Y., Urata K., Miyairi Y. and Kan H. (2018) Holocene relative sea level history from phreatic overgrowths on speleothems (POS) on Minami Daito Island, Northern Philippine Sea. *Quaternary International*, **471**, 39-368.
- Not C., Thibodeau B. and Yokoyama Y. (2018) Incorporation of Mg, Sr, Ba, U and B in High-Mg calcite benthic foraminifers cultured under controlled pCO<sub>2</sub>. *Geochemistry, Geophysics, Geosystems*, **19**, 83-98.
- Obrochta S.P., Yokoyama Y., Yoshimoto M., Yamamoto S., Miyairi Y., Nagano G., Nakamura A., Tsunematsu K., Lamair L., Hubert-Ferrari A., Lougheed B.C., Hokanishi A., Yasuda A., Heyvaert V.M.A., De Batist M., Fujiwara O. and the QuakeRecNankai Team (2018) Mt. Fuji Holocene eruption history reconstructed from proximal lake sediments and high-density radiocarbon dating. *Quaternary Science Reviews*, **200**, 395-405.
- Ohde A., Otsuka H., Kioka A. and Ashi J. (2018) Distribution and depth of bottom-simulating reflectors in the Nankai subduction margin. *Earth, Planets and Space*, **70**, doi:10.1186/s40623-018-0833-5.

- Okutsu N., Ashi J., Yamaguchi A., Irino T., Ikebara K., Kanamatsu T., Saganuma Y. and Murayama M. (2018) Evidence for surface sediment remobilization by earthquakes in the Nankai forearc region from sedimentary records. *Geological Society, London, Special Publications*, **477**, doi:10.1144/SP477.22.
- Ota Y., Kawahata H., Kuroda J., Yamaguchi A., Suzuki A., Araoka D., Abe - Ouchi A., Yamada Y., Ijiri A., Kanamatsu T., Kinoshita M., Moe K.T., Lin W., Saito S., Sanada Y., Hamada Y., Nakamura Y., Shinmoto Y., Wu H.Y., Ahagon N., Aoike K., Iijima K., Machiyama H., Tejada M.L., Umetsu K., Usui Y., Yamamoto Y., Yoshikawa S., Jimenez-Espejo F., Haraguchi S., Komai N., Suga H., Abe N., Gupta L., Hirose T., Masaki Y., Nomura S., Sugihara T., Tanikawa W., Kubo Y., Maeda L. and Toczko S. (2018) Indian monsoonal variations during the past 80 kyr recorded in NGHP - 02 Hole 19B, western Bay of Bengal: Implications from chemical and mineral properties. *Geochemistry, Geophysics, Geosystems*, **20**, 148-165.
- Pace A., Bourillot R., Bouton A., Vennin E., Braissant O., Dupraz C., Duteil T., Bundeleva I., Patrier P., Galaup S., Yokoyama Y., Franceschi M., Virgone A. and Visscher P.T. (2018) Formation of stromatolite lamina at the interface of oxygenic-anoxygenic photosynthesis. *Geobiology*, **16**, 378-398.
- Raimbourg H., Famin V., Palazzini G., Mayoux M., Jolivet L., Ramboz C. and Yamaguchi A. (2018) Fluid properties and dynamics along the seismogenic plate interface. *Geosphere*, **14**, 469-491.
- Riedel S., Brill D., Roberts H.M., Duller G.A.T., Garrett E., Zander A.M., King G.E., Tamura T., Burow C., Cunningham A., Seeliger M., De Batist M., Heyvaert V.M.A., Fujiwara O., Brückner H. and the QuakeRecNankai Team (2018) Single-grain feldspar luminescence chronology of historical extreme wave event deposits recorded in a coastal lowland, Pacific coast of central Japan. *Quaternary Geohronology*, **45**, 37-49.
- Sakashita W., Yokoyama Y., Miyahara H., Aze T., Obrochta S.P., Ohyama M. and Yonenobu H. (2018) Assessment of Northeastern Japan Tree-Ring Oxygen isotopes for reconstructing early summer hydroclimate and spring Arctic Oscillation. *Geochemistry, Geophysics, Geosystems*, **19**, 3520-3528.
- Takano Y., Chikaraishi Y., Imachi H., Miyairi Y., Ogawa N.O., Kaneko M., Yokoyama Y., Kruger M. and Ohouchi N. (2018) Insight into anaerobic ethanotrophy from  $^{13}\text{C}/^{12}\text{C}$ -amino acids and  $^{14}\text{C}/^{12}\text{C}$ -ANNE cells in sea floor microbial ecology. *Scientific Reports*, **8**, doi:10.1038/s41598-018-31004-5
- Tsuru T., Park J.-O., No T., Kido Y. and Nakahigashi K. (2018) Visualization of attenuation structure and faults in incoming oceanic crust of the Nankai Trough using seismic attenuation profiling. *Earth, Planets and Space*, **70**, doi:10.1186/s40623-018-0803-y
- Usui Y., Shimono T. and Yamazaki T. (2018) Rock magnetism of quartz and feldspars chemically separated from pelagic red clay: a new approach to provenance study. *Earth, Planets and Space*, **70**, doi:10.1186/s40623-018-0918-1.
- Wang Q., Kawahata H., Yamaoka K. and Suzuki A. (2018) Potential influence of ocean acidification on deep-sea Fe-Mn nodules and pelagic clays: an improved assessment by using artificial seawater. *Aquatic Geochemistry*, **24**, 307-322.
- Webster J.M., Braga J.C., Humblet M., Potts D.C., Iryu Y., Yokoyama Y., Fujita K., Bourillot R., Esat T.M., Fallon S., Thompson W.G., Thomas A.L., Kan H., McGregor H.V., Hinestrosa G., Obrochta S.P. and Lougheed B.C. (2018) Response of the Great Barrier Reef to sea-level and environmental changes over the past 30,000 years. *Nature Geoscience*, **11**, 426-432.
- Yamamoto S., Uchiyama T., Miyairi Y. and Yokoyama Y. (2018) Volcanic and environmental influences of Mt. Fuji on the  $\delta^{13}\text{C}$  of terrestrially-derived n-alkanoic acids in sediment from Lake Yamanaka, central Japan. *Organic Geochemistry*, **119**, 50-58.
- Yamamoto Y., Yamazaki T. and Kanamatsu T. (2018) An initial case study to deconvolve natural remanent magnetization of a continuous paleomagnetic sample using the software UDECON. *Earth, Planets and Space*, **70**, doi:10.1186/s40623-018-0931-4.
- Yamazaki T. and Yamamoto Y. (2018) Relative paleointensity and inclination anomaly over the last 8 Myr obtained from the Integrated Ocean Drilling Program Site U1335 sediments in the eastern equatorial Pacific. *Journal of Geophysical Research: Solid Earth*, **123**, 7305-7320.
- Yokoyama Y., Esat T.M., Thompson W.G., Thomas A.L., Webster J.M., Miyairi Y., Sawada C., Aze T., Matsuzaki H., Okuno J., Fallon S., Braga J.-C., Humblet M., Iryu Y., Potts D.C., Fujita K., Suzuki A. and Kan H. (2018) Rapid glaciation and a two-step sea-level plunge into The Last Glacial Maximum. *Nature*, **559**, 603-607.
- Yoshimura T., Araoka D., Tamenori Y., Kuroda J., Kawahata H. and Ohkouchi N. (2018) Lithium, magnesium and sulfur purification from seawater using an ion chromatograph with a fraction collector system for stable isotope measurements. *Journal of Chromatography A*, **1531**, 157-162.
- 伊藤真裕子・森 愛・本郷宙軌・浅海竜司・宮入陽介・横山祐典・藤田和彦 (2018) 星砂の磨耗度と放射性炭素年代に基づく瀬底島海浜堆積物の生産年代と運搬・堆積過程. 日本サンゴ礁学会誌, **20**, 1-20.
- 木村 学・木下正高・金川久一・金松俊也・芦寿一郎・斎藤実篤・廣瀬丈洋・山田泰広・荒木英一郎・江口暢久・Sean Toczko (2018) 南海トラフ地震発生帶掘削がもたらした沈み込み帯の新しい想像. 地質学雑誌, **124**, 47-65.
- 蜷川清隆・豊田 新・中川益生・藤原泰誠・山本 真・熊谷英憲・木下正高・久保 信・芦寿一郎 (2018) 長期海底放射線測定のための NaI(Tl) γ線測定装置の開発と海底での最初の測定. ESR 応用計測, **35**, 4-11.
- 横山祐典・藤田祐樹・太田英利 (2018) 見直される琉球列島の陸橋化. 科学, **88**, 616-624.

### Marine Ecosystems Dynamics (海洋生態系動態)

- Chaban E., Kano Y., Fukumori H. and Chernyshev A. (2018) Deep-sea gastropods of the family Ringiculidae (Gastropoda, Heterobranchia) from the Sea of Okhotsk, Kuril-Kamchatka Trench, and adjacent waters with the description of three new species. *Deep-Sea Research Part II: Topical Studies in Oceanography*, **154**, 197-213.

- Chen. C., Okutani T., Kayama Watanabe H. and Kojima S. (2018) The first cupidariid bivalve associated with hydrothermal vents discovered from the Southern Mariana Trough. *Venus*, **76**, 39-44.
- Fukumori H., Hasegawa K. and Kano Y. (2018) Abyssal gastropods in the Sea of Okhotsk (Vetigastropoda and Caenogastropoda). *Deep-Sea Research Part II: Topical Studies in Oceanography*, **154**, 187-196.
- Goto R., Fukumori H., Kano Y. and Kato M. (2018) Evolutionary gain of red blood cells in a commensal bivalve (Galeommatoidea) as an adaptation to a hypoxic shrimp burrow. *Biological Journal of the Linnean Society*, **125**, 368-376.
- Guillemette R., Kaneko R., Blanton J., Tan J., Witt M., Hamilton S., Allen E., Medina M., Hamasaki K., Koch B. and Azam F. (2018) Bacterioplankton drawdown of coral mass-spawned organic matter. *ISME Journal*, **12**, 2238-2251.
- Haider M.N., Nishimura M., Ijichi M., Yang C.-C., Iwasaki W. and Kogure K. (2018) Habitability analyses of aquatic bacteria. *Journal of Oceanography*, **74**, 197-207.
- Hamasaki K., Shishikura R., Suzuki S., Shiozaki T., Ogawa H., Nakamura T. and Suwa Y. (2018) Distribution and phylogeny of anaerobic ammonium-oxidizing (anammox) bacteria in the water column of the central Pacific Ocean. *Deep-Sea Research Part II: Topical Studies in Oceanography*, **156**, 60-67.
- Hasegawa M., Nakajima Y., Wong S.-K., Nakamura K., Ogura Y., Hayashi T., Kogure K. and Yoshizawa S. (2018) Draft genome sequence of *Saccharospirillum* sp. Strain MSK14-1, isolated from surface seawater collected at Aburatsubo Inlet in Japan. *Genome announcements*, **6**, doi:10.1128/genomeA.00469-18.
- Hirai J., Hamamoto Y., Honda D. and Hidaka K. (2018) Possible aplanochytrid (Labyrinthulea) prey detected using 18S metagenetic diet analysis in the key copepod species *Calanus sinicus* in the coastal waters of the subtropical western North Pacific. *Plankton and Benthos Research*, **13**, 75-82.
- Ijichi M., Takano T., Hasegawa M., Yashiki H., Kogure K., Kojima S. and Yoshizawa S. (2018) The complete mitochondrial genome of the longfin dragonfish *Tactostoma macropus* (Stomiiformes: Stomiidae). *Mitochondrial DNA Part B*, **3**, 486-487.
- Inoue S., Yoshizawa S., Nakajima Y., Kojima K., Tsukamoto T., Kikukawa T. and Sudo Y. (2018) Spectroscopic characteristics of *Rubricoccus marinus* xenorhodopsin (*RmXeR*) and a putative model for its inward H<sup>+</sup> transport mechanism. *Physical Chemistry Chemical Physics*, **20**, 3172-3183.
- Kitahashi T., Jenkins R., Kojima S. and Shimanaga M. (2018) High resilience of harpacticoid copepods in the landward slope of the Japan Trench against disturbance of the 2011 Tohoku Earthquake. *Limnology and Oceanography*, **63**, 2751-2761.
- Kobayashi G and Araya JF (2018) Southernmost records of *Escarpia spicata* and *Lamellibrachia barhami* (Annelida: Siboglinidae) confirmed with DNA obtained from dried tubes collected from undiscovered reducing environments in northern Chile. *PLoS ONE*, **13**, e0204959.
- Kobayashi G., Goto R., Takano T. and Kojima S. (2018) Molecular phylogeny of Maldanidae (Annelida): Multiple losses of tube-capping plates and evolutionary shifts in habitat depth. *Molecular Phylogenetics and Evolution*, **127**, 332-344.
- Kobayashi G., Mukai R., Alalykina I., Miura T. and Kojima S. (2018) Phylogeography of benthic invertebrates in deep waters: a case study of *Sternaspis* cf. *williamsae* (Annelida: Sternaspidae) from deep waters of the northwestern Pacific. *Deep-Sea Research Part II: Topical Studies in Oceanography*, **154**, 159-166.
- Kumagai Y., Yoshizawa S., Nakajima Y., Watanabe M., Fukunaga T., Ogura Y., Hayashi T., Oshima K., Hattori M., Ikeuchi M., Kogure K., DeLong E.F. and Iwasaki W. (2018) Solar-panel and parasol strategies shape the proteorhodopsin distribution pattern in marine Flavobacteriia. *The ISME journal*, **12**, 1329-1343.
- Nakajima T., Sugimoto R., Tominaga O., Takeuchi M., Honda H., Shoji J. and Taniguchi M. (2018) Fresh and recirculated submarine groundwater discharge evaluated by geochemical tracers and a seepage meter at two sites in the Seto Inland Sea, Japan. *Hydrology*, **5**, doi:10.3390/hydrology5040061.
- Nakajima Y., Tsukamoto T., Kumagai Y., Ogura Y., Hayashi T., Song J., Kikukawa T., Demura M., Kogure K., Sudo Y. and Yoshizawa S. (2018) Presence of a haloarchaeal halorhodopsin-like Cl<sup>-</sup> pump in marine bacteria. *Microbes and Environments*, **33**, 89-97.
- Ogura T., Watanabe H., Sasaki T., Fukumori H., Honma S., Kojima S., Ishibashi J. and Fujikura K. (2018) Population history of deep-sea vent and seep *Provanna* snails (Mollusca: Abyssochrysoidea) in the northwestern Pacific. *Peer Journal*, **6**, doi:10.7717/peerj.5673.
- Olson D.K., Yoshizawa S., Boeuf D., Iwasaki W. and DeLong E.F. (2018) Proteorhodopsin variability and distribution in the North Pacific Subtropical Gyre. *The ISME journal*, **12**, 1047-1060.
- Sato-Takabe Y., Hamasaki K. and Suzuki S. (2018) High temperature accelerates growth rate of aerobic anoxygenic phototrophic bacteria in seawater. *MicrobiologyOpen*, doi:10.1002/mbo3.710.
- Shiozaki T., Bombar D., Riemann L., Sato M., Hashihama F., Kodama T., Tanita I., Takeda S., Saito H., Hamasaki K. and Furuya K. (2018) Linkage between dinitrogen fixation and primary production in the oligotrophic South Pacific Ocean. *Global Biogeochemical Cycles*, **32**, 1028-1044.
- Takada Y., Sakuma K., Fujii T. and Kojima S. (2018) Phylogeography of the sandy beach amphipod *Haustoriodes japonicus* along the Sea of Japan: paleogeographical signatures of cryptic regional divergences. *Estuarine, Coastal and Shelf Science*, **200**, 19-30.
- Takano T., Itoh H. and Kano Y. (2018) DNA-based identification of an echinoderm host for a deep-sea parasitic snail (Gastropoda: Eulimidae). *Molluscan Research*, **38**, 212-217.
- Terada R., Takano T., Sakuma K., Narimatsu Y. and Kojima S. (2018) Phylogeography of the North Pacific lightfish *Maurolicus japonicus*. *Plankton and Benthos Research*, **13**, 180-184.

- Wong S.K., Yoshizawa S., Nakajima Y., Cuadra M.J., Nogi Y., Nakamura K., Takami H., Ogura Y., Hayashi T., Chiura H.X. and Hamasaki K. (2018) *Amylibacter kogurei* sp. nov., a novel marine alphaproteobacterium isolated from the coastal sea surface microlayer of a marine inlet. *International Journal of Systematic and Evolutionary Microbiology*, **68**, 2872-2877.
- 小林元樹・阿部博和・伊藤 萌・富岡森理・小島茂明 (2018) タマシキゴカイ科環形動物 2 種の利尻島初記録と日本における本科の過去の記録について. *利尻研究*, **37**, 95-100.
- 吉野広軌・太田瑞希・上田祐司 (2018) 日本海の木材に穿孔する大型キクイムシ属2種(等脚目). *CANCER*, **27**, 45-49.

### Marine Bioscience (海洋生命科学)

- Amano Y., Kuwahara M., Takahashi T., Shirai K., Yamane K., Kawakami T., Yokouchi K., Amakawa H. and Otake T. (2018) Low-fidelity homing behaviour of Biwa salmon (*Oncorhynchus* sp.) landlocked in Lake Biwa as inferred from otolith elemental and Sr isotopic compositions. *Fisheries Sience*, **84**, 799-813.
- Aoyama J., Wouthuyzen S., Miller M.J., Sugeha H.Y., Kuroki M., Watanabe S., Syahailatua A., Tanyu F.Y., Hagihara S., Triyanto T., Otake T. and Tsukamoto K. (2018) Reproductive ecology and biodiversity of freshwater eels around Sulawesi Island Indonesia. *Zoological Studies*, **57**, doi:10.6620/ZS.2018.57-30.
- Campbell M.A., Sado T., Shinzato C., Koyanagi R., Okamoto M. and Miya M. (2018) Multilocus phylogenetic analysis of the first molecular data from the rare and monotypic Amarsipidae places the family within the Pelagia and highlights limitations of existing data sets in resolving pelagic interrelationships. *Molecular Phylogenetics and Evolution*, **124**, 172-180.
- Guzman C., Shinzato C., Lu T.M. and Conaco C. (2018) Transcriptome analysis of the reef-building octocoral, *Heliopora coerulea*. *Scientific Reports*, **8**, doi:10.1038/s41598-018-26718-5.
- Hagihara S., Aoyama J., Limborg D. and Tsukamoto K. (2018) Age and growth of migrating tropical eels, *Anguilla celebesensis* and *Anguilla marmorata*. *Journal of Fish Biology*, **92**, 1526-1544.
- Hagihara S., Aoyama J., Limborg D. and Tsukamoto K. (2018) Interspecific and sexual differences in riverine distribution of tropical eels *Anguilla* spp. *Journal of Fish Biology*, **93**, 21-29.
- Hagihara S., Aoyama J., Limborg D. and Tsukamoto K. (2018) Interspecific difference in downstream migratory season between two tropical eels, *Anguilla celebesensis* and *Anguilla marmorata*. *Journal of Fish Biology*, **93**, 729-732.
- Hamada M., Schroder K., Bathia J., Kurn U., Fraune S., Khalturina M., Khalturin K., Shinzato C., Satoh N. and Bosch T.C.G. (2018) Metabolic co-dependence drives the evolutionarily ancient Hydra-Chlorella symbiosis. *eLife*, **7**, doi:10.7554/eLife.35122.
- Hara Y., Yamaguchi K., Onimaru K., Kadota M., Koyanagi M., Keeley S.D., Tatsumi K., Tanaka K., Motone F., Kageyama Y., Nozu R., Adachi N., Nishimura O., Nakagawa R., Tanegashima C., Kiyatake I., Matsumoto R., Murakumo K., Nishida K., Terakita A., Kuratani S., Sato K., Hyodo S. and Kuraku S. (2018) Shark genomes provide insights into elasmobranch evolution and the origin of vertebrates. *Nature Ecology and Evolution*, **2**, 1761-1771.
- Hayakawa J., Ito M. and Kawamura T. (2018) Predation by the gull *Larus crassirostris* on benthic invertebrates: First report of avian predation on the abalone *Haliotis discus hawaii*. *Marine Ecology*, **39**, doi:10.1111/maec.12529.
- Hicks O., Burthe S., Daunt F., Newell M., Butler A., Ito M., Sato K. and Green J.A. (2018) The energetic cost of parasitism in a wild population. *Proceeding of Royal Society B*, **285**, doi:10.1098/rspb.2018.0489.
- Higuchi S., Sugahara F., Pascual-Anaya J., Takagi W., Oisi Y. and Kuratani S. (2018) Inner ear development in cyclostomes and evolution of the vertebrate semicircular canals. *Nature*, **565**, 347-350.
- Isojunno S., Aoki K., Curé C., Kvadsheim P.H. and Miller P.J.O. (2018) Breathing patterns indicate cost of exercise during diving and response to experimental sound exposures in long-finned pilot whales. *Frontiers in Physiology*, **9**, doi:10.3389/fphys.2018.01462.
- Kaifu K., Yokouchi K., Higuchi T., Itakura H. and Shirai K. (2018) Depletion of naturally recruited wild Japanese eels in Okayama, Japan, revealed by otolith stable isotope ratios and abundance indices. *Fisheries Science*, **84**, 757-763.
- Kanda S. (2018) Small teleosts provide hints toward understanding the evolution of the central regulatory mechanisms of reproduction. In *Zebrafish, Medaka, and Other Small Fishes - New Model Animals in Biology, Medicine, and Beyond*, edited by Hirata H. and Iida A., Springer Singapore, Singapore, 99-111.
- Katayama Y., Sakamoto T., Saito K., Tsuchimochi H., Kaiya H., Watanabe T., Pearson J.T. and Takei Y. (2018) Drinking by amphibious fish: convergent evolution of thirst mechanisms during vertebrate terrestrialization. *Scientific Reports*, **8**, doi:10.1038/s41598-017-18611-4
- Kim O.T.P., Nguyen P.T., Shoguchi E., Hisata K., Vo T.T.B., Inoue J., Shinzato C., Le B.T.N., Nishitsui K., Kanda M., Nguyen V.H., Nong H.V. and Satoh N. (2018) A draft genome of the striped catfish, *Pangasianodon hypophthalmus*, for comparative analysis of genes relevant to development and a resource for aquaculture improvement. *BMC Genomics*, **19**, doi:10.1186/s12864-018-5079-x
- Kinoshita C., Fukuoka T., Niizuma Y., Narazaki T. and Sato K. (2018) High resting metabolic rates with low thermal dependence induce active dives in overwintering Pacific juvenile loggerhead turtles. *Journal of Experimental Biology*, **221**, doi:10.1242/jeb.175836.
- Koito T., Saitou S., Nagasaki T., Yamagami S., Yamanaka T., Okamura K. and Inoue K. (2018) Taurine-related compounds and other free amino acids in deep-sea hydrothermal vent and non-vent invertebrates. *Marine Biology*, **165**, doi:10.1007/s00227-018-3442-8.
- Maeda K., Saeki T., Shinzato C., Koyanagi R. and Satoh N. (2018) Review of *Schismatogobius* (Gobiidae) from Japan, with the description of a new species. *Ichthyological Research*, **65**, 56-77.

- Mohamed A.R., Cumbo V.R., Harii S., Shinzato C., Chan C.X., Ragan M.A., Satoh N., Ball E.E. and Miller D.J. (2018) Deciphering the nature of the coral-*Chromera* association. *The ISME journal*, **12**, 776-790.
- Motone K., Takagi T., Aburaya S., Aoki W., Miura N., Minakuchi H., Takeyama H., Nagasaki Y., Shinzato C. and Ueda M. (2018) Protection of coral larvae from thermally induced oxidative stress by redox nanoparticles. *Marine Biotechnology*, **20**, 542-548.
- Nagasaki T., Koito T., Nemoto S., Ushio H. and Inoue K. (2018) Simultaneous analysis of free amino acids and taurine-related compounds in deep-sea mussel tissues using reversed-phase HPLC. *Fisheries Science*, **84**, 127-134.
- Nakajima Y., Shinzato C., Khalturina M., Nakamura M., Watanabe H.K., Nakagawa S., Satoh N. and Mitarai S. (2018) Isolation and characterization of novel polymorphic microsatellite loci for the deep-sea hydrothermal vent limpet, *Lepetodrilus nux*, and the vent-associated squat lobster, *Shinkaia crosnieri*. *Marine Biodiversity*, **48**, 677-684.
- Nakajo M., Kanda S., Karigo T., Takahashi A., Akazome Y., Uenoyama Y., Kobayashi M. and Oka Y. (2018) Evolutionarily conserved function of kisspeptin neuronal system is nonreproductive regulation as revealed by nonmammalian study. *Endocrinology*, **159**, 163-183.
- Narazaki T., Isojunno S., Nowacek D.P., Swift R., Friedlaender A.S., Ramp C., Smout S., Aoki K., Deecke V.B., Sato K. and Miller P.J.O. (2018) Body density of humpback whales (*Megaptera novaeangliae*) in feeding aggregations estimated from hydrodynamic gliding performance. *PLoS ONE*, **13**, doi:10.1371/journal.pone.0200287.
- Pascual-Anaya J., Sato I., Sugahara F., Higuchi S., Paps J., Ren Y., Takagi W., Ruiz-Villalba A., Ota K.G., Wang W. and Kuratani S. (2018) Hagfish and lamprey *Hox* genes reveal conservation of temporal colinearity in vertebrates. *Nature Ecology and Evolution*, **2**, doi:10.1038/s41559-018-0526-2.
- Payne N.L., Meyer C.G., Smith J.A., Houghton J.D.R., Barnett A., Holmes B.J., Nakamura I., Papastamatiou Y.P., Royer M.A., Coffey D.M., Anderson J.M., Hutchinson M.R., Sato K. and Halsey L.G. (2018) Combining abundance and performance data reveals how temperature regulates coastal occurrences and activity of a roaming apex predator. *Global Change Biology*, **2018**, 1-10.
- Sakamoto T., Hyodo S. and Takagi W. (2018) A possible principal function of corticosteroid signaling that is conserved in vertebrate evolution: lessons from receptor-knockout small fish. *Journal of Steroid Biochemistry and Molecular Biology*, **184**, 57-61.
- Sakao M., Takeshima H., Inoue K. and Sato K. (2018) Extra-pair paternity in socially monogamous Streaked Shearwater: forced copulation or female solicitation? *Journal of Ornithology*, **160**, 137-144.
- Seike K., Sassa S., Shirai K. and Kubota K. (2018) Lasting impact of a tsunami event on sediment-organism interactions in the ocean. *Journal of Geophysical Research-Ocean*, **123**, 1376-1392.
- Shinzato C., Zayasu Y., Kanda M., Kawamitsu M., Satoh N., Yamashita H. and Suzuki G. (2018) Using seawater to document coral-zoothanthella diversity: a new approach to coral reef monitoring using environmental DNA. *Frontiers in Marine Science*, **5**, doi:10.3389/fmars.2018.00028.
- Shoguchi E., Beedessee G., Tada I., Hisata K., Kawashima T., Takeuchi T., Arakaki N., Fujie M., Koyanagi R., Roy M.C., Kawachi M., Hidaka M., Satoh N. and Shinzato C. (2018) Two divergent *Symbiodinium* genomes reveal conservation of a gene cluster for sunscreen biosynthesis and recently lost genes. *BMC Genomics*, **19**, doi:10.1186/s12864-018-4857-9.
- Takagi T., Kuroda K. and Ueda M. (2018) Platform construction of molecular breeding for utilization of brown macroalgae. *Journal of Bioscience and Bioengineering*, **125**, 1-7.
- Takei Y., Nemoto N., Kameya T., Tamaki H., Katsumata O., Hyodo S. and Kusakabe M. (2018) Distribution and co-localization of diversified natriuretic peptides in the eel heart. *Cell and Tissue Research*, **373**, 367-377.
- Takeuchi T., Plasseraud L., Ziegler-Devin I., Brosse N., Shinzato C., Satoh N. and Marin F. (2018) Biochemical characterization of the skeletal matrix of the massive coral, *Porites australiensis* - The saccharide moieties and their localization. *Journal of structural biology*, **203**, 219-229.
- Toyokawa M., Shirai K., Takahata N., Ishida A. and Sano Y. (2018) Growth and formation of statoliths in Aurelia coerulea examined by using <sup>34</sup>S- and Sr-labels. *Journal of Plankton Research*, **40**, 619-626.
- Yamashita H., Suzuki G., Shinzato C., Jimbo M. and Koike K. (2018) Symbiosis process between Acropora larvae and *Symbiodinium* differs even among closely related *Symbiodinium* types. *Marine Ecology Progress Series*, **592**, 119-128.
- Yamashita R., Takada H., Nakazawa A., Takahashi A., Ito M., Yamamoto T., Watanabe Y., Kokubun N., Sato K., Wanless S., Daunt F., Hyrenbach D., Hester M., Deguchi T., Nishizawa B., Shoji A. and Watanuki Y. (2018) Global monitoring of persistent organic pollutants (POPs) using seabird preen gland oil. *Archives of Environmental Contamination and Toxicology*, **75**, 545-556.
- Zayasu Y., Satoh N. and Shinzato C. (2018) Genetic diversity of farmed and wild populations of the reef-building coral, *Acropora tenuis*. *Restoration Ecology*, **26**, 1195-1202.
- Zempo B., Karigo T., Kanda S., Akazome Y. and Oka Y. (2018) Morphological analysis of the axonal projections of EGFP-labeled Esr1-expressing neurons in transgenic female medaka. *Endocrinology*, **159**, 1228-1241.
- 佐藤克文 (2018) 動物搭載型記録計を用いた大気海洋境界層モニタリングとデータ同化への応用 . システム / 制御 / 情報 , **62**, 483-489.
- 佐藤克文・木下千尋 (2018) バイオロギングで明らかになったウミガメ類の内温性 . 化学と生物 , **57**, 29-35.
- 網川孝俊・白井厚太朗 (2018) 耳石 Sr:Ca 比分析による板木県那珂川に生息するサクラマスの回遊履歴の推定 . 魚類学会誌 , **65**, 151-163.
- 比嘉義視・新里宙也・座安佑奈・長田智史・中村良太・横倉 厚・謝名堂聰・大森 信 (2018) 沖縄県サンゴ礁保全再生事業における無性生殖を利用したサンゴの種苗生産と植込み技術の段階的進歩 . 日本サンゴ礁学会誌 , **20**, 21-37.

**Living Marine Resources (海洋生物資源)**

- Fujioka K., Fukuda H., Tei Y., Okamoto S., Kiyofuji H., Furukawa S., Takagi J., Estess E., Farwell C.J., Fuller D.W., Suzuki N., Ohshima S. and Kitagawa T. (2018) Spatial and temporal variability in the trans-Pacific migration of Pacific bluefin tuna (*Thunnus orientalis*) revealed by archival tags. *Progress in Oceanography*, **162**, 52-65.
- Hashimoto M., Okamura H., Ichinokawa M., Hiramatsu K. and Yamakawa T. (2018) Impacts of the nonlinear relationship between abundance and its index in a tuned virtual population analysis. *Fisheries Science*, **84**, 335-347.
- Hayakawa J., Ohtsuchi N., Kawamura T. and Kurogi H. (2018) Ontogenetic habitat and dietary shifts in Japanese turban snail *Turbo cornutus* at Nagai, Sagami Bay, Japan. *Fisheries Science*, **84**, 201-209.
- Hiramatsu K. (2018) Fisheries stock assessment. In *Fish Population Dynamics. Monitoring. and Management*, edited by Aoki I., Yamakawa T. and Takasuka A., Springer Japan, Tokyo, 159-176.
- Holsman K., Hollowed A., Ito S., Bograd S., Hazen E., King J., Mueter F. and Perry I.R. (2018) Climate change impacts, vulnerabilities and adaptations: North Pacific and Pacific Arctic marine fisheries. *FAO Fisheries and Aquaculture Technical Paper*, **627**, 113-138.
- Houki S., Kawamura T., Ogawa N. and Watanabe Y. (2018) Efficient crushing of hard benthic diatoms in the gut of the Manila clam *Ruditapes philippinarum* - experimental and observational evidence. *Journal of Experimental Marine Biology and Ecology*, **505**, 35-44.
- Hsiung K.M., Kimura S., Han Y.S., Takeshige A. and Iizuka Y. (2018) Effect of ENSO events on larval and juvenile duration and transport of Japanese eel (*Anguilla japonica*). *PLoS ONE*, doi:10.1371/journal.pone.0195544.
- Itakura H., Arai K., Kaifu K., Shirai K., Yoneta A., Miyake Y., Secor D.H. and Kimura. S. (2018) Distribution of wild and stocked Japanese eels in the lower reaches of the Tone River watershed revealed by otolith stable isotopic ratios. *Journal of Fish Biology*, **93**, 805-813.
- Itakura H., Miyake Y., Kitagawa T. and Kimura S. (2018) Site fidelity, diel and seasonal activities of yellow-phase Japanese eels (*Anguilla japonica*) in a freshwater habitat as inferred from acoustic telemetry. *Ecology of Freshwater Fish*, **27**, 737-751.
- Ito S., Tsujino H., Miyazawa Y., Hirose N., Komatsu K. and Yoshie N. (2018) Regional high-resolution ocean models in the western North Pacific and its marginal seas. *PICES Scientific Report*, **54**, 44-55.
- Itoh S., Takeshige A., Kasai A. and Kimura S. (2018) Modeling the coastal ecosystem complex: present state and challenges. *Fisheries Science*, **84**, 293-307.
- Iwata Y., Sauer W.H.H., Sato N. and Shaw P.W. (2018) Spermatophore dimorphism in the chokka squid *Loligo reynaudii* associated with alternative mating tactics. *Journal of Molluscan Studies*, **84**, 157-162.
- Kakehi S., Naiki K., Kodama T., Wagawa T., Kuroda H. and Ito S. (2018) Projections of nutrient supply to a wakame (*Undaria pinnatifida*) seaweed farm on the Sanriku Coast of Japan. *Fisheries Oceanography*, **27**, 323-335.
- Kaneko H., Okunishi T., Seto T., Kuroda H., Itoh S., Kouketsu S. and Hasegawa D. (2018) Dual effects of reversed winter-spring temperatures on year-to-year variation in the recruitment of chub mackerel (*Scomber japonicus*). *Fisheries Oceanography*, **28**, 212-227.
- Kodama M. and Kawamura T. (2018) First Japanese record of the genus *Paragrubia* Chevreux, 1901 (Crustacea: Amphipoda: Ampithoidae) from Kumejima Island. *Fauna Ryukyuana*, **45**, 9-14.
- Kuroda H., Setou T., Aoki K., Okunishi T., Hasegawa D., Takahashi D., Kakehi S., Ito S., Taneda T., Azumaya T., Inagake D., Hiroe Y., Morinaga K., Okazaki M., Yokota T., Shimizu Y. and Watanabe T. (2018) The current status of an operational ocean forecast system "FRA-ROMS" and its community models in Japan Fisheries Research and Education Agency. *PICES Scientific Report*, **54**, 61-68.
- Matsuzaki M., Sasanami T., Iwata Y. and Hirohashi N. (2018) Postcopulatory reproductive strategies in spermatozoa. In *Reproductive and Developmental Strategies, Diversity and Commonality in Animals*, edited by Kobayashi K. et al., Springer, Japan, 463-478.
- Mitsudera H., Miyama T., Nishigaki H., Nakanowatari T., Nishikawa H., Nakamura T., Wagawa T., Furue R., Fujii Y. and Ito S. (2018) Low ocean-floor rises regulate subpolar sea surface temperature by forming baroclinic jets. *Nature Communications*, **9**, doi:10.1038/s41467-018-03526-z.
- Miyake Y., Takeshige A., Itakura H., Itoh H., Onda H., Yamaguchi A., Yoneta A., Arai K., Hane Y.V. and Kimura S. (2018) Predation on glass eels of Japanese eel *Anguilla japonica* in the Tone River Estuary, Japan. *Fisheries Science*, **84**, 1009-1014.
- Nakamoto K., Hayakawa J., Kawamura T., Kodama M., Yamada H., Kitagawa T. and Watanabe Y. (2018) Phylogenetically diverse macrophyte community promotes species diversity of mobile epi-benthic invertebrates. *Estuarine, Coastal and Shelf Science*, **207**, 56-62.
- Nishida K., Hayashi M., Yamamoto Y., Irie T., Watanabe Y., Kishida C., Nojiri Y., Sato M., Ishimura T. and Suzuki A (2018) Effects of elevated CO<sub>2</sub> on shell <sup>13</sup>C and <sup>18</sup>O content and growth rates in the clam *Scapharca broughtonii*. *Geochimica et Cosmochimica Acta*, **235**, 246-261.
- Ohtsuchi N. and Yoshida R. (2018) First record of *Menaethius orientalis* (Sakai. 1969) (Decapoda: Brachyura: Epialtidae) from the Ryukyu Archipelago. *Fauna Ryukyuana*, **43**, 1-9.
- Ohtsuchi N., Kawamura T., Hayakawa J., Kurogi H. and Watanabe Y. (2018) Ontogenetic habitat shift in *Pugettia quadridentis* on the coast of Sagami Bay, Japan. *Fisheries Science*, **84**, 211-225.

- Shoji J. and Tominaga O. (2018) Relationships between submarine groundwater discharge and coastal fisheries as a water-food nexus. In *The Water-Energy-Food Nexus-Human-Environmental Security in the Asia-Pacific Ring of Fire*, edited by Endo A. and Oh T., Springer, Singapore, 117-131.
- Takagi J., Ichikawa K., Arai N., Miyamoto Y., Uchida K., Shoji J. and Mitamura H. (2018) Simultaneous observation of intermittent locomotion of multiple fish by fine-scale spatiotemporal three-dimensional positioning. *PLoS ONE*, **13**, doi:10.1371/journal.pone.0201029.
- Takami H. and Kawamura T. (2018) Ontogenetic habitaishift in abalone *Haliotis discus hannah*: a review. *Fisheries Science*, **84**, 189-200.
- Tanaka H., Chiba S., Yusa T. and Shoji J. (2018) Day-night change in fish community structure in a seagrass bed in subarctic waters. *Fisheries Science*, **84**, 275-281.
- Tomiyama T., Kusakabe K., Otsuki N., Yoshida Y., Takahashi S., Hata M., Shoji J. and Hori M. (2018) Ontogenetic changes in the optimal temperature for growth of juvenile marbled flounder *Pseudopleuronectes yokohamae*. *Journal of Sea Research*, **141**, 14-20.
- Yamada H., Nakamoto K., Hayakawa J., Kawamura T., Kon K., Shimabukuro H. and Fukuoka K. (2018) Seasonal variations in leaf growth of *Cymodocea serrulata* in different depths of sub-tropical seagrass meadows. *Fisheries Science*, **84**, 461-468.
- Yin S., Takeshige A., Miyake Y. and Kimura S. (2018) Selection of suitable coastal aquaculture sites using Multi-Criteria Decision Analysis in Menai Strait, UK. *Ocean & Coastal Management*, **165**, 268-279.
- Yusa T., Shoji J. and Chiba S. (2018) Spatial-temporal variations in the composition of two *Zostera* species in a seagrass bed: implications for population management of a commercially exploited grass shrimp. *Fisheries Science*, **84**, 261-273
- 伊藤進一 (2018) 黒潮 10 年変動と漁獲量との対応 . 科学 , **88**, 601-603
- 入江貴博 (2018) 自然史と進化生態学をつなぐ海産腹足類の研究 (1) 一貝殻種内変異と形態分類一 . 日本生態学会誌 , **68**, 1-15.
- 川井田俊・大土直哉・河野裕美・渡邊良朗・佐野光彦 (2018) 琉球諸島西表島のマングローブ林に生息するタバカクガニ *Parasesarma bidens* の落葉摂食量 . *La mer*, **56**, 37-47.
- 木村伸吾 (2018) ウナギとマグロとイワシ: 黒潮がつくりだす環境 . 科学 , **88**, 572-576.
- 鈴木 淳・井口 売・酒井一彦・中村 崇・藤田和彦・田中泰章・入江貴博・加藤亜記・大野良和・林 正裕・山本雄三・磯野良介・諫訪僚太・井上麻夕里・野尻幸宏 (2018) 海洋酸性化がサンゴなどの石灰化生物に与える影響評価実験 . 月刊海洋 , **50** , 237-246.
- 平松一彦 (2018) 管理戦略評価 (MSE) による不確実性の考慮 . 月刊海洋 , **50** , 481-485.
- 松本有記雄・中坪あゆみ・高見秀輝・河村知彦 (2018) エゾアワビの採苗における緑藻アワビモ *Ulvella lens* の利用可能性と針型珪藻 *Cylindrotheca closterium* との併用 . 日本水産学会誌 , **84**, 291-294.
- 松本有記雄・伯耆匠二・中坪あゆみ・西洞孝広・野呂 忠・貴志太樹・高見秀輝・河村知彦 (2018) アワビ類の初期餌料として好適な針型珪藻 *Cylindrotheca closterium* の大量培養法と採苗板への展開法に関する研究 . 日本水産学会誌 , **84**, 233-240.

### Multiple Field Marine Science (複合領域)

- Aneksampant A., Tanaka A., Tu X., Iwai H., Yamamoto M., Nakashima K. and Fukushima M. (2018) Roles of microbial activity and anthraquinone-2,7-disulfonate as a model of humic substances in leaching of iron from hematite into seawater. *Analytical Sciences*, **34**, 1303-1308.
- Fukuda K., Fujiya W., Hiyagon H., Makino Y., Sugiura N., Takahata N., Hirata T. and Sano Y. (2018) Beryllium-boron relative sensitivity factors for melilitic glasses measured with a NanoSIMS ion microprobe. *Geochemical Journal*, **52**, 255-262.
- Ishida A., Koike M., Takahata N., Morita T., David J., Pinti D.L. and Sano Y. (2018) Hydrogen isotope analysis of micro-scale apatite inclusions in Archaean zircon grains. *Geochemical Journal*, **52**, 457-466.
- Ishikawa N.F., Itahashi Y., Blattmann T.M., Takano Y., Ogawa N.O., Yamane M., Yokoyama Y., Nagata T., Yoneda M., Haghipour N., Eglington T.I. and Ohkouchi N. (2018) Improved method for isolation and purification of underivatized amino acids for radiocarbon analysis. *Analytical Chemistry*, **90**, 12035-12041.
- Kaifu K., Itakura H., Amano Y., Shirai K., Yokouchi K., Wakiya R., Murakami-Sugihara N., Washitani I. and Yada T. (2018) Discrimination of wild and cultured Japanese eels based on otolith stable isotope ratios. *ICES Journal of Marine Science*, **75**, 719-726.
- Nagao I., Eum Y.J., Iwamoto Y., Tada Y., Suzuki K., Tsuda A., Toratani M., Hamasaki K. and Uematsu M. (2018) Biogenic sulfur compounds in spring phytoplankton blooms in the western North Pacific off the coast of northern Japan. *Progress in Oceanography*, **165**, 145-157.
- Oka E., Ishii M., Nakano T., Suga T., Kouketsu S., Miyamoto M., Nakano H., Qiu B., Sugimoto S. and Taketani Y. (2018) Fifty years of the 137<sup>cesium</sup> repeat hydrographic section in the western North Pacific Ocean. *Journal of Oceanography*, **74**, 115-145.
- Onda S., Sano Y., Takahata N., Kagoshima T., Miyajima T., Shibata T., Pinti D.L., Lan T., Kim N.K., Kusakabe M. and Nishio Y. (2018) Groundwater oxygen isotope anomaly before the M6.6 Tottori earthquake in Southwest Japan. *Scientific Reports*, **8**, doi:10.1038/s41598-018-23303-8.
- Rasheduzzaman M., Kawaguchi M., Obata H. and Maruo M. (2018) Determination of dissolved and particulate thiols in Lake Biwa water and extracted fulvic acids by solid phase extraction followed by HPLC with fluorescence detection. *Limnology*, **19**, 299-309.
- Rouleau E., Tardani D., Vlastelic I., Vinet N., Sanchez J., Sano Y. and Takahata N. (2018) Multi-element isotopic evolution of magmatic rocks from Caviahue-Copahue Volcanic Complex (Chile-Argentina): Involvement of mature slab recycled Materials. *Chemical Geology*, **476**, 370-388.

- 
- Sakamoto T., Komatsu K., Shirai K., Higuchi T., Ishimura T., Setou T., Kamimura Y., Watanabe C. and Kawabata A. (2018) Combining microvolume isotope analysis and numerical simulation to reproduce fish migration history. *Methods in Ecology and Evolution*, **10**, 59-69.
- Shiozaki T., Fujiwara A., Ijichi M., Harada N., Nishino S., Nishi S., Nagata T. and Hamasaki K. (2018) Diazotroph community structure and the role of nitrogen fixation in the nitrogen cycle in the Chukchi Sea (western Arctic Ocean). *Limnology and Oceanography*, **63**, 2191-2205.
- Terada K., Sano Y., Takahata N., Ishida A., Tsuchiyama A., Nakamura T., Noguchi T., Karouji Y., Uesugi M., Yada T., Nakabayashi M., Fukuda K. and Nagahara H. (2018) Thermal and impact histories of 25143 Itokawa recorded in Hayabusa particles. *Scientific Reports*, **8**, doi:10.1038/s41598-018-30192-4.
- Toyoda S., Yoshida N., Morimoto S., Aoki S., Nakazawa T., Sugawara S., Ishidoya S., Uematsu M., Inai Y., Hasebe F., Ikeda C., Honda H. and Ishijima K. (2018) Vertical distributions of  $N_2O$  isotopocules in the equatorial stratosphere. *Atmospheric Chemistry and Physics*, **18**, 833-844.
- Yamamoto J., Kawano T., Takahata N. and Sano Y. (2018) Noble gas and carbon isotopic compositions of petit-spot lavas from southeast of Marcus Island. *Earth and Planetary Science Letters*, **497**, 139-148.
- Yin S., Takeshige A., Miyake Y. and Kimura S. (2018) Selection of suitable coastal aquaculture sites using Multi-Criteria Decision Analysis in Menai Strait, UK. *Ocean and Coastal Management*, **165**, 268-279.
- 伊藤進一・船本鉄一郎・志田修・上村泰洋・高橋素光・白井厚太朗・樋口富彦・小松幸生・横井孝暁・坂本達也・Guo Chen-ying・石村豊穂 (2018) 気候変動が水産資源の変動に与える影響を理解する上での問題点と今後の展望. 海の研究, **27**, 59-73.
- 岡 顕 (2018) 海洋炭素循環モデルの考え方と基礎. 「巨大リザーバ:南大洋・南極氷床」(大島慶一郎 編), 北海道大学 低温科学研究所, 北海道, 43-55.
- 道田 豊 (2018) 海洋情報整備の現状と課題. 水路新技術講演集, **32**, 1-3.